

Philippe Bastin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3852678/publications.pdf>

Version: 2024-02-01

82
papers

4,511
citations

134610

34
h-index

134545

62
g-index

100
all docs

100
docs citations

100
times ranked

4094
citing authors

#	ARTICLE	IF	CITATIONS
1	Restriction of intraflagellar transport to some microtubule doublets: An opportunity for cilia diversification?. <i>BioEssays</i> , 2022, 44, .	1.2	5
2	Ultrastructural Changes of the Mitochondrion During the Life Cycle of <i>Trypanosoma brucei</i> . <i>Journal of Eukaryotic Microbiology</i> , 2021, 68, e12846.	0.8	15
3	Redistribution of <i>FLAgellar</i> Member 8 during the trypanosome life cycle: Consequences for cell fate prediction. <i>Cellular Microbiology</i> , 2021, 23, e13347.	1.1	15
4	The establishment of variant surface glycoprotein monoallelic expression revealed by single-cell RNA-seq of <i>Trypanosoma brucei</i> in the tsetse fly salivary glands. <i>PLoS Pathogens</i> , 2021, 17, e1009904.	2.1	29
5	CEP164C regulates flagellum length in stable flagella. <i>Journal of Cell Biology</i> , 2021, 220, .	2.3	10
6	Intraflagellar transport during assembly of flagella of different length in <i>Trypanosoma brucei</i> isolated from tsetse flies. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	7
7	Dealing with several flagella in the same cell. <i>Cellular Microbiology</i> , 2020, 22, e13162.	1.1	12
8	Timing and original features of flagellum assembly in trypanosomes during development in the tsetse fly. <i>Parasites and Vectors</i> , 2020, 13, 169.	1.0	9
9	IFT25 is required for the construction of the trypanosome flagellum. <i>Journal of Cell Science</i> , 2019, 132, .	1.2	8
10	Indirubin Analogues Inhibit <i>Trypanosoma brucei</i> Glycogen Synthase Kinase 3 Short and <i>T. brucei</i> Growth. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	1.4	5
11	Binding of IFT22 to the intraflagellar transport complex is essential for flagellum assembly. <i>EMBO Journal</i> , 2019, 38, .	3.5	38
12	STEM tomography analysis of the trypanosome transition zone. <i>Journal of Structural Biology</i> , 2018, 202, 51-60.	1.3	22
13	Flagellar incorporation of proteins follows at least two different routes in trypanosomes. <i>Biology of the Cell</i> , 2018, 110, 33-47.	0.7	10
14	A Grow-and-Lock Model for the Control of Flagellum Length in Trypanosomes. <i>Current Biology</i> , 2018, 28, 3802-3814.e3.	1.8	34
15	Bidirectional intraflagellar transport is restricted to two sets of microtubule doublets in the trypanosome flagellum. <i>Journal of Cell Biology</i> , 2018, 217, 4284-4297.	2.3	41
16	Biallelic Mutations in LRRC56, Encoding a Protein Associated with Intraflagellar Transport, Cause Mucociliary Clearance and Laterality Defects. <i>American Journal of Human Genetics</i> , 2018, 103, 727-739.	2.6	49
17	Preparation and Observation of Thick Biological Samples by Scanning Transmission Electron Tomography. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	4
18	Intraflagellar transport is required for the maintenance of the trypanosome flagellum composition but not length. <i>Journal of Cell Science</i> , 2016, 129, 3026-41.	1.2	39

#	ARTICLE	IF	CITATIONS
19	Scanning transmission electron microscopy through-focal tilt-series on biological specimens. <i>Micron</i> , 2015, 77, 9-15.	1.1	13
20	Using steerable wavelets and minimal paths to reconstruct automatically filaments in fluorescence imaging. , 2015, , .		1
21	Social motility in African trypanosomes: fact or model?. <i>Trends in Parasitology</i> , 2015, 31, 37-38.	1.5	5
22	The more we know, the more we have to discover: an exciting future for understanding cilia and ciliopathies. <i>Cilia</i> , 2015, 4, 5.	1.8	8
23	Imaging intraflagellar transport in trypanosomes. <i>Methods in Cell Biology</i> , 2015, 127, 487-508.	0.5	5
24	Flagellar membranes are rich in raft-forming phospholipids. <i>Biology Open</i> , 2015, 4, 1143-1153.	0.6	27
25	<i>IFT81</i>, encoding an IFT-B core protein, as a very rare cause of a ciliopathy phenotype. <i>Journal of Medical Genetics</i> , 2015, 52, 657-665.	1.5	32
26	The Flagellar Arginine Kinase in <i>Trypanosoma brucei</i> Is Important for Infection in Tsetse Flies. <i>PLoS ONE</i> , 2015, 10, e0133676.	1.1	25
27	Flagellar adhesion in <i>Trypanosoma brucei</i> relies on interactions between different skeletal structures present in the flagellum and in the cell body. <i>Journal of Cell Science</i> , 2014, 127, 204-15.	1.2	39
28	Generation of a Nanobody Targeting the Paraflagellar Rod Protein of Trypanosomes. <i>PLoS ONE</i> , 2014, 9, e115893.	1.1	26
29	A statistical analysis of spatial clustering along cell filaments using Ripley's K function. , 2014, , .		6
30	Forward motility is essential for trypanosome infection in the tsetse fly. <i>Cellular Microbiology</i> , 2014, 16, 425-433.	1.1	56
31	The intraflagellar transport dynein complex of trypanosomes is made of a heterodimer of dynein heavy chains and of light and intermediate chains of distinct functions. <i>Molecular Biology of the Cell</i> , 2014, 25, 2620-2633.	0.9	40
32	The <sc><i>Leishmania donovani</i></sc> chaperone cyclophilin 40 is essential for intracellular infection independent of its stage-specific phosphorylation status. <i>Molecular Microbiology</i> , 2014, 93, 80-97.	1.2	21
33	Proteomic Analysis of Intact Flagella of Procyclic <i>Trypanosoma brucei</i> Cells Identifies Novel Flagellar Proteins with Unique Sub-localization and Dynamics. <i>Molecular and Cellular Proteomics</i> , 2014, 13, 1769-1786.	2.5	114
34	The GTPase IFT27 is involved in both anterograde and retrograde intraflagellar transport. <i>ELife</i> , 2014, 3, e02419.	2.8	61
35	Boarder control on the IFT train. <i>ELife</i> , 2014, 3, e02531.	2.8	1
36	Intraflagellar transport proteins cycle between the flagellum and its base. <i>Journal of Cell Science</i> , 2013, 126, 327-338.	1.2	109

#	ARTICLE	IF	CITATIONS
37	Molecular Basis of Tubulin Transport Within the Cilium by IFT74 and IFT81. <i>Science</i> , 2013, 341, 1009-1012.	6.0	271
38	<i>Trypanosoma brucei</i> FKBP12 Differentially Controls Motility and Cytokinesis in Procyclic and Bloodstream Forms. <i>Eukaryotic Cell</i> , 2013, 12, 168-181.	3.4	9
39	Getting to the heart of intraflagellar transport using <i>Trypanosoma</i> and <i>Chlamydomonas</i> models: the strength is in their differences. <i>Cilia</i> , 2013, 2, 16.	1.8	34
40	Apoptotic Marker Expression in the Absence of Cell Death in Staurosporine-Treated <i>Leishmania donovani</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 1252-1261.	1.4	25
41	More than meets the eye: understanding <i>Trypanosoma brucei</i> morphology in the tsetse. <i>Frontiers in Cellular and Infection Microbiology</i> , 2013, 3, 71.	1.8	30
42	A new asymmetric division contributes to the continuous production of infective trypanosomes in the tsetse fly. <i>Development (Cambridge)</i> , 2012, 139, 1842-1850.	1.2	84
43	NUP-1 Is a Large Coiled-Coil Nucleoskeletal Protein in Trypanosomes with Lamin-Like Functions. <i>PLoS Biology</i> , 2012, 10, e1001287.	2.6	105
44	1001 model organisms to study cilia and flagella. <i>Biology of the Cell</i> , 2011, 103, 109-130.	0.7	125
45	Molecular bases of cytoskeleton plasticity during the <i>Trypanosoma brucei</i> parasite cycle. <i>Cellular Microbiology</i> , 2011, 13, 705-716.	1.1	59
46	Quantitative proteome profiling informs on phenotypic traits that adapt <i>Leishmania donovani</i> for axenic and intracellular proliferation. <i>Cellular Microbiology</i> , 2011, 13, 978-991.	1.1	83
47	The ciliary pocket: a once-forgotten membrane domain at the base of cilia. <i>Biology of the Cell</i> , 2011, 103, 131-144.	0.7	96
48	ALBA proteins are stage regulated during trypanosome development in the tsetse fly and participate in differentiation. <i>Molecular Biology of the Cell</i> , 2011, 22, 4205-4219.	0.9	104
49	Curvelet analysis of kymograph for tracking bi-directional particles in fluorescence microscopy images. , 2010, , .		24
50	The ciliary pocket: an endocytic membrane domain at the base of primary and motile cilia. <i>Journal of Cell Science</i> , 2010, 123, 1785-1795.	1.2	244
51	Cyclosporin A Treatment of <i>Leishmania donovani</i> Reveals Stage-Specific Functions of Cyclophilins in Parasite Proliferation and Viability. <i>PLoS Neglected Tropical Diseases</i> , 2010, 4, e729.	1.3	34
52	The peculiarities of flagella in parasitic protozoa. <i>Current Opinion in Microbiology</i> , 2010, 13, 450-452.	2.3	6
53	Flagellum Structure and Function in Trypanosomes. <i>Microbiology Monographs</i> , 2010, , 63-86.	0.3	8
54	A novel function for the atypical small G protein Rab-like 5 in the assembly of the trypanosome flagellum. <i>Journal of Cell Science</i> , 2009, 122, 834-841.	1.2	61

#	ARTICLE	IF	CITATIONS
55	Kinesin 9 family members perform separate functions in the trypanosome flagellum. <i>Journal of Cell Biology</i> , 2009, 187, 615-622.	2.3	82
56	Tools for Analyzing Intraflagellar Transport in Trypanosomes. <i>Methods in Cell Biology</i> , 2009, 93, 59-80.	0.5	13
57	The flagellum-mitogen-activated protein kinase connection in Trypanosomatids: a key sensory role in parasite signalling and development?. <i>Cellular Microbiology</i> , 2009, 11, 710-718.	1.1	67
58	Loss-of-Function Mutations in the Human Ortholog of <i>Chlamydomonas reinhardtii</i> ODA7 Disrupt Dynein Arm Assembly and Cause Primary Ciliary Dyskinesia. <i>American Journal of Human Genetics</i> , 2009, 85, 890-896.	2.6	145
59	Flagellum elongation is required for correct structure, orientation and function of the flagellar pocket in <i>Trypanosoma brucei</i> . <i>Journal of Cell Science</i> , 2008, 121, 3704-3716.	1.2	59
60	Intraflagellar Transport and Functional Analysis of Genes Required for Flagellum Formation in Trypanosomes. <i>Molecular Biology of the Cell</i> , 2008, 19, 929-944.	0.9	166
61	Basal Body Positioning Is Controlled by Flagellum Formation in <i>Trypanosoma brucei</i> . <i>PLoS ONE</i> , 2007, 2, e437.	1.1	75
62	The Argonaute protein TbAGO1 contributes to large and mini-chromosome segregation and is required for control of RIME retroposons and RHS pseudogene-associated transcripts. <i>Molecular and Biochemical Parasitology</i> , 2007, 156, 144-153.	0.5	17
63	Conserved and specific functions of axoneme components in trypanosome motility. <i>Journal of Cell Science</i> , 2006, 119, 3443-3455.	1.2	150
64	Functional complementation of RNA interference mutants in trypanosomes. <i>BMC Biotechnology</i> , 2005, 5, 6.	1.7	18
65	The Flagellum of Trypanosomes. <i>International Review of Cytology</i> , 2005, 244, 227-285.	6.2	63
66	Efficiency and specificity of RNA interference generated by intra- and intermolecular double stranded RNA in <i>Trypanosoma brucei</i> . <i>Molecular and Biochemical Parasitology</i> , 2003, 129, 11-21.	0.5	55
67	TbAGO1, an argonaute protein required for RNA interference, is involved in mitosis and chromosome segregation in <i>Trypanosoma brucei</i> . <i>BMC Biology</i> , 2003, 1, 2.	1.7	74
68	Novel roles for the flagellum in cell morphogenesis and cytokinesis of trypanosomes. <i>EMBO Journal</i> , 2003, 22, 5336-5346.	3.5	220
69	Le flagelle du trypanosome : de la mobilit�� la morphogen��se cellulaire. <i>Soci��t�� De Biologie Journal</i> , 2003, 197, 379-387.	0.3	2
70	Genetic interference in protozoa. <i>Research in Microbiology</i> , 2001, 152, 123-129.	1.0	18
71	Inside and outside of the trypanosome flagellum:a multifunctional organelle. <i>Microbes and Infection</i> , 2000, 2, 1865-1874.	1.0	59
72	Assembly and Function of Complex Flagellar Structures Illustrated by the Paraflagellar Rod of Trypanosomes. <i>Protist</i> , 1999, 150, 113-123.	0.6	27

#	ARTICLE	IF	CITATIONS
73	Flagellar Morphogenesis: Protein Targeting and Assembly in the Paraflagellar Rod of Trypanosomes. <i>Molecular and Cellular Biology</i> , 1999, 19, 8191-8200.	1.1	95
74	Paraflagellar rod is vital for trypanosome motility. <i>Nature</i> , 1998, 391, 548-548.	13.7	175
75	A motility function for the paraflagellar rod of Leishmania parasites revealed by PFR-2 gene knockouts. <i>Molecular and Biochemical Parasitology</i> , 1997, 90, 95-109.	0.5	100
76	The paraflagellar rod of kinetoplastida: Solved and unsolved questions. <i>Parasitology Today</i> , 1996, 12, 302-307.	3.1	76
77	An Mr 145000 low-density lipoprotein (LDL)-binding protein is conserved throughout the Kinetoplastida order. <i>Molecular and Biochemical Parasitology</i> , 1996, 76, 43-56.	0.5	34
78	A novel epitope tag system to study protein targeting and organelle biogenesis in <i>Trypanosoma brucei</i> . <i>Molecular and Biochemical Parasitology</i> , 1996, 77, 235-239.	0.5	287
79	Activity, pharmacological inhibition and biological regulation of 3-hydroxy-3-methylglutaryl coenzyme A reductase in <i>Trypanosoma brucei</i> . <i>Molecular and Biochemical Parasitology</i> , 1995, 69, 29-40.	0.5	44
80	Identification of a specific epitope on the extracellular domain of the LDL-receptor of <i>Trypanosoma brucei brucei</i> . <i>Molecular and Biochemical Parasitology</i> , 1994, 63, 193-202.	0.5	14
81	Receptor-Mediated Endocytosis in <i>Trypanosoma Brucei</i> . , 1992, , 475-480.		1
82	Control of Flagellum Length by a Grow-and-Lock Model. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0