

# Rodney Taylor

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3853027/publications.pdf>

Version: 2024-02-01

349  
papers

28,849  
citations

7096

78  
h-index

7348

152  
g-index

368  
all docs

368  
docs citations

368  
times ranked

26329  
citing authors

#	ARTICLE	IF	CITATIONS
1	Spinal Cord Stimulation for Neuropathic Pain in England From 2010 to 2020: A Hospital Episode Statistics Analysis. <i>Neuromodulation</i> , 2023, 26, 109-114.	0.8	2
2	Personalised rehabilitation for cardiac and pulmonary patients with multimorbidity: Time for implementation?. <i>European Journal of Preventive Cardiology</i> , 2022, 28, e19-e23.	1.8	11
3	COVID-19 and its cardiovascular effects: a systematic review of prevalence studies. <i>The Cochrane Library</i> , 2022, 2022, CD013879.	2.8	66
4	Effects of Cardiac Rehabilitation in Low- and Middle-Income Countries: A systematic Review and Meta-Analysis of Randomised Controlled Trials. <i>Progress in Cardiovascular Diseases</i> , 2022, 70, 119-174.	3.1	26
5	The role of cardiopulmonary exercise testing in predicting mortality and morbidity in people with congenital heart disease: a systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 513-533.	1.8	14
6	The promise and challenge of telerehabilitation in cardiac rehabilitation. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1015-1016.	1.8	4
7	The role of cardiac rehabilitation in improving cardiovascular outcomes. <i>Nature Reviews Cardiology</i> , 2022, 19, 180-194.	13.7	150
8	ESC Nursing and Allied Professional Training grants: 10 top tips for enhancing funding success!. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 92-92.	0.9	1
9	Cardiac rehabilitation for patients with heart failure: association with readmission and mortality risk. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 8, 830-839.	4.0	14
10	Reporting Guidelines for Clinical Trial Protocols and Reports of Implantable Neurostimulation Devices: Protocol for the SPIRIT-iNeurostim and CONSORT-iNeurostim Extensions. <i>Neuromodulation</i> , 2022, 25, 1045-1049.	0.8	3
11	Cost-effectiveness of 4mg dibotermin alfa/absorbable collagen sponge versus iliac crest bone graft for lumbar degenerative disc disease in the United Kingdom. <i>Journal of Medical Economics</i> , 2022, 25, 59-65.	2.1	0
12	Are patient characteristics and modes of delivery associated with completion of cardiac rehabilitation? A national registry analysis. <i>International Journal of Cardiology</i> , 2022, 361, 7-13.	1.7	4
13	Development of a framework and decision tool for the evaluation of health technologies based on surrogate endpoint evidence. <i>Health Economics (United Kingdom)</i> , 2022, 31, 44-72.	1.7	9
14	A pragmatic effectiveness-implementation study comparing trial evidence with routinely collected outcome data for patients receiving the REACH-HF home-based cardiac rehabilitation programme. <i>BMC Cardiovascular Disorders</i> , 2022, 22, .	1.7	1
15	Informed decision-making: Statistical methodology for surrogacy evaluation and its role in licensing and reimbursement assessments. <i>Pharmaceutical Statistics</i> , 2022, 21, 740-756.	1.3	7
16	Long-term effects of cardiac rehabilitation after heart valve surgery - results from the randomised CopenHeart<sub>VR</sub> trial. <i>Scandinavian Cardiovascular Journal</i> , 2022, 56, 247-255.	1.2	3
17	Barriers and facilitators to implementation of a home-based cardiac rehabilitation programme for patients with heart failure in the NHS: a mixed-methods study. <i>BMJ Open</i> , 2022, 12, e060221.	1.9	4
18	Cardiac rehabilitation for people with heart disease: an overview of Cochrane systematic reviews. <i>The Cochrane Library</i> , 2021, 2021, CD011273.	2.8	155

#	ARTICLE	IF	CITATIONS
19	Psychological interventions for coronary heart disease. The Cochrane Library, 2021, 2021, CD002902.	2.8	212
20	Patient education in the management of coronary heart disease. The Cochrane Library, 2021, 2021, CD008895.	2.8	121
21	Physical activity interventions for people with congenital heart disease. The Cochrane Library, 2021, 2021, CD013400.	2.8	17
22	Correspondence to the <i>EJPC</i> in response to position paper by Ambrosetti M et al. 2020: Cardiovascular rehabilitation and COVID-19: The need to maintain access to evidence-based services from the safety of home. European Journal of Preventive Cardiology, 2021, 28, e23-e24.	1.8	7
23	Systematic Review of Research Methods and Reporting Quality of Randomized Clinical Trials of Spinal Cord Stimulation for Pain. Journal of Pain, 2021, 22, 127-142.	1.4	9
24	The Effectiveness of a Community-Based Mentoring Program for Children Aged 5â€“11 Years: Results from a Randomized Controlled Trial. Prevention Science, 2021, 22, 100-112.	2.6	3
25	To Trial or Not to Trial Before Spinal Cord Stimulation for Chronic Neuropathic Pain: The Patientsâ€™ View From the TRIAL-STIM Randomized Controlled Trial. Neuromodulation, 2021, 24, 459-470.	0.8	21
26	Associations Between Systolic Interarm Differences in Blood Pressure and Cardiovascular Disease Outcomes and Mortality. Hypertension, 2021, 77, 650-661.	2.7	34
27	2020 ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. European Heart Journal, 2021, 42, 17-96.	2.2	830
28	Singing for people with aphasia (SPA): results of a pilot feasibility randomised controlled trial of a group singing intervention investigating acceptability and feasibility. BMJ Open, 2021, 11, e040544.	1.9	14
29	Cochrane corner: Physical activity interventions for people with congenital heart disease. Heart, 2021, 107, 447-449.	2.9	4
30	More Evidence of Cardiac Rehabilitation: Need to Consider Patient Quality of Life. Canadian Journal of Cardiology, 2021, 37, 1681-1682.	1.7	3
31	Research design considerations for randomized controlled trials of spinal cord stimulation for pain: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials/Institute of Neuromodulation/International Neuromodulation Society recommendations. Pain, 2021, 162, 1935-1956.	4.2	38
32	Process evaluation of a randomised pilot trial of home-based rehabilitation compared to usual care in patients with heart failure with preserved ejection fraction and their caregiverâ€™s. Pilot and Feasibility Studies, 2021, 7, 11.	1.2	9
33	Reducing intrusive memories after trauma via a brief cognitive task intervention in the hospital emergency department: an exploratory pilot randomised controlled trial. Translational Psychiatry, 2021, 11, 30.	4.8	46
34	A facilitated home-based cardiac rehabilitation intervention for people with heart failure and their caregivers: a research programme including the REACH-HF RCT. Programme Grants for Applied Research, 2021, 9, 1-100.	1.0	8
35	Validity of Surrogate Endpoints and Their Impact on Coverage Recommendations: A Retrospective Analysis across International Health Technology Assessment Agencies. Medical Decision Making, 2021, 41, 439-452.	2.4	21
36	Exercise Training for Heart Failure With Preserved Ejection Fraction (ExTraMATCH III): Protocol for an Individual Patient Data Meta-Analysis. Bioengineered, 2021, 10, 3-11.	3.2	0

#	ARTICLE	IF	CITATIONS
37	Secondary Preventive Care for Cardiovascular Diseases in Bangladesh: A National Survey. <i>Global Heart</i> , 2021, 16, 31.	2.3	1
38	Resource Use and Cost of Subcutaneous Nerve Stimulation Versus Optimized Medical Management in Patients With Failed Back Surgery Syndrome: An Analysis of the SubQStim Study. <i>Neuromodulation</i> , 2021, 24, 1033-1041.	0.8	0
39	Long-term physical and psychological outcomes after out-of-hospital cardiac arrest protocol for a national cross-sectional survey of survivors and their relatives (the DANCAS survey). <i>BMJ Open</i> , 2021, 11, e045668.	1.9	8
40	A simple cognitive task intervention to prevent intrusive memories after trauma in patients in the Emergency Department: A randomized controlled trial terminated due to COVID-19. <i>BMC Research Notes</i> , 2021, 14, 176.	1.4	3
41	Postmyocardial infarction education is effective but not enough on its own. <i>Heart</i> , 2021, 107, 1026-1027.	2.9	1
42	Exercise-based cardiac rehabilitation for adults after heart valve surgery. <i>The Cochrane Library</i> , 2021, 2021, CD010876.	2.8	14
43	Effect of High-frequency (10-kHz) Spinal Cord Stimulation in Patients With Painful Diabetic Neuropathy. <i>JAMA Neurology</i> , 2021, 78, 687.	9.0	122
44	Virtual and in-person cardiac rehabilitation. <i>BMJ</i> , 2021, 373, n1270.	6.0	58
45	Psychological therapy for mood instability within bipolar spectrum disorder: a randomised, controlled feasibility trial of a dialectical behaviour therapy-informed approach (the ThrIVE-B) <i>Tj ETQq1 1 0.784314</i> <i>BT /Overclock 10</i>		
46	Are behaviour change techniques and intervention features associated with effectiveness of digital cardiac rehabilitation programmes? A systematic review protocol. <i>HRB Open Research</i> , 2021, 4, 88.	0.6	1
47	Economic evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: a cost-utility and cost-consequences analysis. <i>European Journal of Health Economics</i> , 2021, , 1.	2.8	2
48	Per-Protocol analyses produced larger treatment effect sizes than intention to treat: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2021, 138, 12-21.	5.0	12
49	Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. <i>British Journal of Sports Medicine</i> , 2021, 55, 444-450.	6.7	10
50	Cochrane corner: Exercise-based cardiac rehabilitation for adults after heart valve surgery. <i>Heart</i> , 2021, 107, 1935-1937.	2.9	2
51	Exercise-based cardiac rehabilitation for coronary heart disease. <i>The Cochrane Library</i> , 2021, 2021, CD001800.	2.8	103
52	Effectiveness of rehabilitation interventions on the secondary consequences of surviving a cardiac arrest: a systematic review and meta-analysis. <i>BMJ Open</i> , 2021, 11, e047251.	1.9	0
53	Effectiveness of rehabilitation interventions on the secondary consequences of surviving a cardiac arrest: a systematic review and meta-analysis. <i>BMJ Open</i> , 2021, 11, e047251.	1.9	12
54	Randomized Placebo-/Sham-Controlled Trials of Spinal Cord Stimulation: A Systematic Review and Methodological Appraisal. <i>Neuromodulation</i> , 2020, 23, 10-18.	0.8	42

#	ARTICLE	IF	CITATIONS
55	Heart failure rehabilitation improves quality of life but we need to offer alternative modes of delivery to increase uptake. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2047-2048.	1.8	1
56	Cost-effectiveness of exercise therapy in patients with coronary heart disease, chronic heart failure and associated risk factors: A systematic review of economic evaluations of randomized clinical trials. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1045-1055.	1.8	39
57	Effect of Home-Based Cardiac Rehabilitation in a Lower-Middle Income Country. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020, 40, 29-34.	2.1	13
58	Lifecycle evidence requirements for high-risk implantable medical devices: a European perspective. <i>Expert Review of Medical Devices</i> , 2020, 17, 993-1006.	2.8	15
59	Cardiac rehabilitation meta-analysis of trials in patients with coronary heart disease using individual participant data (CaReMATCH): Project protocol. <i>IJC Heart and Vasculature</i> , 2020, 31, 100616.	1.1	0
60	Surrogate Endpoints in Health Technology Assessment: An International Review of Methodological Guidelines. <i>Pharmacoeconomics</i> , 2020, 38, 1055-1070.	3.3	33
61	Does a screening trial for spinal cord stimulation in patients with chronic pain of neuropathic origin have clinical utility and cost-effectiveness (TRIAL-STIM)? A randomised controlled trial. <i>Pain</i> , 2020, 161, 2820-2829.	4.2	52
62	The role of cardiopulmonary exercise testing (CPET) in predicting mortality and morbidity in people with congenital heart disease: a systematic review and meta-analysis (Protocol). <i>Journal of Congenital Cardiology</i> , 2020, 4, .	0.5	2
63	Physical activity assessment by accelerometry in people with heart failure. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 47.	1.7	15
64	Itâ€™s not the years in your life that matter, itâ€™s the life in your years. <i>Heart</i> , 2020, 106, 1707-1707.	2.9	1
65	Psychological interventions for depression and anxiety in patients with coronary heart disease, heart failure or atrial fibrillation. <i>The Cochrane Library</i> , 2020, , .	2.8	0
66	Global health-care systems must prioritise rehabilitation. <i>Lancet, The</i> , 2020, 396, 1946-1947.	13.7	10
67	Getting evidence into clinical practice: protocol for evaluation of the implementation of a home-based cardiac rehabilitation programme for patients with heart failure. <i>BMJ Open</i> , 2020, 10, e036137.	1.9	6
68	Persistent postoperative pain and healthcare costs associated with instrumented and non-instrumented spinal surgery: a case-control study. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 127.	2.3	5
69	The value of social practice theory for implementation science: learning from a theory-based mixed methods process evaluation of a randomised controlled trial. <i>BMC Medical Research Methodology</i> , 2020, 20, 181.	3.1	9
70	Cochrane corner: increasing patient utilisation of cardiac rehabilitation. <i>Heart</i> , 2020, 106, 248-250.	2.9	2
71	Bayesian hierarchical meta-analytic methods for modeling surrogate relationships that vary across treatment classes using aggregate data. <i>Statistics in Medicine</i> , 2020, 39, 1103-1124.	1.6	14
72	Association Between Fibrosis Stage and Outcomes of Patients With Nonalcoholic Fatty Liver Disease: A Systematic Review and Meta-Analysis. <i>Gastroenterology</i> , 2020, 158, 1611-1625.e12.	1.3	575

#	ARTICLE	IF	CITATIONS
73	A Systematic Review of Economic Evaluations Reporting the Cost-Effectiveness of Spinal Cord Stimulation. <i>Value in Health</i> , 2020, 23, 656-665.	0.3	31
74	Quo Vadis HTA for Medical Devices in Central and Eastern Europe? Recommendations to Address Methodological Challenges. <i>Frontiers in Public Health</i> , 2020, 8, 612410.	2.7	9
75	Protocol for an implementation study of an evidence-based home cardiac rehabilitation programme for people with heart failure and their caregivers in Scotland (SCOT:REACH-HF). <i>BMJ Open</i> , 2020, 10, e040771.	1.9	10
76	Reply. <i>JACC: Heart Failure</i> , 2020, 8, 343-344.	4.1	1
77	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-106.	2.8	10
78	One size does not fit all – application of accelerometer thresholds in chronic disease. <i>International Journal of Epidemiology</i> , 2019, 48, 1380-1380.	1.9	5
79	Exercise-Based Rehabilitation for Heart Failure. <i>JACC: Heart Failure</i> , 2019, 7, 691-705.	4.1	141
80	Reply. <i>Journal of the American College of Cardiology</i> , 2019, 74, 590-591.	2.8	0
81	Exercise-based cardiac rehabilitation for stable angina: systematic review and meta-analysis. <i>Open Heart</i> , 2019, 6, e000989.	2.3	17
82	Cooled radiofrequency ablation of the genicular nerves for chronic pain due to osteoarthritis of the knee: a cost-effectiveness analysis based on trial data. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 302.	1.9	13
83	Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. <i>The Cochrane Library</i> , 2019, 2, CD011828.	2.8	22
84	Involving caregivers in self-management interventions for patients with heart failure and chronic obstructive pulmonary disease. A systematic review and meta-analysis. <i>Journal of Advanced Nursing</i> , 2019, 75, 3331-3345.	3.3	11
85	Outcome measures in a combined exercise rehabilitation programme for adults with COPD and chronic heart failure: A preliminary stakeholder consensus event. <i>Chronic Respiratory Disease</i> , 2019, 16, 147997311986795.	2.4	6
86	Reoperation following lumbar spinal surgery: costs and outcomes in a UK population cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). <i>European Spine Journal</i> , 2019, 28, 863-871.	2.2	13
87	Caregiver outcomes of the REACH-HF multicentre randomized controlled trial of home-based rehabilitation for heart failure with reduced ejection fraction. <i>European Journal of Cardiovascular Nursing</i> , 2019, 18, 611-620.	0.9	35
88	The Back Pain and Movement (B-PAM) registry; a study protocol. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 249.	1.9	1
89	Evaluating Augmented Depression Therapy (ADepT): study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2019, 5, 63.	1.2	18
90	Dose-response relation between dietary sodium and blood pressure: a meta-regression analysis of 133 randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1273-1278.	4.7	43

#	ARTICLE	IF	CITATIONS
91	Impact of Exercise Rehabilitation on Exercise Capacity and Quality-of-Life in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1430-1443.	2.8	172
92	Home-based rehabilitation for heart failure: we need to act now. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1343-1344.	1.8	3
93	The cost effectiveness of REACH-HF and home-based cardiac rehabilitation compared with the usual medical care for heart failure with reduced ejection fraction: A decision model-based analysis. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1252-1261.	1.8	36
94	Interventions to Promote Patient Utilization of Cardiac Rehabilitation: Cochrane Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 189.	2.4	36
95	Home-based rehabilitation for heart failure with reduced ejection fraction: mixed methods process evaluation of the REACH-HF multicentre randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e026039.	1.9	24
96	Independently getting off the floor: a feasibility study of teaching people with stroke to get up after a fall. <i>International Journal of Therapy and Rehabilitation</i> , 2019, 26, 1-17.	0.3	2
97	Interventions to promote patient utilisation of cardiac rehabilitation. <i>The Cochrane Library</i> , 2019, 2019, CD007131.	2.8	60
98	Exercise-based cardiac rehabilitation for adults with heart failure. <i>The Cochrane Library</i> , 2019, 2019, CD003331.	2.8	247
99	The community-based prevention of diabetes (ComPoD) study: a randomised, waiting list controlled trial of a voluntary sector-led diabetes prevention programme. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 112.	4.6	10
100	Reply to Tapia et al.. <i>Pain</i> , 2019, 160, 1904-1904.	4.2	0
101	Multicolumn spinal cord stimulation for predominant back pain in failed back surgery syndrome patients: a multicenter randomized controlled trial. <i>Pain</i> , 2019, 160, 1410-1420.	4.2	100
102	Exercise training for chronic heart failure (ExTraMATCH II): Why all data are not equal. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1229-1231.	1.8	3
103	An overview of statistical methods for handling nonadherence to an intervention protocol in randomized control trials: a methodological review. <i>Journal of Clinical Epidemiology</i> , 2019, 108, 121-131.	5.0	17
104	The effects and costs of home-based rehabilitation for heart failure with reduced ejection fraction: The REACH-HF multicentre randomized controlled trial. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 262-272.	1.8	96
105	Characterizing the Somatosensory Profile of Patients With Failed Back Surgery Syndrome With Unilateral Lumbar Radiculopathy Undergoing Spinal Cord Stimulation: A Single Center Prospective Pilot Study. <i>Neuromodulation</i> , 2019, 22, 333-340.	0.8	6
106	The Surgical Approach to the Anterior Nucleus of Thalamus in Patients With Refractory Epilepsy: Experience from the International Multicenter Registry (MORE). <i>Neurosurgery</i> , 2019, 84, 141-150.	1.1	57
107	A Randomized Controlled Trial of Subcutaneous Nerve Stimulation for Back Pain Due to Failed Back Surgery Syndrome: The SubQStim Study. <i>Neuromodulation</i> , 2019, 22, 519-528.	0.8	31
108	Disease management interventions for heart failure. <i>The Cochrane Library</i> , 2019, 2019, CD002752.	2.8	53

#	ARTICLE	IF	CITATIONS
109	Exercise-based cardiac rehabilitation for patients following open surgical aortic valve replacement and transcatheter aortic valve implant: a systematic review and meta-analysis. <i>Open Heart</i> , 2019, 6, e000922.	2.3	15
110	Exercise-based cardiac rehabilitation for chronic heart failure: the EXTRAMATCH II individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2019, 23, 1-98.	2.8	34
111	Community-based rehabilitation training after stroke: results of a pilot randomised controlled trial (ReTrain) investigating acceptability and feasibility. <i>BMJ Open</i> , 2018, 8, e018409.	1.9	31
112	Impact of cardiac rehabilitation on cardiac mortality. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2018, 4, 148-149.	4.0	1
113	Short- and long-term cost and utilization of health care resources in Parkinson's disease in the UK. <i>Movement Disorders</i> , 2018, 33, 974-981.	3.9	53
114	Cardiac rehabilitation and physical activity: systematic review and meta-analysis. <i>Heart</i> , 2018, 104, 1394-1402.	2.9	114
115	Exercise-based cardiac rehabilitation for adults with stable angina. <i>The Cochrane Library</i> , 2018, 2, CD012786.	2.8	32
116	Five year trends (2008-2012) in cardiac implantable electrical device utilization in five European nations: a case study in cross-country comparisons using administrative databases. <i>Europace</i> , 2018, 20, 643-653.	1.7	20
117	Comparison of treatment effect sizes from pivotal and postapproval trials of novel therapeutics approved by the FDA based on surrogate markers of disease: a meta-epidemiological study. <i>BMC Medicine</i> , 2018, 16, 45.	5.5	10
118	Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. <i>Trials</i> , 2018, 19, 211.	1.6	12
119	Comparison of a structured home-based rehabilitation programme with conventional supervised pulmonary rehabilitation: a randomised non-inferiority trial. <i>Thorax</i> , 2018, 73, 29-36.	5.6	105
120	Effectiveness of the Healthy Lifestyles Programme (HeLP) to prevent obesity in UK primary-school children: a cluster randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 35-45.	5.6	64
121	Psychological interventions for coronary heart disease: Cochrane systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 247-259.	1.8	162
122	Does a Screening Trial for Spinal Cord Stimulation in Patients with Chronic Pain of Neuropathic Origin have Clinical Utility and Cost-Effectiveness? (TRIAL-STIM Study): study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 633.	1.6	21
123	Exercise-based cardiac rehabilitation improves exercise capacity and health-related quality of life in people with atrial fibrillation: a systematic review and meta-analysis of randomised and non-randomised trials. <i>Open Heart</i> , 2018, 5, e000880.	2.3	36
124	Cardiac rehabilitation to improve health-related quality of life following trans-catheter aortic valve implantation: a randomised controlled feasibility study. <i>Pilot and Feasibility Studies</i> , 2018, 4, 185.	1.2	17
125	Evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e017931.	1.9	14
126	The feasibility of following up prisoners, with mental health problems, after release: a pilot trial employing an innovative system, for engagement and retention in research, with a harder-to-engage population. <i>Trials</i> , 2018, 19, 530.	1.6	9



#	ARTICLE	IF	CITATIONS
127	Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coachER trial. <i>BMJ Open</i> , 2018, 8, e022382.	1.9	6
128	Impact of exercise-based cardiac rehabilitation in patients with heart failure (ExTraMATCH II) on mortality and hospitalisation: an individual patient data meta-analysis of randomised trials. <i>European Journal of Heart Failure</i> , 2018, 20, 1735-1743.	7.1	125
129	The clinical and cost effectiveness of adapted dialectical behaviour therapy (DBT) for bipolar mood instability in primary care (ThrIVE-B programme): a feasibility study. <i>Trials</i> , 2018, 19, 560.	1.6	2
130	Singing for people with aphasia (SPA): a protocol for a pilot randomised controlled trial of a group singing intervention to improve well-being. <i>BMJ Open</i> , 2018, 8, e025167.	1.9	54
131	Feasibility study to assess the impact of a lifestyle intervention (â€œLivingWELLâ€™™) in people having an assessment of their family history of colorectal or breast cancer. <i>BMJ Open</i> , 2018, 8, e019410.	1.9	27
132	Physical activity, sleep, and fatigue in community dwelling Stroke Survivors. <i>Scientific Reports</i> , 2018, 8, 7900.	3.3	21
133	Validation of Exercise Capacity as a Surrogate Endpoint in Exercise-Based Rehabilitation for Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 596-604.	4.1	47
134	Acceptability and experience of a functional training programme (ReTrain) in community-dwelling stroke survivors in South West England: a qualitative study. <i>BMJ Open</i> , 2018, 8, e022175.	1.9	4
135	â€™Who Cares?â€™ The experiences of caregivers of adults living with heart failure, chronic obstructive pulmonary disease and coronary artery disease: a mixed methods systematic review. <i>BMJ Open</i> , 2018, 8, e020927.	1.9	34
136	The effectiveness of Chance UKâ€™™s mentoring programme in improving behavioural and emotional outcomes in primary school children with behavioural difficulties: study protocol for a randomised controlled trial. <i>BMC Psychology</i> , 2018, 6, 9.	2.1	2
137	Pilot randomised controlled trial of the ENGAGER collaborative care intervention for prisoners with common mental health problems, near to and after release. <i>Pilot and Feasibility Studies</i> , 2018, 4, 15.	1.2	18
138	Decision uncertainty and value of further research: a case-study in fenestrated endovascular aneurysm repair for complex abdominal aortic aneurysms. <i>Cost Effectiveness and Resource Allocation</i> , 2018, 16, 15.	1.5	3
139	A randomised controlled trial of a facilitated home-based rehabilitation intervention in patients with heart failure with preserved ejection fraction and their caregivers: the REACH-HFpEF Pilot Study. <i>BMJ Open</i> , 2018, 8, e019649.	1.9	66
140	Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-220.	2.8	10
141	Cluster randomised controlled trial and economic and process evaluation to determine the effectiveness and cost-effectiveness of a novel intervention [Healthy Lifestyles Programme (HeLP)] to prevent obesity in school children. <i>Public Health Research</i> , 2018, 6, 1-204.	1.3	6
142	Reduced dietary salt for the prevention of cardiovascular disease. <i>The Cochrane Library</i> , 2017, 2017, CD009217.	2.8	86
143	The effectiveness of the Incredible Years pre-school parenting programme in the United Kingdom: a pragmatic randomised controlled trial. <i>Child Care in Practice</i> , 2017, 23, 141-161.	0.9	26
144	The Efficacy of Exercise-Based Cardiac Rehabilitation. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1207-1208.	2.8	10

#	ARTICLE	IF	CITATIONS
145	Linking the Regulatory and Reimbursement Processes for Medical Devices: The Need for Integrated Assessments. <i>Health Economics (United Kingdom)</i> , 2017, 26, 13-29.	1.7	37
146	Patients' preference for exercise setting and its influence on the health benefits gained from exercise-based cardiac rehabilitation. <i>International Journal of Cardiology</i> , 2017, 232, 33-39.	1.7	38
147	Behavioural activation training for depression – Authors' reply. <i>Lancet, The</i> , 2017, 389, 367-368.	13.7	0
148	Exercise-based cardiac rehabilitation for adults with atrial fibrillation. <i>The Cochrane Library</i> , 2017, 2, CD011197.	2.8	60
149	The patient education – Learning and Coping Strategies – improves adherence in cardiac rehabilitation (LC-REHAB): A randomised controlled trial. <i>International Journal of Cardiology</i> , 2017, 236, 65-70.	1.7	52
150	A bias-adjusted evidence synthesis of RCT and observational data: the case of total hip replacement. <i>Health Economics (United Kingdom)</i> , 2017, 26, 46-69.	1.7	21
151	Exercise-based cardiac rehabilitation in heart transplant recipients. <i>The Cochrane Library</i> , 2017, 2017, CD012264.	2.8	66
152	Time to Review the Role of Surrogate End Points in Health Policy: State of the Art and the Way Forward. <i>Value in Health</i> , 2017, 20, 487-495.	0.3	101
153	Exercise to preserve $\beta$ -cell function in recent-onset Type 1 diabetes mellitus (<scp>EXTOD</scp>) – a randomized controlled pilot trial. <i>Diabetic Medicine</i> , 2017, 34, 1521-1531.	2.3	45
154	A directly comparative two-gate case-control diagnostic accuracy study of the pure tone screen and HearCheck screener tests for identifying hearing impairment in school children. <i>BMJ Open</i> , 2017, 7, e017258.	1.9	6
155	Cardiac rehabilitation in heart failure with reduced ejection fraction: A –should take it and not leave it –intervention. <i>American Heart Journal</i> , 2017, 192, e1-e2.	2.7	1
156	Associations between interarm differences in blood pressure and cardiovascular disease outcomes: protocol for an individual patient data meta-analysis and development of a prognostic algorithm. <i>BMJ Open</i> , 2017, 7, e016844.	1.9	5
157	Trial baseline characteristics of a cluster randomised controlled trial of a school-located obesity prevention programme; the Healthy Lifestyles Programme (HeLP) trial. <i>BMC Public Health</i> , 2017, 17, 291.	2.9	5
158	Home-based versus centre-based cardiac rehabilitation. <i>The Cochrane Library</i> , 2017, 2017, CD007130.	2.8	234
159	Exercise-based cardiac rehabilitation for patients with stable angina. <i>The Cochrane Library</i> , 2017, , .	2.8	1
160	The incidence and healthcare costs of persistent postoperative pain following lumbar spine surgery in the UK: a cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). <i>BMJ Open</i> , 2017, 7, e017585.	1.9	71
161	Is the Cardiovascular Response Equivalent Between a Supervised Center-Based Setting and a Self-care Home-Based Setting When Rating of Perceived Exertion Is Used to Guide Aerobic Exercise Intensity During a Cardiac Rehabilitation Program?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, 381-387.	1.4	11
162	Debt Counselling for Depression in Primary Care: an adaptive randomised controlled pilot trial (DeCoDer study). <i>Health Technology Assessment</i> , 2017, 21, 1-164.	2.8	15

#	ARTICLE	IF	CITATIONS
163	Cost and Outcome of Behavioural Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. <i>Health Technology Assessment</i> , 2017, 21, 1-366.	2.8	24
164	Facet-joint injections for non-specific low back pain: a feasibility RCT. <i>Health Technology Assessment</i> , 2017, 21, 1-130.	2.8	17
165	Factors associated with study attrition in a pilot randomised controlled trial to explore the role of exercise-assisted reduction to stop (EARS) smoking in disadvantaged groups. <i>Trials</i> , 2016, 17, 524.	1.6	14
166	Deep Brain Stimulation for Parkinson's Disease with Early Motor Complications: A UK Cost-Effectiveness Analysis. <i>PLoS ONE</i> , 2016, 11, e0159340.	2.5	24
167	Exercise-based cardiac rehabilitation for adults after heart valve surgery. <i>The Cochrane Library</i> , 2016, 3, CD010876.	2.8	64
168	Home-based cardiac rehabilitation for people with heart failure: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2016, 221, 963-969.	1.7	92
169	Exercise-based cardiac rehabilitation for coronary heart disease. <i>The Cochrane Library</i> , 2016, , CD001800.	2.8	396
170	Optimising self-care support for people with heart failure and their caregivers: development of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) intervention using intervention mapping. <i>Pilot and Feasibility Studies</i> , 2016, 2, 37.	1.2	51
171	Rehabilitation Enablement in Chronic Heart Failure—a facilitated self-care rehabilitation intervention in patients with heart failure with preserved ejection fraction (REACH-HFpEF) and their caregivers: rationale and protocol for a single-centre pilot randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e012853.	1.9	15
172	Prevalence of systolic inter-arm differences in blood pressure for different primary care populations: systematic review and meta-analysis. <i>British Journal of General Practice</i> , 2016, 66, e838-e847.	1.4	55
173	Community-based Rehabilitation Training after stroke: protocol of a pilot randomised controlled trial (ReTrain). <i>BMJ Open</i> , 2016, 6, e012375.	1.9	16
174	Cardiac rehabilitation increases physical capacity but not mental health after heart valve surgery: a randomised clinical trial. <i>Heart</i> , 2016, 102, 1995-2003.	2.9	36
175	Home-based versus centre-based cardiac rehabilitation: abridged Cochrane systematic review and meta-analysis. <i>Open Heart</i> , 2016, 3, e000463.	2.3	101
176	Building consensus for provision of breathlessness rehabilitation for patients with chronic obstructive pulmonary disease and chronic heart failure. <i>Chronic Respiratory Disease</i> , 2016, 13, 229-239.	2.4	36
177	Telephone triage systems in UK general practice: analysis of consultation duration during the index day in a pragmatic randomised controlled trial. <i>British Journal of General Practice</i> , 2016, 66, e214-e218.	1.4	36
178	Self-rating level of perceived exertion for guiding exercise intensity during a 12-week cardiac rehabilitation programme and the influence of heart rate reducing medication. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 611-615.	1.3	11
179	Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse. <i>JAMA Psychiatry</i> , 2016, 73, 565.	11.0	558
180	Inter-arm blood pressure difference and mortality: a cohort study in an asymptomatic primary care population at elevated cardiovascular risk. <i>British Journal of General Practice</i> , 2016, 66, e297-e308.	1.4	48

#	ARTICLE	IF	CITATIONS
181	Physical activity increases survival after heart valve surgery. <i>Heart</i> , 2016, 102, 1388-1395.	2.9	12
182	Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2016, 388, 871-880.	13.7	427
183	The Effectiveness and Cost-Effectiveness of Spinal Cord Stimulation for Refractory Angina (RASCAL) Tj ETQq1 1 0.784314 rgBT /Overl 0.8 40	0.8	40
184	Telehealth technologies could improve suboptimal rates of participation in cardiac rehabilitation. <i>Heart</i> , 2016, 102, 1155-1156.	2.9	15
185	Detailed statistical analysis plan for a cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children. <i>Trials</i> , 2016, 17, 599.	1.6	7
186	Use of surrogate end points in healthcare policy: a proposal for adoption of a validation framework. <i>Nature Reviews Drug Discovery</i> , 2016, 15, 516-516.	46.4	32
187	The Effectiveness and Micro-costing Analysis of a Universal, School-Based, Socialâ€“Emotional Learning Programme in the UK: A Cluster-Randomised Controlled Trial. <i>School Mental Health</i> , 2016, 8, 238-256.	2.1	41
188	Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 59.	1.6	19
189	Western medical acupuncture in a group setting for knee osteoarthritis: results of a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 10.	1.2	10
190	Validation of surrogate end points for overall survival in advanced colorectal cancer: A harmonized approach is needed. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 277-278.	5.0	2
191	An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. <i>Nicotine and Tobacco Research</i> , 2016, 18, 289-297.	2.6	20
192	Comparing Drug and Nondrug Technologies in Comparative Effectiveness Research. , 2016, , 275-290.		1
193	Exercise-Based Cardiac Rehabilitation forÂCoronary Heart Disease. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1-12.	2.8	1,254
194	Predictors of exercise capacity following exercise-based rehabilitation in patients with coronary heart disease and heart failure: A meta-regression analysis. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 683-693.	1.8	81
195	Attainment of Complete Remission Is Significantly Associated with Longer Survival Outcomes in Relapsed/Refractory (R/R) CLL: A Meta-Analysis. <i>Blood</i> , 2016, 128, 2045-2045.	1.4	2
196	A programme of studies including assessment of diagnostic accuracy of school hearing screening tests and a cost-effectiveness model of school entry hearing screening programmes. <i>Health Technology Assessment</i> , 2016, 20, 1-178.	2.8	34
197	A SYSTEMATIC REVIEW AND META-ANALYSIS COMPARING CARDIOPULMONARY EXERCISE TEST VALUES OBTAINED FROM THE ARM CYCLE AND THE LEG CYCLE RESPECTIVELY IN HEALTHY ADULTS. <i>International Journal of Sports Physical Therapy</i> , 2016, 11, 1006-1039.	1.3	6
198	HEALTH TECHNOLOGY ASSESSMENT OF MEDICAL DEVICES: A SURVEY OF NON-EUROPEAN UNION AGENCIES. <i>International Journal of Technology Assessment in Health Care</i> , 2015, 31, 154-165.	0.5	49

#	ARTICLE	IF	CITATIONS
199	Clinical effectiveness and cost-effectiveness of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) facilitated self-care rehabilitation intervention in heart failure patients and caregivers: rationale and protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e009994.	1.9	29
200	Exploring demographic and lifestyle associations with patient experience following telephone triage by a primary care doctor or nurse: secondary analyses from a cluster randomised controlled trial. <i>BMJ Quality and Safety</i> , 2015, 24, 572-582.	3.7	10
201	Combining behavioural activation with physical activity promotion for adults with depression: findings of a parallel-group pilot randomised controlled trial (BACPAc). <i>Trials</i> , 2015, 16, 367.	1.6	30
202	Home-based versus centre-based cardiac rehabilitation. , 2015, , CD007130.		87
203	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. <i>Trials</i> , 2015, 16, 1.	1.6	108
204	Reduced dietary salt for the prevention of cardiovascular disease. <i>Sao Paulo Medical Journal</i> , 2015, 133, 280-281.	0.9	9
205	CardioPulse Articles. <i>European Heart Journal</i> , 2015, 36, 950-955.	2.2	9
206	Failed back surgery syndrome: Who has failed?. <i>Neurochirurgie</i> , 2015, 61, S6-S14.	1.2	19
207	Exercise-based rehabilitation for heart failure: systematic review and meta-analysis. <i>Open Heart</i> , 2015, 2, e000163.	2.3	200
208	Update to the study protocol, including statistical analysis plan for a randomized clinical trial comparing comprehensive cardiac rehabilitation after heart valve surgery with control: the CopenHeartVR trial. <i>Trials</i> , 2015, 16, 38.	1.6	3
209	Optimal medical, rehabilitation and behavioral management in the setting of failed back surgery syndrome. <i>Neurochirurgie</i> , 2015, 61, S66-S76.	1.2	22
210	Cochrane corner: cardiac rehabilitation for people with heart disease. <i>Heart</i> , 2015, 101, 1256-1260.	2.9	6
211	Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. <i>Lancet, The</i> , 2015, 386, 63-73.	13.7	390
212	Failed back surgery syndrome: What's in a name? A proposal to replace "FBSS" by "POPS". <i>Neurochirurgie</i> , 2015, 61, S16-S21.	1.2	26
213	Patient perspectives on telephone triage in general practice " Authors' reply. <i>Lancet, The</i> , 2015, 385, 688.	13.7	5
214	Meta-analyses of randomized controlled trials show suboptimal validity of surrogate outcomes for overall survival in advanced colorectal cancer. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 833-842.	5.0	48
215	Implementing telephone triage in general practice: a process evaluation of a cluster randomised controlled trial. <i>BMC Family Practice</i> , 2015, 16, 47.	2.9	20
216	Cardiac rehabilitation. <i>BMJ, The</i> , 2015, 351, h5000.	6.0	306

#	ARTICLE	IF	CITATIONS
217	Comparing Drug and Non-drug Technologies in Comparative Effectiveness Research. , 2015, , 1-17.		0
218	Can municipality-based post-discharge follow-up visits including a general practitioner reduce early readmission among the fragile elderly (65+ years old)? A randomized controlled trial. Scandinavian Journal of Primary Health Care, 2015, 33, 65-73.	1.5	23
219	Distance from practice moderates the relationship between patient management involving nurse telephone triage consulting and patient satisfaction with care. Health and Place, 2015, 34, 92-96.	3.3	6
220	Acute coronary syndromes: key role of rehabilitation and primary care in long term secondary prevention. BMJ, The, 2015, 351, h6350.	6.0	1
221	Prognosis. Heart Failure Clinics, 2015, 11, 59-72.	2.1	17
222	The clinical effectiveness and cost-effectiveness of telephone triage for managing same-day consultation requests in general practice: a cluster randomised controlled trial comparing general practitioner-led and nurse-led management systems with usual care (the ESTEEM trial). Health Technology Assessment, 2015, 19, 1-212.	2.8	50
223	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). Health Technology Assessment, 2015, 19, 1-124.	2.8	49
224	Telephone triage for management of same-day consultation requests in general practice (the ESTEEM) Tj ETQq0 0 0 rgBT /Overlock 10 T 1859-1868.	13.7	156
225	VALIDATION OF SURROGATE ENDPOINTS IN ADVANCED SOLID TUMORS: SYSTEMATIC REVIEW OF STATISTICAL METHODS, RESULTS, AND IMPLICATIONS FOR POLICY MAKERS. International Journal of Technology Assessment in Health Care, 2014, 30, 312-324.	0.5	69
226	The work and social adjustment scale: Reliability, sensitivity and value. International Journal of Psychiatry in Clinical Practice, 2014, 18, 131-138.	2.4	89
227	Doctors record higher blood pressures than nurses: systematic review and meta-analysis. British Journal of General Practice, 2014, 64, e223-e232.	1.4	48
228	Predictors of Pain Relief Following Spinal Cord Stimulation in Chronic Back and Leg Pain and Failed Back Surgery Syndrome: A Systematic Review and Meta-Regression Analysis. Pain Practice, 2014, 14, 489-505.	1.9	182
229	Refractory Chronic Pain Screening Tool (RCPST): A Feasibility Study to Assess Practicality and Validity of Identifying Potential Neurostimulation Candidates. Pain Medicine, 2014, 15, 281-291.	1.9	5
230	The Costs and Consequences of Adequately Managed Chronic Non-Cancer Pain and Chronic Neuropathic Pain. Pain Practice, 2014, 14, 79-94.	1.9	292
231	Interarm Blood Pressure Difference in People With Diabetes: Measurement and Vascular and Mortality Implications. Diabetes Care, 2014, 37, 1613-1620.	8.6	59
232	Netmums: a phase II randomized controlled trial of a guided Internet behavioural activation treatment for postpartum depression. Psychological Medicine, 2014, 44, 1675-1689.	4.5	165
233	Psychological Interventions for Coronary Heart Disease: Cochrane Systematic Review and Meta-analysis. International Journal of Behavioral Medicine, 2014, 21, 109-121.	1.7	128
234	Cost and outcome of behavioural activation versus cognitive behaviour therapy for depression (COBRA): study protocol for a randomised controlled trial. Trials, 2014, 15, 29.	1.6	25

#	ARTICLE	IF	CITATIONS
235	Exercise-based rehabilitation for heart failure. The Cochrane Library, 2014, , CD003331.	2.8	320
236	Assessment of Physical Activity of Patients With Chronic Pain. Neuromodulation, 2014, 17, 42-47.	0.8	30
237	Cardiac rehabilitation for people with heart disease: An overview of Cochrane systematic reviews. International Journal of Cardiology, 2014, 177, 348-361.	1.7	93
238	<scp>PAIN OUT</scp>: an international acute pain registry supporting clinicians in decision making and in quality improvement activities. Journal of Evaluation in Clinical Practice, 2014, 20, 1090-1098.	1.8	30
239	A written self-help intervention for depressed adults comparing behavioural activation combined with physical activity promotion with a self-help intervention based upon behavioural activation alone: study protocol for a parallel group pilot randomised controlled trial (BACPAc). Trials, 2014, 15, 196.	1.6	21
240	Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. Trials, 2014, 15, 217.	1.6	12
241	The cost-effectiveness of the Argus II retinal prosthesis in Retinitis Pigmentosa patients. BMC Ophthalmology, 2014, 14, 49.	1.4	18
242	Evaluation of different recruitment and randomisation methods in a trial of general practitioner-led interventions to increase physical activity: a randomised controlled feasibility study with factorial design. Trials, 2014, 15, 134.	1.6	18
243	Exercise training for chronic heart failure (ExTraMATCH II): Protocol for an individual participant data meta-analysis. International Journal of Cardiology, 2014, 174, 683-687.	1.7	23
244	Correlates of satisfaction with pain treatment in the acute postoperative period: Results from the international PAIN OUT registry. Pain, 2014, 155, 1401-1411.	4.2	100
245	Effective behavior change techniques in asthma self-care interventions: Systematic review and meta-regression.. Health Psychology, 2014, 33, 577-587.	1.6	37
246	Impact of the National Institute for Health and Care Excellence (NICE) guidance on medical technology uptake: analysis of the uptake of spinal cord stimulation in England 2008â€“2012. BMJ Open, 2014, 4, e004182.	1.9	15
247	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. Health Technology Assessment, 2014, 18, 1-324.	2.8	36
248	SURROGATE, FRIEND OR FOE? THE NEED FOR CASE STUDIES OF THE USE OF SURROGATE OUTCOMES IN COSTâ€“EFFECTIVENESS ANALYSES. Health Economics (United Kingdom), 2013, 22, 251-252.	1.7	5
249	The association between corneal neovascularization and visual acuity: a systematic review. Acta Ophthalmologica, 2013, 91, 12-19.	1.1	32
250	Assessing the effectiveness and cost effectiveness of subcutaneous nerve stimulation in patients with predominant back pain due to failed back surgery syndrome (SubQStim study): study protocol for a multicenter randomized controlled trial. Trials, 2013, 14, 189.	1.6	9
251	The effectiveness and cost-effectiveness of spinal cord stimulation for refractory angina (RASCAL) Tj ETQq1 1 0.784314 rgBT/Overlo	1.6	11
252	The effectiveness and cost-effectiveness of telephone triage of patients requesting same day consultations in general practice: study protocol for a cluster randomised controlled trial comparing nurse-led and GP-led management systems (ESTEEM). Trials, 2013, 14, 4.	1.6	17

#	ARTICLE	IF	CITATIONS
253	Patients' Perception of Postoperative Pain Management: Validation of the International Pain Outcomes (IPO) Questionnaire. <i>Journal of Pain</i> , 2013, 14, 1361-1370.	1.4	124
254	Internet-based behavioral activationâ€™ Treatment for postnatal depression (Netmums): A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2013, 150, 814-822.	4.1	134
255	Synthesising practice guidelines for the development of community-based exercise programmes after stroke. <i>Implementation Science</i> , 2013, 8, 115.	6.9	11
256	Is volunteering a public health intervention? A systematic review and meta-analysis of the health and survival of volunteers. <i>BMC Public Health</i> , 2013, 13, 773.	2.9	354
257	Informing the design of a randomised controlled trial of an exercise-based programme for long term stroke survivors: lessons from a before-and-after case series study. <i>BMC Research Notes</i> , 2013, 6, 324.	1.4	5
258	Spinal cord stimulation for predominant low back pain in failed back surgery syndrome: study protocol for an international multicenter randomized controlled trial (PROMISE study). <i>Trials</i> , 2013, 14, 376.	1.6	33
259	The Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children: study protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 95.	1.6	23
260	Factors influencing clinical trial site selection in Europe: the Survey of Attitudes towards Trial sites in Europe (the SAT-EU Study). <i>BMJ Open</i> , 2013, 3, e002957.	1.9	45
261	Comparison of treatment effect sizes associated with surrogate and final patient relevant outcomes in randomised controlled trials: meta-epidemiological study. <i>BMJ</i> , The, 2013, 346, f457-f457.	6.0	119
262	Republished research: Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2013, 47, 526-526.	6.7	10
263	Effect of patient education in the management of coronary heart disease: a systematic review and meta-analysis of randomized controlled trials. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 701-714.	1.8	35
264	The Impact of Early PostOperative Pain on Health-Related Quality of Life. <i>Pain Practice</i> , 2013, 13, 515-523.	1.9	43
265	Spinal cord stimulation for chronic pain. <i>The Cochrane Library</i> , 2013, 2013, CD003783.	2.8	3
266	The economic impact of failed back surgery syndrome. <i>British Journal of Pain</i> , 2012, 6, 174-181.	1.5	59
267	Dietary Salt and Cardiovascular Outcomes. <i>American Journal of Hypertension</i> , 2012, 25, 20-20.	2.0	0
268	Levels and predictors of exercise referral scheme uptake and adherence: a systematic review. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 737-744.	3.7	120
269	The RAMIT trial: its results in the context of 2012 Cochrane review: Figure 1. <i>Heart</i> , 2012, 98, 672.2-673.	2.9	13
270	Why do so few patients with heart failure participate in cardiac rehabilitation? A cross-sectional survey from England, Wales and Northern Ireland. <i>BMJ Open</i> , 2012, 2, e000787.	1.9	57



#	ARTICLE	IF	CITATIONS
271	The difference in blood pressure readings between arms and survival: primary care cohort study. <i>BMJ: British Medical Journal</i> , 2012, 344, e1327-e1327.	2.3	118
272	Guided self-help concreteness training as an intervention for major depression in primary care: a Phase II randomized controlled trial. <i>Psychological Medicine</i> , 2012, 42, 1359-1371.	4.5	165
273	Association of a difference in systolic blood pressure between arms with vascular disease and mortality: a systematic review and meta-analysis. <i>Lancet, The</i> , 2012, 379, 905-914.	13.7	326
274	Interarm blood pressure difference and vascular disease – Authors' reply. <i>Lancet, The</i> , 2012, 380, 24-25.	13.7	9
275	Physical activity and health related quality of life. <i>BMC Public Health</i> , 2012, 12, 624.	2.9	236
276	A systematic review of the effectiveness and cost-effectiveness of bilateral multichannel cochlear implants in adults with severe-to-profound hearing loss. <i>Clinical Otolaryngology</i> , 2012, 37, 342-354.	1.2	30
277	Effects of exercise training for heart failure with preserved ejection fraction: A systematic review and meta-analysis of comparative studies. <i>International Journal of Cardiology</i> , 2012, 162, 6-13.	1.7	88
278	Clinical service organisation for heart failure. <i>The Cochrane Library</i> , 2012, , CD002752.	2.8	139
279	An exercise intervention to prevent falls in Parkinson's: an economic evaluation. <i>BMC Health Services Research</i> , 2012, 12, 426.	2.2	29
280	Response to Carey and Courtenay. Nurse-led interventions used to improve control of high blood pressure in people with diabetes: a systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2012, 29, 155-156.	2.3	0
281	The Impact and Burden of Chronic Pain in the Workplace: A Qualitative Systematic Review. <i>Pain Practice</i> , 2012, 12, 578-589.	1.9	123
282	Psychological interventions for coronary heart disease. , 2011, , CD002902.		119
283	Reduced dietary salt for the prevention of cardiovascular disease. , 2011, , CD009217.		104
284	Exercise-based cardiac rehabilitation for coronary heart disease. , 2011, , CD001800.		867
285	Dietary salt and cardiovascular disease. <i>Lancet, The</i> , 2011, 378, 1993.	13.7	3
286	A more evidence based approach to the use of surrogate end points in policy making. <i>BMJ: British Medical Journal</i> , 2011, 343, d6498-d6498.	2.3	3
287	Charlotte Paterson and colleagues respond to Margaret McCartney. <i>BMJ: British Medical Journal</i> , 2011, 343, d5052-d5052.	2.3	0
288	Patient education in the management of coronary heart disease. , 2011, , CD008895.		64

#	ARTICLE	IF	CITATIONS
289	Predictors of health-related quality of life and costs in adults with epilepsy: A systematic review. <i>Epilepsia</i> , 2011, 52, 2168-2180.	5.1	283
290	The cost-effectiveness of exercise referral schemes. <i>BMC Public Health</i> , 2011, 11, 954.	2.9	40
291	Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2011, 343, d6462-d6462.	2.3	204
292	Involving primary care and cardiac rehabilitation in a reorganised service could improve outcomes. <i>Heart</i> , 2011, 97, 1191-1191.	2.9	3
293	Reduced Dietary Salt for the Prevention of Cardiovascular Disease: A Meta-Analysis of Randomized Controlled Trials (Cochrane Review). <i>American Journal of Hypertension</i> , 2011, 24, 843-853.	2.0	254
294	The Cost-effectiveness of Spinal Cord Stimulation in the Treatment of Failed Back Surgery Syndrome. <i>Clinical Journal of Pain</i> , 2010, 26, 463-469.	1.9	147
295	Patient education in the contemporary management of coronary heart disease. , 2010, 2010, .		13
296	Home-based versus centre-based cardiac rehabilitation. , 2010, , CD007130.		330
297	The burden of neuropathic pain: A systematic review and meta-analysis of health utilities. <i>Pain</i> , 2010, 149, 338-344.	4.2	278
298	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2010, 11, 99.	1.6	40
299	An Analysis of the Components of Pain, Function, and Health-Related Quality of Life in Patients with Failed Back Surgery Syndrome Treated with Spinal Cord Stimulation or Conventional Medical Management. <i>Neuromodulation</i> , 2010, 13, 201-209.	0.8	63
300	Relationship between Health-Related Quality of Life, Pain, and Functional Disability in Neuropathic Pain Patients with Failed Back Surgery Syndrome. <i>Value in Health</i> , 2010, 13, 95-102.	0.3	39
301	Exercise training for systolic heart failure: Cochrane systematic review and meta-analysis. <i>European Journal of Heart Failure</i> , 2010, 12, 706-715.	7.1	261
302	Home based versus centre based cardiac rehabilitation: Cochrane systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2010, 340, b5631-b5631.	2.3	354
303	Nurse led interventions to improve control of blood pressure in people with hypertension: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2010, 341, c3995-c3995.	2.3	164
304	Exercise based rehabilitation for heart failure. , 2010, , CD003331.		108
305	How does mindfulness-based cognitive therapy work?. <i>Behaviour Research and Therapy</i> , 2010, 48, 1105-1112.	3.1	633
306	Corneal Neovascularization as a Risk Factor for Graft Failure and Rejection after Keratoplasty. <i>Ophthalmology</i> , 2010, 117, 1300-1305.e7.	5.2	210

#	ARTICLE	IF	CITATIONS
307	A randomized trial of the addition of home-based exercise to specialist heart failure nurse care: the Birmingham Rehabilitation Uptake Maximisation study for patients with Congestive Heart Failure (BRUM-CHF) study. <i>European Journal of Heart Failure</i> , 2009, 11, 205-213.	7.1	93
308	Spinal cord stimulation in the treatment of refractory angina: systematic review and meta-analysis of randomised controlled trials. <i>BMC Cardiovascular Disorders</i> , 2009, 9, 13.	1.7	112
309	Assessing the Clinical and Cost-Effectiveness of Medical Devices and Drugs: Are They That Different?. <i>Value in Health</i> , 2009, 12, 404-406.	0.3	66
310	Use of surrogate outcomes in cost-effectiveness models: A review of United Kingdom health technology assessment reports. <i>International Journal of Technology Assessment in Health Care</i> , 2009, 25, 6-13.	0.5	37
311	The effectiveness of exercise interventions for people with Parkinson's disease: A systematic review and meta-analysis. <i>Movement Disorders</i> , 2008, 23, 631-640.	3.9	735
312	Quality of life, resource consumption and costs of spinal cord stimulation versus conventional medical management in neuropathic pain patients with failed back surgery syndrome (PROCESS trial). <i>European Journal of Pain</i> , 2008, 12, 1047-1058.	2.8	185
313	Clinical Research in Interventional Pain Management Techniques: An Epidemiologist/Trialist's View. <i>Pain Practice</i> , 2008, 8, 439-445.	1.9	2
314	Mindfulness-based cognitive therapy to prevent relapse in recurrent depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 966-978.	2.0	635
315	THE EFFECTS OF SPINAL CORD STIMULATION IN NEUROPATHIC PAIN ARE SUSTAINED. <i>Neurosurgery</i> , 2008, 63, 762-770.	1.1	584
316	Spinal Cord Stimulation versus Reoperation for Failed Back Surgery Syndrome: A Cost Effectiveness and Cost Utility Analysis Based on a Randomized, Controlled Trial. <i>Neurosurgery</i> , 2007, 61, 361-369.	1.1	279
317	Spinal cord stimulation versus conventional medical management for neuropathic pain: A multicentre randomised controlled trial in patients with failed back surgery syndrome. <i>Pain</i> , 2007, 132, 179-188.	4.2	944
318	Cross-cultural adaptation into Punjabi of the English version of the Hospital Anxiety and Depression Scale. <i>BMC Psychiatry</i> , 2007, 7, 5.	2.6	13
319	Balloon kyphoplasty in the management of vertebral compression fractures: an updated systematic review and meta-analysis. <i>European Spine Journal</i> , 2007, 16, 1085-1100.	2.2	292
320	Mortality reductions in patients receiving exercise-based cardiac rehabilitation: how much can be attributed to cardiovascular risk factor improvements?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 369-374.	2.8	72
321	Home-based cardiac rehabilitation compared with centre-based rehabilitation and usual care: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2006, 111, 343-351.	1.7	140
322	Balloon Kyphoplasty and Vertebroplasty for Vertebral Compression Fractures. <i>Spine</i> , 2006, 31, 2747-2755.	2.0	290
323	Exploration of the Evidence. <i>Pain Practice</i> , 2006, 6, 10-21.	1.9	6
324	Epidemiology of Refractory Neuropathic Pain. <i>Pain Practice</i> , 2006, 6, 22-26.	1.9	125

#	ARTICLE	IF	CITATIONS
325	Spinal cord stimulation for complex regional pain syndrome: A systematic review of the clinical and cost-effectiveness literature and assessment of prognostic factors. <i>European Journal of Pain</i> , 2006, 10, 91-91.	2.8	237
326	Spinal Cord Stimulation in Complex Regional Pain Syndrome and Refractory Neuropathic Back and Leg Pain/Failed Back Surgery Syndrome: Results of a Systematic Review and Meta-Analysis. <i>Journal of Pain and Symptom Management</i> , 2006, 31, S13-S19.	1.2	193
327	Mortality reductions in patients receiving exercise-based cardiac rehabilitation: how much can be attributed to cardiovascular risk factor improvements?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 369-374.	2.8	87
328	Spinal Cord Stimulation for Chronic Back and Leg Pain and Failed Back Surgery Syndrome: A Systematic Review and Analysis of Prognostic Factors. <i>Spine</i> , 2005, 30, 152-160.	2.0	243
329	Improving uptake and adherence in cardiac rehabilitation: literature review. <i>Journal of Advanced Nursing</i> , 2005, 49, 538-555.	3.3	149
330	Recruitment of ethnic minority patients to a cardiac rehabilitation trial: The Birmingham Rehabilitation Uptake Maximisation (BRUM) study [ISRCTN72884263]. <i>BMC Medical Research Methodology</i> , 2005, 5, 18.	3.1	32
331	The cost effectiveness of spinal cord stimulation in the treatment of pain: a systematic review of the literature. <i>Journal of Pain and Symptom Management</i> , 2004, 27, 370-378.	1.2	119
332	Critical appraisal skills training for health care professionals: a randomized controlled trial [ISRCTN46272378]. <i>BMC Medical Education</i> , 2004, 4, 30.	2.4	84
333	Exercise-based rehabilitation for patients with coronary heart disease: systematic review and meta-analysis of randomized controlled trials. <i>American Journal of Medicine</i> , 2004, 116, 682-692.	1.5	1,853
334	Dual chamber versus single chamber ventricular pacemakers for sick sinus syndrome and atrioventricular block. <i>The Cochrane Library</i> , 2004, , CD003710.	2.8	45
335	Spinal cord stimulation for chronic pain. , 2004, , CD003783.		99
336	Home-based versus hospital-based cardiac rehabilitation after myocardial infarction or revascularisation: design and rationale of the Birmingham Rehabilitation Uptake Maximisation Study (BRUM): a randomised controlled trial [ISRCTN72884263]. <i>BMC Cardiovascular Disorders</i> , 2003, 3, 10.	1.7	46
337	Individualising use of aspirin to prevent pre-eclampsia: a framework for clinical decision making. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 882-888.	2.3	15
338	Developing the Revised NICE Appraisal Technical Guidance to Manufacturers and Sponsors. <i>Pharmacoeconomics</i> , 2002, 20, 1031-1038.	3.3	5
339	Using Health Outcomes Data to Inform Decision-Making*. <i>Pharmacoeconomics</i> , 2001, 19, 33-38.	3.3	20
340	Development and validation of a questionnaire to evaluate the effectiveness of evidence-based practice teaching. <i>Medical Education</i> , 2001, 35, 544-547.	2.1	79
341	The Assessment of Recovery in Patients After Myocardial Infarction Using Three Generic Quality-of-Life Measures. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1998, 18, 139-144.	0.5	29
342	Allied health professional-led interventions for improving control of blood pressure in patients with hypertension. <i>The Cochrane Library</i> , 0, , .	2.8	4

#	ARTICLE	IF	CITATIONS
343	Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. The Cochrane Library, 0, , .	2.8	1
344	Routine provision of information on patient-reported outcome measures to healthcare providers and patients in clinical practice. The Cochrane Library, 0, , .	2.8	16
345	Beta-blockers for heart failure. The Cochrane Library, 0, , .	2.8	0
346	Psychological interventions for depression and anxiety in patients with coronary heart disease, heart failure or atrial fibrillation. The Cochrane Library, 0, , .	2.8	1
347	Physical activity interventions for people with congenital heart disease. The Cochrane Library, 0, , .	2.8	4
348	Effectiveness of social network interventions to support cardiac rehabilitation and secondary prevention in the management of people with heart disease. The Cochrane Library, 0, , .	2.8	1
349	Need for better reporting of trials with surrogate endpoints: SPIRIT   CONSORT-SURROGATE extensions. Journal of Epidemiology and Community Health, 0, , jech-2022-219294.	3.7	2