
Masayuki Iwano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3853437/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Fenofibrate reduces cisplatin-induced apoptosis by inhibiting the p53/Puma/Caspase-9 pathway and the MAPK/Caspase-8 pathway rather than by promoting autophagy in murine renal proximal tubular cells. Biochemistry and Biophysics Reports, 2022, 30, 101237.	0.7	1
2	PPAR-l´activation reduces cisplatin-induced apoptosis via inhibiting p53/Bax/caspase-3 pathway without modulating autophagy in murine renal proximal tubular cells. Clinical and Experimental Nephrology, 2021, 25, 598-607.	0.7	5
3	Development and evaluation of a novel quenching probe PCR (GENECUBE) assay for rapidly detecting and distinguishing between Chlamydia pneumoniae and Chlamydia psittaci. Journal of Microbiological Methods, 2021, 184, 106212.	0.7	3
4	Combined changes in albuminuria and kidney function and subsequent risk for kidney failure in type 2 diabetes. BMJ Open Diabetes Research and Care, 2021, 9, e002311.	1.2	7
5	Role of fibroblast specific protein 1 expression in the progression of adriamycin-induced glomerulosclerosis. Biochemical and Biophysical Research Communications, 2021, 567, 148-153.	1.0	5
6	Urinary thioredoxin as a biomarker of renal redox dysregulation and a companion diagnostic to identify responders to redox-modulating therapeutics. Antioxidants and Redox Signaling, 2021, , .	2.5	1
7	Glucocorticoid-dependent Tubulointerstitial Nephritis with IgM-positive Plasma Cells Presenting with Intracellular Crystalline Inclusions within the Rough Endoplasmic Reticulum. Internal Medicine, 2021, 60, 3129-3136.	0.3	1
8	Development of Myeloperoxidase Anti-neutrophil Cytoplasmic Antibody-positive Necrotizing Crescentic Glomerulonephritis in an Elderly Patient with Immunological Kidney Disease. Internal Medicine, 2021, , .	0.3	2
9	β-Hydroxybutyrate enhances the cytotoxic effect of cisplatin via the inhibition of HDAC/survivin axis in human hepatocellular carcinoma cells. Journal of Pharmacological Sciences, 2020, 142, 1-8.	1.1	28
10	lgA Vasculitis Developed as an Adverse Effect of Tofacitinib Taken for Rheumatoid Arthritis. Internal Medicine, 2020, 59, 817-821.	0.3	11
11	Tubulointerstitial Nephritis Cases With IgM-Positive Plasma Cells. Kidney International Reports, 2020, 5, 1576-1580.	0.4	3
12	Preemptive HLA Antibody Screening Prior to Episodic Transplant Renal Biopsy Enables Early Diagnosis and Therapeutic Response in Asymptomatic Chronically Active Antibody-Related Rejection: A CaseÂReport. Transplantation Proceedings, 2020, 52, 2750-2753.	0.3	1
13	Functional and anatomical changes in diabetic macular edema after hemodialysis initiation: One-year follow-up multicenter study. Scientific Reports, 2020, 10, 7788.	1.6	18
14	AR420626, a selective agonist of GPR41/FFA3, suppresses growth of hepatocellular carcinoma cells by inducing apoptosis <i>via</i> HDAC inhibition. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592091343.	1.4	15
15	Chronic hypoxia exacerbates diabetic glomerulosclerosis through mesangiolysis and podocyte injury in db/db mice. Nephrology Dialysis Transplantation, 2020, 35, 1678-1688.	0.4	11
16	Short-chain fatty acid mitigates adenine-induced chronic kidney disease via FFA2 and FFA3 pathways. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2020, 1865, 158666.	1.2	13
17	Analytical and clinical validation of rapid chemiluminescence enzyme immunoassay for urinary thioredoxin, an oxidative stress-dependent early biomarker of acute kidney injury. Clinica Chimica Acta, 2020, 507, 271-279.	0.5	5
18	Association of increased renal <i>Cyp24a1</i> gene expression with low plasma 1,25-dihydroxyvitamin D levels in rats with streptozotocin-induced diabetes. Journal of Clinical Biochemistry and Nutrition, 2020, 66, 49-56.	0.6	8

MASAYUKI IWANO

#	Article	IF	CITATIONS
19	β-Hydroxybutyrate, a ketone body, reduces the cytotoxic effect of cisplatin via activation of HDAC5 in human renal cortical epithelial cells. Life Sciences, 2019, 222, 125-132.	2.0	21
20	Elevated Levels of Urinary Extracellular Vesicle Fibroblast-Specific Protein 1 in Patients with Active Crescentic Glomerulonephritis. Nephron, 2019, 141, 177-187.	0.9	15
21	Diabetic Kidney Disease (DKD): Definition of DKD and Strategies to Prevent Its Progression. Editorial: Management Strategies to Reduce the Number of Hemodialysis Patients due to Diabetic Kidney Disease. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 899-900.	0.0	Ο
22	Sterol regulatory element binding protein 1 trans-activates 25-hydroxy vitamin D3 24-hydroxylase gene expression in renal proximal tubular cells. Biochemical and Biophysical Research Communications, 2018, 500, 275-282.	1.0	4
23	The age-related changes of dietary phosphate responsiveness in plasma 1,25-dihydroxyvitamin D levels and renal Cyp27b1 and Cyp24a1 gene expression is associated with renal α-Klotho gene expression in mice. Journal of Clinical Biochemistry and Nutrition, 2018, 62, 68-74.	0.6	15
24	Estimated glomerular filtration rate decline and risk of end-stage renal disease in type 2 diabetes. PLoS ONE, 2018, 13, e0201535.	1.1	28
25	A short-chain fatty acid, propionate, enhances the cytotoxic effect of cisplatin by modulating GPR41 signaling pathways in HepG2 cells. Oncotarget, 2018, 9, 31342-31354.	0.8	40
26	A consensus statement on health-care transition of patients with childhood-onset chronic kidney diseases: providing adequate medical care in adolescence and young adulthood. Clinical and Experimental Nephrology, 2018, 22, 743-751.	0.7	12
27	Short-chain fatty acids, GPR41 and GPR43 ligands, inhibit TNF-α-induced MCP-1 expression by modulating p38 and JNK signaling pathways in human renal cortical epithelial cells. Biochemical and Biophysical Research Communications, 2017, 486, 499-505.	1.0	127
28	Newly recognized cerebral infarctions on postmortem imaging: a report of three cases with systemic infectious disease. BMC Medical Imaging, 2017, 17, 4.	1.4	7
29	Mizoribine therapy combined with steroids and mizoribine blood concentration monitoring for idiopathic membranous nephropathy with steroid-resistant nephrotic syndrome. Clinical and Experimental Nephrology, 2017, 21, 961-970.	0.7	13
30	A case of Gitelman syndrome involving bilateral progressive renal cysts that necessitated the initiation of peritoneal dialysis. Nihon Toseki Igakkai Zasshi, 2017, 50, 581-586.	0.2	0
31	Treatment of Kidney Disease from the View of Organ Crosstalk. The Journal of the Japanese Society of Internal Medicine, 2017, 106, 909-910.	0.0	ο
32	A case of synovitis, acne, pustulosis, hyperostosis, and osteitis (SAPHO) syndrome complicated by IgA nephropathy with nephrotic syndrome. CEN Case Reports, 2016, 5, 26-30.	0.5	2
33	Serum CETP status is independently associated with reduction rates in LDL-C in pitavastatin-treated diabetic patients and possible involvement of LXR in its association. Lipids in Health and Disease, 2016, 15, 57.	1.2	9
34	Transition of adolescent and young adult patients with childhood-onset chronic kidney disease from pediatric to adult renal services: a nationwide survey in Japan. Clinical and Experimental Nephrology, 2016, 20, 918-925.	0.7	16
35	Renal resistive index correlates with peritubular capillary loss and arteriosclerosis in biopsy tissues from patients with chronic kidney disease. Clinical and Experimental Nephrology, 2015, 19, 1114-1119.	0.7	26
36	Dietary phosphate supplementation delays the onset of iron deficiency anemia and affects iron status in rats. Nutrition Research, 2015, 35, 1016-1024.	1.3	5

Masayuki Iwano

#	Article	IF	CITATIONS
37	Placental Growth Factor as a Predictor of Cardiovascular Events in Patients with CKD from the NARA-CKD Study. Journal of the American Society of Nephrology: JASN, 2015, 26, 2871-2881.	3.0	30
38	Reduced Renal α-Klotho Expression in CKD Patients and Its Effect on Renal Phosphate Handling and Vitamin D Metabolism. PLoS ONE, 2014, 9, e86301.	1.1	116
39	Short-term dietary phosphate restriction up-regulates ileal fibroblast growth factor 15 gene expression in mice. Journal of Clinical Biochemistry and Nutrition, 2014, 54, 102-108.	0.6	14
40	Telmisartan activates endogenous peroxisome proliferator-activated receptor-δ and may have anti-fibrotic effects in human mesangial cells. Hypertension Research, 2014, 37, 422-431.	1.5	29
41	Renal histological heterogeneity and functional progress in normoalbuminuric and microalbuminuric Japanese patients with type 2 diabetes. BMJ Open Diabetes Research and Care, 2014, 2, e000029.	1.2	28
42	Suppressed soluble Fms–like tyrosine kinase-1 production aggravates atherosclerosis in chronic kidney disease. Kidney International, 2014, 85, 393-403.	2.6	34
43	Telmisartan, a possible PPAR-δ agonist, reduces TNF-α-stimulated VEGF-C production by inhibiting the p38MAPK/HSP27 pathway in human proximal renal tubular cells. Biochemical and Biophysical Research Communications, 2014, 454, 320-327.	1.0	12
44	Renal redox dysregulation in AKI: application for oxidative stress marker of AKI. American Journal of Physiology - Renal Physiology, 2014, 307, F1342-F1351.	1.3	30
45	Enhanced expression of the soluble form of Eâ€selectin attenuates progression of lupus nephritis and vasculitis in MRL /lpr mice. Immunity, Inflammation and Disease, 2013, 1, 37-46.	1.3	16
46	Urinary FSP1 Is a Biomarker of Crescentic GN. Journal of the American Society of Nephrology: JASN, 2012, 23, 209-214.	3.0	8
47	Clinical Significance of Fibroblast-Specific Protein-1 Expression on Podocytes in Patients with Focal Segmental Glomerulosclerosis. Nephron Clinical Practice, 2012, 120, c1-c7.	2.3	10
48	EMT and TGF-beta in renal fibrosis. Frontiers in Bioscience - Scholar, 2010, S2, 229-238.	0.8	70
49	Epithelial-Mesenchymal Transition as a Potential Explanation for Podocyte Depletion in Diabetic Nephropathy. American Journal of Kidney Diseases, 2009, 54, 653-664.	2.1	156
50	Contrast-enhanced ultrasonography with Sonazoid for evaluation of renal microcirculation. Journal of Medical Ultrasonics (2001), 2008, 35, 183-189.	0.6	6
51	Prediction of corticosteroid responsiveness based on fibroblast-specific protein 1 (FSP1) in patients with IgA nephropathy. Nephrology Dialysis Transplantation, 2008, 23, 3152-3159.	0.4	21
52	Elevated Levels of Fractalkine Expression and Accumulation of CD16+ Monocytes in Glomeruli of Active Lupus Nephritis. American Journal of Kidney Diseases, 2007, 50, 47-58.	2.1	103
53	Fibroblast-specific protein 1 is a specific prognostic marker for renal survival in patients with IgAN11See Editorial by Bruneval, p. 1366 Kidney International, 2005, 68, 1078-1085.	2.6	98
54	Mechanisms of tubulointerstitial fibrosis. Current Opinion in Nephrology and Hypertension, 2004, 13, 279-284.	1.0	205

Masayuki Iwano

#	Article	IF	CITATIONS
55	Evidence that fibroblasts derive from epithelium during tissue fibrosis. Journal of Clinical Investigation, 2002, 110, 341-350.	3.9	1,447
56	Evidence that fibroblasts derive from epithelium during tissue fibrosis. Journal of Clinical Investigation, 2002, 110, 341-350.	3.9	1,098
57	Conditional Abatement of Tissue Fibrosis Using Nucleoside Analogs to Selectively Corrupt DNA Replication in Transgenic Fibroblasts. Molecular Therapy, 2001, 3, 149-159.	3.7	99
58	Measurement of interleukin-1β mRNA levels in peripheral blood mononuclear cells of patients with chronic renal failure. Clinical and Experimental Nephrology, 1998, 2, 25-30.	0.7	1
59	Three cases of continuous ambulatory peritoneal dialysis with chylous peritoneal dialysate Nihon Toseki Igakkai Zasshi, 1995, 28, 1179-1184.	0.2	Ο
60	Effects of Wen-Pi-Tang and its crude drug extracts on proliferation of cultured mouse mesangial cells. Phytotherapy Research, 1994, 8, 170-173.	2.8	12