

Geke A P Hospers

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3855020/geke-a-p-hospers-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

5,783
citations

34
h-index

74
g-index

155
ext. papers

7,502
ext. citations

5.9
avg, IF

5.36
L-index

#	Paper	IF	Citations
143	Neoadjuvant chemoradiotherapy plus surgery versus surgery alone for oesophageal or junctional cancer (CROSS): long-term results of a randomised controlled trial. <i>Lancet Oncology, The</i> , 2015 , 16, 1090-1098	21.7	1266
142	Baseline Biomarkers for Outcome of Melanoma Patients Treated with Pembrolizumab. <i>Clinical Cancer Research</i> , 2016 , 22, 5487-5496	12.9	373
141	Platelets and granulocytes, in particular the neutrophils, form important compartments for circulating vascular endothelial growth factor. <i>Angiogenesis</i> , 2003 , 6, 283-7	10.6	359
140	Endothelium in vitro: a review of human vascular endothelial cell lines for blood vessel-related research. <i>Angiogenesis</i> , 2001 , 4, 91-102	10.6	257
139	Lactate dehydrogenase as a selection criterion for ipilimumab treatment in metastatic melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 449-58	7.4	207
138	Vemurafenib in patients with BRAF(V600) mutated metastatic melanoma: an open-label, multicentre, safety study. <i>Lancet Oncology, The</i> , 2014 , 15, 436-44	21.7	206
137	Short-course radiotherapy followed by neo-adjuvant chemotherapy in locally advanced rectal cancer--the RAPIDO trial. <i>BMC Cancer</i> , 2013 , 13, 279	4.8	203
136	Short-course radiotherapy followed by chemotherapy before total mesorectal excision (TME) versus preoperative chemoradiotherapy, TME, and optional adjuvant chemotherapy in locally advanced rectal cancer (RAPIDO): a randomised, open-label, phase 3 trial. <i>Lancet Oncology, The</i> , 2021 , 22, 29-42	21.7	180
135	PET imaging of oestrogen receptors in patients with breast cancer. <i>Lancet Oncology, The</i> , 2013 , 14, e465-e475	4.75	134
134	A review on pro- and anti-angiogenic factors as targets of clinical intervention. <i>Pharmacological Research</i> , 2006 , 53, 89-103	10.2	126
133	Influence of the bystander effect on HSV-tk/GCV gene therapy. A review. <i>Current Gene Therapy</i> , 2002 , 2, 307-22	4.3	115
132	PET imaging of estrogen receptors as a diagnostic tool for breast cancer patients presenting with a clinical dilemma. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 182-90	8.9	105
131	Lymph node retrieval during esophagectomy with and without neoadjuvant chemoradiotherapy: prognostic and therapeutic impact on survival. <i>Annals of Surgery</i> , 2014 , 260, 786-92; discussion 792-3	7.8	97
130	VEGF-PET imaging is a noninvasive biomarker showing differential changes in the tumor during sunitinib treatment. <i>Cancer Research</i> , 2011 , 71, 143-53	10.1	94
129	OTHR-01. Unmet clinical needs in patients with brain metastases in the current treatment era. <i>Neuro-Oncology Advances</i> , 2021 , 3, iii14-iii14	0.9	78
128	Short-course radiotherapy followed by chemotherapy before TME in locally advanced rectal cancer: The randomized RAPIDO trial.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4006-4006	2.2	67
127	CRITICS-II: a multicentre randomised phase II trial of neo-adjuvant chemotherapy followed by surgery versus neo-adjuvant chemotherapy and subsequent chemoradiotherapy followed by surgery versus neo-adjuvant chemoradiotherapy followed by surgery in resectable gastric cancer. <i>BMC Cancer</i> , 2018 , 18, 877	4.8	66

126	Towards sustained silencing of HER2/neu in cancer by epigenetic editing. <i>Molecular Cancer Research</i> , 2013 , 11, 1029-39	6.6	64
125	Compliance and tolerability of short-course radiotherapy followed by preoperative chemotherapy and surgery for high-risk rectal cancer - Results of the international randomized RAPIDO-trial. <i>Radiotherapy and Oncology</i> , 2020 , 147, 75-83	5.3	62
124	[(11)C]FMAU and [(18)F]FHPG as PET tracers for herpes simplex virus thymidine kinase enzyme activity and human cytomegalovirus infections. <i>Nuclear Medicine and Biology</i> , 2000 , 27, 113-9	2.1	62
123	Ipilimumab in pretreated metastatic uveal melanoma patients. Results of the Dutch Working group on Immunotherapy of Oncology (WIN-O). <i>Acta Oncologica</i> , 2013 , 52, 1786-8	3.2	60
122	Effect of Neoadjuvant Chemoradiotherapy on Health-Related Quality of Life in Esophageal or Junctional Cancer: Results From the Randomized CROSS Trial. <i>Journal of Clinical Oncology</i> , 2018 , 36, 268-275	2.2	60
121	Everolimus induces rapid plasma glucose normalization in insulinoma patients by effects on tumor as well as normal tissues. <i>Oncologist</i> , 2011 , 16, 783-7	5.7	54
120	Dutch Melanoma Treatment Registry: Quality assurance in the care of patients with metastatic melanoma in the Netherlands. <i>European Journal of Cancer</i> , 2017 , 72, 156-165	7.5	53
119	Rapid granulomatosis with polyangiitis induced by immune checkpoint inhibition. <i>Rheumatology</i> , 2016 , 55, 1143-5	3.9	50
118	18F-FAU as a radiotracer for herpes simplex virus thymidine kinase gene expression: in-vitro comparison with other PET tracers. <i>Nuclear Medicine Communications</i> , 2006 , 27, 25-30	1.6	47
117	VEGF-SPECT with 125 I-bevacizumab in stage III/IV melanoma patients. <i>European Journal of Cancer</i> , 2011 , 47, 1595-602	7.5	46
116	Ten-Year Outcome of Neoadjuvant Chemoradiotherapy Plus Surgery for Esophageal Cancer: The Randomized Controlled CROSS Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1995-2004	2.2	42
115	Impact of neoadjuvant chemoradiotherapy on postoperative course after curative-intent transthoracic esophagectomy in esophageal cancer patients. <i>Annals of Surgical Oncology</i> , 2014 , 21, 605-11 ¹	3.1	37
114	First safety and efficacy results of PRADO: A phase II study of personalized response-driven surgery and adjuvant therapy after neoadjuvant ipilimumab (IPI) and nivolumab (NIVO) in resectable stage III melanoma.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 10002-10002	2.2	36
113	Consideration of breast cancer subtype in targeting the androgen receptor. <i>Pharmacology & Therapeutics</i> , 2019 , 200, 135-147	13.9	35
112	Hormone receptors as a marker of poor survival in epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2015 , 138, 634-9	4.9	35
111	Preoperative chemoradiotherapy in locally advanced gastric cancer, a phase I/II feasibility and efficacy study. <i>Radiotherapy and Oncology</i> , 2014 , 112, 284-8	5.3	35
110	Different recurrence pattern after neoadjuvant chemoradiotherapy compared to surgery alone in esophageal cancer patients. <i>Annals of Surgical Oncology</i> , 2013 , 20, 4008-15	3.1	35
109	Androgen and Estrogen Receptor Imaging in Metastatic Breast Cancer Patients as a Surrogate for Tissue Biopsies. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 1906-1912	8.9	34

108	Assessment of estrogen receptor expression in epithelial ovarian cancer patients using $^{16}\text{E}^{18}\text{F}$ -fluoro- ^{17}E estradiol PET/CT. <i>Journal of Nuclear Medicine</i> , 2015 , 56, 50-5	8.9	34
107	Positron emission tomography of tumour [^{18}F]fluoroestradiol uptake in patients with acquired hormone-resistant metastatic breast cancer prior to oestradiol therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 1674-1681	8.8	32
106	Current and upcoming approaches to exploit the reversibility of epigenetic mutations in breast cancer. <i>Breast Cancer Research</i> , 2014 , 16, 412	8.3	32
105	Rapid BRAF mutation tests in patients with advanced melanoma: comparison of immunohistochemistry, Droplet Digital PCR, and the Idylla Mutation Platform. <i>Melanoma Research</i> , 2018 , 28, 96-104	3.3	30
104	Recommendations and Technical Aspects of $^{16}\text{E}^{18}\text{F}$ Fluoro- ^{17}E estradiol PET to Image the Estrogen Receptor In Vivo: The Groningen Experience. <i>Clinical Nuclear Medicine</i> , 2016 , 41, 844-851	1.7	28
103	F-Fluoroestradiol Tumor Uptake Is Heterogeneous and Influenced by Site of Metastasis in Breast Cancer Patients. <i>Journal of Nuclear Medicine</i> , 2018 , 59, 1212-1218	8.9	27
102	PET for evaluation of differential myocardial perfusion dynamics after VEGF gene therapy and laser therapy in end-stage coronary artery disease. <i>Journal of Nuclear Medicine</i> , 2004 , 45, 1437-43	8.9	27
101	Open-label, multicentre safety study of vemurafenib in 219 patients with BRAF mutation-positive metastatic melanoma: 2-year follow-up data and long-term responders' analysis. <i>European Journal of Cancer</i> , 2017 , 79, 176-184	7.5	23
100	Survival after definitive (chemo)radiotherapy in esophageal cancer patients: a population-based study in the north-East Netherlands. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1985-92	3.1	22
99	Residual tumor after neoadjuvant chemoradiation outside the radiation therapy target volume: a new prognostic factor for survival in esophageal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 845-52	4	21
98	Increased risk of thromboembolism in esophageal cancer patients treated with neoadjuvant chemoradiotherapy. <i>American Journal of Surgery</i> , 2014 , 208, 215-21	2.7	21
97	Phase II Feasibility and Biomarker Study of Neoadjuvant Trastuzumab and Pertuzumab With Chemoradiotherapy for Resectable Human Epidermal Growth Factor Receptor 2-Positive Esophageal Adenocarcinoma: TRAP Study. <i>Journal of Clinical Oncology</i> , 2020 , 38, 462-471	2.2	21
96	Clinical utility of circulating tumor DNA as a response and follow-up marker in cancer therapy. <i>Cancer and Metastasis Reviews</i> , 2020 , 39, 999-1013	9.6	18
95	Scintigraphic imaging of HSVtk gene therapy. <i>Current Pharmaceutical Design</i> , 2002 , 8, 1435-50	3.3	18
94	Switching to Immune Checkpoint Inhibitors upon Response to Targeted Therapy; The Road to Long-Term Survival in Advanced Melanoma Patients with Highly Elevated Serum LDH?. <i>Cancers</i> , 2019 , 11,	6.6	18
93	Mapping heterogeneity in glucose uptake in metastatic melanoma using quantitative F-FDG PET/CT analysis. <i>EJNMMI Research</i> , 2018 , 8, 101	3.6	18
92	Gut microbial species and metabolic pathways associated with response to treatment with immune checkpoint inhibitors in metastatic melanoma. <i>Melanoma Research</i> , 2020 , 30, 235-246	3.3	17
91	Clinical validation of FDG-PET/CT in the radiation treatment planning for patients with oesophageal cancer. <i>Radiotherapy and Oncology</i> , 2014 , 113, 188-92	5.3	17

90	Improvement of in vivo transfer of plasmid DNA in muscle: comparison of electroporation versus ultrasound. <i>Drug Delivery</i> , 2007 , 14, 273-7	7	17
89	Synthesis and Evaluation of the Estrogen Receptor β -selective Radioligand 2-F-Fluoro-6-(6-Hydroxynaphthalen-2-yl)Pyridin-3-ol: Comparison with ^{16}F -Fluoro- ^{17}E Estradiol. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 554-559	8.9	16
88	CD44, SHH and SOX2 as novel biomarkers in esophageal cancer patients treated with neoadjuvant chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2015 , 117, 152-8	5.3	16
87	Molecular Imaging of PD-L1 Expression and Dynamics with the Adnectin-Based PET Tracer F-BMS-986192. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 1839-1844	8.9	16
86	Development and Evaluation of Interleukin-2-Derived Radiotracers for PET Imaging of T Cells in Mice. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 1355-1360	8.9	16
85	Metastatic Uveal Melanoma: Treatment Strategies and Survival-Results from the Dutch Melanoma Treatment Registry. <i>Cancers</i> , 2019 , 11,	6.6	16
84	Disparities in survival of stomach cancer among different socioeconomic groups in North-East Netherlands. <i>Cancer Epidemiology</i> , 2011 , 35, 413-6	2.8	16
83	^{18}F -Fluorodeoxyglucose positron emission tomography for monitoring response to sorafenib treatment in patients with hepatocellular carcinoma. <i>Oncologist</i> , 2008 , 13, 734-5; author reply 736-7	5.7	16
82	Evaluation of [^{18}F]FHPG as PET tracer for HSVtk gene expression. <i>Nuclear Medicine and Biology</i> , 2003 , 30, 651-60	2.1	16
81	Molecular imaging to identify patients with metastatic breast cancer who benefit from endocrine treatment combined with cyclin-dependent kinase inhibition. <i>European Journal of Cancer</i> , 2020 , 126, 11-20	7.5	16
80	Back-Table Fluorescence-Guided Imaging for Circumferential Resection Margin Evaluation Using Bevacizumab-800CW in Patients with Locally Advanced Rectal Cancer. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 655-661	8.9	16
79	Quantitative fluorescence endoscopy: an innovative endoscopy approach to evaluate neoadjuvant treatment response in locally advanced rectal cancer. <i>Gut</i> , 2020 , 69, 406-410	19.2	15
78	Efficacy and safety of nivolumab (NIVO) in patients with advanced melanoma (MEL) and poor prognostic factors who progressed on or after ipilimumab (IPI): Results from a phase II study (CheckMate 172).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 9524-9524	2.2	14
77	Personalized response-driven adjuvant therapy after combination ipilimumab and nivolumab in high-risk resectable stage III melanoma: PRADO trial.. <i>Journal of Clinical Oncology</i> , 2019 , 37, TPS9605-TPS9605	2.2	14
76	Cross-cohort gut microbiome associations with immune checkpoint inhibitor response in advanced melanoma.. <i>Nature Medicine</i> , 2022 ,	50.5	14
75	Clinical-grade N-(4-[^{18}F]fluorobenzoyl)-interleukin-2 for PET imaging of activated T-cells in humans. <i>EJNMMI Radiopharmacy and Chemistry</i> , 2019 , 4, 15	5.8	13
74	Application of PET Tracers in Molecular Imaging for Breast Cancer. <i>Current Oncology Reports</i> , 2020 , 22, 85	6.3	13
73	Treatment of locally advanced rectal cancer. <i>Surgical Oncology</i> , 2004 , 13, 137-47	2.5	13

72	Positron emission tomography imaging of oestrogen receptor-expression in endometrial stromal sarcoma supports oestrogen receptor-targeted therapy: case report and review of the literature. <i>European Journal of Cancer</i> , 2013 , 49, 3850-5	7.5	12
71	Real-world outcomes of advanced melanoma patients not represented in phase III trials. <i>International Journal of Cancer</i> , 2020 , 147, 3461-3470	7.5	11
70	Molecular imaging for monitoring treatment response in breast cancer patients. <i>European Journal of Pharmacology</i> , 2013 , 717, 2-11	5.3	11
69	Multidrug resistance in oncology and beyond: from imaging of drug efflux pumps to cellular drug targets. <i>Methods in Molecular Biology</i> , 2010 , 596, 15-31	1.4	11
68	Dabrafenib plus trametinib is effective in the treatment of BRAF V600-mutated metastatic melanoma patients: analysis of patients from the dabrafenib plus trametinib Named Patient Program (DESCRIBE II). <i>Melanoma Research</i> , 2020 , 30, 261-267	3.3	11
67	18F-FES PET Has Added Value in Staging and Therapy Decision Making in Patients With Disseminated Lobular Breast Cancer. <i>Clinical Nuclear Medicine</i> , 2017 , 42, 612-614	1.7	10
66	CXCR4 and CXCL12 Expression in Rectal Tumors of Stage IV Patients Before and After Local Radiotherapy and Systemic Neoadjuvant Treatment. <i>Current Pharmaceutical Design</i> , 2015 , 21, 2276-83	3.3	10
65	Safety and Efficacy of Checkpoint Inhibition in Patients With Melanoma and Preexisting Autoimmune Disease : A Cohort Study. <i>Annals of Internal Medicine</i> , 2021 , 174, 641-648	8	10
64	Systemic VEGF levels after coronary artery bypass graft surgery reflects the extent of inflammatory response. <i>Acute Cardiac Care</i> , 2006 , 8, 41-5		9
63	Real-world use, safety, and survival of ipilimumab in metastatic cutaneous melanoma in The Netherlands. <i>Anti-Cancer Drugs</i> , 2018 , 29, 572-578	2.4	8
62	Translation of New Molecular Imaging Approaches to the Clinical Setting: Bridging the Gap to Implementation. <i>Journal of Nuclear Medicine</i> , 2016 , 57 Suppl 1, 96S-104S	8.9	8
61	Perspectives for tailored chemoprevention and treatment of colorectal cancer in Lynch syndrome. <i>Critical Reviews in Oncology/Hematology</i> , 2011 , 80, 264-77	7	8
60	Real-world healthcare costs of ipilimumab in patients with advanced cutaneous melanoma in The Netherlands. <i>Anti-Cancer Drugs</i> , 2018 , 29, 579-588	2.4	7
59	Vemurafenib-Induced Disseminated Intravascular Coagulation in Metastatic Melanoma. <i>Journal of Clinical Oncology</i> , 2015 , 33, e133-4	2.2	7
58	Survival outcomes of patients with advanced mucosal melanoma diagnosed from 2013 to 2017 in the Netherlands - A nationwide population-based study. <i>European Journal of Cancer</i> , 2020 , 137, 127-135	7.5	7
57	Age Does Matter in Adolescents and Young Adults versus Older Adults with Advanced Melanoma; A National Cohort Study Comparing Tumor Characteristics, Treatment Pattern, Toxicity and Response. <i>Cancers</i> , 2020 , 12,	6.6	7
56	An open-label, multicentre safety study of vemurafenib in patients with BRAF-mutant metastatic melanoma: final analysis and a validated prognostic scoring system. <i>European Journal of Cancer</i> , 2019 , 107, 175-185	7.5	7
55	Surgery for Unresectable Stage IIIC and IV Melanoma in the Era of New Systemic Therapy. <i>Cancers</i> , 2020 , 12,	6.6	6

54	Enhanced expression of PD-1 and other activation markers by CD4+ T cells of young but not old patients with metastatic melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2018 , 67, 925-933	7.4	6
53	Effect of vemurafenib on a V600R melanoma brain metastasis. <i>European Journal of Cancer</i> , 2013 , 49, 1795-6	7.5	6
52	The unfavorable effects of COVID-19 on Dutch advanced melanoma care. <i>International Journal of Cancer</i> , 2021 ,	7.5	6
51	Association Between Pembrolizumab-related Adverse Events and Treatment Outcome in Advanced Melanoma: Results From the Dutch Expanded Access Program. <i>Journal of Immunotherapy</i> , 2019 , 42, 208-214	5.14	6
50	F-BMS986192 PET imaging of PD-L1 in metastatic melanoma patients with brain metastases treated with immune checkpoint inhibitors. A pilot study. <i>Journal of Nuclear Medicine</i> , 2021 ,	8.9	6
49	Reliability of clinical nodal status regarding response to neoadjuvant chemoradiotherapy compared with surgery alone and prognosis in esophageal cancer patients. <i>Acta Oncologica</i> , 2019 , 58, 1640-1647	3.2	5
48	In Vivo Quantification of ER Expression by Pharmacokinetic Modeling: Studies with F-FHNP PET. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 1743-1748	8.9	5
47	A patient with metastatic melanoma presenting with gastrointestinal perforation after dacarbazine infusion: a case report. <i>Journal of Medical Case Reports</i> , 2010 , 4, 10	1.2	5
46	combination of vascular endothelial growth factor (VEGF) and thymidine phosphorylase (TP) to improve angiogenic gene therapy. <i>Angiogenesis</i> , 2003 , 6, 185-92	10.6	5
45	Functional characteristics of coronary vasomotor function following intramyocardial gene therapy with naked DNA encoding for vascular endothelial growth factor165. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2005 , 12, 103-6		5
44	Visual and quantitative evaluation of [F]FES and [F]FDHT PET in patients with metastatic breast cancer: an interobserver variability study. <i>EJNMMI Research</i> , 2020 , 10, 40	3.6	5
43	Value of F-FES PET in Solving Clinical Dilemmas in Breast Cancer Patients: A Retrospective Study. <i>Journal of Nuclear Medicine</i> , 2021 , 62, 1214-1220	8.9	5
42	Vemurafenib in BRAF-mutant metastatic melanoma patients in real-world clinical practice: prognostic factors associated with clinical outcomes. <i>Melanoma Research</i> , 2018 , 28, 326-332	3.3	5
41	Healthcare Costs of Metastatic Cutaneous Melanoma in the Era of Immunotherapeutic and Targeted Drugs. <i>Cancers</i> , 2020 , 12,	6.6	4
40	Retrospective denial as a coping method. <i>Journal of Clinical Psychology in Medical Settings</i> , 2011 , 18, 65-9		4
39	Real-world Outcomes of First-line Anti-PD-1 Therapy for Advanced Melanoma: A Nationwide Population-based Study. <i>Journal of Immunotherapy</i> , 2020 , 43, 256-264	5	4
38	Interleukin-2 PET imaging in patients with metastatic melanoma before and during immune checkpoint inhibitor therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 4369-4376	8.8	4
37	Serial [F]-FDHT-PET to predict bicalutamide efficacy in patients with androgen receptor positive metastatic breast cancer. <i>European Journal of Cancer</i> , 2021 , 144, 151-161	7.5	4

36	First-line BRAF/MEK inhibitors versus anti-PD-1 monotherapy in BRAF-mutant advanced melanoma patients: a propensity-matched survival analysis. <i>British Journal of Cancer</i> , 2021 , 124, 1222-1230	8.7	4
35	Checkpoint inhibitor induced hepatitis and the relation with liver metastasis and outcome in advanced melanoma patients. <i>Hepatology International</i> , 2021 , 15, 510-519	8.8	4
34	Effect of Extending the Original CROSS Criteria on Tumor Response to Neoadjuvant Chemoradiotherapy in Esophageal Cancer Patients: A National Multicenter Cohort Analysis. <i>Annals of Surgical Oncology</i> , 2021 , 28, 3951-3960	3.1	3
33	Influence of p53 status on the HSV-Tk/GCV-induced bystander effect in a panel of human ovarian carcinoma cell lines. <i>Oncology Research</i> , 2005 , 15, 151-9	4.8	3
32	Systemic vasculitis developed after immune checkpoint inhibition: comment on the article by Cappelli et al. <i>Arthritis Care and Research</i> , 2018 , 70, 1275	4.7	3
31	Abstract 4768: Frequency and prognostic value of hormone receptor expression in epithelial ovarian cancer. 2013 ,		2
30	FES PET/CT analysis to evaluate the impact of localization of breast cancer metastases on ER expression.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 527-527	2.2	2
29	Nivolumab (NIVO) safety in patients with advanced melanoma (MEL) who have progressed on or after ipilimumab (IPI): A single-arm, open-label, multicenter, phase II study (CheckMate 172).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9526-9526	2.2	2
28	Detection of Dural Metastases Before the Onset of Clinical Symptoms by 16[18F]Fluoro-17[Estradiol PET in a Patient With Estrogen Receptor-Positive Breast Cancer. <i>Clinical Nuclear Medicine</i> , 2021 , 46, e165-e167	1.7	2
27	Image Quality and Interpretation of [F]-FES-PET: Is There any Effect of Food Intake?. <i>Diagnostics</i> , 2020 , 10,	3.8	2
26	Lower risk of severe checkpoint inhibitor toxicity in more advanced disease. <i>ESMO Open</i> , 2020 , 5, e000945		2
25	Response to immune checkpoint inhibitors in acral melanoma: A nationwide cohort study.. <i>European Journal of Cancer</i> , 2022 , 167, 70-80	7.5	2
24	Construction of a triple modified p53 containing DNA vaccine to enhance processing and presentation of the p53 antigen. <i>Vaccine</i> , 2009 , 28, 386-91	4.1	1
23	Androgen receptor and estrogen receptor imaging in patients with metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 11553-11553	2.2	1
22	Value of screening and follow-up brain MRI scans in patients with metastatic melanoma. <i>Cancer Medicine</i> , 2021 , 10, 8395-8404	4.8	1
21	Nationwide Outcomes of Advanced Melanoma According to BRAFV600 Status. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2021 , 44, 82-89	2.7	1
20	Toxicity, Response and Survival in Older Patients with Metastatic Melanoma Treated with Checkpoint Inhibitors. <i>Cancers</i> , 2021 , 13,	6.6	1
19	Sex-Based Differences in Treatment with Immune Checkpoint Inhibition and Targeted Therapy for Advanced Melanoma: A Nationwide Cohort Study. <i>Cancers</i> , 2021 , 13,	6.6	1

18	Adjuvant treatment for melanoma in clinical practice - Trial versus reality. <i>European Journal of Cancer</i> , 2021 , 158, 234-245	7.5	1
17	Discontinuation of anti-PD-1 monotherapy in advanced melanoma-Outcomes of daily clinical practice. <i>International Journal of Cancer</i> , 2022 , 150, 317-326	7.5	1
16	Clinical Validity of 16[F]Fluoro-17[E]Estradiol Positron Emission Tomography/Computed Tomography to Assess Estrogen Receptor Status in Newly Diagnosed Metastatic Breast Cancer.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2200400	2.2	1
15	Longitudinal analysis of cytokine expression during neoadjuvant chemoradiotherapy and subsequent surgery in esophageal cancer patients. <i>American Journal of Surgery</i> , 2016 , 212, 89-95	2.7	0
14	Phase II study of oxaliplatin, UFT, and leucovorin in patients with metastatic gastric cancer. <i>Gastric Cancer</i> , 2010 , 13, 95-100	7.6	0
13	Postapproval trials versus patient registries: comparability of advanced melanoma patients with brain metastases. <i>Melanoma Research</i> , 2021 , 31, 58-66	3.3	0
12	Interpreting the RAPIDO trial: factors to consider - Authors' reply. <i>Lancet Oncology, The</i> , 2021 , 22, e90-e91.7	91.7	0
11	Clinical outcome of patients with metastatic melanoma of unknown primary in the era of novel therapy. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 3123-3135	7.4	0
10	Re-Irradiation in Patients with Recurrent Rectal Cancer is Safe and Feasible. <i>Annals of Surgical Oncology</i> , 2021 , 28, 5194-5204	3.1	0
9	Clinical selection strategy for and evaluation of intra-operative brachytherapy in patients with locally advanced and recurrent rectal cancer. <i>Radiotherapy and Oncology</i> , 2021 , 159, 91-97	5.3	0
8	Outcomes for systemic therapy in older patients with metastatic melanoma: Results from the Dutch Melanoma Treatment Registry. <i>Journal of Geriatric Oncology</i> , 2021 , 12, 1031-1038	3.6	0
7	Anti-tumor treatment and healthcare consumption near death in the era of novel treatment options for patients with melanoma brain metastases.. <i>BMC Cancer</i> , 2022 , 22, 247	4.8	0
6	A large pooled analysis refines gene expression-based molecular subclasses in cutaneous melanoma. <i>Oncotmunology</i> , 2019 , 8, 1558664	7.2	
5	Off-label prescription of genetically modified organism medicines in europe: emerging conflicts of interest?. <i>Human Gene Therapy</i> , 2014 , 25, 893-6	4.8	
4	Surgery for unresectable stage IIIC and IV melanoma in the era of new systemic therapy.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 10032-10032	2.2	
3	Multicenter feasibility study of chemoradiation, trastuzumab and pertuzumab in resectable HER2+ esophageal carcinoma: The TRAP study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS4142-TPS4142	2.2	
2	Impact of current [h]insufficient[cl]inical nodal staging on treatment decisions and response to neoadjuvant chemoradiotherapy in esophageal cancer patients.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 111-111	2.2	
1	Preoperative chemoradiotherapy (CRT) in gastric cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 89-89	2.2	

