

Ole Morten Rønning

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/38559/publications.pdf>

Version: 2024-02-01

44
papers

997
citations

516710

16
h-index

477307

29
g-index

44
all docs

44
docs citations

44
times ranked

1783
citing authors

#	ARTICLE	IF	CITATIONS
1	Tenecteplase versus alteplase for management of acute ischaemic stroke (NOR-TEST): a phase 3, randomised, open-label, blinded endpoint trial. <i>Lancet Neurology</i> , The, 2017, 16, 781-788.	10.2	305
2	Effect of COVID-19 pandemic on stroke admission rates in a Norwegian population. <i>Acta Neurologica Scandinavica</i> , 2020, 142, 632-636.	2.1	60
3	Prognostic Value of High-sensitivity Cardiac Troponin T in Acute Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 241-248.	1.6	47
4	Factors Related to Decision Delay in Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 534-539.	1.6	45
5	Factors Related to Knowledge of Stroke Symptoms and Risk Factors in a Norwegian Stroke Population. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 1849-1855.	1.6	36
6	Determinants of Change in Quality of Life from 1 to 6 Months following Acute Stroke. <i>Cerebrovascular Diseases</i> , 2008, 25, 67-73.	1.7	34
7	Patient knowledge on stroke risk factors, symptoms and treatment options. <i>Vascular Health and Risk Management</i> , 2018, Volume 14, 37-40.	2.3	30
8	Safety and Outcomes of Tenecteplase in Moderate and Severe Ischemic Stroke. <i>Stroke</i> , 2019, 50, 1279-1281.	2.0	29
9	Middle Cerebral Artery Pulsatility Index is Associated with Cognitive Impairment in Lacunar Stroke. <i>Journal of Neuroimaging</i> , 2016, 26, 431-435.	2.0	27
10	Prevalence of Carotid Plaque in a 63- to 65-Year-Old Norwegian Cohort From the General Population: The ACE (Akershus Cardiac Examination) 1950 Study. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	26
11	Predictors of Mortality Following Acute Stroke: A Cohort Study with 12 Years of Follow-Up. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012, 21, 369-372.	1.6	25
12	Increased subclinical atherosclerosis in patients with chronic plaque psoriasis. <i>Atherosclerosis</i> , 2014, 237, 499-503.	0.8	21
13	The Burden of Stroke Mimics: Present and Future Projections. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 1288-1295.	1.6	20
14	Antithrombotic treatment after stroke due to intracerebral haemorrhage. <i>The Cochrane Library</i> , 2017, CD012144.	2.8	19
15	Blood pressure differences between patients with lacunar and nonlacunar infarcts. <i>Brain and Behavior</i> , 2015, 5, e00353.	2.2	18
16	Montreal Cognitive Assessment in a 63- to 65-year-old Norwegian Cohort from the General Population: Data from the Akershus Cardiac Examination 1950 Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018, 7, 318-327.	1.3	17
17	Patient and service factors associated with referral and admission to inpatient rehabilitation after the acute phase of stroke in Australia and Norway. <i>BMC Health Services Research</i> , 2019, 19, 871.	2.2	17
18	A pragmatic approach to sonothrombolysis in acute ischaemic stroke: the Norwegian randomised controlled sonothrombolysis in acute stroke study (NOR-SASS). <i>BMC Neurology</i> , 2015, 15, 110.	1.8	15

#	ARTICLE	IF	CITATIONS
19	Tenecteplase Versus Alteplase Between 3 and 4.5 Hours in Low National Institutes of Health Stroke Scale. <i>Stroke</i> , 2019, 50, 498-500.	2.0	15
20	Prediction of occult atrial fibrillation in patients after cryptogenic stroke and transient ischaemic attack: PROACTIA. <i>Europace</i> , 2022, 24, 1881-1888.	1.7	15
21	Stroke incidence in the young: evidence from a Norwegian register study. <i>Journal of Neurology</i> , 2019, 266, 68-84.	3.6	14
22	Early Mobilization after Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 496-499.	1.6	13
23	Fewer ischemic strokes, despite an ageing population: stroke models from observed incidence in Norway 2010â€“2015. <i>BMC Health Services Research</i> , 2019, 19, 705.	2.2	13
24	Stroke admission rates before, during and after the first phase of the COVID-19 pandemic. <i>Neurological Sciences</i> , 2021, 42, 791-798.	1.9	13
25	Carotid Atherosclerosis is Associated with Middle Cerebral Artery Pulsatility Index. <i>Journal of Neuroimaging</i> , 2020, 30, 233-239.	2.0	11
26	Tenecteplase versus alteplase after acute ischemic stroke at high age. <i>International Journal of Stroke</i> , 2021, 16, 295-299.	5.9	11
27	Carotid Atherosclerosis in Adult Patients with Persistently Active Juvenile Idiopathic Arthritis Compared with Healthy Controls. <i>Journal of Rheumatology</i> , 2016, 43, 810-815.	2.0	10
28	Stroke-Related Knowledge and Lifestyle Behavior among Stroke Survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 104359.	1.6	10
29	Cardiac troponin I measured with a very high sensitivity assay predicts subclinical carotid atherosclerosis: The Akershus Cardiac Examination 1950 Study. <i>Clinical Biochemistry</i> , 2021, 93, 59-65.	1.9	9
30	Changes in survival and characteristics among older stroke unit patientsâ€™ 1994 versus 2012. <i>Brain and Behavior</i> , 2019, 9, e01175.	2.2	8
31	Carotid Atherosclerosis and Cognitive Function in a General Population Aged 63-65 Years: Data from the Akershus Cardiac Examination (ACE) 1950 Study. <i>Journal of Alzheimer's Disease</i> , 2019, 70, 1041-1049.	2.6	7
32	Diagnostic Accuracy and Risk Factors of the Different Lacunar Syndromes. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 2085-2090.	1.6	6
33	Blood pressure at age 40 predicts carotid atherosclerosis two decades later. <i>Journal of Hypertension</i> , 2019, 37, 1982-1990.	0.5	6
34	Plasma linoleic acid levels and cardiovascular risk factors: results from the Norwegian ACE 1950 Study. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1707-1717.	2.9	6
35	Plasma Trans Fatty Acid Levels, Cardiovascular Risk Factors and Lifestyle: Results from the Akershus Cardiac Examination 1950 Study. <i>Nutrients</i> , 2020, 12, 1419.	4.1	6
36	Plasma levels of BDNF and EGF are reduced in acute stroke patients. <i>Heliyon</i> , 2022, 8, e09661.	3.2	6

#	ARTICLE	IF	CITATIONS
37	Plasma marine n-3 polyunsaturated fatty acids and cardiovascular risk factors: data from the ACE 1950 study. <i>European Journal of Nutrition</i> , 2020, 59, 1505-1515.	3.9	5
38	STudy of Antithrombotic Treatment after IntraCerebral Haemorrhage: Protocol for a randomised controlled trial. <i>European Stroke Journal</i> , 2020, 5, 414-422.	5.5	5
39	Transdermal Scopolamine to Reduce Salivation and Possibly Aspiration after Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2008, 17, 328-329.	1.6	4
40	Stroke Risk Is Low after Urgently Treated Transient Ischemic Attack. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 291-295.	1.6	4
41	Reasons and predictors of nonâ€thrombolysis in patients with acute ischemic stroke admitted within 4.5 h. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 61-69.	2.1	4
42	Differences in and Determinants of Prehospital Delay Times among Stroke Patientsâ€1994 Versus 2012. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 2398-2404.	1.6	2
43	Sex Differences in the Norwegian Tenecteplase Trial (NORâ€TEST). <i>European Journal of Neurology</i> , 2021, , .	3.3	2
44	Stroke unit demand in Norway â€ present and future estimates. <i>BMC Health Services Research</i> , 2022, 22, 336.	2.2	1