

Nikita Gamper

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/385722/publications.pdf>

Version: 2024-02-01

99
papers

5,952
citations

57631

44
h-index

74018

75
g-index

130
all docs

130
docs citations

130
times ranked

5697
citing authors

#	ARTICLE	IF	CITATIONS
1	Kv7.4 channel is a key regulator of vascular inflammation and remodeling in neointimal hyperplasia and abdominal aortic aneurysms. <i>Free Radical Biology and Medicine</i> , 2022, 178, 111-124.	1.3	2
2	Modified working heart brainstem preparation for studying spike propagation through the dorsal root ganglion. <i>Biophysical Journal</i> , 2022, 121, 271a.	0.2	0
3	Inferiority complex: why do sensory ion channels multimerize?. <i>Biochemical Society Transactions</i> , 2022, 50, 213-222.	1.6	0
4	Protein disulfide isomerase modulation of TRPV1 controls heat hyperalgesia in chronic pain. <i>Cell Reports</i> , 2022, 39, 110625.	2.9	4
5	A correlative super-resolution protocol to visualise structural underpinnings of fast second-messenger signalling in primary cell types. <i>Methods</i> , 2021, 193, 27-37.	1.9	9
6	Junctophilin-4 facilitates inflammatory signalling at plasma membrane-endoplasmic reticulum junctions in sensory neurons. <i>Journal of Physiology</i> , 2021, 599, 2103-2123.	1.3	18
7	Neuropathic Injury-Induced Plasticity of GABAergic System in Peripheral Sensory Ganglia. <i>Frontiers in Pharmacology</i> , 2021, 12, 702218.	1.6	10
8	Kv7 Channels and Excitability Disorders. <i>Handbook of Experimental Pharmacology</i> , 2021, 267, 185-230.	0.9	21
9	Activation of parabrachial nucleus - ventral tegmental area pathway underlies the comorbid depression in chronic neuropathic pain in mice. <i>Cell Reports</i> , 2021, 37, 109936.	2.9	24
10	Local Ca ²⁺ signals couple activation of TRPV1 and ANO1 sensory ion channels. <i>Science Signaling</i> , 2020, 13, .	1.6	23
11	Delineating an extracellular redox-sensitive module in T-type Ca ²⁺ channels. <i>Journal of Biological Chemistry</i> , 2020, 295, 6177-6186.	1.6	6
12	Auxiliary subunits control biophysical properties and response to compound NS5806 of the Kv4 potassium channel complex. <i>FASEB Journal</i> , 2020, 34, 807-821.	0.2	7
13	Vascular Kv7 channels control intracellular Ca ²⁺ dynamics in smooth muscle. <i>Cell Calcium</i> , 2020, 92, 102283.	1.1	7
14	Volume-regulated Cl ⁻ current: contributions of distinct Cl ⁻ channels and localized Ca ²⁺ signals. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 317, C466-C480.	2.1	20
15	Predictors and Clinical Outcomes in Empyema Thoracis Patients Presenting to the Emergency Department Undergoing Video-Assisted Thoracoscopic Surgery. <i>Journal of Clinical Medicine</i> , 2019, 8, 1612.	1.0	8
16	Transcriptional Regulation of Voltage-Gated Sodium Channels Contributes to GM-CSF-Induced Pain. <i>Journal of Neuroscience</i> , 2019, 39, 5222-5233.	1.7	29
17	Kv7.4 Channel Contribute to Projection-Specific Auto-Inhibition of Dopamine Neurons in the Ventral Tegmental Area. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 557.	1.8	15
18	Repressor element 1 silencing transcription factor drives the development of chronic pain states. <i>Pain</i> , 2019, 160, 2398-2408.	2.0	26

#	ARTICLE	IF	CITATIONS
19	FGFR2 and TRPA1 Interaction in Lung Cancer. <i>FASEB Journal</i> , 2019, 33, lb266.	0.2	0
20	Beyond voltage-gated ion channels: Voltage-operated membrane proteins and cellular processes. <i>Journal of Cellular Physiology</i> , 2018, 233, 6377-6385.	2.0	7
21	Fat nerves keep pain at bay. <i>EMBO Journal</i> , 2018, 37, .	3.5	0
22	M α type K ⁺ channels in peripheral nociceptive pathways. <i>British Journal of Pharmacology</i> , 2018, 175, 2158-2172.	2.7	53
23	Itchy channels and where to find them. <i>Journal of Physiology</i> , 2017, 595, 3257-3259.	1.3	1
24	Sequential therapy of anti-Nogo-A antibody treatment and treadmill training leads to cumulative improvements after spinal cord injury in rats. <i>Experimental Neurology</i> , 2017, 292, 135-144.	2.0	54
25	TRPA1-FGFR2 binding event is a regulatory oncogenic driver modulated by miRNA-142-3p. <i>Nature Communications</i> , 2017, 8, 947.	5.8	56
26	Selective targeting of M α type potassium K _v 7.4 channels demonstrates their key role in the regulation of dopaminergic neuronal excitability and depression-like behaviour. <i>British Journal of Pharmacology</i> , 2017, 174, 4277-4294.	2.7	32
27	Intracellular zinc activates KCNQ channels by reducing their dependence on phosphatidylinositol 4,5-bisphosphate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E6410-E6419.	3.3	31
28	Local GABAergic signaling within sensory ganglia controls peripheral nociceptive transmission. <i>Journal of Clinical Investigation</i> , 2017, 127, 1741-1756.	3.9	119
29	Activation of Ca ²⁺ -activated Cl ⁻ channel ANO1 by localized Ca ²⁺ signals. <i>Journal of Physiology</i> , 2016, 594, 19-30.	1.3	59
30	Regulation of the T α type Ca ²⁺ channel Cav3.2 by hydrogen sulfide: emerging controversies concerning the role of H ₂ S in nociception. <i>Journal of Physiology</i> , 2016, 594, 4119-4129.	1.3	18
31	Localised intracellular signalling in neurons. <i>Journal of Physiology</i> , 2016, 594, 7-8.	1.3	0
32	Redox-Dependent Modulation of T-Type Ca ²⁺ Channels in Sensory Neurons Contributes to Acute Anti-Nociceptive Effect of Substance P. <i>Antioxidants and Redox Signaling</i> , 2016, 25, 233-251.	2.5	17
33	A homozygous STIM1 mutation impairs store-operated calcium entry and natural killer cell effector function without clinical immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 955-957.e8.	1.5	38
34	Inflammatory mediator bradykinin increases population of sensory neurons expressing functional T-type Ca ²⁺ channels. <i>Biochemical and Biophysical Research Communications</i> , 2016, 473, 396-402.	1.0	14
35	Spike propagation through the dorsal root ganglia in an unmyelinated sensory neuron: a modeling study. <i>Journal of Neurophysiology</i> , 2015, 114, 3140-3153.	0.9	68
36	Novel ways to regulate T-type Ca ²⁺ channels. <i>Channels</i> , 2015, 9, 68-69.	1.5	1

#	ARTICLE	IF	CITATIONS
37	GABAB receptors inhibit low-voltage activated and high-voltage activated Ca ²⁺ channels in sensory neurons via distinct mechanisms. <i>Biochemical and Biophysical Research Communications</i> , 2015, 465, 188-193.	1.0	23
38	Diverse mechanisms underlying the regulation of ion channels by carbon monoxide. <i>British Journal of Pharmacology</i> , 2015, 172, 1546-1556.	2.7	58
39	Inhibition of T-type Ca ²⁺ Channels by Hydrogen Sulfide. <i>Advances in Experimental Medicine and Biology</i> , 2015, 860, 353-360.	0.8	5
40	Characterization of the effects of Cl ⁻ channel modulators on TMEM16A and bestrophin-1 Ca ²⁺ -activated Cl ⁻ channels. <i>Pflügers Archiv European Journal of Physiology</i> , 2015, 467, 1417-1430.	1.3	78
41	Redox and Nitric Oxide-Mediated Regulation of Sensory Neuron Ion Channel Function. <i>Antioxidants and Redox Signaling</i> , 2015, 22, 486-504.	2.5	58
42	Hydrogen sulfide inhibits Cav3.2 T-type Ca ²⁺ channels. <i>FASEB Journal</i> , 2014, 28, 5376-5387.	0.2	41
43	Control of somatic membrane potential in nociceptive neurons and its implications for peripheral nociceptive transmission. <i>Pain</i> , 2014, 155, 2306-2322.	2.0	108
44	Direct Characterization of Fluid Lipid Assemblies on Mercury in Electric Fields. <i>ACS Nano</i> , 2014, 8, 3242-3250.	7.3	21
45	Ion channels in somatosensory transmission: an introduction to the collection. <i>F1000Research</i> , 2014, 3, 278.	0.8	0
46	Carbon monoxide inhibition of Cav3.2 T-type Ca ²⁺ channels reveals tonic modulation by thioredoxin. <i>FASEB Journal</i> , 2013, 27, 3395-3407.	0.2	33
47	Activation of the Cl ⁻ Channel ANO1 by Localized Calcium Signals in Nociceptive Sensory Neurons Requires Coupling with the IP ₃ Receptor. <i>Science Signaling</i> , 2013, 6, ra73.	1.6	168
48	Transient Overexpression of Genes in Neurons Using Nucleofection. <i>Methods in Molecular Biology</i> , 2013, 998, 55-64.	0.4	15
49	Triple Cysteine Module within M-Type K ⁺ Channels Mediates Reciprocal Channel Modulation by Nitric Oxide and Reactive Oxygen Species. <i>Journal of Neuroscience</i> , 2013, 33, 6041-6046.	1.7	44
50	Bradykinin Controls Pool Size of Sensory Neurons Expressing Functional μ -Opioid Receptors. <i>Journal of Neuroscience</i> , 2013, 33, 10762-10771.	1.7	34
51	Potassium Channels in Peripheral Pain Pathways: Expression, Function and Therapeutic Potential. <i>Current Neuropharmacology</i> , 2013, 11, 621-640.	1.4	103
52	M-Current Recording from Acute DRG Slices. <i>Methods in Molecular Biology</i> , 2013, 998, 311-320.	0.4	3
53	Reactive oxygen species are second messengers of neurokinin signaling in peripheral sensory neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E1578-86.	3.3	83
54	M channel enhancers and physiological M channel block. <i>Journal of Physiology</i> , 2012, 590, 793-807.	1.3	54

#	ARTICLE	IF	CITATIONS
55	Peroxynitrite Mediates Disruption of Ca ²⁺ Homeostasis by Carbon Monoxide <i>via</i> Ca ²⁺ ATPase Degradation. <i>Antioxidants and Redox Signaling</i> , 2012, 17, 744-755.	2.5	13
56	Phosphoinositide Sensitivity of Ion Channels, a Functional Perspective. <i>Sub-Cellular Biochemistry</i> , 2012, 59, 289-333.	1.0	33
57	The VEGFR2 receptor tyrosine kinase undergoes constitutive endosome-to-plasma membrane recycling. <i>Biochemical and Biophysical Research Communications</i> , 2011, 410, 170-176.	1.0	61
58	Properties and Therapeutic Potential of Transient Receptor Potential Channels with Putative Roles in Adversity: Focus on TRPC5, TRPM2 and TRPA1. <i>Current Drug Targets</i> , 2011, 12, 724-736.	1.0	47
59	Transcriptional repression of the M channel subunit Kv7.2 in chronic nerve injury. <i>Pain</i> , 2011, 152, 742-754.	2.0	130
60	Understanding inflammatory pain: ion channels contributing to acute and chronic nociception. <i>Pflügers Archiv European Journal of Physiology</i> , 2010, 459, 657-669.	1.3	104
61	Osmosensitivity through the PIP ₂ availability: just add water. <i>Journal of Physiology</i> , 2010, 588, 3631-3632.	1.3	8
62	Transcriptional Control of <i>KCNQ</i> Channel Genes and the Regulation of Neuronal Excitability. <i>Journal of Neuroscience</i> , 2010, 30, 13235-13245.	1.7	93
63	The acute nociceptive signals induced by bradykinin in rat sensory neurons are mediated by inhibition of M-type K ⁺ channels and activation of Ca ²⁺ -activated Cl ⁻ channels. <i>Journal of Clinical Investigation</i> , 2010, 120, 1240-1252.	3.9	264
64	Robotic multiwell planar patch-clamp for native and primary mammalian cells. <i>Nature Protocols</i> , 2009, 4, 244-255.	5.5	95
65	Inhibition of M Current in Sensory Neurons by Exogenous Proteases: A Signaling Pathway Mediating Inflammatory Nociception. <i>Journal of Neuroscience</i> , 2008, 28, 11240-11249.	1.7	112
66	Target-specific PIP ₂ signalling: how might it work?. <i>Journal of Physiology</i> , 2007, 582, 967-975.	1.3	104
67	Regulation of ion transport proteins by membrane phosphoinositides. <i>Nature Reviews Neuroscience</i> , 2007, 8, 921-934.	4.9	220
68	Oxidative modification of M-type K ⁺ channels as a mechanism of cytoprotective neuronal silencing. <i>EMBO Journal</i> , 2006, 25, 4996-5004.	3.5	115
69	Angiotensin II regulates neuronal excitability via phosphatidylinositol 4,5-bisphosphate-dependent modulation of Kv7 (M-type) K ⁺ channels. <i>Journal of Physiology</i> , 2006, 575, 49-67.	1.3	78
70	Exogenous Expression of Proteins in Neurons Using the Biolistic Particle Delivery System. , 2006, 337, 27-38.		12
71	The cannabinoid WIN 55,212-2 inhibits transient receptor potential vanilloid 1 (TRPV1) and evokes peripheral antihyperalgesia via calcineurin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11393-11398.	3.3	142
72	Rapid Translocation and Insertion of the Epithelial Na ⁺ Channel in Response to RhoA Signaling. <i>Journal of Biological Chemistry</i> , 2006, 281, 26520-26527.	1.6	71

#	ARTICLE	IF	CITATIONS
73	Cannabinoid WIN 55,212-2 Regulates TRPV1 Phosphorylation in Sensory Neurons. <i>Journal of Biological Chemistry</i> , 2006, 281, 32879-32890.	1.6	127
74	The use of Chinese hamster ovary (CHO) cells in the study of ion channels. <i>Journal of Pharmacological and Toxicological Methods</i> , 2005, 51, 177-185.	0.3	102
75	Structural Requirements for Differential Sensitivity of KCNQ K ⁺ Channels to Modulation by Ca ²⁺ /Calmodulin. <i>Molecular Biology of the Cell</i> , 2005, 16, 3538-3551.	0.9	124
76	Bradykinin-Induced Functional Competence and Trafficking of the \hat{A} -Opioid Receptor in Trigeminal Nociceptors. <i>Journal of Neuroscience</i> , 2005, 25, 8825-8832.	1.7	148
77	Regulation of Kv7 (KCNQ) K ⁺ Channel Open Probability by Phosphatidylinositol 4,5-Bisphosphate. <i>Journal of Neuroscience</i> , 2005, 25, 9825-9835.	1.7	246
78	Phosphoinositide Lipid Second Messengers: New Paradigms for Calcium Channel Modulation. <i>Neuron</i> , 2005, 47, 179-182.	3.8	91
79	Direct Activation of the Epithelial Na ⁺ Channel by Phosphatidylinositol 3,4,5-Trisphosphate and Phosphatidylinositol 3,4-Bisphosphate Produced by Phosphoinositide 3-OH Kinase. <i>Journal of Biological Chemistry</i> , 2004, 279, 22654-22663.	1.6	90
80	Dual Phosphorylations Underlie Modulation of Unitary KCNQ K ⁺ Channels by Src Tyrosine Kinase. <i>Journal of Biological Chemistry</i> , 2004, 279, 45399-45407.	1.6	42
81	Single-Channel Analysis of KCNQ K ⁺ Channels Reveals the Mechanism of Augmentation by a Cysteine-Modifying Reagent. <i>Journal of Neuroscience</i> , 2004, 24, 5079-5090.	1.7	81
82	Phosphatidylinositol 4,5-Bisphosphate Signals Underlie Receptor-Specific Gq/11-Mediated Modulation of N-Type Ca ²⁺ Channels. <i>Journal of Neuroscience</i> , 2004, 24, 10980-10992.	1.7	205
83	External Pathway of NADH Oxidation in the Liver of the River Lamprey <i>Lampetra fluviatilis</i> . <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2003, 39, 261-265.	0.2	1
84	Ceramide inhibits the potassium channel Kv1.3 by the formation of membrane platforms. <i>Biochemical and Biophysical Research Communications</i> , 2003, 305, 890-897.	1.0	101
85	Calmodulin Mediates Ca ²⁺ -dependent Modulation of M-type K ⁺ Channels. <i>Journal of General Physiology</i> , 2003, 122, 17-31.	0.9	212
86	Subunit-Specific Modulation of KCNQ Potassium Channels by Src Tyrosine Kinase. <i>Journal of Neuroscience</i> , 2003, 23, 84-95.	1.7	101
87	Identification of Cytoplasmic Domains within the Epithelial Na ⁺ Channel Reactive at the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2002, 277, 34480-34488.	1.6	8
88	Oxidative permeabilization?. <i>Trends in Parasitology</i> , 2002, 18, 346-347.	1.5	9
89	IGF-1 up-regulates K ⁺ channels via PI3-kinase, PDK1 and SGK1. <i>Pflügers Archiv European Journal of Physiology</i> , 2002, 443, 625-634.	1.3	118
90	Time-dependent regulation of capacitative Ca ²⁺ entry by IGF-1 in human embryonic kidney cells. <i>Pflügers Archiv European Journal of Physiology</i> , 2002, 445, 74-79.	1.3	15

#	ARTICLE	IF	CITATIONS
91	K ⁺ channel activation by all three isoforms of serum- and glucocorticoid-dependent protein kinase SGK. Pflugers Archiv European Journal of Physiology, 2002, 445, 60-66.	1.3	69
92	Plasmodium falciparum activates endogenous Cl ⁻ channels of human erythrocytes by membrane oxidation. EMBO Journal, 2002, 21, 22-30.	3.5	144
93	Chloride conductance and volume-regulatory nonselective cation conductance in human red blood cell ghosts. Pflugers Archiv European Journal of Physiology, 2001, 441, 551-558.	1.3	152
94	Serum- and glucocorticoid-dependent kinase, cell volume, and the regulation of epithelial transport. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2001, 130, 367-376.	0.8	20
95	The heterodimeric amino acid transporter 4F2hc/LAT1 is associated in Xenopus oocytes with a nonselective cation channel that is regulated by the serine/threonine kinase sgk. Journal of Physiology, 2000, 526, 35-46.	1.3	41
96	Cell volume-sensitive sodium channels upregulated by glucocorticoids in U937 macrophages. Pflugers Archiv European Journal of Physiology, 2000, 441, 281-286.	1.3	34
97	Reversible metabolic depression in hepatocytes of lamprey (Lampetra fluviatilis) during pre-spawning: regulation by substrate availability. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2000, 127, 147-154.	0.7	20
98	Cell Volume in the Regulation of Cell Proliferation and Apoptotic Cell Death. Cellular Physiology and Biochemistry, 2000, 10, 417-428.	1.1	222
99	Regulation of Neuronal Ion Channels by G-Protein-Coupled Receptors in Sympathetic Neurons. , 0, , 291-316.		1