

# Alessandro Pozzi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3857414/publications.pdf>

Version: 2024-02-01

34  
papers

788  
citations

430442

18  
h-index

525886

27  
g-index

34  
all docs

34  
docs citations

34  
times ranked

786  
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of implant scanbody material, position and operator on the accuracy of digital impression for complete-arch: A randomized in vitro trial. <i>Journal of Prosthodontic Research</i> , 2020, 64, 128-136.	1.1	81
2	Clinical Reliability of <sc>CAD</sc>/<sc>CAM</sc> Cross-Arch Zirconia Bridges on Immediately Loaded Implants Placed with Computer-Assisted/Template-Guided Surgery: A Retrospective Study with a Follow-Up between 3 and 5 Years. <i>Clinical Implant Dentistry and Related Research</i> , 2015, 17, e86-96.	1.6	56
3	Clinical and Radiological Outcomes of Two Implants with Different Prosthetic Interfaces and Neck Configurations: Randomized, Controlled, Split-Mouth Clinical Trial. <i>Clinical Implant Dentistry and Related Research</i> , 2014, 16, 96-106.	1.6	55
4	Minimally invasive treatment of the atrophic posterior maxilla: A proof-of-concept prospective study with a follow-up of between 36 and 54 months. <i>Journal of Prosthetic Dentistry</i> , 2012, 108, 286-297.	1.1	50
5	Computer-guided versus free-hand placement of immediately loaded dental implants: 1-year post-loading results of a multicentre randomised controlled trial. <i>European Journal of Oral Implantology</i> , 2014, 7, 229-42.	1.3	49
6	Immediate Fixed Rehabilitation of the Edentulous Maxilla: A Prospective Clinical and Radiological Study after 3 Years of Loading. <i>Clinical Implant Dentistry and Related Research</i> , 2014, 16, 292-302.	1.6	38
7	Monolithic Lithium Disilicate Full-Contour Crowns Bonded on CAD/CAM Zirconia Complete-Arch Implant Bridges With 3 to 5 Years of Follow-Up. <i>Journal of Oral Implantology</i> , 2015, 41, 450-458.	0.4	35
8	Comparison of variable-thread tapered implant designs to a standard tapered implant design after immediate loading. A 3-year multicentre randomised controlled trial. <i>European Journal of Oral Implantology</i> , 2012, 5, 123-36.	1.3	30
9	Four-implant overdenture fully supported by a CAD-CAM titanium bar: A single-cohort prospective 1-year preliminary study. <i>Journal of Prosthetic Dentistry</i> , 2016, 116, 516-523.	1.1	29
10	Three-year post-loading results of a randomised, controlled, split-mouth trial comparing implants with different prosthetic interfaces and design in partially posterior edentulous mandibles. <i>European Journal of Oral Implantology</i> , 2014, 7, 47-61.	1.3	28
11	Pain management for dentists: the role of ibuprofen. <i>Annali Di Stomatologia</i> , 2011, 2, 3-24.	0.6	27
12	Accuracy of complete-arch digital implant impression with or without scanbody splinting: An in vitro study. <i>Journal of Dentistry</i> , 2022, 119, 104072.	1.7	26
13	The smiling scan technique: Facially driven guided surgery and prosthetics. <i>Journal of Prosthodontic Research</i> , 2018, 62, 514-517.	1.1	22
14	Accuracy of Computer-Assisted Flapless Implant Placement by Means of Mucosa-Supported Templates in Complete-Arch Restorations: A Systematic Review. <i>Materials</i> , 2022, 15, 1462.	1.3	21
15	Minimally Invasive Transcrestal Guided Sinus Lift (<sc>TGSL</sc>): A Clinical Prospective Proof-of-Concept Cohort Study up to 52 Months. <i>Clinical Implant Dentistry and Related Research</i> , 2014, 16, 582-593.	1.6	20
16	Different implant impression techniques for edentulous patients treated with CAD/CAM complete-arch prostheses: a randomised controlled trial reporting data at 3 year post-loading. <i>European Journal of Oral Implantology</i> , 2013, 6, 325-40.	1.3	20
17	Long-term survival and success of zirconia screw-retained implant-supported prostheses for up to 12 years: A retrospective multicenter study. <i>Journal of Prosthetic Dentistry</i> , 2023, 129, 96-108.	1.1	19
18	Clinical and radiological outcomes of novel digital workflow and dynamic navigation for single-implant immediate loading in aesthetic zone: 1-year prospective case series. <i>Clinical Oral Implants Research</i> , 2021, 32, 1397-1410.	1.9	19

#	ARTICLE	IF	CITATIONS
19	Guided surgery with tooth-supported templates for single missing teeth: A critical review. <i>European Journal of Oral Implantology</i> , 2016, 9 Suppl 1, S135-53.	1.3	19
20	Immediate loading with a novel implant featured by variable-threaded geometry, internal conical connection and platform shifting: three-year results from a prospective cohort study. <i>European Journal of Oral Implantology</i> , 2015, 8, 51-63.	1.3	17
21	Clinical and Radiologic Experience with Moderately Rough Oxidized Titanium Implants: Up to 10 Years of Retrospective Follow-up. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014, 29, 152-161.	0.6	16
22	Corrosion behavior of zirconia in acidulated phosphate fluoride. <i>Journal of Applied Oral Science</i> , 2016, 24, 52-60.	0.7	15
23	Dynamic navigation guided surgery and prosthetics for immediate loading of complete arch restoration. <i>Journal of Esthetic and Restorative Dentistry</i> , 2021, 33, 224-236.	1.8	15
24	Immediate Loading of Conical Connection Implants: Up-to-2-Year Retrospective Clinical and Radiologic Study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016, 31, 142-152.	0.6	14
25	Immediate provisionalization in the esthetic zone: 1-year interim results from a prospective single-cohort multicenter study evaluating 3.0-mm-diameter tapered implants. <i>Clinical Oral Investigations</i> , 2018, 22, 2299-2308.	1.4	13
26	The Implant Biologic Pontic Designed Interface: Description of the Technique and Cone-Beam Computed Tomography Evaluation. <i>Clinical Implant Dentistry and Related Research</i> , 2015, 17, e711-20.	1.6	11
27	The "Scalloped Guide": A Proof-of-Concept Technique for a Digitally Streamlined, Pink-Free Full-Arch Implant Protocol. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2018, 38, 791-798.	0.4	11
28	An open prospective single cohort multicenter study evaluating the novel, tapered, conical connection implants supporting single crowns in the anterior and premolar maxilla: interim 1-year results. <i>Clinical Oral Investigations</i> , 2017, 21, 2133-2142.	1.4	9
29	Digital assisted soft tissue sculpturing (DASS) technique for immediate loading pink free complete arch implant prosthesis. <i>Journal of Prosthodontic Research</i> , 2021, 65, 119-124.	1.1	7
30	Immediately provisionalized tapered conical connection implants for single-tooth restorations in the maxillary esthetic zone: a 5-year prospective single-cohort multicenter analysis. <i>Clinical Oral Investigations</i> , 2022, 26, 3593-3604.	1.4	6
31	A prospective multicenter evaluation of immediately functionalized tapered conical connection implants for single restorations in maxillary anterior and premolar sites: 3-year results. <i>Clinical Oral Investigations</i> , 2019, 23, 1877-1885.	1.4	5
32	Navigation guided socket shield technique for implant and pontic sites in the esthetic zone: A proof-of-concept 1-year prospective study with immediate implant placement and loading. <i>Journal of Esthetic and Restorative Dentistry</i> , 2022, 34, 203-214.	1.8	3
33	Comprehensive Integrated Digital Workflow to Guide Surgery and Prosthetics for Full-Arch Rehabilitation: A Narrative Review. <i>BDJ Clinician's Guides</i> , 2018, , 45-68.	0.1	1
34	A Novel Parallel-Walled Dental Implant with a Self-Tapping Apex, Conical Connection, and Platform Shifting: Short-Term Results from a Retrospective Multicenter Clinical Study. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2021, 41, 521-529.	0.4	1