

Florymar Escalona DurÃ¡n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3857790/publications.pdf>

Version: 2024-02-01

11
papers

185
citations

1478505

6
h-index

1281871

11
g-index

11
all docs

11
docs citations

11
times ranked

147
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of saline-related species in the electrochemical treatment of produced water using Ti/IrO ₂ -Ta ₂ O ₅ anode. <i>Journal of Electroanalytical Chemistry</i> , 2022, 910, 116163.	3.8	9
2	Promoting the formation of Co (III) electrocatalyst with diamond anodes. <i>Journal of Electroanalytical Chemistry</i> , 2021, 882, 115007.	3.8	6
3	Continuous electro-scrubbers for the removal of perchloroethylene: Keys for selection. <i>Journal of Electroanalytical Chemistry</i> , 2021, 892, 115267.	3.8	3
4	Electroscrubbers for removing volatile organic compounds and odorous substances from polluted gaseous streams. <i>Current Opinion in Electrochemistry</i> , 2021, 28, 100718.	4.8	4
5	Treatment of toluene gaseous streams using packed column electro-scrubbers and cobalt mediators. <i>Journal of Electroanalytical Chemistry</i> , 2021, 895, 115500.	3.8	5
6	Cobalt mediated electro-scrubbers for the degradation of gaseous perchloroethylene. <i>Chemosphere</i> , 2021, 279, 130525.	8.2	4
7	Comparison of the performance of packed column and jet electro-scrubbers for the removal of toluene. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106114.	6.7	6
8	Modelling electro-scrubbers for removal of VOCs. <i>Separation and Purification Technology</i> , 2021, 277, 119419.	7.9	2
9	The synergic persulfate-sodium dodecyl sulfate effect during the electro-oxidation of caffeine using active and non-active anodes. <i>Chemosphere</i> , 2020, 253, 126599.	8.2	39
10	Intensification of petroleum elimination in the presence of a surfactant using anodic electrochemical treatment with BDD anode. <i>Journal of Electroanalytical Chemistry</i> , 2019, 832, 453-458.	3.8	32
11	Electrochemical technology for the treatment of real washing machine effluent at pre-pilot plant scale by using active and non-active anodes. <i>Journal of Electroanalytical Chemistry</i> , 2018, 818, 216-222.	3.8	75