

David Fowler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/385856/publications.pdf>

Version: 2024-02-01

95
papers

4,686
citations

147566

31
h-index

106150

65
g-index

98
all docs

98
docs citations

98
times ranked

4276
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical insight in first episode psychosis: the role of metacognition. <i>Journal of Mental Health</i> , 2023, 32, 78-86.	1.0	4
2	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , 2022, 25, 191-202.	1.1	8
3	Clinical and cost-effectiveness of social recovery therapy for the prevention and treatment of long-term social disability among young people with emerging severe mental illness (PRODIGY): randomised controlled trial. <i>British Journal of Psychiatry</i> , 2022, 220, 154-162.	1.7	5
4	SlowMo therapy, a new digital blended therapy for fear of harm from others: An account of therapy personalisation within a targeted intervention. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 423-446.	1.3	3
5	The service user experience of SlowMo therapy: A co-produced thematic analysis of service users' subjective experience. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 680-700.	1.3	3
6	Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. <i>JMIR Human Factors</i> , 2022, 9, e29725.	1.0	4
7	Improved social functioning following social recovery therapy in first episode psychosis: Do social cognition and neurocognition change following therapy, and do they predict treatment response?. <i>Schizophrenia Research</i> , 2021, 228, 249-255.	1.1	3
8	The Early Youth Engagement in first episode psychosis (EYE-2) study: pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , 2021, 22, 272.	0.7	5
9	The impact of manic symptoms in first episode psychosis: Findings from the UK National EDEN study. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 358-367.	2.2	2
10	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 714.	6.0	41
11	A Systematic Review and Lived-Experience Panel Analysis of Hopefulness in Youth Depression Treatment. <i>Adolescent Research Review</i> , 2021, , 1-32.	2.3	2
12	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-90.	0.9	4
13	Development and Validation of a Nonremission Risk Prediction Model in First-Episode Psychosis: An Analysis of 2 Longitudinal Studies. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab041.	0.9	5
14	Structure and stability of symptoms in first episode psychosis: a longitudinal network approach. <i>Translational Psychiatry</i> , 2021, 11, 567.	2.4	14
15	Social recovery therapy for young people with emerging severe mental illness: the Prodigy RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-98.	1.3	1
16	Views of young people in Malaysia on mental health, help-seeking and unusual psychological experiences. <i>Microbial Biotechnology</i> , 2020, 14, 115-123.	0.9	7
17	Cognitive and metacognitive factors predict engagement in employment in individuals with first episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2020, 19, 100141.	0.7	7
18	Measuring adherence in social recovery therapy with people with first episode psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 82-90.	0.9	5

#	ARTICLE	IF	CITATIONS
19	Influences on functional outcome and subjective recovery in individuals with and without First Episode Psychosis: A metacognitive model. <i>Psychiatry Research</i> , 2020, 284, 112643.	1.7	7
20	Perceptual biases and metacognition and their association with anomalous self experiences in first episode psychosis. <i>Consciousness and Cognition</i> , 2020, 77, 102847.	0.8	14
21	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	6
22	Prevalence of treatment resistance and clozapine use in early intervention services. <i>BJPsych Open</i> , 2020, 6, e107.	0.3	26
23	Prevalence of and recovery from common mental disorder including psychotic experiences in the UK Primary Care Improving Access to Psychological Therapies (IAPT) Programme. <i>Journal of Affective Disorders</i> , 2020, 272, 84-90.	2.0	27
24	Psychological interventions for people with psychotic experiences: A systematic review and meta-analysis of controlled and uncontrolled effectiveness and economic studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 673-695.	1.3	12
25	Effect of delaying treatment of first-episode psychosis on symptoms and social outcomes: a longitudinal analysis and modelling study. <i>Lancet Psychiatry</i> , 2020, 7, 602-610.	3.7	66
26	Increasing access to CBT for psychosis patients: a feasibility, randomised controlled trial evaluating brief, targeted CBT for distressing voices delivered by assistant psychologists (GiVE2). <i>Trials</i> , 2020, 21, 302.	0.7	5
27	Assessing social recovery of vulnerable youth in global mental health settings: a pilot study of clinical research tools in Malaysia. <i>BMC Psychiatry</i> , 2019, 19, 188.	1.1	1
28	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). <i>Trials</i> , 2019, 20, 395.	0.7	11
29	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. <i>BMC Medicine</i> , 2019, 17, 161.	2.3	16
30	Development and validation of multivariable prediction models of remission, recovery, and quality of life outcomes in people with first episode psychosis: a machine learning approach. <i>The Lancet Digital Health</i> , 2019, 1, e261-e270.	5.9	33
31	Psychological interventions for people with psychotic experiences: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019, 8, 124.	2.5	2
32	Social recovery therapy: a treatment manual. <i>Psychosis</i> , 2019, 11, 261-272.	0.4	10
33	Three-Year Follow-Up Study Exploring Metacognition and Function in Individuals With First Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 182.	1.3	9
34	Structured activity and multiple group memberships as mechanisms of increased depression amongst young people not in employment, education or training. <i>Microbial Biotechnology</i> , 2019, 13, 1480-1487.	0.9	6
35	Short-term outcome of first episode delusional disorder in an early intervention population. <i>Schizophrenia Research</i> , 2019, 204, 72-79.	1.1	4
36	Self-defining Memories Predict Engagement in Structured Activity in First Episode Psychosis, Independent of Neurocognition and Metacognition. <i>Schizophrenia Bulletin</i> , 2019, 45, 1081-1091.	2.3	10

#	ARTICLE	IF	CITATIONS
37	Social Recovery Therapy in improving activity and social outcomes in early psychosis: Current evidence and longer term outcomes. <i>Schizophrenia Research</i> , 2019, 203, 99-104.	1.1	27
38	Duration of untreated psychosis and clinical outcomes of first episode psychosis: An observational and an instrumental variables analysis. <i>Microbial Biotechnology</i> , 2019, 13, 841-847.	0.9	21
39	Lived experiences of negative symptoms in first-episode psychosis: A qualitative secondary analysis. <i>Microbial Biotechnology</i> , 2019, 13, 773-779.	0.9	8
40	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-108.	1.3	16
41	Clinician-rated and self-reported psychotic-like experiences in individuals accessing a specialist Youth Mental Health Service. <i>British Journal of Clinical Psychology</i> , 2018, 57, 367-381.	1.7	10
42	The CIRCuiTS study (Implementation of cognitive remediation in early intervention services): protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 183.	0.7	16
43	Common mental disorder including psychotic experiences: Trailblazing a new recovery pathway within the Improving Access to Psychological Therapies programme in England. <i>Microbial Biotechnology</i> , 2018, 12, 497-504.	0.9	21
44	Cost-effectiveness of early intervention services for psychosis and fidelity to national policy implementation guidance. <i>Microbial Biotechnology</i> , 2018, 12, 747-756.	0.9	12
45	Metacognitive beliefs as psychological predictors of social functioning: An investigation with young people at risk of psychosis. <i>Psychiatry Research</i> , 2018, 262, 520-526.	1.7	21
46	Social recovery therapy in combination with early intervention services for enhancement of social recovery in patients with first-episode psychosis (SUPEREDEN3): a single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 41-50.	3.7	67
47	Young people's experiences of Social Recovery Cognitive Behavioural Therapy and treatment as usual in the PRODIGY trial. <i>Microbial Biotechnology</i> , 2018, 12, 879-885.	0.9	12
48	Creating an innovative youth mental health service in the United Kingdom: The Norfolk Youth Service. <i>Microbial Biotechnology</i> , 2018, 12, 740-746.	0.9	26
49	Developing a dynamic model of anomalous experiences and function in young people with or without psychosis: a cross-sectional and longitudinal study protocol. <i>BMJ Open</i> , 2018, 8, e022546.	0.8	6
50	The U&I study: study protocol for a feasibility randomised controlled trial of a pre-cognitive behavioural therapy digital "informed choice"™ intervention to improve attitudes towards uptake and implementation of CBT for psychosis. <i>Trials</i> , 2018, 19, 644.	0.7	10
51	Persecutory delusions: effects of Cognitive Bias Modification for Interpretation and the Maudsley Review Training Programme on social anxiety, jumping to conclusions, belief inflexibility and paranoia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018, 61, 14-23.	0.6	7
52	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. <i>JMIR Mental Health</i> , 2018, 5, e11222.	1.7	44
53	Metacognition as a Mediating Variable Between Neurocognition and Functional Outcome in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw128.	2.3	36
54	Pathways to care of young people accessing a pilot specialist youth mental health service in Norfolk, United Kingdom. <i>Microbial Biotechnology</i> , 2017, 11, 436-443.	0.9	8

#	ARTICLE	IF	CITATIONS
55	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , 2017, 4, 749-758.	3.7	459
56	Prevention and treatment of long-term social disability amongst young people with emerging severe mental illness with social recovery therapy (The PRODIGY Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 315.	0.7	14
57	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 510.	0.7	44
58	The People with Asperger syndrome and anxiety disorders (PAsSA) trial: a pilot multicentre, single-blind randomised trial of group cognitive-behavioural therapy. <i>BJPsych Open</i> , 2016, 2, 179-186.	0.3	16
59	The course of negative symptom in first episode psychosis and the relationship with social recovery. <i>Schizophrenia Research</i> , 2016, 174, 165-171.	1.1	49
60	Psychological Mechanisms Mediating Effects Between Trauma and Psychotic Symptoms: The Role of Affect Regulation, Intrusive Trauma Memory, Beliefs, and Depression. <i>Schizophrenia Bulletin</i> , 2016, 42, S34-S43.	2.3	111
61	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 515.	0.7	7
62	Cannabis Use Is Associated With Increased Psychotic Symptoms and Poorer Psychosocial Functioning in First-Episode Psychosis: A Report From the UK National EDEN Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 619-625.	2.3	80
63	Bringing the "self" into focus: conceptualising the role of self-experience for understanding and working with distressing voices. <i>Frontiers in Psychology</i> , 2015, 6, 1129.	1.1	14
64	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 82-89.	0.6	64
65	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 400-410.	2.3	102
66	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015, 41, 971-979.	2.3	67
67	Investigating trajectories of social recovery in individuals with first-episode psychosis: A latent class growth analysis. <i>British Journal of Psychiatry</i> , 2015, 207, 536-543.	1.7	70
68	Comparing time use in individuals at different stages of psychosis and a non-clinical comparison group. <i>Schizophrenia Research</i> , 2015, 161, 188-193.	1.1	72
69	Layers of listening: Qualitative analysis of the impact of early intervention services for first-episode psychosis on carers' experiences. <i>British Journal of Psychiatry</i> , 2015, 207, 135-142.	1.7	47
70	Components of therapy as mechanisms of change in cognitive therapy for people at risk of psychosis: Analysis of the EDIE-2 trial. <i>British Journal of Psychiatry</i> , 2015, 207, 123-129.	1.7	15
71	Participant views on involvement in a trial of social recovery cognitive-behavioural therapy. <i>British Journal of Psychiatry</i> , 2015, 206, 122-127.	1.7	21
72	An early Phase II randomised controlled trial testing the effect on persecutory delusions of using CBT to reduce negative cognitions about the self: The potential benefits of enhancing self confidence. <i>Schizophrenia Research</i> , 2014, 160, 186-192.	1.1	99

#	ARTICLE	IF	CITATIONS
73	Effects of Multidimensional Treatment Foster Care on Psychotic Symptoms in Girls. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 1279-1287.	0.3	34
74	Impact of early intervention services on duration of untreated psychosis: Data from the National EDEN prospective cohort study. <i>Schizophrenia Research</i> , 2014, 159, 1-6.	1.1	38
75	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 459-466.	0.6	14
76	Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. <i>Psychiatry Research</i> , 2014, 219, 275-282.	1.7	27
77	Caregiver Reports of Patient-Initiated Violence in Psychosis. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 376-384.	0.9	37
78	Adolescents and young adults who are not in employment, education, or training. <i>BMJ, The</i> , 2013, 347, f5270-f5270.	3.0	57
79	Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 129-139.	2.0	123
80	Negative Cognition, Depressed Mood, and Paranoia: A Longitudinal Pathway Analysis Using Structural Equation Modeling. <i>Schizophrenia Bulletin</i> , 2012, 38, 1063-1073.	2.3	154
81	Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). <i>Journal of Experimental Psychopathology</i> , 2012, 3, 582-593.	0.4	17
82	Early detection and intervention evaluation for people at high-risk of psychosis-2 (EDIE-2): trial rationale, design and baseline characteristics. <i>Microbial Biotechnology</i> , 2011, 5, 24-32.	0.9	58
83	The need for closure in caregivers of people with psychosis. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 159-167.	1.0	7
84	Measuring the benefits of treatment for psychosis: validity and responsiveness of the EQâ€“5D. <i>British Journal of Psychiatry</i> , 2009, 195, 170-177.	1.7	41
85	Cognitive behaviour therapy for improving social recovery in psychosis: Cost-effectiveness analysis. <i>Schizophrenia Research</i> , 2009, 112, 158-163.	1.1	28
86	Patient Perceptions of Caregiver Criticism in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 85-91.	0.5	35
87	Theories of cognition, emotion and the social world: missing links in psychosis. , 2008, , 219-237.		7
88	The multidimensional measurement of the positive symptoms of psychosis. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 88-96.	1.1	56
89	The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. <i>Psychological Medicine</i> , 2006, 36, 749-759.	2.7	340
90	Psychological investigation of the structure of paranoia in a non-clinical population. <i>British Journal of Psychiatry</i> , 2005, 186, 427-435.	1.7	579

#	ARTICLE	IF	CITATIONS
91	The Case for Treating Trauma in Severe Mental Illness: A Commentary. American Journal of Psychiatric Rehabilitation, 2004, 7, 205-212.	0.7	7
92	The distress experienced by voice hearers is associated with the perceived relationship between the voice hearer and the voice. British Journal of Clinical Psychology, 2004, 43, 143-153.	1.7	64
93	Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation.. Journal of Consulting and Clinical Psychology, 2004, 72, 671-680.	1.6	183
94	A cognitive model of persecutory delusions. British Journal of Clinical Psychology, 2002, 41, 331-347.	1.7	669
95	Distress factors of voice hearing in young people and social relating: Exploring a cognitive interpersonal voice hearing model. Psychology and Psychotherapy: Theory, Research and Practice, 0, , .	1.3	2