

# Magnus Husberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3859822/publications.pdf>

Version: 2024-02-01

27  
papers

616  
citations

567281

15  
h-index

580821

25  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1148  
citing authors

#	ARTICLE	IF	CITATIONS
1	Severity of chronic pain in an elderly population in Sweden—impact on costs and quality of life. <i>Pain</i> , 2015, 156, 521-527.	4.2	90
2	Cost-effectiveness of dabigatran compared with warfarin for patients with atrial fibrillation in Sweden. <i>European Heart Journal</i> , 2013, 34, 177-183.	2.2	55
3	Long-Term Evaluation of the Ambulatory Geriatric Assessment: A Frailty Intervention Trial (AGe-FIT): Clinical Outcomes and Total Costs After 36 Months. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 263-268.	2.5	54
4	A cost-effectiveness analysis of screening for silent atrial fibrillation after ischaemic stroke. <i>Europace</i> , 2015, 17, 207-214.	1.7	50
5	Costs and Effects of an Ambulatory Geriatric Unit (the AGe-FIT Study): A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 497-503.	2.5	45
6	Is the acute care of frail elderly patients in a comprehensive geriatric assessment unit superior to conventional acute medical care?. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1-9.	2.9	45
7	The incidence of permanent work disability in patients with rheumatoid arthritis in Sweden 1990-2010: before and after introduction of biologic agents. <i>Rheumatology</i> , 2012, 51, 338-346.	1.9	44
8	SOCIOECONOMIC COSTS OF RHEUMATIC DISEASES Implications for Technology Assessment. <i>International Journal of Technology Assessment in Health Care</i> , 2000, 16, 1193-1200.	0.5	39
9	Costs of rheumatoid arthritis during the period 1990-2010: a register-based cost-of-illness study in Sweden. <i>Rheumatology</i> , 2014, 53, 153-160.	1.9	35
10	Acute care of severely frail elderly patients in a CGA-unit is associated with less functional decline than conventional acute care. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1239-1249.	2.9	21
11	Cost-effectiveness of comprehensive geriatric assessment at an ambulatory geriatric unit based on the AGe-FIT trial. <i>BMC Geriatrics</i> , 2018, 18, 32.	2.7	19
12	28-joint count disease activity score at 3 months after diagnosis of early rheumatoid arthritis is strongly associated with direct and indirect costs over the following 4 years: the Swedish TIRA project. <i>Rheumatology</i> , 2011, 50, 1259-1267.	1.9	18
13	Differences between hypothetical and experience-based value sets for EQ-5D used in Sweden: Implications for decision makers. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 848-854.	2.3	18
14	Physician Preferences and Variations in Prescription of Biologic Drugs for Rheumatoid Arthritis: A Register-Based Study of 4,010 Patients in Sweden. <i>Arthritis Care and Research</i> , 2015, 67, 1679-1685.	3.4	17
15	People in states worse than dead according to the EQ-5D UK value set: would they rather be dead?. <i>Quality of Life Research</i> , 2018, 27, 1827-1833.	3.1	16
16	Short-term Resource Utilization and Cost-Effectiveness of Comprehensive Geriatric Assessment in Acute Hospital Care for Severely Frail Elderly Patients. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 871-878.e2.	2.5	13
17	Non-medical costs during the first year after diagnosis in two cohorts of patients with early rheumatoid arthritis, enrolled 10 years apart. <i>Clinical Rheumatology</i> , 2017, 36, 499-506.	2.2	9
18	Can we rely on QALYs for assistive technologies?. <i>Technology and Disability</i> , 2012, 24, 93-100.	0.6	6

#	ARTICLE	IF	CITATIONS
19	Impact on affected families and society of severe rotavirus infections in Swedish children assessed in a prospective cohort study. <i>Infectious Diseases</i> , 2018, 50, 361-371.	2.8	5
20	Disease Burden and Healthcare Costs for T2D Patients With and Without Established Cardiovascular Disease in Sweden: A Retrospective Cohort Study. <i>Diabetes Therapy</i> , 2020, 11, 1537-1549.	2.5	5
21	Societal costs of informal care of community-dwelling frail elderly people. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 433-440.	2.3	5
22	A case of community-based fall prevention: Survey of organization and content of minor home help services in Swedish municipalities. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 643-648.	2.3	2
23	Implementation of Empagliflozin in Patients with Diabetes Mellitus Type 2 and Established Cardiovascular Disease: Estimation of 5-Year Survival and Costs in Sweden. <i>Diabetes Therapy</i> , 2020, 11, 2921-2930.	2.5	2
24	Long-Term Cost-Effectiveness through the Dental-Health FRAMM Guideline for Caries Prevention. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1954.	2.6	1
25	Cost-effectiveness of internet-delivered cognitive behavioural therapy in patients with cardiovascular disease and depressive symptoms: secondary analysis of an RCT. <i>BMJ Open</i> , 2022, 12, e059939.	1.9	1
26	Long-term resource utilisation and associated costs of exercise during (neo)adjuvant oncological treatment: the Phys-Can project. <i>Acta Oncologica</i> , 2022, 61, 888-896.	1.8	1
27	The Cost of Thromboembolic Events and their Prevention among Patients with Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , 2011, 3, 340.	0.5	0