Robert C Hale

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3864110/publications.pdf

Version: 2024-02-01

76 papers

7,574 citations

39 h-index 74018 75 g-index

76 all docs

76 docs citations

76 times ranked 6040 citing authors

#	Article	IF	Citations
1	Analytical Chemistry of Plastic Debris: Sampling, Methods, and Instrumentation. Environmental Contamination Remediation and Management, 2022, , 17-67.	0.5	4
2	Polystyrene microplastics reduce abundance of developing B cells in rainbow trout (Oncorhynchus) Tj ETQq0 0 () rgBT /Ov	erlock 10 Tf 50
3	A Global Perspective on Microplastics. Journal of Geophysical Research: Oceans, 2020, 125, e2018JC014719.	1.0	488
4	A noninvasive environmental monitoring tool for brominated flame-retardants (BFRs) assisted by conservation detection dogs. Chemosphere, 2020, 260, 127401.	4.2	8
5	Plastic Pollution and the Chesapeake Bay: The Food System and Beyond. Estuaries of the World, 2020, , 325-348.	0.1	1
6	Microplastics affect sedimentary microbial communities and nitrogen cycling. Nature Communications, 2020, 11, 2372.	5 . 8	570
7	Single-Use Plastics and COVID-19: Scientific Evidence and Environmental Regulations. Environmental Science & Environmental Environmental Science & Environmental Envir	4.6	40
8	Organophosphate esters in a cohort of pregnant women: Variability and predictors of exposure. Environmental Research, 2020, 184, 109255.	3.7	42
9	Brominated and organophosphate flame retardants along a sediment transect encompassing the Guiyu, China e-waste recycling zone. Science of the Total Environment, 2019, 646, 58-67.	3.9	113
10	Are the Risks from Microplastics Truly Trivial?. Environmental Science & Envir	4.6	35
11	Assessment of legacy and emerging contaminants in an introduced catfish and implications for the fishery. Environmental Science and Pollution Research, 2018, 25, 28355-28366.	2.7	3
12	Examination of contaminant exposure and reproduction of ospreys (Pandion haliaetus) nesting in Delaware Bay and River in 2015. Science of the Total Environment, 2018, 639, 596-607.	3.9	6
13	Analytical challenges associated with the determination of microplastics in the environment. Analytical Methods, 2017, 9, 1326-1327.	1.3	23
14	Addressing the Issue of Microplastics in the Wake of the Microbead-Free Waters Actâ€"A New Standard Can Facilitate Improved Policy. Environmental Science & Technology, 2017, 51, 6611-6617.	4.6	138
15	Human Indoor Exposure to Airborne Halogenated Flame Retardants: Influence of Airborne Particle Size. International Journal of Environmental Research and Public Health, 2017, 14, 507.	1.2	27
16	Chesapeake Bay fish–osprey (<i>Pandion haliaetus</i>) food chain: Evaluation of contaminant exposure and genetic damage. Environmental Toxicology and Chemistry, 2016, 35, 1560-1575.	2.2	15
17	Systematic Investigation of Factors Controlling Supercritical Fluid Extraction (SFE) of Spiked and Aged PCBs from Edible Tissues of the Blue Crab (Callinectes sapidus). Bulletin of Environmental Contamination and Toxicology, 2015, 94, 23-28.	1.3	3
18	Photochemical and microbial transformation of emerging flame retardants: Cause for concern?. Environmental Toxicology and Chemistry, 2015, 34, 687-699.	2.2	44

#	Article	IF	CITATIONS
19	Halogenated flame-retardant concentrations in settled dust, respirable and inhalable particulates and polyurethane foam at gymnastic training facilities and residences. Environment International, 2015, 79, 106-114.	4.8	77
20	Hexabromocyclododecane flame retardant in Antarctica: Research stations as sources. Environmental Pollution, 2015, 206, 611-618.	3.7	22
21	Polybrominated Diphenyl Ether Accumulation in an Agricultural Soil Ecosystem Receiving Wastewater Sludge Amendments. Environmental Science & Environme	4.6	34
22	Polybrominated Diphenyl Ether (PBDE) Accumulation by Earthworms (<i>Eisenia fetida</i>) Exposed to Biosolids-, Polyurethane Foam Microparticle-, and Penta-BDE-Amended Soils. Environmental Science & Eamp; Technology, 2013, 47, 13831-13839.	4.6	140
23	Brominated Flame-Retardants in Sub-Saharan Africa: Burdens in Inland and Coastal Sediments in the eThekwini Metropolitan Municipality, South Africa. Environmental Science & E	4.6	66
24	Polybrominated Diphenyl Ethers in U.S. Sewage Sludges and Biosolids: Temporal and Geographical Trends and Uptake by Corn Following Land Application. Environmental Science & Echnology, 2012, 46, 2055-2063.	4.6	56
25	In Situ Accumulation of HBCD, PBDEs, and Several Alternative Flame-Retardants in the Bivalve (<i>Corbicula fluminea)</i> and Gastropod <i>(Elimia proxima</i>). Environmental Science & Edition (Science & Edition) (Elimia proxima). Environmental Science & Edition (Elimia proxima). Edition (Elimia pr	4.6	87
26	House crickets can accumulate polybrominated diphenyl ethers (PBDEs) directly from polyurethane foam common in consumer products. Chemosphere, 2012, 86, 500-505.	4.2	60
27	Do Temporal and Geographical Patterns of HBCD and PBDE Flame Retardants in U.S. Fish Reflect Evolving Industrial Usage?. Environmental Science & Evolving Industrial Usage?.	4.6	54
28	Species-specific accumulation of polybrominated diphenyl ether flame retardants in birds of prey from the Chesapeake Bay region, USA. Environmental Pollution, 2010, 158, 1883-1889.	3.7	78
29	Flame-Retardants and Other Organohalogens Detected in Sewage Sludge by Electron Capture Negative Ion Mass Spectrometry. Environmental Science & Enviro	4.6	56
30	A global review of polybrominated diphenyl ether flame retardant contamination in birds. Environment International, 2010, 36, 800-811.	4.8	225
31	Polychlorinated biphenyls and organochlorine pesticides in various bird species from northern China. Environmental Pollution, 2009, 157, 2023-2029.	3.7	41
32	TOXICITY OF POLYBROMINATED DIPHENYL ETHERS (DE-71) IN CHICKEN (GALLUS GALLUS), MALLARD (ANAS) Tj E Environmental Toxicology and Chemistry, 2009, 28, 1007.	ETQq0 0 0 2.2	rgBT /Overlo 85
33	POLYBROMINATED DIPHENYL ETHER FLAME RETARDANTS IN CHESAPEAKE BAY REGION, USA, PEREGRINE FALCON (FALCO PEREGRINUS) EGGS: URBAN/RURAL TRENDS. Environmental Toxicology and Chemistry, 2009, 28, 973.	2.2	28
34	Parameters for Ultra-Performance Liquid Chromatographic/Tandem Mass Spectrometric Analysis of Selected Androgens versus Estrogens in Aqueous Matrices. Analytical Chemistry, 2009, 81, 6716-6724.	3.2	21
35	Persistence and Migration of Alkylphenol Ethoxylate Degradation Products Associated with Land-applied Biosolids. Proceedings of the Water Environment Federation, 2009, 2009, 495-510.	0.0	1
36	Polybrominated Diphenyl Ethers in Peregrine Falcon (Falco peregrinus) Eggs from the Northeastern U.S Environmental Science & Echnology, 2008, 42, 7594-7600.	4.6	72

#	Article	IF	CITATIONS
37	Antarctic Research Bases: Local Sources of Polybrominated Diphenyl Ether (PBDE) Flame Retardants. Environmental Science & Envi	4.6	149
38	Human Exposure to PBDEs:Â Associations of PBDE Body Burdens with Food Consumption and House Dust Concentrations. Environmental Science & Environmental	4.6	409
39	Polybrominated Diphenyl Ethers in Birds of Prey from Northern China. Environmental Science & Emp; Technology, 2007, 41, 1828-1833.	4.6	137
40	Evidence of Debromination of Decabromodiphenyl Ether (BDE-209) in Biota from a Wastewater Receiving Stream. Environmental Science & Environmental Scie	4.6	164
41	Induction of CYP1A and DNA damage in the fathead minnow (Pimephales promelas) following exposure to biosolids. Science of the Total Environment, 2007, 384, 221-228.	3.9	12
42	Brominated flame retardant concentrations and trends in abiotic media. Chemosphere, 2006, 64, 181-186.	4.2	250
43	Detailed Polybrominated Diphenyl Ether (PBDE) Congener Composition of the Widely Used Penta-, Octa-, and Deca-PBDE Technical Flame-retardant Mixtures. Environmental Science &	4.6	1,050
44	EFFECTS OF CONTAMINANT EXPOSURE ON REPRODUCTIVE SUCCESS OF OSPREYS (PANDION HALIAETUS) NESTING IN DELAWARE RIVER AND BAY, USA. Environmental Toxicology and Chemistry, 2005, 24, 617.	2.2	61
45	Bioavailability of polybrominated diphenyl ether flame retardants in biosolids and spiked sediment to the aquatic oligochaete,Lumbriculus variegatus. Environmental Toxicology and Chemistry, 2005, 24, 916-925.	2.2	64
46	COMBINED EFFECTS OF HUMIC ACIDS AND SALINITY ON SOLID-PHASE MICROEXTRACTION OF DDT AND CHLORPYRIFOS, AN ESTIMATOR OF THEIR BIOAVAILABILITY. Environmental Toxicology and Chemistry, 2004, 23, 576.	2.2	15
47	Contaminant Exposure and Reproductive Success of Ospreys (Pandion haliaetus) Nesting in Chesapeake Bay Regions of Concern. Archives of Environmental Contamination and Toxicology, 2004, 47, 126-140.	2.1	53
48	Polybrominated diphenyl ether flame retardants in the North American environment. Environment International, 2003, 29, 771-779.	4.8	427
49	Relationship between PCB accumulation and reproductive output in conditioned oysters Crassostrea virginica fed a contaminated algal diet. Aquatic Toxicology, 2003, 65, 293-307.	1.9	46
50	EMERGING CHEMICALS OF CONCERN IN BIOSOLIDS. Proceedings of the Water Environment Federation, 2003, 2003, 1134-1152.	0.0	2
51	Have Risks Associated with the Presence of Synthetic Organic Contaminants in Land-Applied Sewage Sludges Been Adequately Assessed?. New Solutions, 2003, 12, 371-386.	0.6	7
52	Potential role of fire retardant-treated polyurethane foam as a source of brominated diphenyl ethers to the US environment. Chemosphere, 2002, 46, 729-735.	4.2	241
53	Cellular responses and disease expression in oysters (Crassostrea virginica) exposed to suspended field— contaminated sediments. Marine Environmental Research, 2002, 53, 17-35.	1.1	54
54	Characterization of the dust/smoke aerosol that settled east of the World Trade Center (WTC) in lower Manhattan after the collapse of the WTC 11 September 2001 Environmental Health Perspectives, 2002, 110, 703-714.	2.8	586

#	Article	IF	Citations
55	Polybrominated Diphenyl Ether Flame Retardants in Virginia Freshwater Fishes (USA). Environmental Science & Environmental Scie	4.6	237
56	Alkylphenol Ethoxylate Degradation Products in Land-Applied Sewage Sludge (Biosolids). Environmental Science & Environmental S	4.6	118
57	Persistent pollutants in land-applied sludges. Nature, 2001, 412, 140-141.	13.7	224
58	Nonylphenols in sediments and effluents associated with diverse wastewater outfalls. Environmental Toxicology and Chemistry, 2000, 19, 946-952.	2.2	83
59	PCB uptake and accumulation by oysters (Crassostrea virginica) exposed via a contaminated algal diet. Marine Environmental Research, 2000, 50, 217-221.	1.1	20
60	Effects of PCBs sorbed to algal paste and sediments on the stress protein response (HSP70 family) in the eastern oyster, Crassostrea virginica. Marine Environmental Research, 2000, 50, 341-345.	1.1	14
61	Toxicity of Creosote Water-Soluble Fractions Generated from Contaminated Sediments to the Bay Mysid. Ecotoxicology and Environmental Safety, 1999, 42, 171-176.	2.9	4
62	Sources and Distribution of Polychlorinated Terphenyls at a Major US Aeronautics Research Facility. Environmental Management, 1998, 22, 937-945.	1.2	2
63	Determination of coal tar and creosote constituents in the aquatic environment. Journal of Chromatography A, 1997, 774, 79-95.	1.8	38
64	Robustness of Supercritical Fluid Extraction (SFE) in Environmental Studies: Analysis of Chlorinated Pollutants in Tissues from the Osprey(PANDION HALIAETUS)and Several Fish Species. International Journal of Environmental Analytical Chemistry, 1996, 64, 11-19.	1.8	12
65	A Multiresidue Approach for Trace Organic Pollutants: Application to Effluents and Associated Aquatic Sediments and Biota from the Southern Chesapeake Bay Drainage Basin 1985-1992. International Journal of Environmental Analytical Chemistry, 1996, 64, 21-33.	1.8	14
66	Determination of PCBs in Fish Tissues Using Supercritical Fluid Extraction. Environmental Science & Eamp; Technology, 1995, 29, 1043-1047.	4.6	42
67	Accumulation of Polychlorinated Terphenyls in Aquatic Biota of an Estuarine Creek. Ecotoxicology and Environmental Safety, 1993, 26, 302-312.	2.9	12
68	Trace organochlorine contamination of the forest floor of the White Mountain National Forest, New Hampshire. Environmental Science & Environmental Sci	4.6	29
69	Influence of Ecdysis on the accumulation of polycyclic aromatic hydrocarbons in field exposed blue crabs (Callinectes sapidus). Marine Environmental Research, 1992, 33, 145-156.	1.1	23
70	Separation of polychlorinated terphenyls from lipoidal material by preparative gel permeation chromatography and gas chromatography. Journal of Chromatography A, 1991, 539, 149-156.	1.8	15
71	Occurrence of organochlorine contaminants in tissues of the coelacanth Latimeria chalumnae. Environmental Biology of Fishes, 1991, 32, 361-367.	0.4	11
72	Novel chlorinated terphenyls in sediments and shellfish of an estuarine environment. Environmental Science & Environmental Sci	4.6	21

#	Article	IF	CITATIONS
73	Induced cytochrome P-450 in intestine and liver of spot (Leiostomus xanthurus) from a polycyclic aromatic hydrocarbon contaminated environment. Aquatic Toxicology, 1990, 17, 119-131.	1.9	119
74	Accumulation and biotransformation of an organophosphorus pesticide in fish and bivalves. Marine Environmental Research, 1989, 28, 67-71.	1.1	3
75	Disposition of Polycyclic Aromatic Compounds in Blue Crabs, Callinectes sapidus, from the Southern Chesapeake Bay. Estuaries and Coasts, 1988, 11, 255.	1.7	22
76	Can Microplastic Pollution Change Important Aquatic Bacterial Communities?. Frontiers for Young Minds, 0, 9, .	0.8	0