Michael B O connor

List of Publications by Citations

Source: https://exaly.com/author-pdf/3864427/michael-b-oconnor-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 13,107 113 144 h-index g-index citations papers 181 11.8 6.18 14,653 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
144	Histone methyltransferase activity of a Drosophila Polycomb group repressor complex. <i>Cell</i> , 2002 , 111, 197-208	56.2	1240
143	MADR1, a MAD-related protein that functions in BMP2 signaling pathways. <i>Cell</i> , 1996 , 85, 489-500	56.2	655
142	Ecdysone control of developmental transitions: lessons from Drosophila research. <i>Annual Review of Entomology</i> , 2013 , 58, 497-516	21.8	373
141	Production of a DPP activity gradient in the early Drosophila embryo through the opposing actions of the SOG and TLD proteins. <i>Cell</i> , 1997 , 91, 417-26	56.2	370
140	Prothoracicotropic hormone regulates developmental timing and body size in Drosophila. <i>Developmental Cell</i> , 2007 , 13, 857-71	10.2	324
139	Shade is the Drosophila P450 enzyme that mediates the hydroxylation of ecdysone to the steroid insect molting hormone 20-hydroxyecdysone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 13773-8	11.5	322
138	The BMP homolog Gbb provides a retrograde signal that regulates synaptic growth at the Drosophila neuromuscular junction. <i>Neuron</i> , 2003 , 39, 241-54	13.9	318
137	The Drosophila dorsal-ventral patterning gene tolloid is related to human bone morphogenetic protein 1. <i>Cell</i> , 1991 , 67, 469-81	56.2	285
136	Characterization and relationship of Dpp receptors encoded by the saxophone and thick veins genes in Drosophila. <i>Cell</i> , 1994 , 78, 251-61	56.2	278
135	Molecular and biochemical characterization of two P450 enzymes in the ecdysteroidogenic pathway of Drosophila melanogaster. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11043-8	11.5	267
134	The Drosophila BMP type II receptor Wishful Thinking regulates neuromuscular synapse morphology and function. <i>Neuron</i> , 2002 , 33, 529-43	13.9	258
133	Elements of the Drosophila bithorax complex that mediate repression by Polycomb group products. <i>Developmental Biology</i> , 1993 , 158, 131-44	3.1	257
132	Twisted gastrulation is a conserved extracellular BMP antagonist. <i>Nature</i> , 2001 , 410, 479-83	50.4	243
131	The insect neuropeptide PTTH activates receptor tyrosine kinase torso to initiate metamorphosis. <i>Science</i> , 2009 , 326, 1403-5	33.3	242
130	Facilitated transport of a Dpp/Scw heterodimer by Sog/Tsg leads to robust patterning of the Drosophila blastoderm embryo. <i>Cell</i> , 2005 , 120, 873-86	56.2	242
129	Drosophila Dpp signaling is mediated by the punt gene product: a dual ligand-binding type II receptor of the TGF beta receptor family. <i>Cell</i> , 1995 , 80, 899-908	56.2	242
128	Spook and Spookier code for stage-specific components of the ecdysone biosynthetic pathway in Diptera. <i>Developmental Biology</i> , 2006 , 298, 555-70	3.1	232

(2002-2006)

127	Shaping BMP morphogen gradients in the Drosophila embryo and pupal wing. <i>Development</i> (Cambridge), 2006 , 133, 183-93	6.6	224
126	Phantom encodes the 25-hydroxylase of Drosophila melanogaster and Bombyx mori: a P450 enzyme critical in ecdysone biosynthesis. <i>Insect Biochemistry and Molecular Biology</i> , 2004 , 34, 991-1010	4.5	216
125	The Xenopus dorsalizing factor noggin ventralizes Drosophila embryos by preventing DPP from activating its receptor. <i>Cell</i> , 1996 , 86, 607-17	56.2	215
124	A fat body-derived IGF-like peptide regulates postfeeding growth in Drosophila. <i>Developmental Cell</i> , 2009 , 17, 885-91	10.2	196
123	The Drosophila schnurri gene acts in the Dpp/TGF beta signaling pathway and encodes a transcription factor homologous to the human MBP family. <i>Cell</i> , 1995 , 81, 781-90	56.2	192
122	TGF-beta signaling activates steroid hormone receptor expression during neuronal remodeling in the Drosophila brain. <i>Cell</i> , 2003 , 112, 303-15	56.2	189
121	Highwire regulates presynaptic BMP signaling essential for synaptic growth. <i>Neuron</i> , 2004 , 41, 891-905	13.9	182
120	The screw gene encodes a ubiquitously expressed member of the TGF-beta family required for specification of dorsal cell fates in the Drosophila embryo. <i>Genes and Development</i> , 1994 , 8, 2588-601	12.6	173
119	Axonal heparan sulfate proteoglycans regulate the distribution and efficiency of the repellent slit during midline axon guidance. <i>Current Biology</i> , 2004 , 14, 499-504	6.3	172
118	The extracellular regulation of bone morphogenetic protein signaling. <i>Development (Cambridge)</i> , 2009 , 136, 3715-28	6.6	159
117	Molecular evolution of the insect Halloween family of cytochrome P450s: phylogeny, gene organization and functional conservation. <i>Insect Biochemistry and Molecular Biology</i> , 2007 , 37, 741-53	4.5	157
116	The Drosophila activin receptor baboon signals through dSmad2 and controls cell proliferation but not patterning during larval development. <i>Genes and Development</i> , 1999 , 13, 98-111	12.6	149
115	Discrete pulses of molting hormone, 20-hydroxyecdysone, during late larval development of Drosophila melanogaster: correlations with changes in gene activity. <i>Developmental Dynamics</i> , 2006 , 235, 315-26	2.9	136
114	Neuroendocrine regulation of Drosophila metamorphosis requires TGFbeta/Activin signaling. <i>Development (Cambridge)</i> , 2011 , 138, 2693-703	6.6	134
113	The BMP-binding protein Crossveinless 2 is a short-range, concentration-dependent, biphasic modulator of BMP signaling in Drosophila. <i>Developmental Cell</i> , 2008 , 14, 940-53	10.2	131
112	Iron is essential for neuron development and memory function in mouse hippocampus. <i>Journal of Nutrition</i> , 2009 , 139, 672-9	4.1	129
111	Fetal iron deficiency disrupts the maturation of synaptic function and efficacy in area CA1 of the developing rat hippocampus. <i>Hippocampus</i> , 2005 , 15, 1094-102	3.5	122
110	Morphogenetic apoptosis: a mechanism for correcting discontinuities in morphogen gradients. Developmental Biology, 2002 , 251, 74-90	3.1	120

109	Mapping a cloned gene under sporulation control by inserttion of a drug resistance marker into the Bacillus subtilis chromosome. <i>Journal of Bacteriology</i> , 1980 , 142, 90-8	3.5	116
108	The TGF beta activated kinase TAK1 regulates vascular development in vivo. <i>Development</i> (Cambridge), 2006 , 133, 1529-41	6.6	111
107	A role for betaFTZ-F1 in regulating ecdysteroid titers during post-embryonic development in Drosophila melanogaster. <i>Developmental Biology</i> , 2005 , 282, 84-94	3.1	109
106	TAK1 participates in c-Jun N-terminal kinase signaling during Drosophila development. <i>Molecular and Cellular Biology</i> , 2000 , 20, 3015-26	4.8	104
105	Robust, bistable patterning of the dorsal surface of the Drosophila embryo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 11613-8	11.5	101
104	Identification of a Drosophila activin receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 9475-9	11.5	99
103	The mammalian twisted gastrulation gene functions in foregut and craniofacial development. <i>Developmental Biology</i> , 2004 , 267, 374-86	3.1	95
102	Glia instruct developmental neuronal remodeling through TGF-Bignaling. <i>Nature Neuroscience</i> , 2011 , 14, 821-3	25.5	92
101	Physical properties of Tld, Sog, Tsg and Dpp protein interactions are predicted to help create a sharp boundary in Bmp signals during dorsoventral patterning of the Drosophila embryo. <i>Development (Cambridge)</i> , 2003 , 130, 4673-82	6.6	89
100	Neuroendocrine control of Drosophila larval light preference. <i>Science</i> , 2013 , 341, 1113-6	33.3	88
99	Developmental checkpoints and feedback circuits time insect maturation. <i>Current Topics in Developmental Biology</i> , 2013 , 103, 1-33	5.3	82
98	Vesicle-Mediated Steroid Hormone Secretion in Drosophila melanogaster. <i>Cell</i> , 2015 , 163, 907-19	56.2	77
97	Tiling of r7 axons in the Drosophila visual system is mediated both by transduction of an activin signal to the nucleus and by mutual repulsion. <i>Neuron</i> , 2007 , 56, 793-806	13.9	77
96	Enhancer point mutation results in a homeotic transformation in Drosophila. <i>Science</i> , 1994 , 264, 968-71	33.3	77
95	Retrograde Gbb signaling through the Bmp type 2 receptor wishful thinking regulates systemic FMRFa expression in Drosophila. <i>Development (Cambridge)</i> , 2003 , 130, 5457-70	6.6	76
94	Functional analysis of repressor binding sites in the iab-2 regulatory region of the abdominal-A homeotic gene. <i>Developmental Biology</i> , 2000 , 218, 38-52	3.1	75
93	Midgut-Derived Activin Regulates Glucagon-like Action in the Fat Body and Glycemic Control. <i>Cell Metabolism</i> , 2017 , 25, 386-399	24.6	74
92	Organism-scale modeling of early Drosophila patterning via bone morphogenetic proteins. <i>Developmental Cell</i> , 2010 , 18, 260-74	10.2	74

(1984-2014)

91	Systemic Activin signaling independently regulates sugar homeostasis, cellular metabolism, and pH balance in Drosophila melanogaster. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 5729-34	11.5	73
90	The crossveinless gene encodes a new member of the Twisted gastrulation family of BMP-binding proteins which, with Short gastrulation, promotes BMP signaling in the crossveins of the Drosophila wing. <i>Developmental Biology</i> , 2005 , 282, 70-83	3.1	73
89	Steroid hormone inactivation is required during the juvenile-adult transition in Drosophila. <i>Developmental Cell</i> , 2010 , 19, 895-902	10.2	69
88	A phosphoproteomics approach to elucidate neuropeptide signal transduction controlling insect metamorphosis. <i>Insect Biochemistry and Molecular Biology</i> , 2009 , 39, 475-83	4.5	68
87	Characterization of tolloid-related-1: a BMP-1-like product that is required during larval and pupal stages of Drosophila development. <i>Developmental Biology</i> , 1994 , 166, 569-86	3.1	67
86	The metalloprotease tolloid-related and its TGF-beta-like substrate Dawdle regulate Drosophila motoneuron axon guidance. <i>Development (Cambridge)</i> , 2006 , 133, 4969-79	6.6	64
85	Two domains of the tolloid protein contribute to its unusual genetic interaction with decapentaplegic. <i>Developmental Biology</i> , 1994 , 162, 209-20	3.1	63
84	Photoreceptor-derived activin promotes dendritic termination and restricts the receptive fields of first-order interneurons in Drosophila. <i>Neuron</i> , 2014 , 81, 830-846	13.9	58
83	Drosophila Activin- and the Activin-like product Dawdle function redundantly to regulate proliferation in the larval brain. <i>Development (Cambridge)</i> , 2008 , 135, 513-21	6.6	58
82	Is chordin a long-range- or short-range-acting factor? Roles for BMP1-related metalloproteases in chordin and BMP4 autofeedback loop regulation. <i>Developmental Biology</i> , 2000 , 223, 120-38	3.1	57
81	A Drosophila Genome-Wide Screen Identifies Regulators of Steroid Hormone Production and Developmental Timing. <i>Developmental Cell</i> , 2016 , 37, 558-70	10.2	55
80	Dynamic feedback circuits function as a switch for shaping a maturation-inducing steroid pulse in Drosophila. <i>Development (Cambridge)</i> , 2013 , 140, 4730-9	6.6	54
79	The Insect Prothoracic Gland as a Model for Steroid Hormone Biosynthesis and Regulation. <i>Cell Reports</i> , 2016 , 16, 247-262	10.6	53
78	Matching catalytic activity to developmental function: tolloid-related processes Sog in order to help specify the posterior crossvein in the Drosophila wing. <i>Development (Cambridge)</i> , 2005 , 132, 2645-5	-6.6 -6.6	49
77	Presynaptic contributions of chordin to hippocampal plasticity and spatial learning. <i>Journal of Neuroscience</i> , 2007 , 27, 7740-50	6.6	47
76	Bone morphogenetic proteins signal via SMAD and mitogen-activated protein (MAP) kinase pathways at distinct times during osteoclastogenesis. <i>Journal of Biological Chemistry</i> , 2013 , 288, 37230-	4 ⁵ 0 ⁴	46
75	Mechanisms of TSC-mediated control of synapse assembly and axon guidance. <i>PLoS ONE</i> , 2007 , 2, e375	3.7	44
74	Role of the F factor oriV1 region in recA-independent illegitimate recombination. Stable replicon fusions of the F derivative pOX38 and pBR322-related plasmids. <i>Journal of Molecular Biology</i> , 1984 , 175, 263-84	6.5	42

73	The Insulin-Like Proteins dILPs-2/5 Determine Diapause Inducibility in Drosophila. <i>PLoS ONE</i> , 2016 , 11, e0163680	3.7	42
72	Mechanisms for removal of developmentally abnormal cells: cell competition and morphogenetic apoptosis. <i>Journal of Biochemistry</i> , 2004 , 136, 13-7	3.1	41
71	Canonical TGF-beta signaling is required for the balance of excitatory/inhibitory transmission within the hippocampus and prepulse inhibition of acoustic startle. <i>Journal of Neuroscience</i> , 2010 , 30, 6025-35	6.6	40
70	Robustness of embryonic spatial patterning in Drosophila melanogaster. <i>Current Topics in Developmental Biology</i> , 2008 , 81, 65-111	5.3	39
69	TGF-IFamily Signaling in. Cold Spring Harbor Perspectives in Biology, 2017, 9,	10.2	37
68	Strategies for exploring TGF-Bignaling in Drosophila. <i>Methods</i> , 2014 , 68, 183-93	4.6	37
67	Transcriptional control of steroid biosynthesis genes in the Drosophila prothoracic gland by ventral veins lacking and knirps. <i>PLoS Genetics</i> , 2014 , 10, e1004343	6	37
66	Hippocampus specific iron deficiency alters competition and cooperation between developing memory systems. <i>Journal of Neurodevelopmental Disorders</i> , 2010 , 2, 133-43	4.6	37
65	Regulation of Drosophila hematopoietic sites by Activin-Ifrom active sensory neurons. <i>Nature Communications</i> , 2017 , 8, 15990	17.4	36
64	A new insertion sequence, IS121, is found on the Mu dI1 (Ap lac) bacteriophage and the Escherichia coli K-12 chromosome. <i>Journal of Bacteriology</i> , 1983 , 156, 669-79	3.5	36
63	Prothoracicotropic hormone modulates environmental adaptive plasticity through the control of developmental timing. <i>Development (Cambridge)</i> , 2018 , 145,	6.6	35
62	Extremes of lineage plasticity in the Drosophila brain. <i>Current Biology</i> , 2013 , 23, 1908-13	6.3	35
61	Mapping of DNA gyrase cleavage sites in vivo oxolinic acid induced cleavages in plasmid pBR322. Journal of Molecular Biology, 1985 , 181, 545-50	6.5	34
60	dSno facilitates baboon signaling in the Drosophila brain by switching the affinity of Medea away from Mad and toward dSmad2. <i>Genetics</i> , 2006 , 174, 1299-313	4	33
59	Two distinct transmembrane serine/threonine kinases from Drosophila melanogaster form an activin receptor complex. <i>Molecular and Cellular Biology</i> , 1994 , 14, 944-950	4.8	33
58	Diapause: delaying the developmental clock in response to a changing environment. <i>Current Topics in Developmental Biology</i> , 2013 , 105, 213-46	5-3	31
57	Shaping BMP morphogen gradients through enzyme-substrate interactions. <i>Developmental Cell</i> , 2011 , 21, 375-83	10.2	31
56	Nemo kinase interacts with Mad to coordinate synaptic growth at the Drosophila neuromuscular junction. <i>Journal of Cell Biology</i> , 2009 , 185, 713-25	7.3	30

(2011-2009)

55	The Drosophila Activin-like ligand Dawdle signals preferentially through one isoform of the Type-I receptor Baboon. <i>Mechanisms of Development</i> , 2009 , 126, 950-7	1.7	30	
54	Twisted gastrulation and chordin inhibit differentiation and mineralization in MC3T3-E1 osteoblast-like cells. <i>Bone</i> , 2005 , 36, 617-26	4.7	30	
53	Expression of TAK1, a mediator of TGF-beta and BMP signaling, during mouse embryonic development. <i>Gene Expression Patterns</i> , 2003 , 3, 131-4	1.5	30	
52	Studies on the Black Box: incorporation of 3-oxo-7-dehydrocholesterol into ecdysteroids by Drosophila melanogaster and Manduca sexta. <i>Insect Biochemistry and Molecular Biology</i> , 2009 , 39, 677-8	3 /1 ·5	29	
51	R-Smad competition controls activin receptor output in Drosophila. <i>PLoS ONE</i> , 2012 , 7, e36548	3.7	27	
50	Activin receptor inhibition by Smad2 regulates Drosophila wing disc patterning through BMP-response elements. <i>Development (Cambridge)</i> , 2013 , 140, 649-59	6.6	23	
49	The Drosophila Zinc Finger Transcription Factor Ouija Board Controls Ecdysteroid Biosynthesis through Specific Regulation of spookier. <i>PLoS Genetics</i> , 2015 , 11, e1005712	6	23	
48	The BMP2/4 ortholog Dpp can function as an inter-organ signal that regulates developmental timing. <i>Life Science Alliance</i> , 2018 , 1, e201800216	5.8	23	
47	Regulation of neuroblast proliferation by surface glia in the Drosophila larval brain. <i>Scientific Reports</i> , 2018 , 8, 3730	4.9	22	
46	DNA-binding domain mutations in SMAD genes yield dominant-negative proteins or a neomorphic protein that can activate WG target genes in Drosophila. <i>Development (Cambridge)</i> , 2005 , 132, 4883-94	6.6	22	
45	Site-specific and illegitimate recombination in the oriV1 region of the F factor. DNA sequences involved in recombination and resolution. <i>Journal of Molecular Biology</i> , 1986 , 189, 85-102	6.5	22	
44	Wing-to-Leg homeosis by spineless causes apoptosis regulated by Fish-lips, a novel leucine-rich repeat transmembrane protein. <i>Molecular and Cellular Biology</i> , 2005 , 25, 3140-50	4.8	21	
43	Drosophila histone deacetylase-3 controls imaginal disc size through suppression of apoptosis. <i>PLoS Genetics</i> , 2008 , 4, e1000009	6	19	
42	Control of the insect metamorphic transition by ecdysteroid production and secretion. <i>Current Opinion in Insect Science</i> , 2021 , 43, 11-20	5.1	19	
41	CTCF-dependent co-localization of canonical Smad signaling factors at architectural protein binding sites in D. melanogaster. <i>Cell Cycle</i> , 2015 , 14, 2677-87	4.7	18	
40	The Drosophila gap gene giant regulates ecdysone production through specification of the PTTH-producing neurons. <i>Developmental Biology</i> , 2010 , 347, 271-8	3.1	17	
39	Anterograde Activin signaling regulates postsynaptic membrane potential and GluRIIA/B abundance at the Drosophila neuromuscular junction. <i>PLoS ONE</i> , 2014 , 9, e107443	3.7	17	
38	Nitric oxide directly regulates gene expression during Drosophila development: need some gas to drive into metamorphosis?. <i>Genes and Development</i> , 2011 , 25, 1459-63	12.6	16	

37	Mice lacking the chromodomain helicase DNA-binding 5 chromatin remodeler display autism-like characteristics. <i>Translational Psychiatry</i> , 2017 , 7, e1152	8.6	15
36	A Tissue- and Temporal-Specific Autophagic Switch Controls Drosophila Pre-metamorphic Nutritional Checkpoints. <i>Current Biology</i> , 2019 , 29, 2840-2851.e4	6.3	15
35	The expression of twisted gastrulation in postnatal mouse brain and functional implications. <i>Neuroscience</i> , 2010 , 169, 920-31	3.9	15
34	Isolation of Drosophila activin and follistatin cDNAs using novel MACH amplification protocols. <i>Gene</i> , 2002 , 291, 85-93	3.8	15
33	Diet and energy-sensing inputs affect TorC1-mediated axon misrouting but not TorC2-directed synapse growth in a Drosophila model of tuberous sclerosis. <i>PLoS ONE</i> , 2012 , 7, e30722	3.7	15
32	Body Size and Tissue-Scaling Is Regulated by Motoneuron-Derived Activin In. Genetics, 2019, 213, 1447-	1 <u>4</u> 64	15
31	UPRT, a suicide-gene therapy candidate in higher eukaryotes, is required for Drosophila larval growth and normal adult lifespan. <i>Scientific Reports</i> , 2015 , 5, 13176	4.9	14
30	Involvement of twisted gastrulation in T cell-independent plasma cell production. <i>Journal of Immunology</i> , 2011 , 186, 6860-70	5.3	13
29	Forebrain-Specific Loss of BMPRII in Mice Reduces Anxiety and Increases Object Exploration. <i>PLoS ONE</i> , 2015 , 10, e0139860	3.7	12
28	Timing is Everything: PTTH Mediated DHR4 Nucleocytoplasmic Trafficking Sets the Tempo of Drosophila Steroid Production. <i>Frontiers in Endocrinology</i> , 2011 , 2, 108	5.7	12
27	BMP signaling in Drosophila embryogenesis. <i>Annals of the New York Academy of Sciences</i> , 1996 , 785, 80-	957 .5	10
26	The TGF-beta/Activin-like ligands Dawdle and Myoglianin appear to modulate adult lifespan through regulation of 26S proteasome function in adult muscle. <i>Biology Open</i> , 2018 , 7,	2.2	9
25	A frameshift mutation at the junction of an IS1 insertion within lacZ restores beta-galactosidase activity via formation of an active lacZ-IS1 fusion protein. <i>Journal of Molecular Biology</i> , 1985 , 181, 551-5	6.5	9
24	Engineering multiple species-like genetic incompatibilities in insects. <i>Nature Communications</i> , 2020 , 11, 4468	17.4	9
23	AKH Signaling in Alters Larval Development in a Nutrient-Dependent Manner That Influences Adult Metabolism. <i>Frontiers in Physiology</i> , 2021 , 12, 619219	4.6	9
22	Glycosylation of Twisted Gastrulation is Required for BMP Binding and Activity during Craniofacial Development. <i>Frontiers in Physiology</i> , 2011 , 2, 59	4.6	8
21	Muscle-derived Myoglianin regulates imaginal disc growth. ELife, 2020, 9,	8.9	6
20	Site-specific recombination in the oriV1 region of the F factor. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1984 , 49, 421-34	3.9	6

(2013-2020)

19	Histone Carbonylation Is a Redox-Regulated Epigenomic Mark That Accumulates with Obesity and Aging. <i>Antioxidants</i> , 2020 , 9,	7.1	6
18	Developmental Maturation: Drosophila AstA Signaling Provides a Kiss to Grow Up. <i>Current Biology</i> , 2019 , 29, R161-R164	6.3	5
17	Glue protein production can be triggered by steroid hormone signaling independent of the developmental program in Drosophila melanogaster. <i>Developmental Biology</i> , 2017 , 430, 166-176	3.1	5
16	The Role of Muscle in Insect Energy Homeostasis. <i>Frontiers in Physiology</i> , 2020 , 11, 580687	4.6	5
15	Proliferative stem cells maintain quiescence of their niche by secreting the Activin inhibitor Follistatin. <i>Developmental Cell</i> , 2021 , 56, 2284-2294.e6	10.2	5
14	Activin signaling promotes muscle growth through InR/TORC1-dependent and -independent processes. <i>Development (Cambridge)</i> , 2021 , 148,	6.6	4
13	Coordination among multiple receptor tyrosine kinase signals controls Drosophila developmental timing and body size. <i>Cell Reports</i> , 2021 , 36, 109644	10.6	4
12	The insulator protein CTCF regulates Drosophila steroidogenesis. <i>Biology Open</i> , 2015 , 4, 852-7	2.2	3
11	Drosophila MOV10 regulates the termination of midgut regeneration. <i>Genetics</i> , 2021 , 218,	4	3
10	Drosophila Activin signaling promotes muscle growth through InR/dTORC1 dependent and independent processes		2
9	Current Topics in Developmental Biology. Developmental timing. Preface. <i>Current Topics in Developmental Biology</i> , 2013 , 105, xiii-xv	5.3	1
8	Apiology: royal secrets in the queen's fat body. <i>Current Biology</i> , 2011 , 21, R510-2	6.3	1
7	Motoneuron-derived Activin[regulates Drosophila body size and tissue-scaling during larval growth and adult development		1
6	Lean on Me: Cell-Cell Interactions Release TGF-Ifor Local Consumption Only. Cell, 2018, 174, 18-20	56.2	1
5	You T e going to need a bigger (glass bottom) boat. <i>Science Signaling</i> , 2012 , 5, pe14	8.8	О
4	Adult Movement Defects Associated with a CORL Mutation in Display Behavioral Plasticity. <i>G3: Genes, Genomes, Genetics</i> , 2020 , 10, 1697-1706	3.2	О
3	Tolloid (Drosophila) 2004 , 617-620		
2	Tolloid (Drosophila) 2013 , 932-936		

A juxtamembrane basolateral targeting motif regulates signaling through a TGF-[þathway receptor in Drosophila.. *PLoS Biology*, **2022**, 20, e3001660

9.7