

# Shao-Yun Fu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3864610/publications.pdf>

Version: 2024-02-01

271  
papers

17,882  
citations

14124

69  
h-index

20023

121  
g-index

279  
all docs

279  
docs citations

279  
times ranked

20416  
citing authors

#	ARTICLE	IF	CITATIONS
1	Flexible and electrically robust graphene-based nanocomposite paper with hierarchical microstructures for multifunctional wearable devices. <i>Nano Materials Science</i> , 2023, 5, 319-328.	3.9	4
2	Strain effects on the interfacial thermal conductance of graphene/h-BN heterostructure. <i>Nano Materials Science</i> , 2022, 4, 227-234.	3.9	5
3	Stretchable and ultrasensitive strain sensor from carbon nanotube-based composite with significantly enhanced electrical and sensing properties by tailoring segregated conductive networks. <i>Composites Communications</i> , 2022, 29, 100987.	3.3	24
4	Experimental and multiscale modeling investigations of cryo-thermal cycling effects on the mechanical behaviors of carbon fiber reinforced epoxy composites. <i>Composites Part B: Engineering</i> , 2022, 230, 109534.	5.9	19
5	Experimental and simulation investigations of the effect of hybrid GO-thermoplastic polyimide sizing on the temperature-dependent tensile behavior of short carbon fiber/polyetherimide composites. <i>Composites Science and Technology</i> , 2022, 218, 109166.	3.8	18
6	Lithium metal structural battery developed with vacuum bagging. <i>Journal of Materials Chemistry C</i> , 2022, 10, 1887-1895.	2.7	7
7	Superstrong, Lightweight, and Exceptional Environmentally Stable SiO <sub>2</sub> @GO/Bamboo Composites. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 7311-7320.	4.0	13
8	A flexible carbonized melamine foam/silicone/epoxy composite pressure sensor with temperature and voltage-adjusted piezoresistivity for ultrawide pressure detection. <i>Journal of Materials Chemistry A</i> , 2022, 10, 9114-9120.	5.2	11
9	Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene/Bamboo Fiber/PDMS Pressure Sensor with Simultaneous Ultrawide Linear Sensing Range, Superb Environmental Stability, and Excellent Biocompatibility. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 3546-3556.	3.2	20
10	Short carbon fiber reinforced epoxy-ionic liquid electrolyte enabled structural battery via vacuum bagging process. <i>Advanced Composites and Hybrid Materials</i> , 2022, 5, 1799-1811.	9.9	27
11	Multifunctional Polyurethane Composite Foam with Outstanding Anti-impact Capacity for Soft Body Armors. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 13778-13789.	4.0	39
12	High overall performance transparent bamboo composite via a lignin-modification strategy. <i>Composites Part B: Engineering</i> , 2022, 235, 109798.	5.9	29
13	Frictional characteristics of graphene oxide-modified continuous glass fiber reinforced epoxy composite. <i>Composites Science and Technology</i> , 2022, 223, 109446.	3.8	30
14	Effects of carbon nanotube-polydopamine hybridization on the mechanical properties of short carbon fiber/polyetherimide composites. <i>Composites Part B: Engineering</i> , 2022, 236, 109848.	5.9	19
15	Direct ink writing of a graphene/CNT/silicone composite strain sensor with a near-zero temperature coefficient of resistance. <i>Journal of Materials Chemistry C</i> , 2022, 10, 8226-8233.	2.7	28
16	Preface of "Trends in Nanomaterials and Nanocomposites: Fundamentals, Modelling and Applications" Festschrift in honor of Prof Yiu-Wing Mai's 75th birthday. <i>Nano Materials Science</i> , 2022, 4, 61-63.	3.9	1
17	Multiresponsive Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene-Based Actuators Enabled by Dual-Mechanism Synergism for Soft Robotics. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 21474-21485.	4.0	30
18	Effects of cryo-thermal cycling on interlaminar shear strength and thermal expansion coefficient of carbon fiber/graphene oxide-modified epoxy composites. <i>Composites Communications</i> , 2022, 32, 101180.	3.3	20

#	ARTICLE	IF	CITATIONS
19	Modeling the synergistic electrical percolation effect of carbon nanotube/graphene/polymer composites. Composites Science and Technology, 2022, 225, 109496.	3.8	14
20	Heterogeneous carbon/silicone composite for ultrasensitive anisotropic strain sensor with loading-direction-perception capability. Composites Science and Technology, 2022, 227, 109565.	3.8	7
21	Novel Kevlar fabric composite for multifunctional soft body armor. Composites Part B: Engineering, 2022, 242, 110106.	5.9	23
22	Mechanical, tribological and thermal properties of injection molded short carbon fiber/expanded graphite/polyetherimide composites. Composites Science and Technology, 2021, 201, 108498.	3.8	38
23	Flexible pressure sensor with a tunable pressure-detecting range for various human motions. Carbon, 2021, 173, 736-743.	5.4	39
24	A new analytical model for predicting the electrical conductivity of carbon nanotube nanocomposites. Composites Communications, 2021, 23, 100577.	3.3	32
25	High-Performance Bamboo Steel Derived from Natural Bamboo. ACS Applied Materials & Interfaces, 2021, 13, 1431-1440.	4.0	63
26	Multiscale modeling of mechanical behaviors of carbon fiber reinforced epoxy composites subjected to hygrothermal aging. Composite Structures, 2021, 256, 113098.	3.1	34
27	Phosphorus and bromine modified epoxy resin with enhanced cryogenic mechanical properties and liquid oxygen compatibility simultaneously. Polymer Testing, 2021, 94, 107051.	2.3	19
28	High-Strength Poly(ethylene oxide) Composite Electrolyte Reinforced with Glass Fiber and Ceramic Electrolyte Simultaneously for Structural Energy Storage. ACS Applied Energy Materials, 2021, 4, 4038-4049.	2.5	19
29	Experimental characterization and molecular dynamics simulation of thermal stability, mechanical properties and liquid oxygen compatibility of multiple epoxy systems for cryotank applications. Extreme Mechanics Letters, 2021, 44, 101227.	2.0	12
30	Tensile creep behavior of short-carbon-fiber reinforced polyetherimide composites. Composites Part B: Engineering, 2021, 212, 108717.	5.9	53
31	Polyacrylamide Hydrogel Composite E-skin Fully Mimicking Human Skin. ACS Applied Materials & Interfaces, 2021, 13, 32084-32093.	4.0	56
32	Temperature-dependent mechanical properties of polyetherimide composites reinforced by graphene oxide-coated short carbon fibers. Composite Structures, 2021, 270, 114075.	3.1	17
33	One-Step Synthesis of Microdome Patterns for Microstructured Pressure Sensors with Ultra-High Sensing Performance. ACS Applied Materials & Interfaces, 2021, 13, 48009-48019.	4.0	22
34	Flexible but robust Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene/bamboo microfibril composite paper for high-performance wearable electronics. Journal of Materials Chemistry A, 2021, 9, 26758-26766.	5.2	15
35	1-Pyrenemethanol derived nanocrystal reinforced graphene films with high thermal conductivity and flexibility. Nanotechnology, 2020, 31, 065602.	1.3	8
36	Ultratough reduced graphene oxide composite films synergistically toughened and reinforced by polydopamine wrapped carbon nanotubes. Carbon, 2020, 159, 422-431.	5.4	25

#	ARTICLE	IF	CITATIONS
37	Super soft but strong E-Skin based on carbon fiber/carbon black/silicone composite: Truly mimicking tactile sensing and mechanical behavior of human skin. <i>Composites Science and Technology</i> , 2020, 186, 107910.	3.8	35
38	Architectural design of flexible anisotropic piezoresistive composite for multiple-loading recognition. <i>Composites Part B: Engineering</i> , 2020, 182, 107631.	5.9	8
39	Enhanced cryogenic mechanical properties of carbon fiber reinforced epoxy composites by introducing graphene oxide. <i>Composites Communications</i> , 2020, 22, 100480.	3.3	36
40	High-Performance Fiber-Film Hybrid-Structured Wearable Strain Sensor from a Highly Robust and Conductive Carbonized Bamboo Aerogel. <i>ACS Applied Bio Materials</i> , 2020, 3, 8748-8756.	2.3	12
41	Bioinspired Color-Changeable Organogel Tactile Sensor with Excellent Overall Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 49866-49875.	4.0	31
42	Graphene/Graphitized Polydopamine/Carbon Nanotube All-Carbon Ternary Composite Films with Improved Mechanical Properties and Through-Plane Thermal Conductivity. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 57391-57400.	4.0	31
43	Spider-Inspired Ultrasensitive Flexible Vibration Sensor for Multifunctional Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 30871-30881.	4.0	39
44	Highly stretchable CNT Fiber/PAAm hydrogel composite simultaneously serving as strain sensor and supercapacitor. <i>Composites Part B: Engineering</i> , 2020, 198, 108246.	5.9	47
45	Dual-Mode Carbon Aerogel/Iron Rubber Sensor. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 8674-8680.	4.0	14
46	Effect of graphene oxide size on interlaminar shear strength of glass fabric/epoxy composites. <i>Materials Research Express</i> , 2019, 6, 105306.	0.8	4
47	Highly Compressible and Sensitive Pressure Sensor under Large Strain Based on 3D Porous Reduced Graphene Oxide Fiber Fabrics in Wide Compression Strains. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 37051-37059.	4.0	74
48	Effectively enhanced interlaminar shear strength of carbon fiber fabric/epoxy composites by oxidized short carbon fibers at an extremely low content. <i>Composites Science and Technology</i> , 2019, 183, 107803.	3.8	30
49	Introduction to short fibre-reinforced polymer composites. , 2019, , 1-7.		6
50	Major factors affecting the performance of short fibre-reinforced polymers. , 2019, , 33-66.		0
51	Strength of short fibre-reinforced polymers. , 2019, , 91-137.		3
52	Extrusion compounding and injection moulding. , 2019, , 9-32.		0
53	Stress transfer in short fibre-reinforced polymers. , 2019, , 67-89.		1
54	Elastic modulus of short fibre-reinforced polymers. , 2019, , 139-188.		0

#	ARTICLE	IF	CITATIONS
55	Flexural modulus of short fibre-reinforced polymers. , 2019, , 189-211.		0
56	Thermal conductivity and expansion of short fibre-reinforced polymer composites. , 2019, , 213-240.		0
57	A biomimetic multifunctional electronic hair sensor. Journal of Materials Chemistry A, 2019, 7, 1889-1896.	5.2	47
58	Improved mechanical and antibacterial properties of silver-graphene oxide hybrid/polylactid acid composites by in-situ polymerization. Industrial Crops and Products, 2019, 130, 571-579.	2.5	31
59	Enhancement of thermal energy transport across the graphene/h-BN heterostructure interface. Nanoscale, 2019, 11, 4067-4072.	2.8	38
60	Epoxy nanocomposites significantly toughened by both poly(sulfone) and graphene oxide. Composites Communications, 2019, 14, 55-60.	3.3	41
61	Dramatically enhanced tensile strength and impact toughness of polydicyclopentadiene composites by covalent bond formation between phenyl-functionalized silica and dicyclopentadiene. Composites Part B: Engineering, 2019, 170, 31-40.	5.9	19
62	Some basic aspects of polymer nanocomposites: A critical review. Nano Materials Science, 2019, 1, 2-30.	3.9	499
63	Carbonized polydopamine nanoparticle reinforced graphene films with superior thermal conductivity. Carbon, 2019, 149, 173-180.	5.4	55
64	Enhanced interlaminar shear strength of ramie fiber/polypropylene composites by optimal combination of graphene oxide size and content. Composites Part B: Engineering, 2019, 168, 488-495.	5.9	45
65	Investigations on structure-dependent microwave absorption performance of nano-Fe <sub>3</sub> O <sub>4</sub> coated carbon-based absorbers. Carbon, 2019, 144, 216-227.	5.4	71
66	Synergistic effects of short glass fiber/short carbon fiber hybrids on the mechanical properties of polyethersulfone composites. Polymer Composites, 2019, 40, E1725.	2.3	15
67	Mechanical and tribological properties of short glass fiber and short carbon fiber reinforced polyethersulfone composites: A comparative study. Composites Communications, 2018, 8, 1-6.	3.3	45
68	Bio-inspired highly flexible dual-mode electronic cilia. Journal of Materials Chemistry B, 2018, 6, 896-902.	2.9	32
69	Largely enhanced electrical conductivity of layer-structured silver nanowire/polyimide composite films by polyaniline. Composites Science and Technology, 2018, 156, 144-150.	3.8	20
70	Bioinspired Flexible and Highly Responsive Dual-Mode Strain/Magnetism Composite Sensor. ACS Applied Materials & Interfaces, 2018, 10, 11197-11203.	4.0	31
71	Molecular dynamics simulations of thermal expansion properties of single layer graphene sheets. Molecular Simulation, 2018, 44, 34-39.	0.9	6
72	Laser-Printed In-Plane Micro-Supercapacitors: From Symmetric to Asymmetric Structure. ACS Applied Materials & Interfaces, 2018, 10, 723-732.	4.0	36

#	ARTICLE	IF	CITATIONS
73	Effectively enhanced mechanical properties of injection molded short carbon fiber reinforced polyethersulfone composites by phenol-formaldehyde resin sizing. <i>Composites Part B: Engineering</i> , 2018, 139, 216-226.	5.9	38
74	High-Performance Structural Flexible Strain Sensors Based on Graphene-Coated Glass Fabric/Silicone Composite. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 35503-35509.	4.0	68
75	On the Evaluation of the Sensitivity Coefficient of Strain Sensors. <i>Advanced Electronic Materials</i> , 2018, 4, 1800353.	2.6	31
76	Investigation on the interfacial mechanical properties of hybrid graphene-carbon nanotube/polymer nanocomposites. <i>Carbon</i> , 2017, 115, 694-700.	5.4	68
77	Generation mechanism of nonlinear ultrasonic Lamb waves in thin plates with randomly distributed micro-cracks. <i>Ultrasonics</i> , 2017, 79, 60-67.	2.1	60
78	A wearable strain sensor based on a carbonized nano-sponge/silicone composite for human motion detection. <i>Nanoscale</i> , 2017, 9, 6680-6685.	2.8	151
79	Largely improved dimensional stability of short carbon fiber reinforced polyethersulfone composites by graphene oxide coating at a low content. <i>Carbon</i> , 2017, 119, 339-349.	5.4	34
80	Flexible wire-shaped strain sensor from cotton thread for human health and motion detection. <i>Scientific Reports</i> , 2017, 7, 45013.	1.6	103
81	Enhanced Microwave Absorption Performance of Coated Carbon Nanotubes by Optimizing the Fe <sub>3</sub> O <sub>4</sub> Nanocoating Structure. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 2973-2983.	4.0	441
82	Investigation of thermal energy transport interface of hybrid graphene-carbon nanotube/polyethylene nanocomposites. <i>Scientific Reports</i> , 2017, 7, 14700.	1.6	18
83	High performance surface-modified TiO <sub>2</sub> /silicone nanocomposite. <i>Scientific Reports</i> , 2017, 7, 5951.	1.6	13
84	A Novel Type of Battery–Supercapacitor Hybrid Device with Highly Switchable Dual Performances Based on a Carbon Skeleton/Mg <sub>2</sub> Ni Free-Standing Hydrogen Storage Electrode. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 44828-44838.	4.0	19
85	Positive synergistic effect of graphene oxide/carbon nanotube hybrid coating on glass fiber/epoxy interfacial normal bond strength. <i>Composites Science and Technology</i> , 2017, 149, 294-304.	3.8	66
86	Electrical anisotropy and multidimensional pressure sensor of aligned Fe <sub>3</sub> O <sub>4</sub> @silver nanowire/polyaniline composite films under an extremely low magnetic field. <i>RSC Advances</i> , 2017, 7, 4260-4268.	1.7	22
87	Simulations on Monitoring and Evaluation of Plasticity-Driven Material Damage Based on Second Harmonic of S <sub>0</sub> Mode Lamb Waves in Metallic Plates. <i>Materials</i> , 2017, 10, 827.	1.3	15
88	A paper-based touch sensor with an embedded micro-probe array fabricated by double-sided laser printing. <i>Nanoscale</i> , 2017, 9, 9598-9605.	2.8	18
89	Significantly enhanced electrical conductivity of silver nanowire/polyurethane composites via graphene oxide as novel dispersant. <i>Composites Science and Technology</i> , 2016, 132, 57-67.	3.8	23
90	Layer-structured silver nanowire/polyaniline composite film as a high performance X-band EMI shielding material. <i>Journal of Materials Chemistry C</i> , 2016, 4, 4193-4203.	2.7	138

#	ARTICLE	IF	CITATIONS
91	Conductive PVDF-HFP/CNT composites for strain sensing. <i>Functional Materials Letters</i> , 2016, 09, 1650024.	0.7	6
92	Rapid Laser Printing of Paper-Based Multilayer Circuits. <i>ACS Nano</i> , 2016, 10, 8895-8903.	7.3	38
93	Greatly decreased redshift and largely enhanced refractive index of mono-dispersed ZnO-QD/silicone nanocomposites. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8663-8669.	2.7	15
94	Tensile and flexural properties of graphene oxide coated-short glass fiber reinforced polyethersulfone composites. <i>Composites Part B: Engineering</i> , 2016, 99, 407-415.	5.9	72
95	Strengthening effects of twin interface in Cu/Ni multilayer thin films – A molecular dynamics study. <i>Materials and Design</i> , 2016, 111, 1-8.	3.3	79
96	Multifunctional Wearable Device Based on Flexible and Conductive Carbon Sponge/Polydimethylsiloxane Composite. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 33189-33196.	4.0	179
97	The interfacial mechanical properties of functionalized graphene-polymer nanocomposites. <i>RSC Advances</i> , 2016, 6, 66658-66664.	1.7	50
98	Activated carbon from nitrogen rich watermelon rind for high-performance supercapacitors. <i>RSC Advances</i> , 2016, 6, 59333-59342.	1.7	79
99	Highly Flexible Strain Sensor from Tissue Paper for Wearable Electronics. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 4288-4295.	3.2	204
100	Greatly enhanced cryogenic mechanical properties of short carbon fiber/polyethersulfone composites by graphene oxide coating. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 89, 47-55.	3.8	60
101	Wearable Electronics of Silver-Nanowire/Poly(dimethylsiloxane) Nanocomposite for Smart Clothing. <i>Scientific Reports</i> , 2015, 5, 13971.	1.6	112
102	Enhancement in Mode II Interlaminar Fracture Toughness at Cryogenic Temperature of Glass Fiber/Epoxy Composites through Matrix Modification by Carbon Nanotubes and n-Butyl Glycidyl Ether. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-6.	1.5	0
103	Mechanical Behavior of Nanostructured Materials. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-2.	1.5	2
104	Preparation of pore-size controllable activated carbon fibers from bamboo fibers with superior performance for xenon storage. <i>Chemical Engineering Journal</i> , 2015, 270, 528-534.	6.6	62
105	Enhanced mechanical properties of short carbon fiber reinforced polyethersulfone composites by graphene oxide coating. <i>Polymer</i> , 2015, 59, 155-165.	1.8	163
106	Improved cryogenic interlaminar shear strength of glass fabric/epoxy composites by graphene oxide. <i>Composites Part B: Engineering</i> , 2015, 73, 126-131.	5.9	78
107	Electrical Switch for Smart pH Self-Adjusting System Based on Silver Nanowire/Polyaniline Nanocomposite Film. <i>ACS Nano</i> , 2015, 9, 3234-3242.	7.3	41
108	Preparation of aligned Fe <sub>3</sub> O <sub>4</sub> @Ag-nanowire/poly(vinyl alcohol) nanocomposite films via a low magnetic field. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015, 77, 87-95.	3.8	21

#	ARTICLE	IF	CITATIONS
109	Formulating CdSe quantum dots for white light-emitting diodes with high color rendering index. <i>Journal of Alloys and Compounds</i> , 2015, 647, 837-843.	2.8	24
110	Ternary Ag/Epoxy Adhesive with Excellent Overall Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 8041-8052.	4.0	75
111	Facile preparation of highly conductive, flexible, and strong carbon nanotube/polyaniline composite films. <i>Journal of Polymer Science Part A</i> , 2015, 53, 1575-1585.	2.5	16
112	A high ductility RTM epoxy resin with relatively high modulus and Tg. <i>Journal of Polymer Research</i> , 2015, 22, 1.	1.2	6
113	Cryogenic-temperature-induced transition from shear to dilatational failure in metallic glasses. <i>Acta Materialia</i> , 2014, 77, 248-257.	3.8	50
114	Wavelike fracture pattern in a metallic glass: a Kelvin-Helmholtz flow instability. <i>Philosophical Magazine Letters</i> , 2014, 94, 669-677.	0.5	2
115	Tribological performance of carbon nanotube-graphene oxide hybrid/epoxy composites. <i>Composites Part B: Engineering</i> , 2014, 57, 120-125.	5.9	156
116	Novel vertical spinning preparation of free-standing carbon nanotube-polyaniline composite films with high electrical conductivity. <i>Journal of Materials Chemistry C</i> , 2014, 2, 2758.	2.7	11
117	Paper-based silver-nanowire electronic circuits with outstanding electrical conductivity and extreme bending stability. <i>Nanoscale</i> , 2014, 6, 8495.	2.8	90
118	Improvement of the piezoelectric properties of PVDF-HFP using AgNWs. <i>RSC Advances</i> , 2014, 4, 35896-35903.	1.7	50
119	Novel core-shell structured BiVO <sub>4</sub> hollow spheres with an ultra-high surface area as visible-light-driven catalyst. <i>CrystEngComm</i> , 2014, 16, 6059-6065.	1.3	37
120	Synthesis and physical properties of electromagnetic polypyrrole composites via addition of magnetic crystals. <i>CrystEngComm</i> , 2014, 16, 2097.	1.3	32
121	Enhanced cryogenic interfacial normal bond property between carbon fibers and epoxy matrix by carbon nanotubes. <i>Composites Science and Technology</i> , 2014, 104, 59-65.	3.8	48
122	Synergistic effect of carbon nanotubes and n-butyl glycidyl ether on matrix modification for improvement of tensile performance of glass fiber/epoxy composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2014, 62, 39-44.	3.8	11
123	Simultaneously Enhanced Cryogenic Tensile Strength, Ductility and Impact Resistance of Epoxy Resins by Polyethylene Glycol. <i>Journal of Materials Science and Technology</i> , 2014, 30, 90-96.	5.6	48
124	Mechanical properties of cryogenic epoxy adhesives: Effects of mixed curing agent content. <i>International Journal of Adhesion and Adhesives</i> , 2013, 41, 113-118.	1.4	29
125	Controllable fabrication and magnetic-field assisted alignment of Fe <sub>3</sub> O <sub>4</sub> -coated Ag nanowires via a facile co-precipitation method. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4879.	2.7	49
126	Simultaneously enhanced cryogenic tensile strength and fracture toughness of epoxy resins by carboxylic nitrile-butadiene nano-rubber. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013, 55, 178-187.	3.8	95



#	ARTICLE	IF	CITATIONS
127	Significantly modified tribological performance of epoxy nanocomposites at very low graphene oxide content. <i>Polymer</i> , 2013, 54, 1234-1242.	1.8	214
128	Cryogenic mechanical properties of woven glass/epoxy composites modified with multi-walled carbon nanotube and n-butyl glycidyl ether under tensile static and cyclic loadings. <i>Cryogenics</i> , 2013, 58, 33-37.	0.9	20
129	Synthesis and simultaneous enhancements in electrical and magnetic properties of oriented $\text{Fe}_3\text{O}_4$ -nanoneedle/PANI nanocomposite films by cold stretching. <i>Polymer</i> , 2013, 54, 4578-4587.	1.8	4
130	Cryogenic Properties of Polymer Materials. , 2013, , 9-39.		2
131	Aspects of fracture toughness modelling of particle filled polymer composites. <i>Composites Part B: Engineering</i> , 2013, 45, 1569-1574.	5.9	28
132	Tartrate-Induced Self-Assembly of Highly Positively Charged Three-Dimensional Spiral $\text{Cd}(\text{OH})_2$ Flowers with Largely Exposed (001) Plane. <i>Crystal Growth and Design</i> , 2013, 13, 1091-1098.	1.4	11
133	Preparation and characterization of multifunctional free-standing Ni/epoxy composite films. <i>EXPRESS Polymer Letters</i> , 2012, 6, 903-913.	1.1	5
134	Lanthanum-doped ZnO quantum dots with greatly enhanced fluorescent quantum yield. <i>Journal of Materials Chemistry</i> , 2012, 22, 8221.	6.7	120
135	The reinforcing effect of graphene nanosheets on the cryogenic mechanical properties of epoxy resins. <i>Composites Science and Technology</i> , 2012, 72, 1581-1587.	3.8	139
136	Preparation and characterization of novel polypyrrole-nanotube/polyaniline free-standing composite films via facile solvent-evaporation method. <i>Composites Science and Technology</i> , 2012, 72, 1812-1817.	3.8	17
137	Controllable synthesis of novel sandwiched polyaniline/ZnO/polyaniline free-standing nanocomposite films. <i>Journal of Polymer Science Part A</i> , 2012, 50, 2794-2801.	2.5	13
138	Cryogenic mechanical behaviors of carbon nanotube reinforced composites based on modified epoxy by poly(ethersulfone). <i>Composites Part B: Engineering</i> , 2012, 43, 22-26.	5.9	75
139	Electrical resistance change and crack behavior in carbon nanotube/polymer composites under tensile loading. <i>Composites Part B: Engineering</i> , 2012, 43, 39-43.	5.9	59
140	Role of matrix modification on interlaminar shear strength of glass fibre/epoxy composites. <i>Composites Part B: Engineering</i> , 2012, 43, 95-98.	5.9	88
141	Facile surfactant-free synthesis of monodisperse Ni particles via a simple solvothermal method and their superior catalytic effect on thermal decomposition of ammonium perchlorate. <i>New Journal of Chemistry</i> , 2011, 35, 1403.	1.4	19
142	Synthesis of silane surface modified ZnO quantum dots with ultrastable, strong and tunable luminescence. <i>Chemical Communications</i> , 2011, 47, 11921.	2.2	99
143	Charing polymer wrapped carbon nanotubes for simultaneously improving the flame retardancy and mechanical properties of epoxy resin. <i>Polymer</i> , 2011, 52, 4891-4898.	1.8	71
144	Synthesis of epoxy composites with high carbon nanotube loading and effects of tubular and wavy morphology on composite strength and modulus. <i>Polymer</i> , 2011, 52, 6037-6045.	1.8	76

#	ARTICLE	IF	CITATIONS
145	Fabrication and characterization of transparent ZnO/SiO <sub>2</sub> /silicone nanocomposites with tunable emission colors. <i>Composites Part B: Engineering</i> , 2011, 42, 2105-2110.	5.9	26
146	Preparation and characterization of transparent Al doped ZnO/epoxy composite as thermal-insulating coating. <i>Composites Part B: Engineering</i> , 2011, 42, 2176-2180.	5.9	28
147	Tunable photo-luminescent properties of novel transparent CdSe-QD/silicone nanocomposites. <i>Composites Science and Technology</i> , 2011, 71, 1652-1658.	3.8	26
148	Correlation and size dependence of the lattice strain, binding energy, elastic modulus, and thermal stability for Au and Ag nanostructures. <i>Journal of Applied Physics</i> , 2011, 109, 074319.	1.1	22
149	Superiority of nanosized over microsized hyperbranched polymer second phase in modifying brittle epoxy resin. <i>Journal of Applied Polymer Science</i> , 2011, 119, 863-870.	1.3	19
150	Electrical and Crack Responses of CNT-Based Polymer Composites Under Tension. , 2011, , .		0
151	One-step synthesis, electromagnetic and microwave absorbing properties of $\gamma$ -FeOOH/polypyrrole nanocomposites. <i>Composites Science and Technology</i> , 2010, 70, 909-915.	3.8	46
152	Facile synthesis of antimony-doped tin oxide nanoparticles by a polymer-pyrolysis method. <i>Materials Research Bulletin</i> , 2010, 45, 677-681.	2.7	51
153	Preparation and electrical properties of Ga-doped ZnO nanoparticles by a polymer pyrolysis method. <i>Materials Letters</i> , 2010, 64, 1735-1737.	1.3	28
154	Facile hydrothermal synthesis of 3D hierarchical Bi <sub>2</sub> SiO <sub>5</sub> nanoflowers and their luminescent properties. <i>Solid State Sciences</i> , 2010, 12, 637-642.	1.5	49
155	Large Enhancement in Conductivity of Polyaniline Films by Cold Stretching. <i>Macromolecular Chemistry and Physics</i> , 2010, 211, 1109-1116.	1.1	21
156	Study on the surface performance of carbon fibres irradiated by $\beta$ -ray under different irradiation dose. <i>Applied Surface Science</i> , 2010, 256, 2000-2004.	3.1	68
157	Novel ultraviolet-opaque, visible-transparent and light-emitting ZnO-QD/silicone composites with tunable luminescence colors. <i>Polymer</i> , 2010, 51, 2755-2762.	1.8	47
158	Synthesis of carbon nanotube/epoxy composite films with a high nanotube loading by a mixed-curing-agent assisted layer-by-layer method and their electrical conductivity. <i>Carbon</i> , 2010, 48, 2057-2062.	5.4	79
159	Facile one-step synthesis of electromagnetic functionalized polypyrrole/Fe <sub>3</sub> O <sub>4</sub> nanotubes via a self-assembly process. <i>Journal of Polymer Science Part A</i> , 2010, 48, 320-326.	2.5	19
160	Controllable synthesis and luminescent properties of novel erythrocyte-like CaMoO <sub>4</sub> hierarchical nanostructures via a simple surfactant-free hydrothermal route. <i>Dalton Transactions</i> , 2010, 39, 2226-2231.	1.6	62
161	Facile hydrothermal synthesis and photocatalytic activity of bismuth tungstate hierarchical hollow spheres with an ultrahigh surface area. <i>Dalton Transactions</i> , 2010, 39, 3426.	1.6	160
162	Extrusion compounding and injection moulding. , 2009, , 6-28.		3

#	ARTICLE	IF	CITATIONS
163	Elastic modulus of short fibre reinforced polymers. , 2009, , 119-163.		1
164	Flexural modulus of short fibre reinforced polymers. , 2009, , 164-183.		0
165	Introduction to short fibre reinforced polymer composites. , 2009, , 1-5.		14
166	Thermal conductivity and expansion of short fibre reinforced polymer composites. , 2009, , 184-205.		0
167	Simultaneously increasing cryogenic strength, ductility and impact resistance of epoxy resins modified by n-butyl glycidyl ether. Polymer, 2009, 50, 1316-1323.	1.8	118
168	Preparation, characterization and photocatalytic properties of ZnO-coated multi-walled carbon nanotubes. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2009, 163, 194-198.	1.7	93
169	Self-Assembled 3D Flower-Like Hierarchical $\text{Ni}(\text{OH})_2$ Hollow Architectures and their In Situ Thermal Conversion to NiO. Nanoscale Research Letters, 2009, 4, 550-557.	3.1	120
170	Novel electromagnetic functionalized $\text{Fe}_2\text{O}_3$ /polypyrrole composite nanostructures with high conductivity. Journal of Polymer Science Part A, 2009, 47, 4446-4453.	2.5	32
171	Reinforcement of epoxy resins with multi-walled carbon nanotubes for enhancing cryogenic mechanical properties. Polymer, 2009, 50, 4753-4759.	1.8	192
172	The reduction of carbon nanotube (CNT) length during the manufacture of CNT/polymer composites and a method to simultaneously determine the resulting CNT and interfacial strengths. Carbon, 2009, 47, 3192-3200.	5.4	103
173	Template-free solvothermal synthesis and magnetic properties of novel single-crystalline magnetite nanoplates. Journal of Alloys and Compounds, 2009, 477, 736-738.	2.8	31
174	Facile Synthesis and Luminescent Properties of Novel Flowerlike $\text{BaMoO}_4$ Nanostructures by a Simple Hydrothermal Route. Journal of Physical Chemistry C, 2009, 113, 4856-4861.	1.5	77
175	Preparation and Optical Properties of Novel Transparent Al-Doped-ZnO/Epoxy Nanocomposites. Journal of Physical Chemistry C, 2009, 113, 9406-9411.	1.5	45
176	Continuum modeling of van der Waals interactions between carbon nanotube walls. Applied Physics Letters, 2009, 94, .	1.5	35
177	Major factors affecting the performance of short fibre reinforced polymers. , 2009, , 29-58.		5
178	Stress transfer in short fibre reinforced polymers. , 2009, , 59-79.		0
179	Strength of short fibre reinforced polymers. , 2009, , 80-118.		14
180	Effects of particle size, particle/matrix interface adhesion and particle loading on mechanical properties of particulate-polymer composites. Composites Part B: Engineering, 2008, 39, 933-961.	5.9	2,646

#	ARTICLE	IF	CITATIONS
181	Preparation and cryogenic mechanical properties of epoxy resins modified by poly(ethersulfone). <i>Journal of Polymer Science Part A</i> , 2008, 46, 612-624.	2.5	67
182	Simultaneous improvements in the cryogenic tensile strength, ductility and impact strength of epoxy resins by a hyperbranched polymer. <i>Polymer</i> , 2008, 49, 3168-3175.	1.8	167
183	Transparent and Light-Emitting Epoxy Nanocomposites Containing ZnO Quantum Dots as Encapsulating Materials for Solid State Lighting. <i>Journal of Physical Chemistry C</i> , 2008, 112, 10553-10558.	1.5	107
184	Facile Synthesis of Highly Transparent Polymer Nanocomposites by Introduction of Core-Shell Structured Nanoparticles. <i>Chemistry of Materials</i> , 2008, 20, 2637-2643.	3.2	117
185	Transparent and Light-Emitting Epoxy Super-Nanocomposites Containing ZnO-QDs/SiO <sub>2</sub> Nanocomposite Particles as Encapsulating Materials for Solid-State Lighting. <i>Journal of Physical Chemistry C</i> , 2008, 112, 18616-18622.	1.5	46
186	One-Pot Template-Free Synthesis of Monodisperse and Single-Crystal Magnetite Hollow Spheres by a Simple Solvothermal Route. <i>Crystal Growth and Design</i> , 2008, 8, 957-963.	1.4	223
187	Dominance of Broken Bonds and Unpaired Nonbonding $\pi$ -Electrons in the Band Gap Expansion and Edge States Generation in Graphene Nanoribbons. <i>Journal of Physical Chemistry C</i> , 2008, 112, 18927-18934.	1.5	55
188	Electromagnetic Functionalized Cage-like Polyaniline Composite Nanostructures. <i>Journal of Physical Chemistry B</i> , 2008, 112, 9289-9294.	1.2	48
189	Synthesis and Characterization of Novel Three-Dimensional Metallic Co Dendritic Superstructures by a Simple Hydrothermal Reduction Route. <i>Crystal Growth and Design</i> , 2008, 8, 1113-1118.	1.4	130
190	Facile Synthesis of Metallic Co Hierarchical Nanostructured Microspheres by a Simple Solvothermal Process. <i>Journal of Physical Chemistry C</i> , 2008, 112, 10073-10078.	1.5	75
191	Templated Silica Tubes with High Aspect Ratios as Effective Fillers for Enhancing the Overall Performance of Polyimide Films. <i>Chemistry of Materials</i> , 2008, 20, 1090-1098.	3.2	28
192	Significant Enhancements in the Fluorescence and Phosphorescence of ZnO Quantum Dots/SiO <sub>2</sub> Nanocomposites by Calcination. <i>Journal of Physical Chemistry C</i> , 2008, 112, 17397-17401.	1.5	40
193	FACTORS CONTROLLING THE STRONGEST SIZES IN THE INVERSE HALL-PETCH RELATIONSHIP. <i>Nano</i> , 2008, 03, 175-185.	0.5	2
194	Determination of the Si-Si bond energy from the temperature dependence of elastic modulus and surface tension. <i>Europhysics Letters</i> , 2008, 84, 66005.	0.7	6
195	Template-Free Synthesis of Monodispersed and Single-Crystalline Cantaloupe-like Fe <sub>2</sub> O <sub>3</sub> Superstructures. <i>Crystal Growth and Design</i> , 2007, 7, 177-182.	1.4	104
196	Controlled Synthesis and Characterization of CuO Nanostructures through a Facile Hydrothermal Route in the Presence of Sodium Citrate. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 1966-1971.	1.0	105
197	Surfactant-Assisted Synthesis and Characterization of Novel Chain-Like CoNi Alloy Assemblies. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 3947-3951.	1.0	70
198	Anomalous ferromagnetic behavior of CuO nanorods synthesized via hydrothermal method. <i>Solid State Communications</i> , 2007, 141, 431-435.	0.9	80

#	ARTICLE	IF	CITATIONS
199	Preparation and mechanical properties of novel polyimide/T-silica hybrid films. <i>Composites Science and Technology</i> , 2007, 67, 54-60.	3.8	26
200	Improvements in transmittance, mechanical properties and thermal stability of silica-polyimide composite films by a novel sol-gel route. <i>Composites Science and Technology</i> , 2007, 67, 2408-2416.	3.8	50
201	Photo-stabilization properties of transparent inorganic UV-filter/epoxy nanocomposites. <i>Composites Science and Technology</i> , 2007, 67, 3465-3471.	3.8	64
202	Electromagnetic interference shielding effect of nanocomposites with carbon nanotube and shape memory polymer. <i>Composites Science and Technology</i> , 2007, 67, 2973-2980.	3.8	266
203	Cryogenic mechanical behaviors of MMT/epoxy nanocomposites. <i>Composites Science and Technology</i> , 2007, 67, 2934-2940.	3.8	92
204	Investigation of thermal expansion of PI/SiO <sub>2</sub> composite films by CCD imaging technique from $\sim 120$ to $200^{\circ}\text{C}$ . <i>Composites Science and Technology</i> , 2007, 67, 3006-3013.	3.8	25
205	Mass synthesis of nanocrystalline spinel ferrites by a polymer-pyrolysis route. <i>Materials Science and Engineering C</i> , 2007, 27, 750-755.	3.8	66
206	High-yield synthesis and characterization of monodisperse sub-microsized CoFe <sub>2</sub> O <sub>4</sub> octahedra. <i>Journal of Solid State Chemistry</i> , 2007, 180, 461-466.	1.4	59
207	Preparation and mechanical properties of modified epoxy resins with flexible diamines. <i>Polymer</i> , 2007, 48, 302-310.	1.8	189
208	Synthesis of nanocrystalline Zn <sub>0.5</sub> Mn <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> via in situ polymerization technique. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 308, 61-64.	1.0	29
209	High-yield synthesis of dendritic Ni nanostructures by hydrothermal reduction. <i>Journal of Crystal Growth</i> , 2007, 306, 428-432.	0.7	52
210	Preparation and characterization of complex ferrite nanoparticles by a polymer-pyrolysis route. <i>Journal of Nanoparticle Research</i> , 2007, 9, 1041-1046.	0.8	6
211	Template-free synthesis and characterization of novel 3D urchin-like $\text{Fe}_2\text{O}_3$ superstructures. <i>Journal of Materials Chemistry</i> , 2006, 16, 1794-1797.	6.7	176
212	Studies on thermal and mechanical properties of PI/SiO <sub>2</sub> nanocomposite films at low temperature. <i>Composites Part A: Applied Science and Manufacturing</i> , 2006, 37, 74-79.	3.8	40
213	Preparation and characterization of a novel solid titania precursor. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 3339-3342.	1.5	12
214	Synthesis, magnetic and microwave absorbing properties of core-shell structured MnFe <sub>2</sub> O <sub>4</sub> /TiO <sub>2</sub> nanocomposites. <i>Composites Science and Technology</i> , 2006, 66, 2003-2008.	3.8	161
215	Failure mechanisms of laminated composites subjected to static indentation. <i>Composite Structures</i> , 2006, 75, 489-495.	3.1	36
216	Preparation and characterization of transparent ZnO/epoxy nanocomposites with high-UV shielding efficiency. <i>Polymer</i> , 2006, 47, 2127-2132.	1.8	255

#	ARTICLE	IF	CITATIONS
217	Synthesis of maghemite sub-microspheres by simple solvothermal reduction method. <i>Journal of Solid State Chemistry</i> , 2006, 179, 1554-1558.	1.4	33
218	Preparation of urchinlike NiO nanostructures and their electrochemical capacitive behaviors. <i>Materials Research Bulletin</i> , 2006, 41, 620-627.	2.7	141
219	Fabrication of octahedral magnetite microcrystals. <i>Materials Letters</i> , 2006, 60, 2979-2983.	1.3	68
220	Synthesis and Characteristics of ZnO-CNTs Nanocomposites. <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 2006, 22, 1175-1180.	2.2	2
221	Synthesis, characterization and magnetic properties of $\text{Fe}^{2+}$ -MnO <sub>2</sub> nanorods. <i>Powder Technology</i> , 2005, 154, 120-124.	2.1	79
222	Synthesis and magnetic characterization of novel CoFe <sub>2</sub> O <sub>4</sub> @BiFeO <sub>3</sub> nanocomposites. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2005, 121, 255-260.	1.7	83
223	Low temperature properties of PI/SiO <sub>2</sub> nanocomposite films. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2005, 123, 216-221.	1.7	19
224	Effects of PA6,6/PP ratio on the mechanical properties of short glass fiber reinforced and rubber-toughened polyamide 6,6/polypropylene blends. <i>Composites Part B: Engineering</i> , 2005, 37, 182-190.	5.9	41
225	Investigation of polyimide@mica hybrid films for cryogenic applications. <i>Composites Science and Technology</i> , 2005, 65, 1743-1748.	3.8	29
226	Dielectric and dynamic mechanical properties of polyimide@clay nanocomposite films. <i>Chemical Physics Letters</i> , 2005, 401, 553-557.	1.2	86
227	Cryogenic properties of SiO <sub>2</sub> /epoxy nanocomposites. <i>Cryogenics</i> , 2005, 45, 450-454.	0.9	147
228	Preparation and characterization of shuttle-like $\text{Fe}^{2+}$ -Fe <sub>2</sub> O <sub>3</sub> nanoparticles by supermolecular template. <i>Journal of Solid State Chemistry</i> , 2005, 178, 2798-2803.	1.4	128
229	Fabrication and characterization of spherical Co/Ni alloy particles. <i>Materials Letters</i> , 2005, 59, 3791-3794.	1.3	20
230	Novel Silica Tube/Polyimide Composite Films with Variable Low Dielectric Constant. <i>Advanced Materials</i> , 2005, 17, 1056-1059.	11.1	115
231	Synthesis of nanocrystalline spinel CoFe <sub>2</sub> O <sub>4</sub> via a polymer-pyrolysis route. <i>Physica B: Condensed Matter</i> , 2005, 370, 14-21.	1.3	69
232	Synthesis and cryogenic properties of polyimide@silica hybrid films by sol-gel process. <i>Polymer</i> , 2005, 46, 8373-8378.	1.8	48
233	On the post-mortem fracture surface morphology of short fiber reinforced thermoplastics. <i>Composites Part A: Applied Science and Manufacturing</i> , 2005, 36, 987-994.	3.8	29
234	Mode-I interlaminar fracture behaviour of weft-knitted fabric reinforced composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2005, 36, 954-964.	3.8	18

#	ARTICLE	IF	CITATIONS
235	Studies on Me/Al-layered double hydroxides (Me = Ni and Co) as electrode materials for electrochemical capacitors. <i>Electrochimica Acta</i> , 2004, 49, 3137-3141.	2.6	133
236	Magnetic properties of Ni ferrite nanocrystals dispersed in the silica matrix by sol-gel technique. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 281, 234-239.	1.0	31
237	Studies on characterization and cryogenic mechanical properties of polyimide-layered silicate nanocomposite films. <i>Polymer</i> , 2004, 45, 7579-7587.	1.8	48
238	The Supercapacitive Properties of Ni-Ru Oxide Composites. <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 2004, 20, 417-420.	2.2	1
239	Thermal conductivity of misaligned short-fiber-reinforced polymer composites. <i>Journal of Applied Polymer Science</i> , 2003, 88, 1497-1505.	1.3	72
240	Fracture behavior of short glass fibre and short carbon fibre reinforced polypropylene composites. <i>International Journal of Materials and Product Technology</i> , 2002, 17, 108.	0.1	4
241	Correction of the measurement of fiber length of short fiber reinforced thermoplastics. <i>Composites Part A: Applied Science and Manufacturing</i> , 2002, 33, 1549-1555.	3.8	54
242	Synergistic effect on the fracture toughness of hybrid short glass fiber and short carbon fiber reinforced polypropylene composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 323, 326-335.	2.6	75
243	On the elastic modulus of hybrid particle/short-fiber/polymer composites. <i>Composites Part B: Engineering</i> , 2002, 33, 291-299.	5.9	151
244	Title is missing!. <i>Journal of Materials Science</i> , 2002, 37, 3067-3074.	1.7	27
245	Title is missing!. <i>Journal of Materials Science</i> , 2001, 36, 1243-1251.	1.7	101
246	Characterization of fiber length distribution of short-fiber reinforced thermoplastics. <i>Journal of Materials Science Letters</i> , 2001, 20, 31-33.	0.5	24
247	On the elastic stress transfer and longitudinal modulus of unidirectional multi-short-fiber composites. <i>Composites Science and Technology</i> , 2000, 60, 3001-3012.	3.8	35
248	Analyses of the micromechanics of stress transfer in single- and multi-fiber pull-out tests. <i>Composites Science and Technology</i> , 2000, 60, 569-579.	3.8	65
249	Tensile properties of short-glass-fiber- and short-carbon-fiber-reinforced polypropylene composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2000, 31, 1117-1125.	3.8	682
250	Comparison of the stress transfer in single- and multi-fiber composite pull-out tests. <i>Journal of Adhesion Science and Technology</i> , 2000, 14, 437-452.	1.4	12
251	EFFECTS OF FIBER LENGTH AND ORIENTATION DISTRIBUTIONS ON THE MECHANICAL PROPERTIES OF SHORT-FIBER-REINFORCED POLYMERS. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 1999, 48, 74-83.	0.1	35
252	Fracture resistance of short-glass-fiber-reinforced and short-carbon-fiber-reinforced polypropylene under Charpy impact load and its dependence on processing. <i>Journal of Materials Processing Technology</i> , 1999, 89-90, 501-507.	3.1	120

#	ARTICLE	IF	CITATIONS
253	Strength anisotropy of misaligned short-fibre-reinforced polymers. <i>Composites Science and Technology</i> , 1999, 59, 699-708.	3.8	61
254	The flexural modulus of misaligned short-fiber-reinforced polymers. <i>Composites Science and Technology</i> , 1999, 59, 1533-1542.	3.8	48
255	A New Model for the Transverse Modulus of Unidirectional Fiber Composites. <i>Journal of Materials Science</i> , 1998, 33, 4953-4960.	1.7	21
256	The elastic modulus of misaligned short-fiber-reinforced polymers. <i>Composites Science and Technology</i> , 1998, 58, 389-400.	3.8	198
257	An analytical characterization of the anisotropy of the elastic modulus of misaligned short-fiber-reinforced polymers. <i>Composites Science and Technology</i> , 1998, 58, 1961-1972.	3.8	83
258	Characterization of tensile behaviour of hybrid short glass fibre/calcite particle/ABS composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 1998, 29, 575-583.	3.8	147
259	Fracture resistance of unfilled and calcite-particle-filled ABS composites reinforced by short glass fibers (SGF) under impact load. <i>Composites Part A: Applied Science and Manufacturing</i> , 1998, 29, 631-641.	3.8	89
260	The fibre pull-out energy of misaligned short fibre composites. <i>Journal of Materials Science</i> , 1997, 32, 1985-1993.	1.7	88
261	Influences of artificial pre-stressing on ply stresses and tensile properties of Vinyon fibre-reinforced aluminium laminates (VIRALL). <i>Journal of Materials Science</i> , 1996, 31, 4415-4421.	1.7	0
262	Experimental investigation of biomimetic double-helical reinforcing elements. <i>Journal of Materials Science Letters</i> , 1995, 14, 769-772.	0.5	0
263	Biomimicry of bamboo bast fiber with engineering composite materials. <i>Materials Science and Engineering C</i> , 1995, 3, 125-130.	3.8	98
264	Reformed bamboo and reformed bamboo/aluminium composite. <i>Journal of Materials Science</i> , 1994, 29, 5990-5996.	1.7	41
265	On the pull-out of fibres with a branched structure and the inference of strength and fracture toughness of composites. <i>Composites Science and Technology</i> , 1993, 47, 245-250.	3.8	18
266	Some further considerations of the theory of fibre debonding and pull-out from an elastic matrix. Part 1: Constant interfacial frictional shear stress. <i>Composites</i> , 1993, 24, 5-11.	0.9	27
267	Some further considerations of the theory of fibre debonding and pull-out from an elastic matrix. Part 2: Non-constant interfacial frictional shear stress. <i>Composites</i> , 1993, 24, 13-17.	0.9	8
268	A study on branched structure fiber-reinforced composites. <i>Scripta Metallurgica Et Materialia</i> , 1993, 29, 1541-1546.	1.0	10
269	An estimation of fracture of SiC particulate affected by aluminum alloy matrix. <i>Scripta Metallurgica Et Materialia</i> , 1993, 28, 869-874.	1.0	2
270	Relationship Between Microstructure and Coercivity in (Nd, Dy) $\alpha$ -(Fe, Co) $\beta$ Based Sintered Magnets with Minor Nb and Al Additions. <i>Physica Status Solidi A</i> , 1990, 120, 627-634.	1.7	5



#	ARTICLE	IF	CITATIONS
271	Influence of annealing on the magnetic properties and microstructure of Nd <sub>1-x</sub> Fe <sub>x</sub> B based magnets. Physica Status Solidi A, 1990, 121, 257-264.	1.7	24