Wanting Zhu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3864624/publications.pdf Version: 2024-02-01

		567281	677142
22	1,403	15	22
papers	citations	h-index	g-index
22	22	22	1352
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Superparamagnetic enhancement of thermoelectric performance. Nature, 2017, 549, 247-251.	27.8	472
2	Magnetoelectric interaction and transport behaviours in magnetic nanocomposite thermoelectric materials. Nature Nanotechnology, 2017, 12, 55-60.	31.5	216
3	Polyethylene glycol/halloysite@Ag nanocomposite PCM for thermal energy storage: Simultaneously high latent heat and enhanced thermal conductivity. Solar Energy Materials and Solar Cells, 2019, 193, 237-245.	6.2	113
4	Magnetism-induced huge enhancement of the room-temperature thermoelectric and cooling performance of p-type BiSbTe alloys. Energy and Environmental Science, 2020, 13, 535-544.	30.8	109
5	Fabrication and excellent performances of Bi0.5Sb1.5Te3/epoxy flexible thermoelectric cooling devices. Nano Energy, 2018, 50, 766-776.	16.0	80
6	Enhanced electrical properties of stoichiometric Bi0.5Sb1.5Te3 film with high-crystallinity via layer-by-layer in-situ Growth. Nano Energy, 2017, 33, 55-64.	16.0	64
7	Carbon aerogel based composite phase change material derived from kapok fiber: Exceptional microwave absorbility and efficient solar/magnetic to thermal energy storage performance. Composites Part B: Engineering, 2021, 226, 109330.	12.0	58
8	High-pressure synthesis and excellent thermoelectric performance of Ni/BiTeSe magnetic nanocomposites. Journal of Materials Chemistry A, 2020, 8, 4816-4826.	10.3	55
9	Natural Microtubule-Encapsulated Phase-Change Material with Simultaneously High Latent Heat Capacity and Enhanced Thermal Conductivity. ACS Applied Materials & Interfaces, 2019, 11, 20828-20837.	8.0	47
10	Natural microtubule encapsulated phase change material with high thermal energy storage capacity. Energy, 2019, 172, 1144-1150.	8.8	32
11	Low interface resistance and excellent anti-oxidation of Al/Cu/Ni multilayer thin-film electrodes for Bi2Te3-based modules. Nano Energy, 2017, 40, 274-281.	16.0	24
12	Eco-friendly electrospun nanofibrous membranes with high thermal energy capacity and improved thermal transfer efficiency. Renewable Energy, 2020, 148, 504-511.	8.9	22
13	Fabrication and Excellent Performances of Bismuth Telluride-Based Thermoelectric Devices. ACS Applied Materials & Interfaces, 2022, 14, 12276-12283.	8.0	20
14	Environmental-friendly electrospun phase change fiber with exceptional thermal energy storage performance. Solar Energy Materials and Solar Cells, 2021, 222, 110939.	6.2	19
15	Enhanced thermoelectric performance and atomic-resolution interfacial structures in BiSbTe thermo-electro-magnetic nanocomposites incorporating magnetocaloric LaFeSi nanoparticles. Journal of Materiomics, 2021, 7, 998-1006.	5.7	19
16	Excellent transverse power generation and cooling performances of artificially tilted thermoelectric film devices. Nano Energy, 2019, 66, 104145.	16.0	14
17	Excellent Thermoelectric Performance from In Situ Reaction between Co Nanoparticles and BiSbTe Flexible Films. ACS Applied Materials & Interfaces, 2021, 13, 58746-58753.	8.0	12
18	Hydrothermal route to VO2 (B) nanorods: controlled synthesis and characterization. Journal of Nanoparticle Research, 2017, 19, 1.	1.9	8

WANTING ZHU

#	Article	IF	CITATIONS
19	Numerical Simulation and Structural Optimization of Multiâ€Stage Planar Thermoelectric Coolers. Physica Status Solidi (A) Applications and Materials Science, 2020, 217, 2000248.	1.8	7
20	Geometrical Structure Optimization Design of High-Performance Bi2Te3-Based Artificially Tilted Multilayer Thermoelectric Devices. Journal of Electronic Materials, 2020, 49, 5980-5988.	2.2	5
21	Preparation and Thermoelectric Performance of BaTiO3/Bi0.5Sb1.5Te3 Composite Materials. Journal of Electronic Materials, 2020, 49, 2794-2801.	2.2	4
22	Preparation and Characterization of Ni/Bi0.5Sb1.5Te3 Heterogeneous Multilayered Thermoelectric Materials. Journal of Electronic Materials, 2020, 49, 2689-2697.	2.2	3