

Alvaro Aa Avezum

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3867343/alvaro-aa-avezum-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

230
papers

50,782
citations

87
h-index

225
g-index

264
ext. papers

61,911
ext. citations

14.2
avg, IF

6.53
L-index

#	Paper	IF	Citations
230	Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. <i>PLOS Global Public Health</i> , 2022 , 2, e0000141		1
229	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179 000 participants from 63 countries.. <i>The Lancet Global Health</i> , 2022 , 10, e216-e226 ¹	13.6	1
228	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis.. <i>EClinicalMedicine</i> , 2022 , 44, 101284	11.3	1
227	Hydroxychloroquine versus placebo in the treatment of non-hospitalised patients with COVID-19 (COPE - Coalition V): A double-blind, multicentre, randomised, controlled trial.. <i>The Lancet Regional Health Americas</i> , 2022 , 11, 100243		0
226	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. <i>European Heart Journal</i> , 2021 ,	9.5	3
225	Rivaroxaban and Aspirin in Patients With Symptomatic Lower Extremity Peripheral Artery Disease: A Subanalysis of the COMPASS Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 , 6, 21-29	16.2	12
224	Similar cardiovascular outcomes in patients with diabetes and established or high risk for coronary vascular disease treated with dulaglutide with and without baseline metformin. <i>European Heart Journal</i> , 2021 , 42, 2565-2573	9.5	7
223	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1049-1058	7	16
222	Brazilian Guidelines of Hypertension - 2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 116, 516-658	1.2	53
221	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , 2021 , 384, 1312-1322	59.2	39
220	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , 2021 , 80, 265-272	4.6	3
219	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021 , 181, 631-649 ¹	11.5	17
218	Lowering cholesterol, blood pressure, or both to prevent cardiovascular events: results of 8.7 years of follow-up of Heart Outcomes Evaluation Prevention (HOPE)-3 study participants. <i>European Heart Journal</i> , 2021 , 42, 2995-3007	9.5	3
217	Low-dose rivaroxaban plus aspirin in patients with polypharmacy and multimorbidity: an analysis from the COMPASS trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 ,	6.4	1
216	Left Atrial Appendage Occlusion during Cardiac Surgery to Prevent Stroke. <i>New England Journal of Medicine</i> , 2021 , 384, 2081-2091	59.2	77
215	Therapeutic versus prophylactic anticoagulation for patients admitted to hospital with COVID-19 and elevated D-dimer concentration (ACTION): an open-label, multicentre, randomised, controlled trial. <i>Lancet, The</i> , 2021 , 397, 2253-2263	40	150
214	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , 2021 , 4, e2113775	10.4	1

213	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. <i>BMJ, The</i> , 2021 , 374, n1554	5.9	20
212	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021 , 117, 1523-1531	9.9	11
211	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case-Control Study. <i>American Journal of Hypertension</i> , 2021 , 34, 414-425	2.3	4
210	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. <i>Neuroepidemiology</i> , 2021 , 55, 206-215	3.15	1
209	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , 2021 , 372, m4948	5.9	14
208	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021 , 6,	6.6	11
207	Mortality Benefit of Rivaroxaban Plus Aspirin in Patients With Chronic Coronary or Peripheral Artery Disease. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 14-23	15.1	9
206	Randomized clinical trial to evaluate a routine full anticoagulation Strategy in Patients with Coronavirus Infection (SARS-CoV2) admitted to hospital: Rationale and design of the ACTION (AntiCoagulation cOroNavirus)-Coalition IV trial. <i>American Heart Journal</i> , 2021 , 238, 1-11	4.9	10
205	Antihypertensives and Statin Therapy for Primary Stroke Prevention: A Secondary Analysis of the HOPE-3 Trial. <i>Stroke</i> , 2021 , 52, 2494-2501	6.7	1
204	Skeletonized vs Pedicled Internal Mammary Artery Graft Harvesting in Coronary Artery Bypass Surgery: A Post Hoc Analysis From the COMPASS Trial. <i>JAMA Cardiology</i> , 2021 ,	16.2	10
203	Fixed-dose combination therapies with and without aspirin for primary prevention of cardiovascular disease: an individual participant data meta-analysis. <i>Lancet, The</i> , 2021 , 398, 1133-1146	4.0	16
202	Position Statement on Hypertension and Spirituality - 2021. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 117, 599-613	1.2	
201	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	25
200	The INVICTUS rheumatic heart disease research program: Rationale, design and baseline characteristics of a randomized trial of rivaroxaban compared to vitamin K antagonists in rheumatic valvular disease and atrial fibrillation. <i>American Heart Journal</i> , 2020 , 225, 69-77	4.9	16
199	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. <i>JAMA Psychiatry</i> , 2020 , 77, 1052-1063	14.5	29
198	Characteristics and outcomes of atrial fibrillation in patients without traditional risk factors: an RE-LY AF registry analysis. <i>Europace</i> , 2020 , 22, 870-877	3.9	9
197	Role of Combination Antiplatelet and Anticoagulation Therapy in Diabetes Mellitus and Cardiovascular Disease: Insights From the COMPASS Trial. <i>Circulation</i> , 2020 , 141, 1841-1854	16.7	53
196	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. <i>Environmental Pollution</i> , 2020 , 262, 114197	9.3	18

195	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 795-803	7	35
194	Waist Circumference Percentiles and Cut-Off Values for Obesity in a Large Sample of Students from 6 To 10 Years Old Of The Sã Paulo State, Brazil. <i>Arquivos Brasileiros De Cardiologia</i> , 2020 , 114, 530-537	1.2	3
193	'Real-world' observational studies in arrhythmia research: data sources, methodology, and interpretation. A position document from European Heart Rhythm Association (EHRA), endorsed by Heart Rhythm Society (HRS), Asia-Pacific HRS (APHRS), and Latin America HRS (LAHRS). <i>Europace</i> , 2020 , 22, 831-832	3.9	14
192	The effect of dulaglutide on stroke: an exploratory analysis of the REWIND trial. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 106-114	18.1	42
191	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , 2020 , 43, 3094-3101	14.6	10
190	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020 , 5,	6.6	10
189	Hydroxychloroquine with or without Azithromycin in Mild-to-Moderate Covid-19. <i>New England Journal of Medicine</i> , 2020 , 383, 2041-2052	59.2	620
188	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157 436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet Planetary Health, The</i> , 2020 , 4, e235-e245	9.8	40
187	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , 2020 , 43, 2643-2650	14.6	19
186	Rivaroxaban for Prevention of Covert Brain Infarcts and Cognitive Decline: The COMPASS MRI Substudy. <i>Stroke</i> , 2020 , 51, 2901-2909	6.7	5
185	Risk factors and clinical outcomes in chronic coronary and peripheral artery disease: An analysis of the randomized, double-blind COMPASS trial. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 296-307	3.9	17
184	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 785-794	40	218
183	Modifiable risk factors, cardiovascular disease, and mortality in 155 722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 795-808	40	342
182	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , 2020 ,	5.1	8
181	Complete Revascularization with Multivessel PCI for Myocardial Infarction. <i>New England Journal of Medicine</i> , 2019 , 381, 1411-1421	59.2	273
180	Bleeding and New Cancer Diagnosis in Patients With Atherosclerosis. <i>Circulation</i> , 2019 , 140, 1451-1459	16.7	22
179	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , 2019 , 394, 121-130	40	917
178	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019 , 394, 131-138	40	228

177	Rivaroxaban With or Without Aspirin in Patients With Heart Failure and Chronic Coronary or Peripheral Artery Disease. <i>Circulation</i> , 2019 , 140, 529-537	16.7	50
176	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. <i>Environmental Health Perspectives</i> , 2019 , 127, 57003	8.4	60
175	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , 2019 , 7, e613-e623	13.6	47
174	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. <i>The Lancet Global Health</i> , 2019 , 7, e748-e760	13.6	153
173	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ, The</i> , 2019 , 364, l772	5.9	50
172	Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. <i>International Journal of Stroke</i> , 2019 , 14, 270-281	6.3	9
171	Fourth universal definition of myocardial infarction (2018).. <i>European Heart Journal</i> , 2019 , 40, 237-269	9.5	851
170	Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. <i>Gastroenterology</i> , 2019 , 157, 682-691.e2	13.3	181
169	Pantoprazole to Prevent Gastroduodenal Events in Patients Receiving Rivaroxaban and/or Aspirin in a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Gastroenterology</i> , 2019 , 157, 403-412.e5	13.3	62
168	Updated Cardiovascular Prevention Guideline of the Brazilian Society of Cardiology - 2019. <i>Arquivos Brasileiros De Cardiologia</i> , 2019 , 113, 787-891	1.2	29
167	Effects of blood pressure and lipid lowering on cognition: Results from the HOPE-3 study. <i>Neurology</i> , 2019 , 92, e1435-e1446	6.5	34
166	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. <i>Journal of Hypertension</i> , 2019 , 37, 1813-1821	1.9	23
165	Effects of Trypanocidal Treatment on Echocardiographic Parameters in Chagas Cardiomyopathy and Prognostic Value of Wall Motion Score Index: A BENEFIT Trial Echocardiographic Substudy. <i>Journal of the American Society of Echocardiography</i> , 2019 , 32, 286-295.e3	5.8	12
164	Clinical Impact of the Polypill for Cardiovascular Prevention in Latin America: A Consensus Statement of the Inter-American Society of Cardiology. <i>Global Heart</i> , 2019 , 14, 3-16.e1	2.9	8
163	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. <i>The Lancet Global Health</i> , 2018 , 6, e292-e301	13.6	44
162	Epicardial adipose tissue and metabolic syndrome: An update protocol for systematic review and meta-analysis. <i>Medicine (United States)</i> , 2018 , 97, e0387	1.8	2
161	Metabolic syndrome and risk of stroke: Protocol for an update systematic review and meta-analysis. <i>Medicine (United States)</i> , 2018 , 97, e9862	1.8	7
160	Statins in adult patients with HIV: Protocol for a systematic review and network meta-analysis. <i>Medicine (United States)</i> , 2018 , 97, e0116	1.8	2

159	Antithrombotic therapy use and clinical outcomes following thrombo-embolic events in patients with atrial fibrillation: insights from ARISTOTLE. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018 , 4, 75-81	6.4	4
158	Outcomes in anticoagulated patients with atrial fibrillation and with mitral or aortic valve disease. <i>Heart</i> , 2018 , 104, 1292-1299	5.1	12
157	Effects of Lipid-Lowering and Antihypertensive Treatments in Addition to Healthy Lifestyles in Primary Prevention: An Analysis of the HOPE-3 Trial. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	1
156	Efficacy and safety of dabigatran versus warfarin from the RE-LY trial. <i>Open Heart</i> , 2018 , 5, e000800	3	8
155	Epicardial adipose tissue and carotid artery disease: Protocol for systematic review and meta-analysis. <i>Medicine (United States)</i> , 2018 , 97, e0273	1.8	2
154	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 798-808	18.1	66
153	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , 2018 , 392, 496-506	40	159
152	High-density lipoprotein-cholesterol functionality and metabolic syndrome: Protocol for review and meta-analysis. <i>Medicine (United States)</i> , 2018 , 97, e11094	1.8	3
151	Design and baseline characteristics of participants in the Researching cardiovascular Events with a Weekly INcretin in Diabetes (REWIND) trial on the cardiovascular effects of dulaglutide. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 42-49	6.7	121
150	Challenges and Opportunities to Scale Up Cardiovascular Disease Secondary Prevention in Latin America and the Caribbean. <i>Global Heart</i> , 2018 , 13, 83-91	2.9	4
149	Independent predictors of effective blood pressure control in patients with hypertension on drug treatment in Brazil. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 125-132	2.3	4
148	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , 2018 , 104, 581-587	5.1	31
147	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2018 , 392, 2288-2297	40	191
146	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. <i>Lancet, The</i> , 2018 , 391, 2019-2027	40	55
145	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. <i>BMJ Open</i> , 2017 , 7, e013817	3	31
144	Rationale, Design and Baseline Characteristics of Participants in the Cardiovascular Outcomes for People Using Anticoagulation Strategies (COMPASS) Trial. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 1027-1035	3.8	97
143	The effect of physical activity on mortality and cardiovascular disease in 130 000 people from 17 high-income, middle-income, and low-income countries: the PURE study. <i>Lancet, The</i> , 2017 , 390, 2643-2649	40	492
142	Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2017 , 377, 1319-1330	59.2	1122

141	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2050-2062	40	583
140	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2037-2049	40	285
139	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology, the</i> , 2017 , 5, 774-787	18.1	125
138	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health, The</i> , 2017 , 2, e411-e419	22.4	90
137	Associations between tooth loss and prognostic biomarkers and the risk for cardiovascular events in patients with stable coronary heart disease. <i>International Journal of Cardiology</i> , 2017 , 245, 271-276	3.2	15
136	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017 , 2, e000443	6.6	5
135	Conversion after off-pump coronary artery bypass grafting: the CORONARY trial experience. <i>European Journal of Cardio-thoracic Surgery</i> , 2017 , 51, 539-546	3	5
134	Secondary CV Prevention in South America in a Community Setting: The PURE Study. <i>Global Heart</i> , 2017 , 12, 305-313	2.9	23
133	Novel Approaches in Primary Cardiovascular Disease Prevention: The HOPE-3 Trial Rationale, Design, and Participants' Baseline Characteristics. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 311-8	3.8	21
132	International Collaborative Partnership for the Study of Atrial Fibrillation (INTERAF): Rationale, Design, and Initial Descriptives. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	14
131	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , 2016 , 4, e695-703	13.6	199
130	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , 2016 , 388, 761-75	40	903
129	Five-Year Outcomes after Off-Pump or On-Pump Coronary-Artery Bypass Grafting. <i>New England Journal of Medicine</i> , 2016 , 375, 2359-2368	59.2	203
128	Lipoprotein-Associated Phospholipase A2 Activity Is a Marker of Risk But Not a Useful Target for Treatment in Patients With Stable Coronary Heart Disease. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	36
127	Benznidazole for Chronic Chagas' Cardiomyopathy. <i>New England Journal of Medicine</i> , 2016 , 374, 189-90	59.2	13
126	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. <i>American Journal of Hypertension</i> , 2016 , 29, 796-805	2.3	21
125	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , 2016 , 39, 780-7	14.6	104
124	Efficacy and safety of apixaban compared with aspirin in the elderly: a subgroup analysis from the AVERROES trial. <i>Age and Ageing</i> , 2016 , 45, 77-83	3	72

123	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35-70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. <i>Injury Prevention</i> , 2016 , 22, 92-8	3.2	20
122	Outcomes after thrombus aspiration for ST elevation myocardial infarction: 1-year follow-up of the prospective randomised TOTAL trial. <i>Lancet, The</i> , 2016 , 387, 127-35	4.0	14.0
121	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet, The</i> , 2016 , 387, 61-9	4.0	211
120	Blood-Pressure Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 2009-20	59.2	382
119	Cholesterol Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 2021-31	59.2	44.0
118	Blood-Pressure and Cholesterol Lowering in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 2032-43	59.2	199
117	Temporal trends in all-cause mortality according to smoking status: Insights from the Global Registry of Acute Coronary Events. <i>International Journal of Cardiology</i> , 2016 , 218, 291-297	3.2	5
116	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , 2016 , 388, 465-75	4.0	284
115	Effect of apixaban on brain infarction and microbleeds: AVERROES-MRI assessment study. <i>American Heart Journal</i> , 2016 , 178, 145-50	4.9	39
114	Occurrence of death and stroke in patients in 47 countries 1 year after presenting with atrial fibrillation: a cohort study. <i>Lancet, The</i> , 2016 , 388, 1161-9	4.0	157
113	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 535-546	10.3	129
112	Risk of ischaemic stroke according to pattern of atrial fibrillation: analysis of 6563 aspirin-treated patients in ACTIVE-A and AVERROES. <i>European Heart Journal</i> , 2015 , 36, 281-7a	9.5	196
111	Apixaban in Comparison With Warfarin in Patients With Atrial Fibrillation and Valvular Heart Disease: Findings From the Apixaban for Reduction in Stroke and Other Thromboembolic Events in Atrial Fibrillation (ARISTOTLE) Trial. <i>Circulation</i> , 2015 , 132, 624-32	16.7	159
110	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>Lancet, The</i> , 2015 , 386, 266-73	4.0	871
109	Randomized trial of primary PCI with or without routine manual thrombectomy. <i>New England Journal of Medicine</i> , 2015 , 372, 1389-98	59.2	396
108	Late Consequences of Acute Coronary Syndromes: Global Registry of Acute Coronary Events (GRACE) Follow-up. <i>American Journal of Medicine</i> , 2015 , 128, 766-75	2.4	58
107	Methylprednisolone in patients undergoing cardiopulmonary bypass (SIRS): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2015 , 386, 1243-1253	4.0	192
106	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. <i>Lancet, The</i> , 2015 , 386, 1945-1954	4.0	116

105	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , 2015 , 39, 1217-23	5.5	21
104	Updated European Heart Rhythm Association Practical Guide on the use of non-vitamin K antagonist anticoagulants in patients with non-valvular atrial fibrillation. <i>Europace</i> , 2015 , 17, 1467-507	3.9	803
103	Randomized Trial of Benznidazole for Chronic Chagas' Cardiomyopathy. <i>New England Journal of Medicine</i> , 2015 , 373, 1295-306	59.2	605
102	Cardiovascular Disease Burden: Evolving Knowledge of Risk Factors in Myocardial Infarction and Stroke through Population-Based Research and Perspectives in Global Prevention. <i>Frontiers in Cardiovascular Medicine</i> , 2015 , 2, 32	5.4	46
101	Clinical outcomes in patients with atrial fibrillation according to sex during anticoagulation with apixaban or warfarin: a secondary analysis of a randomized controlled trial. <i>European Heart Journal</i> , 2015 , 36, 3268-75	9.5	30
100	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. <i>Bulletin of the World Health Organization</i> , 2015 , 93, 851-61G	8.2	24
99	Prevention and Control of Cardiovascular Diseases: Policies, Strategies, and Interventions 2015 , 183-194		
98	Reducing Premature Cardiovascular Morbidity and Mortality in People With Atherosclerotic Vascular Disease: The World Heart Federation Roadmap for Secondary Prevention of Cardiovascular Disease. <i>Global Heart</i> , 2015 , 10, 99-110	2.9	49
97	Stroke in Latin America: Burden of Disease and Opportunities for Prevention. <i>Global Heart</i> , 2015 , 10, 323-31	2.9	40
96	Darapladib for preventing ischemic events in stable coronary heart disease. <i>New England Journal of Medicine</i> , 2014 , 370, 1702-11	59.2	363
95	Variations in cause and management of atrial fibrillation in a prospective registry of 15,400 emergency department patients in 46 countries: the RE-LY Atrial Fibrillation Registry. <i>Circulation</i> , 2014 , 129, 1568-76	16.7	250
94	Urinary sodium and potassium excretion, mortality, and cardiovascular events. <i>New England Journal of Medicine</i> , 2014 , 371, 612-23	59.2	553
93	Association of urinary sodium and potassium excretion with blood pressure. <i>New England Journal of Medicine</i> , 2014 , 371, 601-11	59.2	494
92	Cardiovascular risk and events in 17 low-, middle-, and high-income countries. <i>New England Journal of Medicine</i> , 2014 , 371, 818-27	59.2	499
91	Amiodarone, anticoagulation, and clinical events in patients with atrial fibrillation: insights from the ARISTOTLE trial. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1541-50	15.1	67
90	The association between ownership of common household devices and obesity and diabetes in high, middle and low income countries. <i>Cmaj</i> , 2014 , 186, 258-66	3.5	47
89	Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. <i>Journal of Hypertension</i> , 2014 , 32, 1005-14; discussion 1015	1.9	150
88	Design and rationale of the TOTAL trial: a randomized trial of routine aspiration Thrombectomy with percutaneous coronary intervention (PCI) versus PCI ALone in patients with ST-elevation myocardial infarction undergoing primary PCI. <i>American Heart Journal</i> , 2014 , 167, 315-321.e1	4.9	58

87	A novel method to evaluate the community built environment using photographs--Environmental Profile of a Community Health (EPOCH) photo neighbourhood evaluation tool. <i>PLoS ONE</i> , 2014 , 9, e110042	3.7	13
86	Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-, middle-, and low-income countries. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 959-68	27.4	992
85	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , 2013 , 166, 636-646.e4	4.9	87
84	The Long-Term Multicenter Observational Study of Dabigatran Treatment in Patients With Atrial Fibrillation (RELY-ABLE) Study. <i>Circulation</i> , 2013 , 128, 237-43	16.7	166
83	Management of diabetes mellitus and associated cardiovascular risk factors in Brazil - the Brazilian study on the practice of diabetes care. <i>Diabetology and Metabolic Syndrome</i> , 2013 , 5, 46	5.6	2
82	Response to letters regarding article, Periprocedural bleeding and thromboembolic events with dabigatran compared with warfarin: results from the Randomized Evaluation of Long-Term Anticoagulation Therapy (RE-LY) Randomized Trial. <i>Circulation</i> , 2013 , 127, e506	16.7	2
81	Risk factors for pre, intra, and postoperative hospital mortality in patients undergoing aortic surgery. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2013 , 28, 10-21	1.1	5
80	Cardiovascular prevention in coronary heart disease patients: guidelines implementation in clinical practice. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2013 , 28, 238-47	1.1	3
79	Acute coronary syndrome behavior: results of a Brazilian registry. <i>Arquivos Brasileiros De Cardiologia</i> , 2013 , 100, 502-10	1.2	14
78	Glucose levels are associated with cardiovascular disease and death in an international cohort of normal glycaemic and dysglycaemic men and women: the EpiDREAM cohort study. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 755-64	3.9	57
77	Environmental Profile of a Community's Health (EPOCH): an ecometric assessment of measures of the community environment based on individual perception. <i>PLoS ONE</i> , 2012 , 7, e44410	3.7	18
76	Periprocedural bleeding and thromboembolic events with dabigatran compared with warfarin: results from the Randomized Evaluation of Long-Term Anticoagulation Therapy (RE-LY) randomized trial. <i>Circulation</i> , 2012 , 126, 343-8	16.7	409
75	Relationship between healthy diet and risk of cardiovascular disease among patients on drug therapies for secondary prevention: a prospective cohort study of 31 546 high-risk individuals from 40 countries. <i>Circulation</i> , 2012 , 126, 2705-12	16.7	114
74	Influenza vaccination and major adverse vascular events in high-risk patients. <i>Circulation</i> , 2012 , 126, 278-86	16.7	40
73	Apixaban in patients with atrial fibrillation. <i>New England Journal of Medicine</i> , 2011 , 364, 806-17	59.2	1772
72	Dronedarone in high-risk permanent atrial fibrillation. <i>New England Journal of Medicine</i> , 2011 , 365, 2268-76	59.2	438
71	Characteristics and short-term prognosis of perioperative myocardial infarction in patients undergoing noncardiac surgery: a cohort study. <i>Annals of Internal Medicine</i> , 2011 , 154, 523-8	8	409
70	Design and rationale of the radial versus femoral access for coronary intervention (RIVAL) trial: a randomized comparison of radial versus femoral access for coronary angiography or intervention in patients with acute coronary syndromes. <i>American Heart Journal</i> , 2011 , 161, 254-260.e1-4	4.9	40

69	Apixaban versus warfarin in patients with atrial fibrillation. <i>New England Journal of Medicine</i> , 2011 , 365, 981-92	59.2	5856
68	Radial versus femoral access for coronary angiography and intervention in patients with acute coronary syndromes (RIVAL): a randomised, parallel group, multicentre trial. <i>Lancet, The</i> , 2011 , 377, 1409-20	49	1350
67	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. <i>Lancet, The</i> , 2011 , 378, 1231-43	40	627
66	Comparison between cardiac troponin I and CK-MB mass in acute coronary syndrome without st elevation. <i>Arquivos Brasileiros De Cardiologia</i> , 2011 , 96, 179-87	1.2	6
65	Risk stratification in the setting of non-ST elevation acute coronary syndromes 1999-2007. <i>American Journal of Cardiology</i> , 2011 , 108, 617-24	3	42
64	Long-term effect of rosiglitazone and/or ramipril on the incidence of diabetes. <i>Diabetologia</i> , 2011 , 54, 487-95	10.3	40
63	Estimating modifiable coronary heart disease risk in multiple regions of the world: the INTERHEART Modifiable Risk Score. <i>European Heart Journal</i> , 2011 , 32, 581-9	9.5	153
62	The cost implications of the use of telmisartan or ramipril in patients at high risk for vascular events: the ONTARGET study. <i>Journal of Medical Economics</i> , 2011 , 14, 792-7	2.4	4
61	Environmental Profile of a Community's Health (EPOCH): an instrument to measure environmental determinants of cardiovascular health in five countries. <i>PLoS ONE</i> , 2010 , 5, e14294	3.7	60
60	Six-month survival benefits associated with clinical guideline recommendations in acute coronary syndromes. <i>Heart</i> , 2010 , 96, 1201-6	5.1	37
59	Low-dose vs standard-dose unfractionated heparin for percutaneous coronary intervention in acute coronary syndromes treated with fondaparinux: the FUTURA/OASIS-8 randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 1339-49	27.4	130
58	Rationale and design of INTERSTROKE: a global case-control study of risk factors for stroke. <i>Neuroepidemiology</i> , 2010 , 35, 36-44	5.4	60
57	Has the frequency of bleeding changed over time for patients presenting with an acute coronary syndrome? The global registry of acute coronary events. <i>European Heart Journal</i> , 2010 , 31, 667-75	9.5	53
56	Initial clinical results using intracardiac electrogram monitoring to detect and alert patients during coronary plaque rupture and ischemia. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1089-98	15.1	38
55	Can an elderly woman's heart be too strong? Increased mortality with high versus normal ejection fraction after an acute coronary syndrome. The Global Registry of Acute Coronary Events. <i>American Heart Journal</i> , 2010 , 160, 849-54	4.9	9
54	Double-dose versus standard-dose clopidogrel and high-dose versus low-dose aspirin in individuals undergoing percutaneous coronary intervention for acute coronary syndromes (CURRENT-OASIS 7): a randomised factorial trial. <i>Lancet, The</i> , 2010 , 376, 1233-43	40	624
53	The BENEFIT trial: testing the hypothesis that trypanocidal therapy is beneficial for patients with chronic Chagas heart disease. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009 , 104 Suppl 1, 319-24	2.6	132
52	Association of elevated fasting glucose with increased short-term and 6-month mortality in ST-segment elevation and non-ST-segment elevation acute coronary syndromes: the Global Registry of Acute Coronary Events. <i>Archives of Internal Medicine</i> , 2009 , 169, 402-9		72

51	Predicting freedom from clinical events in non-ST-elevation acute coronary syndromes: the Global Registry of Acute Coronary Events. <i>Heart</i> , 2009 , 95, 888-94	5.1	56
50	Incidence and risk factors of aplastic anemia in Latin American countries: the LATIN case-control study. <i>Haematologica</i> , 2009 , 94, 1220-6	6.6	43
49	Education and risk for acute myocardial infarction in 52 high, middle and low-income countries: INTERHEART case-control study. <i>Heart</i> , 2009 , 95, 2014-22	5.1	88
48	Early versus delayed invasive intervention in acute coronary syndromes. <i>New England Journal of Medicine</i> , 2009 , 360, 2165-75	59.2	578
47	Cardiovascular disease in South America: current status and opportunities for prevention. <i>Heart</i> , 2009 , 95, 1475-82	5.1	17
46	Glucose levels compared with diabetes history in the risk assessment of patients with acute myocardial infarction. <i>American Heart Journal</i> , 2009 , 157, 763-70	4.9	25
45	Pulmonary artery catheterization in patients with acute coronary syndromes. <i>American Heart Journal</i> , 2009 , 158, 170-6	4.9	6
44	Unprotected left main revascularization in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2009 , 30, 2308-17	9.5	92
43	Effect of telmisartan on renal outcomes: a randomized trial. <i>Annals of Internal Medicine</i> , 2009 , 151, 1-10, W1-2	8	116
42	Mortality following placement of drug-eluting and bare-metal stents for ST-segment elevation acute myocardial infarction in the Global Registry of Acute Coronary Events. <i>European Heart Journal</i> , 2009 , 30, 321-9	9.5	99
41	Effects of aspirin dose on ischaemic events and bleeding after percutaneous coronary intervention: insights from the PCI-CURE study. <i>European Heart Journal</i> , 2009 , 30, 900-7	9.5	102
40	Magnitude and prognosis associated with ventricular arrhythmias in patients hospitalized with acute coronary syndromes (from the GRACE Registry). <i>American Journal of Cardiology</i> , 2008 , 102, 1577-82		23
39	Specific barriers to the conduct of randomized trials. <i>Clinical Trials</i> , 2008 , 5, 40-8	2.2	120
38	Rationale and design of a randomized placebo-controlled trial assessing the effects of etiologic treatment in Chagas' cardiomyopathy: the BENznidazole Evaluation For Interrupting Trypanosomiasis (BENEFIT). <i>American Heart Journal</i> , 2008 , 156, 37-43	4.9	153
37	Effects of extended-release metoprolol succinate in patients undergoing non-cardiac surgery (POISE trial): a randomised controlled trial. <i>Lancet, The</i> , 2008 , 371, 1839-47	40	1520
36	Impact of in-hospital revascularization on survival in patients with non-ST-elevation acute coronary syndrome and congestive heart failure. <i>Circulation</i> , 2008 , 118, 1163-71	16.7	41
35	Antithrombotic therapy with fondaparinux in relation to interventional management strategy in patients with ST- and non-ST-segment elevation acute coronary syndromes: an individual patient-level combined analysis of the Fifth and Sixth Organization to Assess Strategies in Ischemic Syndromes (OASIS 5 and 6) randomized trials. <i>Circulation</i> , 2008 , 118, 2038-46	16.7	76
34	Incidence and risk factors for agranulocytosis in Latin American countries--the Latin Study: a multicenter study. <i>European Journal of Clinical Pharmacology</i> , 2008 , 64, 921-9	2.8	40

33	Management and 6-month outcomes in elderly and very elderly patients with high-risk non-ST-elevation acute coronary syndromes: The Global Registry of Acute Coronary Events. <i>European Heart Journal</i> , 2008 , 29, 1275-82	9.5	131
32	O impacto da espiritualidade na saúde física. <i>Revista De Psiquiatria Clinica</i> , 2007 , 34, 88-94	0.8	30
31	Impact of prior peripheral arterial disease and stroke on outcomes of acute coronary syndromes and effect of evidence-based therapies (from the Global Registry of Acute Coronary Events). <i>American Journal of Cardiology</i> , 2007 , 100, 1-6	3	99
30	Comparison of utilization of statin therapy at hospital discharge and six-month outcomes in patients with an acute coronary syndrome and serum low-density lipoprotein ≥ 100 mg/dl versus. <i>American Journal of Cardiology</i> , 2007 , 100, 913-8	3	22
29	Glucose-insulin-potassium therapy in patients with ST-segment elevation myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 2399-405	27.4	118
28	Risk factors for acute myocardial infarction in Latin America: the INTERHEART Latin American study. <i>Circulation</i> , 2007 , 115, 1067-74	16.7	206
27	Use of proven therapies in non-ST-elevation acute coronary syndromes according to evidence-based risk stratification. <i>American Heart Journal</i> , 2007 , 153, 493-9	4.9	14
26	Interactions between heparins, glycoprotein IIb/IIIa antagonists, and coronary intervention. The Global Registry of Acute Coronary Events (GRACE). <i>American Heart Journal</i> , 2007 , 153, 960-9	4.9	18
25	Prediction of risk of death and myocardial infarction in the six months after presentation with acute coronary syndrome: prospective multinational observational study (GRACE). <i>BMJ, The</i> , 2006 , 333, 1091	5.9	941
24	Effect of ramipril on the incidence of diabetes. <i>New England Journal of Medicine</i> , 2006 , 355, 1551-62	59.2	583
23	Association of peripheral artery disease with treatment and outcomes in acute coronary syndromes. The Global Registry of Acute Coronary Events (GRACE). <i>American Heart Journal</i> , 2006 , 151, 1123-8	4.9	68
22	Cardiovascular diseases in Latin America and the Caribbean: The present situation. <i>Prevention and Control: the Official Journal of the World Heart Federation</i> , 2006 , 2, 149-157		8
21	Estatinas na sepse: nova arma terapêutica no arsenal da medicina intensiva?. <i>Revista Brasileira De Terapia Intensiva</i> , 2006 , 18, 402-406	1.2	
20	Access to catheterisation facilities in patients admitted with acute coronary syndrome: multinational registry study. <i>BMJ, The</i> , 2005 , 330, 441	5.9	78
19	Impact of age on management and outcome of acute coronary syndrome: observations from the Global Registry of Acute Coronary Events (GRACE). <i>American Heart Journal</i> , 2005 , 149, 67-73	4.9	404
18	Platelets and atherothrombosis: An essential role for inflammation in vascular disease [A review]. <i>International Journal of Angiology</i> , 2005 , 14, 211-217	1.1	2
17	How strong is the evidence for the use of perioperative beta blockers in non-cardiac surgery? Systematic review and meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2005 , 331, 313-21	5.9	292
16	Enoxaparin vs unfractionated heparin in high-risk patients with non-ST-segment elevation acute coronary syndromes managed with an intended early invasive strategy: primary results of the SYNERGY randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 45-54	27.4	570

15	A validated prediction model for all forms of acute coronary syndrome: estimating the risk of 6-month postdischarge death in an international registry. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 2727-33	27.4	1064
14	Brazilian Sepsis Epidemiological Study (BASES study). <i>Critical Care</i> , 2004 , 8, R251-60	10.8	206
13	Effectiveness of primary percutaneous coronary intervention compared with that of thrombolytic therapy in elderly patients with acute myocardial infarction. <i>American Heart Journal</i> , 2004 , 147, 253-9	4.9	66
12	Adherence to evidence-based therapies after discharge for acute coronary syndromes: an ongoing prospective, observational study. <i>American Journal of Medicine</i> , 2004 , 117, 73-81	2.4	176
11	Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. <i>Lancet, The</i> , 2004 , 364, 937-52	40	7508
10	Stenting and glycoprotein IIb/IIIa inhibition in patients with acute myocardial infarction undergoing percutaneous coronary intervention: findings from the global registry of acute coronary events (GRACE). <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 60, 360-7	2.7	9
9	Risk factors for myocardial infarction in Brazil. <i>American Heart Journal</i> , 2003 , 146, 331-8	4.9	71
8	Global patterns of use of antithrombotic and antiplatelet therapies in patients with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). <i>American Heart Journal</i> , 2003 , 146, 999-1006	4.9	83
7	Prevention of Heart Failure in Patients in the Heart Outcomes Prevention Evaluation (HOPE) Study. <i>Circulation</i> , 2003 , 107, 1284-90	16.7	176
6	Predictors of hospital mortality in the global registry of acute coronary events. <i>Archives of Internal Medicine</i> , 2003 , 163, 2345-53		1414
5	Extent of, and factors associated with, delay to hospital presentation in patients with acute coronary disease (the GRACE registry). <i>American Journal of Cardiology</i> , 2002 , 89, 791-6	3	235
4	Practice variation and missed opportunities for reperfusion in ST-segment-elevation myocardial infarction: findings from the Global Registry of Acute Coronary Events (GRACE). <i>Lancet, The</i> , 2002 , 359, 373-7	40	423
3	The Organization to Assess Strategies for Ischemic Syndromes (OASIS) registry in patients with unstable angina. <i>American Journal of Cardiology</i> , 1999 , 84, 7M-12M	3	46
2	Variations between countries in invasive cardiac procedures and outcomes in patients with suspected unstable angina or myocardial infarction without initial ST elevation. OASIS (Organisation to Assess Strategies for Ischaemic Syndromes) Registry Investigators. <i>Lancet, The</i> , 1998 , 352, 507-14	40	291
1	III Diretriz sobre tratamento do infarto agudo do miocárdio. <i>Arquivos Brasileiros De Cardiologia</i> , 83 , 1-86	1.2	8