

Naohide Oue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3871997/publications.pdf>

Version: 2024-02-01

90
papers

2,980
citations

172207

29
h-index

182168

51
g-index

90
all docs

90
docs citations

90
times ranked

3637
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Gene Expression Profile of Gastric Carcinoma. <i>Cancer Research</i> , 2004, 64, 2397-2405. | 0.4 | 277 |
| 2 | Expression of cancer stem cell markers ALDH1, CD44 and CD133 in primary tumor and lymph node metastasis of gastric cancer. <i>Pathology International</i> , 2012, 62, 112-119. | 0.6 | 158 |
| 3 | Gasdermin C Is Upregulated by Inactivation of Transforming Growth Factor β Receptor Type II in the Presence of Mutated Apc, Promoting Colorectal Cancer Proliferation. <i>PLoS ONE</i> , 2016, 11, e0166422. | 1.1 | 151 |
| 4 | Search for new biomarkers of gastric cancer through serial analysis of gene expression and its clinical implications. <i>Cancer Science</i> , 2004, 95, 385-392. | 1.7 | 143 |
| 5 | Accumulation of DNA methylation is associated with tumor stage in gastric cancer. <i>Cancer</i> , 2006, 106, 1250-1259. | 2.0 | 125 |
| 6 | Expression and localization of Reg IV in human neoplastic and non-neoplastic tissues: Reg IV expression is associated with intestinal and neuroendocrine differentiation in gastric adenocarcinoma. <i>Journal of Pathology</i> , 2005, 207, 185-198. | 2.1 | 118 |
| 7 | Expression of POT1 is Associated with Tumor Stage and Telomere Length in Gastric Carcinoma. <i>Cancer Research</i> , 2004, 64, 523-529. | 0.4 | 102 |
| 8 | DNA methylation of multiple genes in gastric carcinoma: Association with histological type and CpG island methylator phenotype. <i>Cancer Science</i> , 2003, 94, 901-905. | 1.7 | 97 |
| 9 | Molecular diagnosis of gastric cancer: present and future. <i>Gastric Cancer</i> , 2001, 4, 113-121. | 2.7 | 96 |
| 10 | Serum olfactomedin 4 (GW112, hGCâ€1) in combination with Reg IV is a highly sensitive biomarker for gastric cancer patients. <i>International Journal of Cancer</i> , 2009, 125, 2383-2392. | 2.3 | 92 |
| 11 | Distinct promoter hypermethylation of p16INK4a, CDH1, and RAR-beta in intestinal, diffuse-adherent, and diffuse-scattered type gastric carcinomas. <i>Journal of Pathology</i> , 2002, 198, 55-59. | 2.1 | 83 |
| 12 | High miR-21 expression from FFPE tissues is associated with poor survival and response to adjuvant chemotherapy in colon cancer. <i>International Journal of Cancer</i> , 2014, 134, 1926-1934. | 2.3 | 79 |
| 13 | Serum Concentration of Reg IV in Patients with Colorectal Cancer: Overexpression and High Serum Levels of Reg IV Are Associated with Liver Metastasis. <i>Oncology</i> , 2007, 72, 371-380. | 0.9 | 74 |
| 14 | Clinicopathologic and molecular characteristics of gastric cancer showing gastric and intestinal mucin phenotype. <i>Cancer Science</i> , 2015, 106, 951-958. | 1.7 | 65 |
| 15 | Molecular carcinogenesis of gastric cancer: Lauren classification, mucin phenotype expression, and cancer stem cells. <i>International Journal of Clinical Oncology</i> , 2019, 24, 771-778. | 1.0 | 59 |
| 16 | Reduced Expression of the TSP1 Gene and Its Association with Promoter Hypermethylation in Gastric Carcinoma. <i>Oncology</i> , 2003, 64, 423-429. | 0.9 | 47 |
| 17 | Genes Involved in Invasion and Metastasis of Gastric Cancer Identified by Array-Based Hybridization and Serial Analysis of Gene Expression. <i>Oncology</i> , 2005, 69, 17-22. | 0.9 | 47 |
| 18 | Transcriptome dissection of gastric cancer: Identification of novel diagnostic and therapeutic targets from pathology specimens. <i>Pathology International</i> , 2009, 59, 121-136. | 0.6 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Overexpression of Transmembrane Protein BST2 is Associated with Poor Survival of Patients with Esophageal, Gastric, or Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 594-602. | 0.7 | 46 |
| 20 | Search for transmembrane protein in gastric cancer by the <i>Escherichia coli</i> ampicillin secretion trap: expression of DSC2 in gastric cancer with intestinal phenotype. <i>Journal of Pathology</i> , 2010, 221, 275-284. | 2.1 | 42 |
| 21 | Overexpression of KIF11 in Gastric Cancer with Intestinal Mucin Phenotype. <i>Pathobiology</i> , 2017, 84, 16-24. | 1.9 | 40 |
| 22 | KIF11 Is Required for Spheroid Formation by Oesophageal and Colorectal Cancer Cells. <i>Anticancer Research</i> , 2017, 37, 47-56. | 0.5 | 40 |
| 23 | Promoter Methylation Status of the DNA Repair Genes <i>hMLH1</i> and <i>MGMT</i> in Gastric Carcinoma and Metaplastic Mucosa. <i>Pathobiology</i> , 2001, 69, 143-149. | 1.9 | 36 |
| 24 | CDX2 Regulates <i>Multidrug Resistance 1</i> Gene Expression in Malignant Intestinal Epithelium. <i>Cancer Research</i> , 2010, 70, 6767-6778. | 0.4 | 36 |
| 25 | <i>SIX1</i> maintains tumor basal cells <i>via</i> transforming growth factor β pathway and associates with poor prognosis in esophageal cancer. <i>Cancer Science</i> , 2017, 108, 216-225. | 1.7 | 35 |
| 26 | Overexpression of ZDHHC14 promotes migration and invasion of scirrhus type gastric cancer. <i>Oncology Reports</i> , 2014, 32, 403-410. | 1.2 | 34 |
| 27 | Induction of KIFC1 expression in gastric cancer spheroids. <i>Oncology Reports</i> , 2016, 36, 349-355. | 1.2 | 33 |
| 28 | KIFC1 induces resistance to docetaxel and is associated with survival of patients with prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 31.e13-31.e20. | 0.8 | 33 |
| 29 | <i>E-cadherin</i> induction by epidermal growth factor receptor is associated with intestinal differentiation of gastric cancer. <i>Cancer Science</i> , 2012, 103, 1744-1750. | 1.7 | 32 |
| 30 | KIFC1 Inhibitor CW069 Induces Apoptosis and Reverses Resistance to Docetaxel in Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 225. | 1.0 | 31 |
| 31 | <i>Reg IV</i> is a Direct Target of Intestinal Transcriptional Factor CDX2 in Gastric Cancer. <i>PLoS ONE</i> , 2012, 7, e47545. | 1.1 | 29 |
| 32 | Silencing of Discoidin Domain Receptor-1 (DDR1) Concurrently Inhibits Multiple Steps of Metastasis Cascade in Gastric Cancer. <i>Translational Oncology</i> , 2018, 11, 575-584. | 1.7 | 29 |
| 33 | TSPAN8, identified by <i>Escherichia coli</i> ampicillin secretion trap, is associated with cell growth and invasion in gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 370-380. | 2.7 | 27 |
| 34 | Transcribed ultraconserved region Uc.63+ promotes resistance to docetaxel through regulation of androgen receptor signaling in prostate cancer. <i>Oncotarget</i> , 2017, 8, 94259-94270. | 0.8 | 27 |
| 35 | Increased expression of h-prune is associated with tumor progression and poor survival in gastric cancer. <i>Cancer Science</i> , 2007, 98, 1198-1205. | 1.7 | 24 |
| 36 | Overexpression of <i>PCDHB9</i> promotes peritoneal metastasis and correlates with poor prognosis in patients with gastric cancer. <i>Journal of Pathology</i> , 2017, 243, 100-110. | 2.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | miR-130b Promotes Sunitinib Resistance through Regulation of PTEN in Renal Cell Carcinoma. <i>Oncology</i> , 2019, 97, 164-172. | 0.9 | 23 |
| 38 | Identification of Novel Transmembrane Proteins in Scirrhou-Type Gastric Cancer by the <i>Escherichia coli</i> Ampicillin Secretion Trap (CAST) Method: <i>TM9SF3</i> Participates in Tumor Invasion and Serves as a Prognostic Factor. <i>Pathobiology</i> , 2014, 81, 138-148. | 1.9 | 22 |
| 39 | Overexpression of the Transmembrane Protein IQGAP3 Is Associated with Poor Survival of Patients with Gastric Cancer. <i>Pathobiology</i> , 2018, 85, 192-200. | 1.9 | 22 |
| 40 | Non-coding RNAs are promising targets for stem cell-based cancer therapy. <i>Non-coding RNA Research</i> , 2017, 2, 83-87. | 2.4 | 21 |
| 41 | Protocadherin B9 promotes resistance to bicalutamide and is associated with the survival of prostate cancer patients. <i>Prostate</i> , 2019, 79, 234-242. | 1.2 | 20 |
| 42 | Claspin overexpression is associated with high-grade histology and poor prognosis in renal cell carcinoma. <i>Cancer Science</i> , 2020, 111, 1020-1027. | 1.7 | 19 |
| 43 | Uc.416–A promotes epithelial-to-mesenchymal transition through miR-153 in renal cell carcinoma. <i>BMC Cancer</i> , 2018, 18, 952. | 1.1 | 17 |
| 44 | Overexpression of KIFC1 and its association with spheroid formation in esophageal squamous cell carcinoma. <i>Pathology Research and Practice</i> , 2017, 213, 1388-1393. | 1.0 | 16 |
| 45 | Microtubule-associated protein tau (MAPT) is a promising independent prognostic marker and tumor suppressive protein in clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 605.e9-605.e17. | 0.8 | 16 |
| 46 | TUBB3 Is Associated with High-Grade Histology, Poor Prognosis, p53 Expression, and Cancer Stem Cell Markers in Clear Cell Renal Cell Carcinoma. <i>Oncology</i> , 2020, 98, 689-698. | 0.9 | 15 |
| 47 | Cytokeratin 7 is a Predictive Marker for Survival in Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2012, 19, 1902-1910. | 0.7 | 14 |
| 48 | Role of Metastasis-Related Genes in Cisplatin Chemoresistance in Gastric Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 254. | 1.8 | 14 |
| 49 | BUB1B Overexpression Is an Independent Prognostic Marker and Associated with CD44, p53, and PD-L1 in Renal Cell Carcinoma. <i>Oncology</i> , 2021, 99, 240-250. | 0.9 | 14 |
| 50 | DNA methylation profiles of differentiated-type gastric carcinomas with distinct mucin phenotypes. <i>Cancer Science</i> , 2005, 96, 474-479. | 1.7 | 13 |
| 51 | KIFC1 regulates ZWINT to promote tumor progression and spheroid formation in colorectal cancer. <i>Pathology International</i> , 2021, 71, 441-452. | 0.6 | 13 |
| 52 | Characteristic gene expression in stromal cells of gastric cancers among atomic–bomb survivors. <i>International Journal of Cancer</i> , 2009, 124, 1112-1121. | 2.3 | 12 |
| 53 | Overexpression of the transmembrane protein BST-2 induces Akt and Erk phosphorylation in bladder cancer. <i>Oncology Letters</i> , 2017, 14, 999-1004. | 0.8 | 12 |
| 54 | Impact of the ESM-1 Gene Expression on Outcomes in Stage II/III Gastric Cancer Patients Who Received Adjuvant S-1 Chemotherapy. <i>In Vivo</i> , 2020, 34, 461-467. | 0.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | The Expression of BTS-2 Enhances Cell Growth and Invasiveness in Renal Cell Carcinoma. <i>Anticancer Research</i> , 2017, 37, 2853-2860. | 0.5 | 12 |
| 56 | Annexin A10 is involved in the induction of pancreatic duodenal homeobox-1 in gastric cancer tissue, cells and organoids. <i>Oncology Reports</i> , 2020, 43, 581-590. | 1.2 | 12 |
| 57 | Clinical Significance of <i>PRKCI</i> Gene Expression in Cancerous Tissue in Patients With Gastric Cancer. <i>Anticancer Research</i> , 2019, 39, 5715-5720. | 0.5 | 11 |
| 58 | Overexpression of claspin promotes docetaxel resistance and is associated with prostate-specific antigen recurrence in prostate cancer. <i>Cancer Medicine</i> , 2021, 10, 5574-5588. | 1.3 | 11 |
| 59 | KIFC1 Is Associated with Basal Type, Cisplatin Resistance, PD-L1 Expression and Poor Prognosis in Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 4837. | 1.0 | 11 |
| 60 | Fukutin, identified by the Escherichia coli ampicillin secretion trap (CAST) method, participates in tumor progression in gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 443-452. | 2.7 | 10 |
| 61 | CD204-Positive Tumor-associated Macrophages Relate to Malignant Transformation of Colorectal Adenoma. <i>Anticancer Research</i> , 2019, 39, 2767-2775. | 0.5 | 10 |
| 62 | Clinical Significance of KIAA1199 as a Novel Target for Gastric Cancer Drug Therapy. <i>Anticancer Research</i> , 2019, 39, 6567-6573. | 0.5 | 10 |
| 63 | Clinicopathological significance of claspin overexpression and its association with spheroid formation in gastric cancer. <i>Human Pathology</i> , 2019, 84, 8-17. | 1.1 | 10 |
| 64 | SEC11A Expression Is Associated with Basal-Like Bladder Cancer and Predicts Patient Survival. <i>Pathobiology</i> , 2019, 86, 208-216. | 1.9 | 9 |
| 65 | Clinicopathological significance of RCAN2 production in gastric carcinoma. <i>Histopathology</i> , 2019, 74, 430-442. | 1.6 | 9 |
| 66 | CD44 Is Involved in Sunitinib Resistance and Poor Progression-free Survival After Sunitinib Treatment of Renal Cell Carcinoma. <i>Anticancer Research</i> , 2021, 41, 4875-4883. | 0.5 | 9 |
| 67 | Investigation of endoscopic findings in nine cases of <i>Helicobacter suis</i> -infected gastritis complicated by gastric mucosa-associated lymphoid tissue lymphoma. <i>Helicobacter</i> , 2022, 27, e12887. | 1.6 | 9 |
| 68 | Mouse model of proximal colon-specific tumorigenesis driven by microsatellite instability-induced Cre-mediated inactivation of Apc and activation of Kras. <i>Journal of Gastroenterology</i> , 2016, 51, 447-457. | 2.3 | 8 |
| 69 | High gamma-glutamyl hydrolase and low folylpolyglutamate synthetase expression as prognostic biomarkers in patients with locally advanced gastric cancer who were administrated postoperative adjuvant chemotherapy with S-1. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 75-86. | 1.2 | 8 |
| 70 | Clinicopathological and Prognostic Significance of Epithelial Gremlin1 Expression in Gastric Cancer. <i>Anticancer Research</i> , 2018, 38, 1419-1425. | 0.5 | 8 |
| 71 | Clinicopathological significance of claspin overexpression and its efficacy as a novel biomarker for the diagnosis of urothelial carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 621-633. | 1.4 | 8 |
| 72 | Clinicopathological significance of intelectin-1 in colorectal cancer: Intelectin-1 participates in tumor suppression and favorable progress. <i>Pathology International</i> , 2020, 70, 943-952. | 0.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Peritoneal lavage with hydrogen-rich saline can be an effective and practical procedure for acute peritonitis. <i>Surgery Today</i> , 2021, 51, 1860-1871. | 0.7 | 6 |
| 74 | Clinicopathologic features of TDO2 overexpression in renal cell carcinoma. <i>BMC Cancer</i> , 2021, 21, 737. | 1.1 | 6 |
| 75 | P53 Is Involved in Sunitinib Resistance and Poor Progression-free Survival After Sunitinib Treatment of Renal Cell Carcinoma. <i>Anticancer Research</i> , 2021, 41, 4287-4294. | 0.5 | 6 |
| 76 | Overexpression of aldolase, fructoseâ€bisphosphate C and its association with spheroid formation in colorectal cancer. <i>Pathology International</i> , 2022, 72, 176-186. | 0.6 | 5 |
| 77 | Protocadherin B9 Is Associated with Human Esophageal Squamous Cell Carcinoma Progression. <i>Pathobiology</i> , 2023, 90, 13-21. | 1.9 | 5 |
| 78 | Essential Roles of TDO2 in Gastric Cancer: TDO2 Is Associated with Cancer Progression, Patient Survival, PD-L1 Expression, and Cancer Stem Cells. <i>Pathobiology</i> , 2023, 90, 44-55. | 1.9 | 5 |
| 79 | Serum concentration and expression of Reg IV in patients with esophageal cancer: Age-related elevation of serum Reg IV concentration. <i>Oncology Letters</i> , 2011, 2, 235-239. | 0.8 | 4 |
| 80 | SPC18 Expression Is an Independent Prognostic Indicator of Patients with Esophageal Squamous Cell Carcinoma. <i>Pathobiology</i> , 2020, 87, 254-261. | 1.9 | 4 |
| 81 | Minichromosome Maintenance 4 Is Associated with Cancer Stemness and Poor Survival of Patients with Gastric Cancer. <i>Pathobiology</i> , 2023, 90, 147-154. | 1.9 | 4 |
| 82 | ANXA10 Expression Is Inversely Associated with Tumor Stage, Grade, and TP53 Expression in Upper and Lower Urothelial Carcinoma. <i>Pathobiology</i> , 2023, 90, 94-103. | 1.9 | 4 |
| 83 | Pathological Complete Response to Lenvatinib after Failure of Atezolizumab plus Bevacizumab in Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 0, , . | 4.2 | 3 |
| 84 | Cytological and histological findings of upper tract mucinous urothelial carcinoma with clear cell component: A case report and review of literature. <i>Diagnostic Cytopathology</i> , 2022, 50, . | 0.5 | 1 |
| 85 | Protocadherin B9 Is Associated with Tumorigenesis and Cancer Progression in Colorectal Cancer. <i>Pathobiology</i> , 2022, 89, 214-221. | 1.9 | 1 |
| 86 | Histopathology and Cytology of Pulmonary Myoepithelial Neoplasms: 2 Cases. <i>Case Reports in Oncology</i> , 0, , 599-605. | 0.3 | 1 |
| 87 | Development of a liquid-biopsy-based technique for the supplementary diagnosis of highly advanced lymph node metastasis in patients with locally advanced gastric cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, 56-56. | 0.8 | 0 |
| 88 | Clinical Significance of Glioma-associated Oncogene 1 Expression in Patients With Locally Advanced Gastric Cancer Administered Adjuvant Chemotherapy With S-1 After Curative Surgery. <i>Anticancer Research</i> , 2020, 40, 5815-5821. | 0.5 | 0 |
| 89 | A patient with chronic hepatitis B who developed hepatocellular carcinoma with hypervascularity in 9 years of close follow-up. <i>Acta Hepatologica Japonica</i> , 2022, 63, 24-34. | 0.0 | 0 |
| 90 | Cytological findings of metastatic poorly differentiated prostate adenocarcinoma to Virchow's node with immunohistochemical positivity for <sc>CD10</sc> and negativity for <sc>PSA</sc>. <i>Cytopathology</i> , 2022, 33, 749-753. | 0.4 | 0 |