

# Naohide Oue

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3871997/publications.pdf>

Version: 2024-02-01

90  
papers

2,980  
citations

172207

29  
h-index

182168

51  
g-index

90  
all docs

90  
docs citations

90  
times ranked

3637  
citing authors

#	ARTICLE	IF	CITATIONS
1	Protocadherin B9 Is Associated with Human Esophageal Squamous Cell Carcinoma Progression. <i>Pathobiology</i> , 2023, 90, 13-21.	1.9	5
2	Essential Roles of TDO2 in Gastric Cancer: TDO2 Is Associated with Cancer Progression, Patient Survival, PD-L1 Expression, and Cancer Stem Cells. <i>Pathobiology</i> , 2023, 90, 44-55.	1.9	5
3	Minichromosome Maintenance 4 Is Associated with Cancer Stemness and Poor Survival of Patients with Gastric Cancer. <i>Pathobiology</i> , 2023, 90, 147-154.	1.9	4
4	ANXA10 Expression Is Inversely Associated with Tumor Stage, Grade, and TP53 Expression in Upper and Lower Urothelial Carcinoma. <i>Pathobiology</i> , 2023, 90, 94-103.	1.9	4
5	Clinicopathological significance of claspin overexpression and its efficacy as a novel biomarker for the diagnosis of urothelial carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 621-633.	1.4	8
6	A patient with chronic hepatitis B who developed hepatocellular carcinoma with hypervascularity in 9 years of close follow-up. <i>Acta Hepatologica Japonica</i> , 2022, 63, 24-34.	0.0	0
7	Overexpression of aldolase, fructoseâ€bisphosphate C and its association with spheroid formation in colorectal cancer. <i>Pathology International</i> , 2022, 72, 176-186.	0.6	5
8	Investigation of endoscopic findings in nine cases of <i>Helicobacter suis</i> â€infected gastritis complicated by gastric mucosaâ€associated lymphoid tissue lymphoma. <i>Helicobacter</i> , 2022, 27, e12887.	1.6	9
9	Cytological and histological findings of upper tract mucinous urothelial carcinoma with clear cell component: A case report and review of literature. <i>Diagnostic Cytopathology</i> , 2022, 50, .	0.5	1
10	Cytological findings of metastatic poorly differentiated prostate adenocarcinoma to Virchow's node with immunohistochemical positivity for <i>CD10</i> and negativity for <i>PSA</i> . <i>Cytopathology</i> , 2022, 33, 749-753.	0.4	0
11	Protocadherin B9 Is Associated with Tumorigenesis and Cancer Progression in Colorectal Cancer. <i>Pathobiology</i> , 2022, 89, 214-221.	1.9	1
12	BUB1B Overexpression Is an Independent Prognostic Marker and Associated with CD44, p53, and PD-L1 in Renal Cell Carcinoma. <i>Oncology</i> , 2021, 99, 240-250.	0.9	14
13	Peritoneal lavage with hydrogen-rich saline can be an effective and practical procedure for acute peritonitis. <i>Surgery Today</i> , 2021, 51, 1860-1871.	0.7	6
14	KIFC1 regulates ZWINT to promote tumor progression and spheroid formation in colorectal cancer. <i>Pathology International</i> , 2021, 71, 441-452.	0.6	13
15	Clinicopathologic features of TDO2 overexpression in renal cell carcinoma. <i>BMC Cancer</i> , 2021, 21, 737.	1.1	6
16	Overexpression of claspin promotes docetaxel resistance and is associated with prostateâ€specific antigen recurrence in prostate cancer. <i>Cancer Medicine</i> , 2021, 10, 5574-5588.	1.3	11
17	CD44 Is Involved in Sunitinib Resistance and Poor Progression-free Survival After Sunitinib Treatment of Renal Cell Carcinoma. <i>Anticancer Research</i> , 2021, 41, 4875-4883.	0.5	9
18	P53 Is Involved in Sunitinib Resistance and Poor Progression-free Survival After Sunitinib Treatment of Renal Cell Carcinoma. <i>Anticancer Research</i> , 2021, 41, 4287-4294.	0.5	6

#	ARTICLE	IF	CITATIONS
19	KIFC1 Is Associated with Basal Type, Cisplatin Resistance, PD-L1 Expression and Poor Prognosis in Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 4837.	1.0	11
20	Role of Metastasis-Related Genes in Cisplatin Chemoresistance in Gastric Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 254.	1.8	14
21	High gamma-glutamyl hydrolase and low folylpolyglutamate synthetase expression as prognostic biomarkers in patients with locally advanced gastric cancer who were administrated postoperative adjuvant chemotherapy with S-1. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 75-86.	1.2	8
22	Impact of the ESM-1 Gene Expression on Outcomes in Stage II/III Gastric Cancer Patients Who Received Adjuvant S-1 Chemotherapy. <i>In Vivo</i> , 2020, 34, 461-467.	0.6	12
23	Clinicopathological significance of intelectinâ€1 in colorectal cancer: Intelectinâ€1 participates in tumor suppression and favorable progress. <i>Pathology International</i> , 2020, 70, 943-952.	0.6	7
24	SPC18 Expression Is an Independent Prognostic Indicator of Patients with Esophageal Squamous Cell Carcinoma. <i>Pathobiology</i> , 2020, 87, 254-261.	1.9	4
25	Microtubule-associated protein tau (MAPT) is a promising independent prognostic marker and tumor suppressive protein in clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 605.e9-605.e17.	0.8	16
26	TUBB3 Is Associated with High-Grade Histology, Poor Prognosis, p53 Expression, and Cancer Stem Cell Markers in Clear Cell Renal Cell Carcinoma. <i>Oncology</i> , 2020, 98, 689-698.	0.9	15
27	Claspin overexpression is associated with highâ€grade histology and poor prognosis in renal cell carcinoma. <i>Cancer Science</i> , 2020, 111, 1020-1027.	1.7	19
28	Annexin A10 is involved in the induction of pancreatic duodenal homeoboxâ€1 in gastric cancer tissue, cells and organoids. <i>Oncology Reports</i> , 2020, 43, 581-590.	1.2	12
29	Clinical Significance of Glioma-associated Oncogene 1 Expression in Patients With Locally Advanced Gastric Cancer Administered Adjuvant Chemotherapy With S-1 After Curative Surgery. <i>Anticancer Research</i> , 2020, 40, 5815-5821.	0.5	0
30	miR-130b Promotes Sunitinib Resistance through Regulation of PTEN in Renal Cell Carcinoma. <i>Oncology</i> , 2019, 97, 164-172.	0.9	23
31	SEC11A Expression Is Associated with Basal-Like Bladder Cancer and Predicts Patient Survival. <i>Pathobiology</i> , 2019, 86, 208-216.	1.9	9
32	Clinical Significance of <i>PRKCI</i> Gene Expression in Cancerous Tissue in Patients With Gastric Cancer. <i>Anticancer Research</i> , 2019, 39, 5715-5720.	0.5	11
33	CD204-Positive Tumor-associated Macrophages Relate to Malignant Transformation of Colorectal Adenoma. <i>Anticancer Research</i> , 2019, 39, 2767-2775.	0.5	10
34	Molecular carcinogenesis of gastric cancer: Lauren classification, mucin phenotype expression, and cancer stem cells. <i>International Journal of Clinical Oncology</i> , 2019, 24, 771-778.	1.0	59
35	KIFC1 Inhibitor CW069 Induces Apoptosis and Reverses Resistance to Docetaxel in Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 225.	1.0	31
36	Clinical Significance of KIAA1199 as a Novel Target for Gastric Cancer Drug Therapy. <i>Anticancer Research</i> , 2019, 39, 6567-6573.	0.5	10

#	ARTICLE	IF	CITATIONS
37	Clinicopathological significance of RCAN2 production in gastric carcinoma. <i>Histopathology</i> , 2019, 74, 430-442.	1.6	9
38	Protocadherin B9 promotes resistance to bicalutamide and is associated with the survival of prostate cancer patients. <i>Prostate</i> , 2019, 79, 234-242.	1.2	20
39	Clinicopathological significance of claspin overexpression and its association with spheroid formation in gastric cancer. <i>Human Pathology</i> , 2019, 84, 8-17.	1.1	10
40	Development of a liquid-biopsy-based technique for the supplementary diagnosis of highly advanced lymph node metastasis in patients with locally advanced gastric cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, 56-56.	0.8	0
41	Silencing of Discoidin Domain Receptor-1 (DDR1) Concurrently Inhibits Multiple Steps of Metastasis Cascade in Gastric Cancer. <i>Translational Oncology</i> , 2018, 11, 575-584.	1.7	29
42	Overexpression of the Transmembrane Protein IQGAP3 Is Associated with Poor Survival of Patients with Gastric Cancer. <i>Pathobiology</i> , 2018, 85, 192-200.	1.9	22
43	Uc.416+ promotes epithelial-to-mesenchymal transition through miR-153 in renal cell carcinoma. <i>BMC Cancer</i> , 2018, 18, 952.	1.1	17
44	Clinicopathological and Prognostic Significance of Epithelial Gremlin1 Expression in Gastric Cancer. <i>Anticancer Research</i> , 2018, 38, 1419-1425.	0.5	8
45	Overexpression of Transmembrane Protein BST2 is Associated with Poor Survival of Patients with Esophageal, Gastric, or Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 594-602.	0.7	46
46	Non-coding RNAs are promising targets for stem cell-based cancer therapy. <i>Non-coding RNA Research</i> , 2017, 2, 83-87.	2.4	21
47	<sc>SIX</sc>1 maintains tumor basal cells <i>via</i> transforming growth factor $\beta$ pathway and associates with poor prognosis in esophageal cancer. <i>Cancer Science</i> , 2017, 108, 216-225.	1.7	35
48	Overexpression of KIFC1 and its association with spheroid formation in esophageal squamous cell carcinoma. <i>Pathology Research and Practice</i> , 2017, 213, 1388-1393.	1.0	16
49	Overexpression of <i>PCDHB9</i> promotes peritoneal metastasis and correlates with poor prognosis in patients with gastric cancer. <i>Journal of Pathology</i> , 2017, 243, 100-110.	2.1	24
50	Overexpression of the transmembrane protein BST-2 induces Akt and Erk phosphorylation in bladder cancer. <i>Oncology Letters</i> , 2017, 14, 999-1004.	0.8	12
51	Overexpression of KIF11 in Gastric Cancer with Intestinal Mucin Phenotype. <i>Pathobiology</i> , 2017, 84, 16-24.	1.9	40
52	KIFC1 induces resistance to docetaxel and is associated with survival of patients with prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 31.e13-31.e20.	0.8	33
53	Transcribed ultraconserved region Uc.63+ promotes resistance to docetaxel through regulation of androgen receptor signaling in prostate cancer. <i>Oncotarget</i> , 2017, 8, 94259-94270.	0.8	27
54	KIF11 Is Required for Spheroid Formation by Oesophageal and Colorectal Cancer Cells. <i>Anticancer Research</i> , 2017, 37, 47-56.	0.5	40

#	ARTICLE	IF	CITATIONS
55	The Expression of BTS-2 Enhances Cell Growth and Invasiveness in Renal Cell Carcinoma. <i>Anticancer Research</i> , 2017, 37, 2853-2860.	0.5	12
56	Gasdermin C Is Upregulated by Inactivation of Transforming Growth Factor $\beta$ 2 Receptor Type II in the Presence of Mutated Apc, Promoting Colorectal Cancer Proliferation. <i>PLoS ONE</i> , 2016, 11, e0166422.	1.1	151
57	Induction of KIFC1 expression in gastric cancer spheroids. <i>Oncology Reports</i> , 2016, 36, 349-355.	1.2	33
58	TSPAN8, identified by Escherichia coli ampicillin secretion trap, is associated with cell growth and invasion in gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 370-380.	2.7	27
59	Mouse model of proximal colon-specific tumorigenesis driven by microsatellite instability-induced Cre-mediated inactivation of Apc and activation of Kras. <i>Journal of Gastroenterology</i> , 2016, 51, 447-457.	2.3	8
60	Fukutin, identified by the Escherichia coli ampicillin secretion trap (CAST) method, participates in tumor progression in gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 443-452.	2.7	10
61	Clinicopathologic and molecular characteristics of gastric cancer showing gastric and intestinal mucin phenotype. <i>Cancer Science</i> , 2015, 106, 951-958.	1.7	65
62	Identification of Novel Transmembrane Proteins in Scirrhou-Type Gastric Cancer by the Escherichia coli Ampicillin Secretion Trap (CAST) Method: TM9SF3 Participates in Tumor Invasion and Serves as a Prognostic Factor. <i>Pathobiology</i> , 2014, 81, 138-148.	1.9	22
63	High miR-21 expression from FFPE tissues is associated with poor survival and response to adjuvant chemotherapy in colon cancer. <i>International Journal of Cancer</i> , 2014, 134, 1926-1934.	2.3	79
64	Overexpression of ZDHHC14 promotes migration and invasion of scirrhou type gastric cancer. <i>Oncology Reports</i> , 2014, 32, 403-410.	1.2	34
65	Reg IV Is a Direct Target of Intestinal Transcriptional Factor CDX2 in Gastric Cancer. <i>PLoS ONE</i> , 2012, 7, e47545.	1.1	29
66	Liver-intestine cadherin induction by epidermal growth factor receptor is associated with intestinal differentiation of gastric cancer. <i>Cancer Science</i> , 2012, 103, 1744-1750.	1.7	32
67	Expression of cancer stem cell markers ALDH1, CD44 and CD133 in primary tumor and lymph node metastasis of gastric cancer. <i>Pathology International</i> , 2012, 62, 112-119.	0.6	158
68	Cytokeratin 7 is a Predictive Marker for Survival in Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2012, 19, 1902-1910.	0.7	14
69	Serum concentration and expression of Reg IV in patients with esophageal cancer: Age-related elevation of serum Reg IV concentration. <i>Oncology Letters</i> , 2011, 2, 235-239.	0.8	4
70	Search for transmembrane protein in gastric cancer by the Escherichia coli ampicillin secretion trap: expression of DSC2 in gastric cancer with intestinal phenotype. <i>Journal of Pathology</i> , 2010, 221, 275-284.	2.1	42
71	CDX2 Regulates Multidrug Resistance 1 Gene Expression in Malignant Intestinal Epithelium. <i>Cancer Research</i> , 2010, 70, 6767-6778.	0.4	36
72	Transcriptome dissection of gastric cancer: Identification of novel diagnostic and therapeutic targets from pathology specimens. <i>Pathology International</i> , 2009, 59, 121-136.	0.6	47

#	ARTICLE	IF	CITATIONS
73	Characteristic gene expression in stromal cells of gastric cancers among atomic bomb survivors. <i>International Journal of Cancer</i> , 2009, 124, 1112-1121.	2.3	12
74	Serum olfactomedin 4 (GW112, hGC4) in combination with Reg IV is a highly sensitive biomarker for gastric cancer patients. <i>International Journal of Cancer</i> , 2009, 125, 2383-2392.	2.3	92
75	Serum Concentration of Reg IV in Patients with Colorectal Cancer: Overexpression and High Serum Levels of Reg IV Are Associated with Liver Metastasis. <i>Oncology</i> , 2007, 72, 371-380.	0.9	74
76	Increased expression of h-prune is associated with tumor progression and poor survival in gastric cancer. <i>Cancer Science</i> , 2007, 98, 1198-1205.	1.7	24
77	Accumulation of DNA methylation is associated with tumor stage in gastric cancer. <i>Cancer</i> , 2006, 106, 1250-1259.	2.0	125
78	DNA methylation profiles of differentiated-type gastric carcinomas with distinct mucin phenotypes. <i>Cancer Science</i> , 2005, 96, 474-479.	1.7	13
79	Expression and localization of Reg IV in human neoplastic and non-neoplastic tissues: Reg IV expression is associated with intestinal and neuroendocrine differentiation in gastric adenocarcinoma. <i>Journal of Pathology</i> , 2005, 207, 185-198.	2.1	118
80	Genes Involved in Invasion and Metastasis of Gastric Cancer Identified by Array-Based Hybridization and Serial Analysis of Gene Expression. <i>Oncology</i> , 2005, 69, 17-22.	0.9	47
81	Gene Expression Profile of Gastric Carcinoma. <i>Cancer Research</i> , 2004, 64, 2397-2405.	0.4	277
82	Expression of POT1 is Associated with Tumor Stage and Telomere Length in Gastric Carcinoma. <i>Cancer Research</i> , 2004, 64, 523-529.	0.4	102
83	Search for new biomarkers of gastric cancer through serial analysis of gene expression and its clinical implications. <i>Cancer Science</i> , 2004, 95, 385-392.	1.7	143
84	DNA methylation of multiple genes in gastric carcinoma: Association with histological type and CpG island methylator phenotype. <i>Cancer Science</i> , 2003, 94, 901-905.	1.7	97
85	Reduced Expression of the TSP1 Gene and Its Association with Promoter Hypermethylation in Gastric Carcinoma. <i>Oncology</i> , 2003, 64, 423-429.	0.9	47
86	Distinct promoter hypermethylation of p16INK4a, CDH1, and RAR-beta in intestinal, diffuse-adherent, and diffuse-scattered type gastric carcinomas. <i>Journal of Pathology</i> , 2002, 198, 55-59.	2.1	83
87	Molecular diagnosis of gastric cancer: present and future. <i>Gastric Cancer</i> , 2001, 4, 113-121.	2.7	96
88	Promoter Methylation Status of the DNA Repair Genes hMLH1 and MGMT in Gastric Carcinoma and Metaplastic Mucosa. <i>Pathobiology</i> , 2001, 69, 143-149.	1.9	36
89	Pathological Complete Response to Lenvatinib after Failure of Atezolizumab plus Bevacizumab in Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 0, , .	4.2	3
90	Histopathology and Cytology of Pulmonary Myoepithelial Neoplasms: 2 Cases. <i>Case Reports in Oncology</i> , 0, , 599-605.	0.3	1