

Marco Moschini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3872380/marco-moschini-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

202
papers

2,499
citations

26
h-index

39
g-index

231
ext. papers

3,394
ext. citations

3.9
avg, IF

4.98
L-index

#	Paper	IF	Citations
202	Background: State-of-the-Art and Ongoing Developments 2022 , 3-11		
201	Carboplatin-based adjuvant chemotherapy versus observation after radical cystectomy in patients with pN1-3 urothelial bladder cancer.. <i>World Journal of Urology</i> , 2022 , 1	4	0
200	Restaging transurethral resection in ta high-grade nonmuscle invasive bladder cancer: a systematic review. <i>Current Opinion in Urology</i> , 2022 , 32, 54-60	2.8	2
199	Features and management of men with pN1 cM0 prostate cancer after radical prostatectomy and lymphadenectomy: a systematic review of population-based evidence. <i>Current Opinion in Urology</i> , 2022 , 32, 69-84	2.8	0
198	Prognostic value of hepatocyte growth factor for muscle-invasive bladder cancer.. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022 , 1	4.9	1
197	A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urology and Nephrology</i> , 2022 , 74,	2.3	1
196	Lynch syndrome in urological practice: diagnosis, therapeutic strategies, and screening for upper tract urothelial carcinoma. <i>Current Opinion in Urology</i> , 2022 , 32, 40-47	2.8	0
195	Preoperative plasma level of endoglin as a predictor for disease outcomes after radical cystectomy for nonmetastatic urothelial carcinoma of the bladder. <i>Molecular Carcinogenesis</i> , 2022 , 61, 5-18	5	2
194	Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration.. <i>World Journal of Urology</i> , 2022 , 1	4	0
193	Comment on: Postoperative outcomes of Fast-Track-enhanced recovery protocol in open radical cystectomy: comparison with standard management in a high-volume center and Trifecta proposal.. <i>Minerva Urology and Nephrology</i> , 2022 , 74, 119-121	2.3	
192	Prognostic Role of Preoperative Vascular Cell Adhesion Molecule-1 Plasma Levels in Urothelial Carcinoma of the Bladder Treated With Radical Cystectomy.. <i>Annals of Surgical Oncology</i> , 2022 , 1	3.1	2
191	Systematic review: the learning curve for robot-assisted radical cystectomy. What do we know?. <i>Journal of Endourology</i> , 2022 ,	2.7	3
190	Comparative Outcomes of Primary Versus Recurrent High-risk Non-muscle-invasive and Primary Versus Secondary Muscle-invasive Bladder Cancer After Radical Cystectomy: Results from a Retrospective Multicenter Study.. <i>European Urology Open Science</i> , 2022 , 39, 14-21	0.9	1
189	ASO Visual Abstract: Prognostic Role of Preoperative Vascular Cell Adhesion Molecule-1 Plasma Levels in Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy.. <i>Annals of Surgical Oncology</i> , 2022 , 1	3.1	
188	The Impact of Primary Versus Secondary Muscle-invasive Bladder Cancer at Diagnosis on the Response to Neoadjuvant Chemotherapy. <i>European Urology Open Science</i> , 2022 , 41, 74-80	0.9	
187	Impact of Smoking Habit on Perioperative Morbidity in Patients Treated with Radical Cystectomy for Urothelial Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , 2021 , 4, 580-593	6.7	7
186	Stratification of Intermediate-risk Non-muscle-invasive Bladder Cancer Patients: Implications for Adjuvant Therapies. <i>European Urology Focus</i> , 2021 , 7, 566-573	5.1	6

185	Impact of the preoperative modified glasgow prognostic score on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	2
184	The Value of Preoperative Plasma VEGF Levels in Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy. <i>European Urology Focus</i> , 2021 ,	5.1	1
183	Robot-assisted radical cystectomy: towards a future of sexual-sparing surgery?. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 697-699	2.3	0
182	Impact of preoperative systemic immune-inflammation Index on oncologic outcomes in bladder cancer patients treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 40, 106.e11-106.e11	2.8	1
181	Is there enough evidence available nowadays to suggest a paradigmatic shift in treatment of MIBC with perioperative systemic therapy administration?. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 674-676 ^{2,3}		
180	Prediction of the Need for an Extended Lymphadenectomy at the Time of Radical Cystectomy in Patients with Bladder Cancer. <i>European Urology Focus</i> , 2021 , 7, 1067-1074	5.1	2
179	Adjuvant chemotherapy is ineffective in patients with bladder cancer and variant histology treated with radical cystectomy with curative intent. <i>World Journal of Urology</i> , 2021 , 39, 1947-1953	4	1
178	Novel Classification for Upper Tract Urothelial Carcinoma to Better Risk-stratify Patients Eligible for Kidney-sparing Strategies: An International Collaborative Study. <i>European Urology Focus</i> , 2021 ,	5.1	2
177	Postoperative peripheral neuropathies associated with patient positioning during robot-assisted laparoscopic radical prostatectomy (RARP): A systematic review of the literature. <i>Prostate</i> , 2021 , 81, 361-367	4.2	1
176	Catalog of prognostic tissue-based biomarkers in patients treated with neoadjuvant systemic therapy for urothelial carcinoma of the bladder: a systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 180-190	2.8	6
175	A panel of systemic inflammatory response biomarkers for outcome prediction in patients treated with radical cystectomy for urothelial carcinoma. <i>BJU International</i> , 2021 ,	5.6	7
174	Oncological outcomes of laparoscopic versus open nephroureterectomy for the treatment of upper tract urothelial carcinoma: an updated meta-analysis. <i>World Journal of Surgical Oncology</i> , 2021 , 19, 129	3.4	9
173	Impact of preoperative plasma levels of interleukin 6 and interleukin 6 soluble receptor on disease outcomes after radical cystectomy for bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1	7.4	2
172	Differential Prognosis and Response of De novo vs. Secondary Muscle-Invasive Bladder Cancer: An Updated Systematic Review and Meta-Analysis. <i>Cancers</i> , 2021 , 13,	6.6	4
171	Single staff cystectomy in a low-volume center: Oncological outcomes and complications. <i>Canadian Urological Association Journal</i> , 2021 , 15, E582-E587	1.2	
170	Re: Paolo Dell'Oglio, Elio Mazzone, Edward Lambert, et al. The Effect of Surgical Experience on Perioperative and Oncological Outcomes After Robot-assisted Radical Cystectomy with Intracorporeal Urinary Diversion: Evidence from a Referral Centre with Extensive Experience in Robotic Surgery. <i>Eur Urol Focus</i> 2021;7:352-8. <i>European Urology Focus</i> , 2021 ,	5.1	
169	Intracorporeal versus extracorporeal urinary diversion in robot-assisted radical cystectomy: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 1587-1599	4.2	5
168	Accuracy of Frozen Section Analysis of Urethral and Ureteral Margins During Radical Cystectomy for Bladder Cancer: A Systematic Review and Diagnostic Meta-Analysis. <i>European Urology Focus</i> , 2021 ,	5.1	3

167	THE MANAGEMENT OF DISTAL URETER DURING RADICAL NEPHROURETERECTOMY DOES NOT INFLUENCE BLADDER RECURRENCE. <i>Journal of Endourology</i> , 2021 ,	2.7	2
166	Incidence, risk factors and outcomes of urethral recurrence after radical cystectomy for bladder cancer: A systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 806-815	2.8	0
165	The Uro-oncology Patient and Vaccination Against SARS-CoV-2. <i>European Urology Open Science</i> , 2021 , 29, 77-81	0.9	0
164	The impact of treatment modality on survival in patients with clinical node-positive bladder cancer: results from a multicenter collaboration. <i>World Journal of Urology</i> , 2021 , 39, 443-451	4	4
163	The impact of preoperative nutritional status on post-surgical complication and mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review of the literature. <i>World Journal of Urology</i> , 2021 , 39, 1045-1081	4	7
162	Accuracy of MRI-guided Versus Systematic Prostate Biopsy in Patients Under Active Surveillance: A Systematic Review and Meta-analysis. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, 3-11.e1	3.3	0
161	Differential Impact of Gonadotropin-releasing Hormone Antagonist Versus Agonist on Clinical Safety and Oncologic Outcomes on Patients with Metastatic Prostate Cancer: A Meta-analysis of Randomized Controlled Trials. <i>European Urology</i> , 2021 , 79, 44-53	10.2	29
160	Impact of preoperative serum albumin-globulin ratio on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 235.e5-235.e14	2.8	3
159	Re: Hugh Mostafid, Ashish M. Kamat, Siamak Daneshmand, et al. Best Practices to Optimise Quality and Outcomes of Transurethral Resection of Bladder Tumours. <i>Eur Urol Oncol</i> 2021;4:12-9. <i>European Urology Oncology</i> , 2021 , 4, 126	6.7	
158	Further Understanding of Urokinase Plasminogen Activator Overexpression in Urothelial Bladder Cancer Progression, Clinical Outcomes and Potential Therapeutic Targets. <i>OncoTargets and Therapy</i> , 2021 , 14, 315-324	4.4	2
157	Assessment of the oncological outcomes of three different bacillus Calmette-Guérin strains in patients with high-grade T1 non-muscle-invasive bladder cancer. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021 , 19, 78-85	1.7	2
156	Radical Cystectomy 2021 , 139-175		
155	Adverse events of the second-line treatment for patients with locally advanced or metastatic urothelial carcinoma of the bladder: network meta-analysis. <i>Immunotherapy</i> , 2021 , 13, 917-929	3.8	0
154	Prognostic blood-based biomarkers in patients treated with neoadjuvant chemotherapy for urothelial carcinoma of the bladder: A systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 471-479	2.8	2
153	Contemporary Outcomes of Patients With Nonmuscle-Invasive Bladder Cancer Treated with Bacillus Calmette-Guérin: Implications for Clinical Trial Design. Letter. <i>Journal of Urology</i> , 2021 , 206, 1528 ^{2.5}		
152	Editorial Comment from Dr Lonati and Dr Moschini to Stage and cancer-specific mortality differ within specific Asian ethnic groups in upper tract urothelial carcinoma: North American population-based study. <i>International Journal of Urology</i> , 2021 , 28, 1252-1253	2.3	
151	Pretreatment Risk Stratification for Endoscopic Kidney-sparing Surgery in Upper Tract Urothelial Carcinoma: An International Collaborative Study. <i>European Urology</i> , 2021 , 80, 507-515	10.2	2
150	Upper Tract Urothelial Carcinoma in the Lynch Syndrome Tumour Spectrum: A Comprehensive Overview from the European Association of Urology - Young Academic Urologists and the Global Society of Rare Genitourinary Tumors.. <i>European Urology Oncology</i> , 2021 ,	6.7	1

149	Contemporary Trends of Systemic Neoadjuvant and Adjuvant Intravesical Chemotherapy in Patients With Upper Tract Urothelial Carcinomas Undergoing Minimally Invasive or Open Radical Nephroureterectomy: Analysis of US Claims on Perioperative Outcomes and Health Care Costs.. <i>Clinical Genitourinary Cancer</i> , 2021 ,	3.3	3
148	Comparing Perioperative Complications Between Laparoscopic and Robotic Radical Cystectomy for Bladder Cancer. <i>Journal of Endourology</i> , 2020 , 34, 1033-1040	2.7	3
147	Prognostic value of the systemic inflammation modified Glasgow prognostic score in patients with upper tract urothelial carcinoma (UTUC) treated with radical nephroureterectomy: Results from a large multicenter international collaboration. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 602.e11-602.e19	2.8	8
146	The impact of hormones and reproductive factors on the risk of bladder cancer in women: results from the NursesRHealth Study and NursesRHealth Study II. <i>International Journal of Epidemiology</i> , 2020 , 49, 599-607	7.8	4
145	Multiparametric magnetic resonance imaging ultrasound-guided fusion biopsy during active surveillance: A single-centre study. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 142-147	1.7	0
144	The effectiveness of multiparametric magnetic resonance imaging in bladder cancer (Vesical Imaging-Reporting and Data System): A systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 67-71	1.7	2
143	Ureteral and urethral recurrence after radical cystectomy: a systematic review. <i>Current Opinion in Urology</i> , 2020 , 30, 441-448	2.8	5
142	Combination of histological and molecular data for improving outcome prediction in non-muscle invasive bladder cancer-narrative review.. <i>Translational Cancer Research</i> , 2020 , 9, 7323-7336	0.3	
141	Does mpMRI guidance improve HIFU partial gland ablation compared to conventional ultrasound guidance? Early functional outcomes and complications from a single center. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 984-992	2	1
140	Re: Ten-Year Oncologic Outcomes following Robot-Assisted Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. <i>Journal of Urology</i> , 2020 , 203, 624	2.5	
139	Re: Evaluation of the Fluorescence In Situ Hybridization Test to Predict Recurrence and/or Progression of Disease after bacillus Calmette-Guérin for Primary High Grade Nonmuscle Invasive Bladder Cancer: Results from a Prospective Multicenter Trial. <i>Journal of Urology</i> , 2020 , 203, 625	2.5	
138	Editorial Comment. <i>Journal of Urology</i> , 2020 , 204, 32	2.5	
137	Biomarkers predicting oncological outcomes of high-risk non-muscle-invasive bladder cancer. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 265-278	4.4	6
136	Salvage Radical Prostatectomy After Robot-assisted Laparoscopic Prostatectomy: Case Series. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e202-e207	3.3	2
135	Expression of urokinase-type plasminogen activator system in non-metastatic prostate cancer. <i>World Journal of Urology</i> , 2020 , 38, 2501-2511	4	5
134	Impact of Gender on Chemotherapeutic Response and Oncologic Outcomes in Patients Treated With Radical Cystectomy and Perioperative Chemotherapy for Bladder Cancer: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 78-87	3.3	9
133	EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer-An International Collaborative Multistakeholder Effort: Under the Auspices of the EAU-ESMO Guidelines Committees. <i>European Urology</i> , 2020 , 77, 223-250	10.2	60
132	CALIBER: a phase II randomized feasibility trial of chemoablation with mitomycin-C vs surgical management in low-risk non-muscle-invasive bladder cancer. <i>BJU International</i> , 2020 , 126, 663	5.6	

131	Comparative Effectiveness in Perioperative Outcomes of Robotic versus Open Radical Cystectomy: Results from a Multicenter Contemporary Retrospective Cohort Study. <i>European Urology Focus</i> , 2020 , 6, 1233-1239	5.1	21
130	Long-term functional and oncological outcomes of nerve-sparing and prostate capsule-sparing cystectomy: a single-centre experience. <i>BJU International</i> , 2020 , 125, 253-259	5.6	6
129	Efficacy of Surgery in the Primary Tumor Site for Metastatic Urothelial Cancer: Analysis of an International, Multicenter, Multidisciplinary Database. <i>European Urology Oncology</i> , 2020 , 3, 94-101	6.7	17
128	Predictive factors of the absence of residual disease at repeated transurethral resection of the bladder. Is there a possibility to avoid it in well-selected patients?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 77.e1-77.e7	2.8	9
127	How to improve patient selection for neoadjuvant chemotherapy in bladder cancer patients candidate for radical cystectomy and pelvic lymph node dissection. <i>World Journal of Urology</i> , 2020 , 38, 1229-1233	4	3
126	Higher nodal yield with robot-assisted pelvic lymph node dissection for bladder cancer compared to laparoscopic dissection: implications for more accurate staging. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 92-97	1.7	0
125	Frailty impact on postoperative complications and early mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 9-23	1.7	3
124	Comparing oncological outcomes of laparoscopic vs open radical nephroureterectomy for the treatment of upper tract urothelial carcinoma: A propensity score-matched analysis. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 19, 31-36	1.7	4
123	Therapeutic approaches for lymph node involvement in prostate, bladder and kidney cancer. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 739-755	3.5	5
122	Radical Cystectomy in Pathological T4a and T4b Bladder Cancer Patients: Is There Any Space for Sub Stratification?. <i>Urologia Internationalis</i> , 2019 , 102, 269-276	1.9	4
121	Reply to Nicholas G. Zaorsky, Daniel E. Spratt, and Pierre Blanchard. Letter to the Editor re: Marco Moschini, Emanuele Zaffuto, Pierre I. Karakiewicz, et al. External Beam Radiotherapy Increases the Risk of Bladder Cancer When Compared with Radical Prostatectomy in Patients Affected by Prostate Cancer: A Population-based Analysis. <i>Eur Urol</i> 2019;75:319-28. <i>European Urology</i> , 2019 , 75, e98-e99	10.2	1
120	F-FDG PET/CT and Urothelial Carcinoma: Impact on Management and Prognosis-A Multicenter Retrospective Study. <i>Cancers</i> , 2019 , 11,	6.6	13
119	Prediction tools in non-muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2019 , 8, 39-45	2.3	9
118	Differences in trends in the use of robot-assisted and open radical cystectomy and changes over time in peri-operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , 2019 , 124, 656	5.6	25
117	Incidence and survival outcomes in patients with upper urinary tract urothelial carcinoma diagnosed with variant histology and treated with nephroureterectomy. <i>BJU International</i> , 2019 , 124, 738-745	5.6	14
116	Histological variants in non-muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2019 , 8, 34-38	2.3	17
115	Development of a New Comorbidity Assessment Tool for Specific Prediction of Perioperative Mortality in Contemporary Patients Treated with Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1942-1949	3.1	7
114	Bacillus Calmette-Guérin unresponsiveness in non-muscle-invasive bladder cancer patients: what the urologists should know. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 17-30	4.4	13

113	Open Versus Robotic Cystectomy: A Propensity Score Matched Analysis Comparing Survival Outcomes. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
112	Association between Inflammatory Potential of Diet and Bladder Cancer Risk: Results of 3 United States Prospective Cohort Studies. <i>Journal of Urology</i> , 2019 , 202, 484-489	2.5	9
111	Evaluation of Cause of Death After Radical Cystectomy for Patients With Bladder Cancer: The Impact of Age at the Time of Surgery. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e541-e548	3.3	3
110	Re: Kristian D. Stensland, Harras Zaid, Mark Broadwin, et al. Comparative Effectiveness of Treatment Strategies for Squamous Cell Carcinoma of the Bladder. <i>Eur Urol Oncol</i> . In press. https://doi.org/10.1016/j.euo.2018.11.003 . <i>European Urology Oncology</i> , 2019 , 2, 230	6.7	
109	Development of a Prediction Tool for Exclusive Locoregional Recurrence After Radical Cystectomy in Patients With Muscle-Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 7-14.e3	3.3	6
108	Micropapillary Urothelial Carcinoma of the Bladder: A Systematic Review and Meta-analysis of Disease Characteristics and Treatment Outcomes. <i>European Urology</i> , 2019 , 75, 649-658	10.2	48
107	Role of serum cholinesterase in patients treated with salvage radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 123-129	2.8	5
106	Which Patients with Clinically Node-positive Prostate Cancer Should Be Considered for Radical Prostatectomy as Part of Multimodal Treatment? The Impact of Nodal Burden on Long-term Outcomes. <i>European Urology</i> , 2019 , 75, 817-825	10.2	11
105	Propensity-score-matched comparison of soft tissue surgical margins status between open and robotic-assisted radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 179.e1-179.e7	2.8	8
104	Prediction of Complications in Radical Prostatectomy Prostate Cancer Patients: Simulated Annealing versus Co-Morbidity Indexes. <i>Urologia Internationalis</i> , 2019 , 102, 51-59	1.9	2
103	Reply to Alba Fiorentino, Angelo Errico, and Marcello Scarcia Letter to the Editor re: Marco Moschini, Emanuele Zaffuto, Pierre I. Karakiewicz, et al. External Beam Radiotherapy Increases the Risk of Bladder Cancer When Compared with Radical Prostatectomy in Patients Affected by Prostate Cancer: A Population-based Analysis. <i>Eur Urol</i> 2019 ; 75:319-28; Radiation Therapy Versus Active Surveillance in Localized Prostate Cancer: A Population-based Study. <i>European Urology</i> , 2019 , 75, e95	10.2	
102	Candidates for Active Surveillance: A North American Population-Based Study. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 72-78.e4	3.3	5
101	External Beam Radiotherapy Increases the Risk of Bladder Cancer When Compared with Radical Prostatectomy in Patients Affected by Prostate Cancer: A Population-based Analysis. <i>European Urology</i> , 2019 , 75, 319-328	10.2	22
100	Caveolin-1 Expression in Upper Tract Urothelial Carcinoma. <i>European Urology Focus</i> , 2019 , 5, 97-103	5.1	2
99	Re: Adjuvant Sandwich Chemotherapy Plus Radiotherapy vs Adjuvant Chemotherapy Alone for Locally Advanced Bladder Cancer After Radical Cystectomy: A Randomized Phase 2 Trial. <i>European Urology</i> , 2018 , 74, 119	10.2	1
98	External beam radiotherapy with or without androgen deprivation therapy in elderly patients with high metastatic risk prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 239.e9-239.e15	2.8	4
97	Surgical treatment for clinical node-positive bladder cancer patients treated with radical cystectomy without neoadjuvant chemotherapy. <i>World Journal of Urology</i> , 2018 , 36, 639-644	4	12
96	Impact of Primary Tumor Location on Survival from the European Organization for the Research and Treatment of Cancer Advanced Urothelial Cancer Studies. <i>Journal of Urology</i> , 2018 , 199, 1149-1157	2.5	17

95	Tertiary Gleason pattern in radical prostatectomy specimens is associated with worse outcomes than the next higher Gleason score group in localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 158.e1-158.e6	2.8	8
94	Comparison between the diagnostic accuracies of 18F-fluorodeoxyglucose positron emission tomography/computed tomography and conventional imaging in recurrent urothelial carcinomas: a retrospective, multicenter study. <i>Abdominal Radiology</i> , 2018 , 43, 2391-2399	3	12
93	Preoperative Prediction of Node Metastases in Bladder Cancer Patients Using Genomic and Clinicopathologic Data. <i>EBioMedicine</i> , 2018 , 31, 5-6	8.8	
92	Contemporary rates of adherence to international guidelines for pelvic lymph node dissection in radical cystectomy: a population-based study. <i>World Journal of Urology</i> , 2018 , 36, 1417-1422	4	10
91	Pattern of node metastases in patients treated with radical cystectomy and extended or superextended pelvic lymph node dissection due to bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 307.e9-307.e14	2.8	10
90	Contemporary Management of Prostate Cancer Patients Suitable for Active Surveillance: A North American Population-based Study. <i>European Urology Focus</i> , 2018 , 4, 68-74	5.1	12
89	Feasibility and Clinical Roles of Different Substaging Systems at First and Second Transurethral Resection in Patients with T1 High-Grade Bladder Cancer. <i>European Urology Focus</i> , 2018 , 4, 87-93	5.1	18
88	Clinical Lymphadenopathy in Urothelial Cancer: A Transatlantic Collaboration on Performance of Cross-sectional Imaging and Oncologic Outcomes in Patients Treated with Radical Cystectomy Without Neoadjuvant Chemotherapy. <i>European Urology Focus</i> , 2018 , 4, 245-251	5.1	14
87	Survival Outcomes in Octogenarian and Nonagenarian Patients Treated with First-line Androgen Deprivation Therapy for Organ-confined Prostate Cancer. <i>European Urology Focus</i> , 2018 , 4, 834-841	5.1	6
86	Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology-Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2018 , 121, 252-259	5.6	41
85	Prognostic Value of Serum Cholinesterase in Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e1123-e1132	3.3	11
84	Elevated preoperative neutrophil-lymphocyte ratio predicts upgrading at radical prostatectomy. <i>Prostate Cancer and Prostatic Diseases</i> , 2018 , 21, 100-105	6.2	9
83	Accuracy and prognostic value of variant histology and lymphovascular invasion at transurethral resection of bladder. <i>World Journal of Urology</i> , 2018 , 36, 231-240	4	24
82	Location of Metastatic Bladder Cancer as a Determinant of In-hospital Mortality After Radical Cystectomy. <i>European Urology Oncology</i> , 2018 , 1, 169-175	6.7	12
81	Heterogeneity of risk within Gleason 4 + 4, 4 + 5 and 5 + 4 prostate cancer. <i>Scandinavian Journal of Urology</i> , 2018 , 52, 340-348	1.6	4
80	HER2 overexpression is associated with worse outcomes in patients with upper tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017 , 35, 251-259	4	16
79	Diagnosis and management of spermatic cord tumors. <i>Current Opinion in Urology</i> , 2017 , 27, 76-79	2.8	8
78	Lymphocyte-to-monocyte ratio and neutrophil-to-lymphocyte ratio as biomarkers for predicting lymph node metastasis and survival in patients treated with radical cystectomy. <i>Journal of Surgical Oncology</i> , 2017 , 115, 455-461	2.8	32

77	Pure but Not Mixed Histologic Variants Are Associated With Poor Survival at Radical Cystectomy in Bladder Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e603-e607	3.3	20
76	Perioperative Allogenic Blood Transfusion in Renal Cell Carcinoma: Risk Factors and Effect on Long-term Outcomes. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e421-e427	3.3	11
75	Incidence and effect of variant histology on oncological outcomes in patients with bladder cancer treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 335-341	2.8	45
74	Impact of Intra- and Postoperative Blood Transfusion on the Incidence, Timing, and Pattern of Disease Recurrence After Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e681-e688	3.3	8
73	Trends of lymphadenectomy in upper tract urothelial carcinoma (UTUC) patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017 , 35, 1541-1547	4	27
72	Bladder cancer cell growth and motility implicate cannabinoid 2 receptor-mediated modifications of sphingolipids metabolism. <i>Scientific Reports</i> , 2017 , 7, 42157	4.9	21
71	Is transurethral resection alone enough for the diagnosis of histological variants? A single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 528.e1-528.e5	2.8	10
70	Obesity is associated with biochemical recurrence after radical prostatectomy: A multi-institutional extended validation study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 460.e1-460.e8	2.8	7
69	Contemporary Incidence and Cancer Control Outcomes of Primary Neuroendocrine Prostate Cancer: A SEER Database Analysis. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e793-e800	3.3	30
68	Preoperative anemia is associated with disease recurrence and progression in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 113.e9-113.e14	2.8	5
67	Characterization of Late Recurrence After Radical Cystectomy in a Large Multicenter Cohort of Bladder Cancer Patients. <i>Urology</i> , 2017 , 106, 119-124	1.6	4
66	Are all grade group 4 prostate cancers created equal? Implications for the applicability of the novel grade grouping. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 461.e7-461.e14	2.8	14
65	Editorial Comment. <i>Urology</i> , 2017 , 103, 147-148	1.6	
64	Prognostic role of N-cadherin expression in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 264-271	2.8	15
63	Impact of Prostate Involvement on Outcomes in Patients Treated with Radical Cystoprostatectomy for Bladder Cancer. <i>Urologia Internationalis</i> , 2017 , 98, 290-297	1.9	8
62	Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Primary Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e755-e764	3.3	24
61	Caveolin-1 as prognostic factor of disease recurrence and survival in patients treated with radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 356-362	2.8	2
60	Low-risk Prostate Cancer: Identification, Management, and Outcomes. <i>European Urology</i> , 2017 , 72, 238-249	2.8	42

59	The presence of carcinoma in situ at radical cystectomy increases the risk of urothelial recurrence: Implications for follow-up schemes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 151.e17-151.e23	2.8	13
58	Evaluating the effect of time from prostate cancer diagnosis to radical prostatectomy on cancer control: Can surgery be postponed safely?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 150.e9-150.e15	2.8	29
57	Prognostic Role of N-cadherin Expression in Patients With Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 ,	3.3	7
56	Predicting local failure after radical cystectomy in patients with bladder cancer: Implications for the selection of candidates at adjuvant radiation therapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 672.e1-672.e6	2.8	3
55	Characteristics and clinical significance of histological variants of bladder cancer. <i>Nature Reviews Urology</i> , 2017 , 14, 651-668	5.5	89
54	Predictive and Prognostic Value of Preoperative Thrombocytosis in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e1039-e1045	3.3	7
53	Hospitalization before surgery and subsequent risk of infective complications after radical cystectomy: A population-based analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 659.e7-659.e12	2.8	
52	Long-term utility of adjuvant hormonal and radiation therapy for patients with seminal vesicle invasion at radical prostatectomy. <i>BJU International</i> , 2017 , 120, 69-75	5.6	8
51	The New Prostate Cancer Grading System Does Not Improve Prediction of Clinical Recurrence After Radical Prostatectomy: Results of a Large, Two-Center Validation Study. <i>Prostate</i> , 2017 , 77, 263-273	4.2	18
50	Testosterone Levels Correlate With Grade Group 5 Prostate Cancer: Another Step Toward Personalized Medicine. <i>Prostate</i> , 2017 , 77, 234-241	4.2	4
49	Long-term Impact of Adjuvant Versus Early Salvage Radiation Therapy in pT3N0 Prostate Cancer Patients Treated with Radical Prostatectomy: Results from a Multi-institutional Series. <i>European Urology</i> , 2017 , 71, 886-893	10.2	61
48	Effect of Stage Migration on Bladder Cancer: A Slow but Steady Improvement in Long-Term Survival Rates After Radical Cystectomy in Previous 25 Years. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e223-e228	3.3	4
47	Early Postoperative Radiotherapy is Associated with Worse Functional Outcomes in Patients with Prostate Cancer. <i>Journal of Urology</i> , 2017 , 197, 669-675	2.5	39
46	Incidence and Predictors of 30-Day Readmission After Robot-Assisted Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 67-71	3.3	12
45	The surgical management of patients with clinical stage T4 bladder cancer: A single institution experience. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 808-814	3.6	6
44	Prognostic role of expression of N-cadherin in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 1073-1080	4	8
43	Validation of Preoperative Risk Grouping of the Selection of Patients Most Likely to Benefit From Neoadjuvant Chemotherapy Before Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e267-e273	3.3	25
42	Impact of the Level of Urothelial Carcinoma Involvement of the Prostate on Survival after Radical Cystectomy. <i>Bladder Cancer</i> , 2017 , 3, 161-169	1	7

41	Pelvic lymph node dissection in prostate cancer: indications, extent and tailored approaches. <i>Urologia</i> , 2017 , 84, 9-19	1.2	20
40	ABO Blood Group and Rhesus Factor Are Not Associated with Outcomes After Radical Cystectomy for Non-metastatic Urothelial Carcinoma of the Bladder. <i>Anticancer Research</i> , 2017 , 37, 5747-5753	2.3	3
39	Outcomes for Patients with Clinical Lymphadenopathy Treated with Radical Prostatectomy. <i>European Urology</i> , 2016 , 69, 193-6	10.2	25
38	Evaluation of positive surgical margins in patients undergoing robot-assisted and open radical prostatectomy according to preoperative risk groups. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 57.e1-7	2.8	20
37	Comparing long-term outcomes of primary and progressive carcinoma invading bladder muscle after radical cystectomy. <i>BJU International</i> , 2016 , 117, 604-10	5.6	49
36	Natural History of Clinical Recurrence Patterns of Lymph Node-Positive Prostate Cancer After Radical Prostatectomy. <i>European Urology</i> , 2016 , 69, 135-42	10.2	47
35	Radiofrequency-induced thermo-chemotherapy effect (RITE) for non muscle invasive bladder cancer treatment: current role and perspectives. <i>Urologia</i> , 2016 , 83, 7-17	1.2	5
34	Lymph node dissection for renal cell carcinoma: what are we missing?. <i>Current Opinion in Urology</i> , 2016 , 26, 424-31	2.8	6
33	Critical Review of Outcomes from Radical Cystectomy: Can Complications from Radical Cystectomy Be Reduced by Surgical Volume and Robotic Surgery?. <i>European Urology Focus</i> , 2016 , 2, 19-29	5.1	47
32	Erectile Function Recovery After Nerve-Sparing Radical Prostatectomy for Prostate Cancer: Is Back to Baseline Status Enough for Patient Satisfaction?. <i>Journal of Sexual Medicine</i> , 2016 , 13, 669-78	1.1	9
31	Incorporation of tissue-based genomic biomarkers into localized prostate cancer clinics. <i>BMC Medicine</i> , 2016 , 14, 67	11.4	47
30	Usefulness of pT1 substaging in papillary urothelial bladder carcinoma. <i>Diagnostic Pathology</i> , 2016 , 11, 6	3	27
29	A Multi-institutional Analysis of Perioperative Outcomes in 106 Men Who Underwent Radical Prostatectomy for Distant Metastatic Prostate Cancer at Presentation. <i>European Urology</i> , 2016 , 69, 788-94	10.2	99
28	Risk Stratification of pN+ Prostate Cancer after Radical Prostatectomy from a Large Single Institutional Series with Long-Term Followup. <i>Journal of Urology</i> , 2016 , 195, 1773-8	2.5	24
27	Preoperative Favorable Characteristics in Bladder Cancer Patients Cannot Substitute the Necessity of Extended Lymphadenectomy During Radical Cystectomy: A Sensitivity Curve Analysis. <i>Urology</i> , 2016 , 88, 97-103	1.6	10
26	Patterns and prognostic significance of clinical recurrences after radical cystectomy for bladder cancer: A 20-year single center experience. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 735-43	3.6	41
25	Incidence and Predictors of 30-Day Readmission in Patients Treated With Radical Cystectomy: A Single Center European Experience. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e341-6	3.3	9
24	The Impact of Perioperative Blood Transfusion on Survival of Bladder Cancer Patients Submitted to Radical Cystectomy: Role of Anemia Status. <i>European Urology Focus</i> , 2016 , 2, 86-91	5.1	12

23	Timing of blood transfusion and not ABO blood type is associated with survival in patients treated with radical cystectomy for nonmetastatic bladder cancer: Results from a single high-volume institution. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 256.e7-256.e13	2.8	15
22	The Role of Prostate-specific Antigen Persistence After Radical Prostatectomy for the Prediction of Clinical Progression and Cancer-specific Mortality in Node-positive Prostate Cancer Patients. <i>European Urology</i> , 2016 , 69, 1142-8	10.2	38
21	Potential Effect of Antiplatelet and Anticoagulant Therapy on the Timing of the Diagnosis of Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e245-50	3.3	4
20	Predicting survival of men with recurrent prostate cancer after radical prostatectomy. <i>European Journal of Cancer</i> , 2016 , 54, 27-34	7.5	25
19	A nomogram predicting the cancer-specific mortality in patients eligible for radical cystectomy evaluating clinical data and neoadjuvant cisplatinum-based chemotherapy. <i>World Journal of Urology</i> , 2016 , 34, 207-13	4	10
18	Effect on postoperative survival of the status of distal ureteral margin: The necessity to achieve negative margins at the time of radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 59.e15-22	2.8	14
17	How to optimally manage elderly bladder cancer patients?. <i>Translational Andrology and Urology</i> , 2016 , 5, 683-691	2.3	10
16	Management of muscle invasive, locally advanced and metastatic urothelial carcinoma of the bladder: a literature review with emphasis on the role of surgery. <i>Translational Andrology and Urology</i> , 2016 , 5, 735-744	2.3	31
15	Impact of stage migration and practice changes on high-risk prostate cancer: results from patients treated with radical prostatectomy over the last two decades. <i>BJU International</i> , 2016 , 117, 740-7	5.6	22
14	Re: Failure-Free Survival and Radiotherapy in Patients with Newly Diagnosed Nonmetastatic Prostate Cancer: Data from Patients in the Control Arm of the STAMPEDE Trial. <i>European Urology</i> , 2016 , 70, 398-9	10.2	
13	The effect of HER2 status on oncological outcomes of patients with invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 533.e1-533.e10	2.8	11
12	Validation of the American Society for Reproductive Medicine guidelines/recommendations in white European men presenting for couple's infertility. <i>Fertility and Sterility</i> , 2016 , 106, 1076-1082.e1	4.8	13
11	What is the Need for Prostatic Biomarkers in Prostate Cancer Management?. <i>Current Urology Reports</i> , 2015 , 16, 70	2.9	9
10	More extensive pelvic lymph node dissection improves survival in patients with node-positive prostate cancer. <i>European Urology</i> , 2015 , 67, 212-9	10.2	134
9	Importance of prostate volume in the stratification of patients with intermediate-risk prostate cancer. <i>International Journal of Urology</i> , 2015 , 22, 555-61	2.3	11
8	Identification of pathologically favorable disease in intermediate-risk prostate cancer patients: Implications for active surveillance candidates selection. <i>Prostate</i> , 2015 , 75, 1484-91	4.2	19
7	Effect of Allogeneic Intraoperative Blood Transfusion on Survival in Patients Treated With Radical Cystectomy for Nonmetastatic Bladder Cancer: Results From a Single High-Volume Institution. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, 562-7	3.3	31
6	RE: Androgen Deprivation With or Without Radiation Therapy for Clinically Node-Positive Prostate Cancer. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	

5	Oncological predictive value of the 2004 World Health Organisation grading classification in primary T1 non-muscle-invasive bladder cancer. A step forward or back?. <i>BJU International</i> , 2015 , 115, 267-73	5.6	18
4	Silodosin and tadalafil have synergistic inhibitory effects on nerve-mediated contractions of human and rat isolated prostates. <i>European Journal of Pharmacology</i> , 2014 , 744, 42-51	5.3	12
3	Extent of lymph node dissection at nephrectomy affects cancer-specific survival and metastatic progression in specific sub-categories of patients with renal cell carcinoma (RCC). <i>BJU International</i> , 2014 , 114, 210-5	5.6	51
2	Impact of preoperative thrombocytosis on pathological outcomes and survival in patients treated with radical cystectomy for bladder carcinoma. <i>Anticancer Research</i> , 2014 , 34, 3225-30	2.3	31
1	1838 WHEN TO PERFORM LYMPH NODE DISSECTION IN RENAL CELL CARCINOMA PATIENTS: A NOVEL APPROACH TO PREOPERATIVELY ASSESS THE RISK OF LYMPH NODE INVASION AT SURGERY AND NODAL PROGRESSION DURING FOLLOW UP. <i>Journal of Urology</i> , 2013 , 189,	2.5	1