

# Yang Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3873385/publications.pdf>

Version: 2024-02-01

81  
papers

4,618  
citations

109321

35  
h-index

102487

66  
g-index

81  
all docs

81  
docs citations

81  
times ranked

3654  
citing authors

#	ARTICLE	IF	CITATIONS
1	High-Temperature Dielectric Materials for Electrical Energy Storage. Annual Review of Materials Research, 2018, 48, 219-243.	9.3	540
2	High-Energy-Density Dielectric Polymer Nanocomposites with Trilayered Architecture. Advanced Functional Materials, 2017, 27, 1606292.	14.9	338
3	Dielectric polymers for high-temperature capacitive energy storage. Chemical Society Reviews, 2021, 50, 6369-6400.	38.1	262
4	Giant Negative Electrocaloric Effect in Antiferroelectric La-Doped Pb(ZrTi)O <sub>3</sub> Thin Films Near Room Temperature. Advanced Materials, 2015, 27, 3165-3169.	21.0	241
5	Direct and indirect measurements on electrocaloric effect: Recent developments and perspectives. Applied Physics Reviews, 2016, 3, 031102.	11.3	206
6	Ferroelectric polymers exhibiting behaviour reminiscent of a morphotropic phase boundary. Nature, 2018, 562, 96-100.	27.8	200
7	Enhanced electrocaloric effect in lead-free BaTi <sub>1-x</sub> Sn <sub>x</sub> O <sub>3</sub> ceramics near room temperature. Applied Physics Letters, 2014, 105, .	3.3	165
8	Poly(methyl methacrylate)/boron nitride nanocomposites with enhanced energy density as high temperature dielectrics. Composites Science and Technology, 2017, 142, 139-144.	7.8	153
9	Size Effect on Optical and Photocatalytic Properties in BiFeO <sub>3</sub> Nanoparticles. Journal of Physical Chemistry C, 2016, 120, 3595-3601.	3.1	119
10	Ternary polymer nanocomposites with concurrently enhanced dielectric constant and breakdown strength for high-temperature electrostatic capacitors. Information Materials, 2020, 2, 389-400.	17.3	114
11	Large reversible caloric effect in FeRh thin films via a dual-stimulus multicaloric cycle. Nature Communications, 2016, 7, 11614.	12.8	108
12	Tunnel electroresistance through organic ferroelectrics. Nature Communications, 2016, 7, 11502.	12.8	104
13	Significant Improvements in Dielectric Constant and Energy Density of Ferroelectric Polymer Nanocomposites Enabled by Ultralow Contents of Nanofillers. Advanced Materials, 2021, 33, e2102392.	21.0	102
14	Ultrahigh Energy Storage Performance of Layered Polymer Nanocomposites over a Broad Temperature Range. Advanced Materials, 2021, 33, e2103338.	21.0	96
15	Chirality-induced relaxor properties in ferroelectric polymers. Nature Materials, 2020, 19, 1169-1174.	27.5	93
16	Giant Room-Temperature Elastocaloric Effect in Ferroelectric Ultrathin Films. Advanced Materials, 2014, 26, 6132-6137.	21.0	86
17	Structural Insight in the Interfacial Effect in Ferroelectric Polymer Nanocomposites. Advanced Materials, 2020, 32, e2005431.	21.0	84
18	Enabling High-Energy-Density High-Efficiency Ferroelectric Polymer Nanocomposites with Rationally Designed Nanofillers. Advanced Functional Materials, 2021, 31, .	14.9	80

#	ARTICLE	IF	CITATIONS
19	Emerging Opportunities for 2D Semiconductor/Ferroelectric Transistor Structure Devices. <i>Advanced Materials</i> , 2021, 33, e2005620.	21.0	76
20	Ferroelectric Polymers Exhibiting Negative Longitudinal Piezoelectric Coefficient: Progress and Prospects. <i>Advanced Science</i> , 2020, 7, 1902468.	11.2	66
21	High Energy Density Performance of Polymer Nanocomposites Induced by Designed Formation of BaTiO <sub>3</sub> @sheet-likeTiO <sub>2</sub> Hybrid Nanofillers. <i>Journal of Physical Chemistry C</i> , 2016, 120, 11769-11776.	3.1	64
22	Giant electrocaloric effect in lead-free Ba <sub>0.94</sub> Ca <sub>0.06</sub> Ti <sub>1-x</sub> Sn <sub>x</sub> O <sub>3</sub> ceramics with tunable Curie temperature. <i>Applied Physics Letters</i> , 2015, 107, .	3.3	60
23	Some strategies for improving caloric responses with ferroelectrics. <i>APL Materials</i> , 2016, 4, 064109.	5.1	57
24	Nanoconfinement-Induced Giant Electrocaloric Effect in Ferroelectric Polymer Nanowire Array Integrated with Aluminum Oxide Membrane to Exhibit Record Cooling Power Density. <i>Advanced Materials</i> , 2019, 31, e1806642.	21.0	56
25	Significantly enhancing the dielectric constant and breakdown strength of linear dielectric polymers by utilizing ultralow loadings of nanofillers. <i>Journal of Materials Chemistry A</i> , 2021, 9, 23028-23036.	10.3	54
26	Prediction of giant elastocaloric strength and stress-mediated electrocaloric effect in $\text{BaTiO}_3$ single crystals. <i>Physical Review B</i> , 2014, 90, .	3.2	47
27	Effect of a built-in electric field in asymmetric ferroelectric tunnel junctions. <i>Physical Review B</i> , 2013, 88, .	3.2	45
28	Giant room-temperature barocaloric effect and pressure-mediated electrocaloric effect in BaTiO <sub>3</sub> single crystal. <i>Applied Physics Letters</i> , 2014, 104, .	3.3	43
29	Crystal structure, leakage conduction mechanism evolution and enhanced multiferroic properties in Y-doped BiFeO <sub>3</sub> ceramics. <i>Ceramics International</i> , 2016, 42, 13395-13403.	4.8	43
30	Direct measurement of electrocaloric effect in lead-free Ba(Sn <sub>x</sub> Ti <sub>1-x</sub> )O <sub>3</sub> ceramics. <i>Applied Physics Letters</i> , 2017, 111, .	3.3	43
31	Ferroelectric Polymer Nanocomposites with Complementary Nanostructured Fillers for Electrocaloric Cooling with High Power Density and Great Efficiency. <i>ACS Applied Energy Materials</i> , 2018, 1, 1344-1354.	5.1	42
32	Spatially Resolved Imaging of Electrocaloric Effect and the Resultant Heat Flux in Multilayer Capacitors. <i>ACS Energy Letters</i> , 2016, 1, 521-528.	17.4	38
33	Size effects of electrocaloric cooling in ferroelectric nanowires. <i>Journal of the American Ceramic Society</i> , 2018, 101, 1566-1575.	3.8	38
34	Enhanced breakdown strength and energy density over a broad temperature range in polyimide dielectrics using oxidized MXenes filler. <i>Journal of Power Sources</i> , 2022, 535, 231415.	7.8	38
35	Synthesis of dielectric polystyrene via one-step nitration reaction for large-scale energy storage. <i>Chemical Engineering Journal</i> , 2022, 446, 137281.	12.7	38
36	Giant mechanically-mediated electrocaloric effect in ultrathin ferroelectric capacitors at room temperature. <i>Applied Physics Letters</i> , 2014, 104, .	3.3	36

#	ARTICLE	IF	CITATIONS
37	Towards multicaloric effect with ferroelectrics. Physical Review B, 2016, 94, .	3.2	33
38	Improper molecular ferroelectrics with simultaneous ultrahigh pyroelectricity and figures of merit. Science Advances, 2021, 7, .	10.3	32
39	Enhanced electrocaloric effect in lead-free organic and inorganic relaxor ferroelectric composites near room temperature. Applied Physics Letters, 2018, 112, .	3.3	31
40	Space-charge Effect on Electroresistance in Metal-Ferroelectric-Metal capacitors. Scientific Reports, 2016, 5, 18297.	3.3	30
41	High electrocaloric effect in hot-pressed $\text{Pb}_{0.85}\text{La}_{0.1}(\text{Zr}_{0.65}\text{Ti}_{0.35})\text{O}_3$ ceramics with a wide operating temperature range. Journal of the American Ceramic Society, 2017, 100, 4581-4589.	3.8	30
42	Phase transition, leakage conduction mechanism evolution and enhanced ferroelectric properties in multiferroic Mn-doped BiFeO <sub>3</sub> thin films. Journal of Materials Science: Materials in Electronics, 2016, 27, 3095-3102.	2.2	29
43	Developing a ferroelectric nanohybrid for enhanced photocatalysis. Chemical Communications, 2017, 53, 7596-7599.	4.1	29
44	Intrinsic electrocaloric effect in ultrathin ferroelectric capacitors. Applied Physics Letters, 2012, 100, 192902.	3.3	28
45	Relaxor Ferroelectric Polymers: Insight into High Electrical Energy Storage Properties from a Molecular Perspective. Small Science, 2021, 1, 2000061.	9.9	26
46	Crystal phase transition dependence of the energy storage performance of poly(vinylidene fluoride) and poly(vinylidene fluoride- $\epsilon$ -hexafluoropropene) copolymers. Journal of Applied Polymer Science, 2018, 135, 46306.	2.6	24
47	Rayleigh-like nonlinear dielectric response and its evolution during electrical fatigue in antiferroelectric $(\text{Pb},\text{La})(\text{Zr},\text{Ti})\text{O}_3$ thin film. Applied Physics Letters, 2014, 104, 142904.	3.3	23
48	Significant Enhancement of Energy Storage Performances by Regulating the Dielectric Contrast between Adjacent Layers in the Heterostructural Composites. ACS Applied Energy Materials, 2020, 3, 3015-3023.	5.1	20
49	Composition-Dependent Dielectric Properties of Poly(vinylidene fluoride-trifluoroethylene)s Near the Morphotropic Phase Boundary. Macromolecules, 2019, 52, 6741-6747.	4.8	19
50	Novel lead-free ferroelectric film by ultra-small $\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ nanocubes assembled for a large electrocaloric effect. Physical Chemistry Chemical Physics, 2016, 18, 29033-29040.	2.8	18
51	Giant electrocaloric effect in asymmetric ferroelectric tunnel junctions at room temperature. Applied Physics Letters, 2014, 104, .	3.3	17
52	Influence of epitaxial strain on elastocaloric effect in ferroelectric thin films. Applied Physics Letters, 2015, 106, .	3.3	17
53	Insights into the Morphotropic Phase Boundary in Ferroelectric Polymers from the Molecular Perspective. Journal of Physical Chemistry C, 2019, 123, 8727-8730.	3.1	16
54	High cyclic stability of electrocaloric effect in relaxor poly(vinylidene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (fluoride-trifluoroethylene) transition. Journal of Applied Physics, 2019, 126, .	2.5	14

#	ARTICLE	IF	CITATIONS
55	Excellent Energy Storage Performance in Bilayer Composites Combining Aligned $\text{TiO}_2$ Nanarray and Random $\text{TiO}_2$ Nanowires with Poly(vinylidene fluoride). Journal of Physical Chemistry C, 2020, 124, 2864-2871.	3.1	14
56	Effect of polarization fatigue on the Rayleigh coefficients of ferroelectric lead zirconate titanate thin films: Experimental evidence and implications. Applied Physics Letters, 2014, 105, .	3.3	13
57	$\langle i \rangle^2$ phase instability in poly(vinylidene fluoride/trifluoroethylene) thin films near $\langle i \rangle^2$ relaxation temperature. Applied Physics Letters, 2015, 106, .	3.3	12
58	Insight into electrocaloric cooling power in multilayer capacitors using infra-red camera. Applied Physics Letters, 2016, 109, .	3.3	12
59	Observation of a Negative Thermal Hysteresis in Relaxor Ferroelectric Polymers. Advanced Functional Materials, 2020, 30, 2000648.	14.9	12
60	Homogeneous switching mechanism in pure polyvinylidene fluoride ultrathin films. Physical Review B, 2015, 92, .	3.2	11
61	Structural, electronic and magnetic properties of metal-organic-framework perovskites $[\text{AmH}][\text{Mn}(\text{HCOO})_3]$ : a first-principles study. RSC Advances, 2016, 6, 48779-48787.	3.6	11
62	Three-phases $\text{Fe}_3\text{O}_4@\text{TiO}_2\text{-P(VDF-HFP)}$ composite films with high energy storage density at low filler fraction under low operating electric field. Journal Physics D: Applied Physics, 2020, 53, 055504.	2.8	10
63	The Dependence of Acoustic Emission Performance on the Crystal Structures, Dielectric, Ferroelectric, and Piezoelectric Properties of the $\text{P(VDF-TrFE)}$ Sensors. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2020, 67, 975-983.	3.0	10
64	Self-Powered Infrared-Responsive Electronic Skin Employing Piezoelectric Nanofiber Nanocomposites Driven by Microphase Transition. ACS Applied Materials & Interfaces, 2020, 12, 13165-13173.	8.0	10
65	Effective driving voltage on polarization fatigue in $(\text{Pb},\text{La})(\text{Zr},\text{Ti})\text{O}_3$ antiferroelectric thin films. Ceramics International, 2015, 41, 109-114.	4.8	9
66	Plasmonic-enhanced ferroelectric photovoltaic effect in $\text{BaTiO}_3$ type $\text{BaTiO}_3\text{-Au}$ ceramics. Journal of Alloys and Compounds, 2019, 785, 584-589.	5.5	9
67	Perspective on scalable high-energy-density polymer dielectrics with ultralow loadings of inorganic nanofillers. Applied Physics Letters, 2022, 120, .	3.3	9
68	Tuning the electrocaloric reversibility in ferroelectric copolymers by a blend approach. Europhysics Letters, 2019, 125, 57001.	2.0	8
69	Realizing enhanced energy density in ternary polymer blends by intermolecular structure design. Chemical Engineering Journal, 2022, 446, 136980.	12.7	8
70	Electrostatic coupling with interfacial free charge in ferroelectric-paraelectric bilayers and superlattices. Physics Letters, Section A: General, Atomic and Solid State Physics, 2011, 375, 4091-4094.	2.1	6
71	Space Charge Effect on the Ferroelectricity in Epitaxial Ferroelectric-Paraelectric Superlattices. Applied Physics Express, 2012, 5, 011501.	2.4	6
72	Polarization fatigue in antiferroelectric $(\text{Pb},\text{La})(\text{Zr},\text{Ti})\text{O}_3$ thin films: The role of the effective strength of driving waveform. Ceramics International, 2015, 41, S289-S295.	4.8	6

#	ARTICLE	IF	CITATIONS
73	Strain Effects of the Structural Characteristics of Ferroelectric Transition in Single-Domain Epitaxial BiFeO <sub>3</sub> Films. Chinese Physics Letters, 2011, 28, 067702.	3.3	5
74	Giant electrocaloric effect of free-standing Pb <sub>0.85</sub> La <sub>0.1</sub> (Zr <sub>0.65</sub> Ti <sub>0.35</sub> )O <sub>3</sub> thick films fabricated by the self-lift-off screen printing method. Ceramics International, 2018, 44, 193-200.	4.8	5
75	Composition Dependence of Microstructures and Ferroelectric Properties in Poly(vinylidene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td (fluoride-co-trifluoroethylene-co-trifluoroethylene) Macromolecules, 2020, 53, 3139-3147.	4.8	5
76	Enhanced Piezoelectricity in Poly(vinylidene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td (fluoride-co-trifluoroethylene-co-trifluoroethylene) Mixed Ferroelectric Phases. Macromolecules, 2022, 55, 2703-2713.	4.8	5
77	Validity of Nonlinear Thermo dynamic Models in Ferroelectric-Paraelectric Bilayers and Superlattices. Chinese Physics Letters, 2012, 29, 057701.	3.3	3
78	Antiferroelectric Thin Films: Giant Negative Electrocaloric Effect in Antiferroelectric La-Doped Pb(ZrTi)O <sub>3</sub> Thin Films Near Room Temperature (Adv. Mater. 20/2015). Advanced Materials, 2015, 27, 3164-3164.	21.0	3
79	Low Young's moduli induced by loop dispersion and its effect on the energy discharging performance of PVDF and P(VDF-co-HFP) films. AIP Advances, 2018, 8, 035211.	1.3	3
80	The elimination of deviations of the mean-field Landau-type theory from the fancy size effect experiment in nanoscale ferroelectric BaTiO <sub>3</sub> capacitors. Physics Letters, Section A: General, Atomic and Solid State Physics, 2010, 374, 4915-4918.	2.1	2
81	Confinement effect on coercive field in relaxor terpolymer nanowires. Applied Surface Science, 2015, 355, 473-476.	6.1	0