

Yang Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3873385/publications.pdf>

Version: 2024-02-01

81
papers

4,618
citations

109137

35
h-index

102304

66
g-index

81
all docs

81
docs citations

81
times ranked

3654
citing authors

#	ARTICLE	IF	CITATIONS
1	Perspective on scalable high-energy-density polymer dielectrics with ultralow loadings of inorganic nanofillers. <i>Applied Physics Letters</i> , 2022, 120, .	1.5	9
2	Enhanced Piezoelectricity in Poly(vinylidene fluoride)-trifluoroethylene Mixed Ferroelectric Phases. <i>Macromolecules</i> , 2022, 55, 2703-2713.	2.2	5
3	Enhanced breakdown strength and energy density over a broad temperature range in polyimide dielectrics using oxidized MXenes filler. <i>Journal of Power Sources</i> , 2022, 535, 231415.	4.0	38
4	Realizing enhanced energy density in ternary polymer blends by intermolecular structure design. <i>Chemical Engineering Journal</i> , 2022, 446, 136980.	6.6	8
5	Synthesis of dielectric polystyrene via one-step nitration reaction for large-scale energy storage. <i>Chemical Engineering Journal</i> , 2022, 446, 137281.	6.6	38
6	Dielectric polymers for high-temperature capacitive energy storage. <i>Chemical Society Reviews</i> , 2021, 50, 6369-6400.	18.7	262
7	Significantly enhancing the dielectric constant and breakdown strength of linear dielectric polymers by utilizing ultralow loadings of nanofillers. <i>Journal of Materials Chemistry A</i> , 2021, 9, 23028-23036.	5.2	54
8	Emerging Opportunities for 2D Semiconductor/Ferroelectric Transistor Structure Devices. <i>Advanced Materials</i> , 2021, 33, e2005620.	11.1	76
9	Relaxor Ferroelectric Polymers: Insight into High Electrical Energy Storage Properties from a Molecular Perspective. <i>Small Science</i> , 2021, 1, 2000061.	5.8	26
10	Significant Improvements in Dielectric Constant and Energy Density of Ferroelectric Polymer Nanocomposites Enabled by Ultralow Contents of Nanofillers. <i>Advanced Materials</i> , 2021, 33, e2102392.	11.1	102
11	Ultrahigh Energy Storage Performance of Layered Polymer Nanocomposites over a Broad Temperature Range. <i>Advanced Materials</i> , 2021, 33, e2103338.	11.1	96
12	Improper molecular ferroelectrics with simultaneous ultrahigh pyroelectricity and figures of merit. <i>Science Advances</i> , 2021, 7, .	4.7	32
13	Enabling High Energy Density High Efficiency Ferroelectric Polymer Nanocomposites with Rationally Designed Nanofillers. <i>Advanced Functional Materials</i> , 2021, 31, .	7.8	80
14	Ternary polymer nanocomposites with concurrently enhanced dielectric constant and breakdown strength for high temperature electrostatic capacitors. <i>Information Materials</i> , 2020, 2, 389-400.	8.5	114
15	Three-phases Fe ₃ O ₄ @TiO ₂ -P(VDF-HFP) composite films with high energy storage density at low filler fraction under low operating electric field. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 055504.	1.3	10
16	The Dependence of Acoustic Emission Performance on the Crystal Structures, Dielectric, Ferroelectric, and Piezoelectric Properties of the P(VDF-TrFE) Sensors. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2020, 67, 975-983.	1.7	10
17	Structural Insight in the Interfacial Effect in Ferroelectric Polymer Nanocomposites. <i>Advanced Materials</i> , 2020, 32, e2005431.	11.1	84
18	Chirality-induced relaxor properties in ferroelectric polymers. <i>Nature Materials</i> , 2020, 19, 1169-1174.	13.3	93

#	ARTICLE	IF	CITATIONS
19	Ferroelectric Polymers Exhibiting Negative Longitudinal Piezoelectric Coefficient: Progress and Prospects. <i>Advanced Science</i> , 2020, 7, 1902468.	5.6	66
20	Significant Enhancement of Energy Storage Performances by Regulating the Dielectric Contrast between Adjacent Layers in the Heterostructural Composites. <i>ACS Applied Energy Materials</i> , 2020, 3, 3015-3023.	2.5	20
21	Self-Powered Infrared-Responsive Electronic Skin Employing Piezoelectric Nanofiber Nanocomposites Driven by Microphase Transition. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 13165-13173.	4.0	10
22	Excellent Energy Storage Performance in Bilayer Composites Combining Aligned TiO ₂ Nanoarray and Random TiO ₂ Nanowires with Poly(vinylidene fluoride). <i>Journal of Physical Chemistry C</i> , 2020, 124, 2864-2871.	1.5	14
23	Observation of a Negative Thermal Hysteresis in Relaxor Ferroelectric Polymers. <i>Advanced Functional Materials</i> , 2020, 30, 2000648.	7.8	12
24	Composition Dependence of Microstructures and Ferroelectric Properties in Poly(vinylidene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 T Macromolecules, 2020, 53, 3139-3147.	2.2	5
25	Composition-Dependent Dielectric Properties of Poly(vinylidene fluoride-trifluoroethylene)s Near the Morphotropic Phase Boundary. <i>Macromolecules</i> , 2019, 52, 6741-6747.	2.2	19
26	Plasmonic-enhanced ferroelectric photovoltaic effect in O ³ type BaTiO ₃ -Au ceramics. <i>Journal of Alloys and Compounds</i> , 2019, 785, 584-589.	2.8	9
27	Tuning the electrocaloric reversibility in ferroelectric copolymers by a blend approach. <i>Europhysics Letters</i> , 2019, 125, 57001.	0.7	8
28	Insights into the Morphotropic Phase Boundary in Ferroelectric Polymers from the Molecular Perspective. <i>Journal of Physical Chemistry C</i> , 2019, 123, 8727-8730.	1.5	16
29	High cyclic stability of electrocaloric effect in relaxor poly(vinylidene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 347 Td (fluoride-t transition. <i>Journal of Applied Physics</i> , 2019, 126, .	1.1	14
30	Nanoconfinement-induced Giant Electrocaloric Effect in Ferroelectric Polymer Nanowire Array Integrated with Aluminum Oxide Membrane to Exhibit Record Cooling Power Density. <i>Advanced Materials</i> , 2019, 31, e1806642.	11.1	56
31	High-Temperature Dielectric Materials for Electrical Energy Storage. <i>Annual Review of Materials Research</i> , 2018, 48, 219-243.	4.3	540
32	Ferroelectric Polymer Nanocomposites with Complementary Nanostructured Fillers for Electrocaloric Cooling with High Power Density and Great Efficiency. <i>ACS Applied Energy Materials</i> , 2018, 1, 1344-1354.	2.5	42
33	Crystal phase transition dependence of the energy storage performance of poly(vinylidene fluoride) and poly(vinylidene fluoride-hexafluoropropene) copolymers. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46306.	1.3	24
34	Size effects of electrocaloric cooling in ferroelectric nanowires. <i>Journal of the American Ceramic Society</i> , 2018, 101, 1566-1575.	1.9	38
35	Giant electrocaloric effect of free-standing Pb _{0.85} La _{0.1} (Zr _{0.65} Ti _{0.35})O ₃ thick films fabricated by the self-lift-off screen printing method. <i>Ceramics International</i> , 2018, 44, 193-200.	2.3	5
36	Ferroelectric polymers exhibiting behaviour reminiscent of a morphotropic phase boundary. <i>Nature</i> , 2018, 562, 96-100.	13.7	200

#	ARTICLE	IF	CITATIONS
37	Low Young's moduli induced loop dispersion and its effect on the energy discharging performance of PVDF and P(VDF-co-HFP) films. <i>AIP Advances</i> , 2018, 8, 035211.	0.6	3
38	Enhanced electrocaloric effect in lead-free organic and inorganic relaxor ferroelectric composites near room temperature. <i>Applied Physics Letters</i> , 2018, 112, .	1.5	31
39	Poly(methyl methacrylate)/boron nitride nanocomposites with enhanced energy density as high temperature dielectrics. <i>Composites Science and Technology</i> , 2017, 142, 139-144.	3.8	153
40	High electrocaloric effect in hot-pressed $\text{Pb}_{0.85}\text{La}_{0.1}(\text{Zr}_{0.65}\text{Ti}_{0.35})\text{O}_3$ ceramics with a wide operating temperature range. <i>Journal of the American Ceramic Society</i> , 2017, 100, 4581-4589.	1.9	30
41	Developing a ferroelectric nanohybrid for enhanced photocatalysis. <i>Chemical Communications</i> , 2017, 53, 7596-7599.	2.2	29
42	High-Energy-Density Dielectric Polymer Nanocomposites with Trilayered Architecture. <i>Advanced Functional Materials</i> , 2017, 27, 1606292.	7.8	338
43	Direct measurement of electrocaloric effect in lead-free $\text{Ba}(\text{Sn}_x\text{Ti}_{1-x})\text{O}_3$ ceramics. <i>Applied Physics Letters</i> , 2017, 111, .	1.5	43
44	Space-charge Effect on Electroresistance in Metal-Ferroelectric-Metal capacitors. <i>Scientific Reports</i> , 2016, 5, 18297.	1.6	30
45	Towards multicaloric effect with ferroelectrics. <i>Physical Review B</i> , 2016, 94, .	1.1	33
46	Direct and indirect measurements on electrocaloric effect: Recent developments and perspectives. <i>Applied Physics Reviews</i> , 2016, 3, 031102.	5.5	206
47	Insight into electrocaloric cooling power in multilayer capacitors using infra-red camera. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	12
48	Some strategies for improving caloric responses with ferroelectrics. <i>APL Materials</i> , 2016, 4, 064109.	2.2	57
49	Structural, electronic and magnetic properties of metal-organic-framework perovskites $[\text{AmH}][\text{Mn}(\text{HCOO})_3]$: a first-principles study. <i>RSC Advances</i> , 2016, 6, 48779-48787.	1.7	11
50	Crystal structure, leakage conduction mechanism evolution and enhanced multiferroic properties in Y-doped BiFeO_3 ceramics. <i>Ceramics International</i> , 2016, 42, 13395-13403.	2.3	43
51	Phase transition, leakage conduction mechanism evolution and enhanced ferroelectric properties in multiferroic Mn-doped BiFeO_3 thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 3095-3102.	1.1	29
52	Novel lead-free ferroelectric film by ultra-small $\text{Ba}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ nanocubes assembled for a large electrocaloric effect. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 29033-29040.	1.3	18
53	Spatially Resolved Imaging of Electrocaloric Effect and the Resultant Heat Flux in Multilayer Capacitors. <i>ACS Energy Letters</i> , 2016, 1, 521-528.	8.8	38
54	Large reversible caloric effect in FeRh thin films via a dual-stimulus multicaloric cycle. <i>Nature Communications</i> , 2016, 7, 11614.	5.8	108

#	ARTICLE	IF	CITATIONS
55	Tunnel electroresistance through organic ferroelectrics. Nature Communications, 2016, 7, 11502.	5.8	104
56	High Energy Density Performance of Polymer Nanocomposites Induced by Designed Formation of BaTiO ₃ @sheet-likeTiO ₂ Hybrid Nanofillers. Journal of Physical Chemistry C, 2016, 120, 11769-11776.	1.5	64
57	Size Effect on Optical and Photocatalytic Properties in BiFeO ₃ Nanoparticles. Journal of Physical Chemistry C, 2016, 120, 3595-3601.	1.5	119
58	Antiferroelectric Thin Films: Giant Negative Electrocaloric Effect in Antiferroelectric La-Doped Pb(ZrTi)O ₃ Thin Films Near Room Temperature (Adv. Mater. 20/2015). Advanced Materials, 2015, 27, 3164-3164.	11.1	3
59	Homogeneous switching mechanism in pure polyvinylidene fluoride ultrathin films. Physical Review B, 2015, 92, .	1.1	11
60	Giant electrocaloric effect in lead-free Ba _{0.94} Ca _{0.06} Ti _{1-x} Sn _x O ₃ ceramics with tunable Curie temperature. Applied Physics Letters, 2015, 107, .	1.5	60
61	Polarization fatigue in antiferroelectric (Pb,La)(Zr,Ti)O ₃ thin films: The role of the effective strength of driving waveform. Ceramics International, 2015, 41, S289-S295.	2.3	6
62	Influence of epitaxial strain on elastocaloric effect in ferroelectric thin films. Applied Physics Letters, 2015, 106, .	1.5	17
63	Giant Negative Electrocaloric Effect in Antiferroelectric La-Doped Pb(ZrTi)O ₃ Thin Films Near Room Temperature. Advanced Materials, 2015, 27, 3165-3169.	11.1	241
64	\hat{r}^2 phase instability in poly(vinylidene fluoride/trifluoroethylene) thin films near \hat{r}^2 relaxation temperature. Applied Physics Letters, 2015, 106, .	1.5	12
65	Confinement effect on coercive field in relaxor terpolymer nanowires. Applied Surface Science, 2015, 355, 473-476.	3.1	0
66	Effective driving voltage on polarization fatigue in (Pb,La)(Zr,Ti)O ₃ antiferroelectric thin films. Ceramics International, 2015, 41, 109-114.	2.3	9
67	Effect of polarization fatigue on the Rayleigh coefficients of ferroelectric lead zirconate titanate thin films: Experimental evidence and implications. Applied Physics Letters, 2014, 105, .	1.5	13
68	Giant electrocaloric effect in asymmetric ferroelectric tunnel junctions at room temperature. Applied Physics Letters, 2014, 104, .	1.5	17
69	Enhanced electrocaloric effect in lead-free BaTi _{1-x} Sn _x O ₃ ceramics near room temperature. Applied Physics Letters, 2014, 105, .	1.5	165
70	Rayleigh-like nonlinear dielectric response and its evolution during electrical fatigue in antiferroelectric (Pb,La)(Zr,Ti)O ₃ thin film. Applied Physics Letters, 2014, 104, 142904.	1.5	23
71	Giant mechanically-mediated electrocaloric effect in ultrathin ferroelectric capacitors at room temperature. Applied Physics Letters, 2014, 104, .	1.5	36
72	Giant room-temperature barocaloric effect and pressure-mediated electrocaloric effect in BaTiO ₃ single crystal. Applied Physics Letters, 2014, 104, .	1.5	43

#	ARTICLE	IF	CITATIONS
73	Giant Room-Temperature Elastocaloric Effect in Ferroelectric Ultrathin Films. <i>Advanced Materials</i> , 2014, 26, 6132-6137.	11.1	86
74	Prediction of giant elastocaloric strength and stress-mediated electrocaloric effect in BaTiO_3 single crystals. <i>Physical Review B</i> , 2014, 90, .	1.1	47
75	Effect of a built-in electric field in asymmetric ferroelectric tunnel junctions. <i>Physical Review B</i> , 2013, 88, .	1.1	45
76	Validity of Nonlinear Thermo dynamic Models in Ferroelectric-Paraelectric Bilayers and Superlattices. <i>Chinese Physics Letters</i> , 2012, 29, 057701.	1.3	3
77	Intrinsic electrocaloric effect in ultrathin ferroelectric capacitors. <i>Applied Physics Letters</i> , 2012, 100, 192902.	1.5	28
78	Space Charge Effect on the Ferroelectricity in Epitaxial Ferroelectric-Paraelectric Superlattices. <i>Applied Physics Express</i> , 2012, 5, 011501.	1.1	6
79	Strain Effects of the Structural Characteristics of Ferroelectric Transition in Single-Domain Epitaxial BiFeO_3 Films. <i>Chinese Physics Letters</i> , 2011, 28, 067702.	1.3	5
80	Electrostatic coupling with interfacial free charge in ferroelectric-paraelectric bilayers and superlattices. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2011, 375, 4091-4094.	0.9	6
81	The elimination of deviations of the mean-field Landau-type theory from the fancy size effect experiment in nanoscale ferroelectric BaTiO_3 capacitors. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2010, 374, 4915-4918.	0.9	2