

Fabrice Jollant

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/387372/publications.pdf>

Version: 2024-02-01

118
papers

6,881
citations

76031

42
h-index

73587

79
g-index

134
all docs

134
docs citations

134
times ranked

6957
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-presentation at hospital following a suicide attempt: a national survey. <i>Psychological Medicine</i> , 2022, 52, 707-714.	2.7	21
2	Effectiveness of simulation in psychiatry for nursing students, nurses and nurse practitioners: A systematic review and meta-analysis. <i>Journal of Advanced Nursing</i> , 2022, 78, 332-347.	1.5	20
3	Neural biomarkers of suicidal behavior: from cognition and circuits to cells (and back). , 2022, , 19-38.		0
4	Self-harm hospitalization following bariatric surgery in adolescents and young adults. <i>Clinical Nutrition</i> , 2022, 41, 238-245.	2.3	4
5	Ketamine for the acute treatment of severe suicidal ideation: double blind, randomised placebo controlled trial. <i>BMJ, The</i> , 2022, 376, e067194.	3.0	47
6	Self-harm, somatic disorders and mortality in the 3 years following a hospitalisation in psychiatry in adolescents and young adults. <i>Evidence-Based Mental Health</i> , 2022, 25, 177-184.	2.2	6
7	Prolonged impact of the COVID-19 pandemic on self-harm hospitalizations in France: A nationwide retrospective observational study. <i>European Psychiatry</i> , 2022, 65, .	0.1	8
8	Decision-making and cognitive control in adolescent suicidal behaviors: a qualitative systematic review of the literature. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1839-1855.	2.8	25
9	Thirty Years of Publications in Suicidology: A Bibliometric Analysis. <i>Archives of Suicide Research</i> , 2021, 25, 751-764.	1.2	16
10	Risky decision-making in suicide attempters, and the choice of a violent suicidal means: an updated meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 280, 241-249.	2.0	31
11	Functional network alterations differently associated with suicidal ideas and acts in depressed patients: an indirect support to the transition model. <i>Translational Psychiatry</i> , 2021, 11, 100.	2.4	30
12	Increased functional coupling of the mu opioid receptor in the anterior insula of depressed individuals. <i>Neuropsychopharmacology</i> , 2021, 46, 920-927.	2.8	16
13	Brain cortical and subcortical morphology in adolescents with depression and a history of suicide attempt. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E347-E357.	1.4	17
14	Hospitalization for self-harm during the early months of the COVID-19 pandemic in France: A nationwide retrospective observational cohort study. <i>Lancet Regional Health - Europe, The</i> , 2021, 6, 100102.	3.0	46
15	Physical abuse of young children during the COVID-19 pandemic: Alarming increase in the relative frequency of hospitalizations during the lockdown period. <i>Child Abuse and Neglect</i> , 2021, 122, 105299.	1.3	28
16	Recurrence and mortality 1 year after hospital admission for non-fatal self-harm: a nationwide population-based study. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e20.	1.8	31
17	Covid-19 pandemic and suicide in France: An opportunity to improve information systems. <i>L'Encephale</i> , 2020, 46, 317-318.	0.3	5
18	Dissociative symptomatology in bipolar disorders: A systematic qualitative review. <i>French Journal of Psychiatry</i> , 2020, 1, 11-24.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Neural and molecular correlates of psychological pain during major depression, and its link with suicidal ideas. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 100, 109909.	2.5	15
20	Association between hospital admission for ketoacidosis and subsequent suicide attempt in young adults with type 1 diabetes. <i>Diabetologia</i> , 2020, 63, 1745-1752.	2.9	9
21	Le suicide de patients hospitalisés en psychiatrie: analyse qualitative de huit cas à l'hôpital Sainte-Anne à Paris et recommandations. <i>Annales Medico-Psychologiques</i> , 2020, 178, 783-791.	0.2	2
22	Contacts with Health Services During the Year Prior to Suicide Death and Prevalent Conditions A Nationwide Study. <i>Journal of Affective Disorders</i> , 2020, 274, 174-182.	2.0	26
23	Simulation in psychiatry for medical doctors: A systematic review and meta-analysis. <i>Medical Education</i> , 2020, 54, 696-708.	1.1	45
24	Connectomics-Based Functional Network Alterations in both Depressed Patients with Suicidal Behavior and Healthy Relatives of Suicide Victims. <i>Scientific Reports</i> , 2019, 9, 14330.	1.6	21
25	185. Probing the Functional Connectivity Default-Mode Network and Intrinsic Activity of the Anterior Cingulate Cortex of the Adolescent Suicidal Brain. <i>Biological Psychiatry</i> , 2019, 85, S76-S77.	0.7	0
26	Reward systems and cognitions in Major Depressive Disorder. <i>CNS Spectrums</i> , 2019, 24, 64-77.	0.7	38
27	A visual analog scale to measure psychological and physical pain: A preliminary validation of the PPP-VAS in two independent samples of depressed patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 90, 55-61.	2.5	23
28	55. Using Structural Neuroimaging to Define Phenotypes of Suicidal Behavior. <i>Biological Psychiatry</i> , 2018, 83, S22-S23.	0.7	0
29	Association between hypovitaminosis D and cognitive inhibition impairment during major depression episode. <i>Journal of Affective Disorders</i> , 2018, 225, 302-305.	2.0	8
30	Increased Risk of Rehospitalization for Acute Diabetes Complications and Suicide Attempts in Patients With Type 1 Diabetes and Comorbid Schizophrenia. <i>Diabetes Care</i> , 2018, 41, 2316-2321.	4.3	18
31	56. Connectomics-Based Functional Network Alterations in Patients With Suicidal Behavior. <i>Biological Psychiatry</i> , 2018, 83, S23.	0.7	0
32	Psychopathological characteristics and adverse childhood events are differentially associated with suicidal ideation and suicidal acts in mood disorders. <i>European Psychiatry</i> , 2018, 53, 31-36.	0.1	41
33	Neuroimaging-informed phenotypes of suicidal behavior: a family history of suicide and the use of a violent suicidal means. <i>Translational Psychiatry</i> , 2018, 8, 120.	2.4	38
34	La douleur psychologique. <i>Douleur Et Analgesie</i> , 2018, 31, 122-128.	0.2	2
35	Cinquante ans de recherche sur les causes du suicide : où en sommes-nous ?. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2018, 202, 1651-1663.	0.0	1
36	Cover Image, Volume 173A, Number 2, February 2017. <i>American Journal of Medical Genetics, Part A</i> , 2017, 173, i.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Co-Variation of Peripheral Levels of miR-1202 and Brain Activity and Connectivity During Antidepressant Treatment. <i>Neuropsychopharmacology</i> , 2017, 42, 2043-2051.	2.8	40
38	Corpus callosum volumes in bipolar disorders and suicidal vulnerability. <i>Psychiatry Research - Neuroimaging</i> , 2017, 262, 47-54.	0.9	18
39	Investigation of miR-1202, miR-135a, and miR-16 in Major Depressive Disorder and Antidepressant Response. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 619-623.	1.0	48
40	Are neurocognitive factors associated with repetition of self-harm? A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 72, 261-277.	2.9	14
41	Altered brain processing of decision-making in healthy first-degree biological relatives of suicide completers. <i>Molecular Psychiatry</i> , 2017, 22, 1149-1154.	4.1	40
42	Peripheral Levels of the Micro-RNA MiR-1202 are Correlated with Changes in Brain Activity and Connectivity During an Antidepressant Treatment. <i>European Psychiatry</i> , 2017, 41, S167-S167.	0.1	0
43	The experience of social exclusion in women with a history of suicidal acts: a neuroimaging study. <i>Scientific Reports</i> , 2017, 7, 89.	1.6	93
44	Self-reference in suicidal behaviour. <i>Cognitive Neuropsychiatry</i> , 2017, 22, 486-494.	0.7	6
45	Spectroscopy markers of suicidal risk and mental pain in depressed patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 73, 64-71.	2.5	50
46	Implication of <i>LRRC4C</i> and <i>DPP6</i> in neurodevelopmental disorders. <i>American Journal of Medical Genetics, Part A</i> , 2017, 173, 395-406.	0.7	40
47	Neural mapping of guilt: a quantitative meta-analysis of functional imaging studies. <i>Brain Imaging and Behavior</i> , 2017, 11, 1164-1178.	1.1	26
48	Neuroimaging of Suicidal Behavior. <i>Advances in Biological Psychiatry</i> , 2016, , 110-122.	0.2	3
49	Cognitive inhibition in depression and suicidal behavior: a neuroimaging study. <i>Psychological Medicine</i> , 2016, 46, 933-944.	2.7	99
50	A Social Neuroscience Perspective on Suicidal Behavior. , 2016, , 135-145.		0
51	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder. <i>Canadian Journal of Psychiatry</i> , 2016, 61, 540-560.	0.9	746
52	Corpus callosum integrity is affected by mood disorders and also by the suicide attempt history: A diffusion tensor imaging study. <i>Journal of Affective Disorders</i> , 2016, 206, 115-124.	2.0	38
53	Prefrontal inositol levels and implicit decision-making in healthy individuals and depressed patients. <i>European Neuropsychopharmacology</i> , 2016, 26, 1255-1263.	0.3	13
54	Subcortical nuclei volumes in suicidal behavior: nucleus accumbens may modulate the lethality of acts.. <i>Brain Imaging and Behavior</i> , 2016, 10, 96-104.	1.1	41

#	ARTICLE	IF	CITATIONS
55	Neurobiology of Elderly Suicide. Archives of Suicide Research, 2016, 20, 291-313.	1.2	16
56	Major mental disorders, gender, and criminological circumstances of homicide. Journal of Clinical Forensic and Legal Medicine, 2016, 39, 117-124.	0.5	20
57	Attentional bias toward suicide-relevant information in suicide attempters: A cross-sectional study and a meta-analysis. Journal of Affective Disorders, 2016, 196, 101-108.	2.0	58
58	Iowa Gambling Task Performance in Elderly Persons with a Lifetime History of Suicidal Acts. American Journal of Geriatric Psychiatry, 2016, 24, 399-406.	0.6	24
59	Impaired decision-making in symptomatic anorexia and bulimia nervosa patients: a meta-analysis. Psychological Medicine, 2015, 45, 3377-3391.	2.7	75
60	Prefrontal cortex markers of suicidal vulnerability in mood disorders: a model-based structural neuroimaging study with a translational perspective. Translational Psychiatry, 2015, 5, e516-e516.	2.4	98
61	Lithium might be associated with better decision-making performance in euthymic bipolar patients. European Neuropsychopharmacology, 2015, 25, 788-797.	0.3	23
62	Processing of decision-making and social threat in patients with history of suicidal attempt: A neuroimaging replication study. Psychiatry Research - Neuroimaging, 2015, 234, 369-377.	0.9	97
63	Endogamy and suicide: An observation-based hypothesis. Medical Hypotheses, 2015, 85, 542-547.	0.8	4
64	Neurocognitive Impairments in Suicide Attempters and Their Relatives. European Psychiatry, 2015, 30, 60.	0.1	0
65	Enhancing decision-making and cognitive impulse control with transcranial direct current stimulation (tDCS) applied over the orbitofrontal cortex (OFC): A randomized and sham-controlled exploratory study. Journal of Psychiatric Research, 2015, 69, 27-34.	1.5	78
66	Add-on lithium for the treatment of unipolar depression: Too often forgotten?. Journal of Psychiatry and Neuroscience, 2015, 40, E23-E24.	1.4	5
67	Suicidal behaviour and memory: A systematic review and meta-analysis. World Journal of Biological Psychiatry, 2015, 16, 544-566.	1.3	106
68	First-degree relatives of suicide completers may have impaired decision-making but functional cognitive control. Journal of Psychiatric Research, 2015, 68, 192-197.	1.5	61
69	Insight Into Mental Disorders and Suicidal Behavior. Journal of Clinical Psychiatry, 2015, 76, 303-318.	1.1	12
70	Homicide and Klinefelter syndrome: a complex interaction. Revista Brasileira De Psiquiatria, 2014, 36, 153-156.	0.9	1
71	A meta-analysis of neuropsychological markers of vulnerability to suicidal behavior in mood disorders. Psychological Medicine, 2014, 44, 1663-1673.	2.7	253
72	A pocket of very high suicide rates in a non-violent, egalitarian and cooperative population of South-East Asia. Psychological Medicine, 2014, 44, 2323-2329.	2.7	15

#	ARTICLE	IF	CITATIONS
73	Neurocognitive Vulnerability: Suicidal and Homicidal Behaviours in Patients with Schizophrenia. Canadian Journal of Psychiatry, 2014, 59, 18-25.	0.9	18
74	Research-Track Programs for Residents in Psychiatry: A Review of Literature and a Report of 3 Canadian Experiences. Canadian Journal of Psychiatry, 2014, 59, 268-275.	0.9	10
75	Distinct alterations in value-based decision-making and cognitive control in suicide attempters: Toward a dual neurocognitive model. Journal of Affective Disorders, 2013, 151, 1120-1124.	2.0	44
76	HPA axis genes may modulate the effect of childhood adversities on decision-making in suicide attempters. Journal of Psychiatric Research, 2013, 47, 259-265.	1.5	50
77	Preserved hippocampal function during learning in the context of risk in adolescent suicide attempt. Psychiatry Research - Neuroimaging, 2013, 211, 112-118.	0.9	66
78	Cognitive inhibition and quality of life in schizophrenia: A pilot study. Schizophrenia Research, 2013, 143, 297-300.	1.1	8
79	Altered explicit recognition of facial disgust associated with predisposition to suicidal behavior but not depression. Journal of Affective Disorders, 2013, 150, 590-593.	2.0	28
80	When knowing what to do is not sufficient to make good decisions: Deficient use of explicit understanding in remitted patients with histories of suicidal acts. Psychiatry Research, 2013, 210, 485-490.	1.7	34
81	Neurocognitive alterations in first degree relatives of suicide completers. Journal of Affective Disorders, 2013, 145, 264-269.	2.0	36
82	The neurodevelopmental origins of suicidal behavior. Trends in Neurosciences, 2012, 35, 14-23.	4.2	250
83	Deficit of cognitive inhibition in depressed elderly: A neurocognitive marker of suicidal risk. Journal of Affective Disorders, 2012, 140, 193-199.	2.0	103
84	The Effect of Cognitive Behavior Therapy on Decision Making in Adolescents who Self-Harm: A Pilot Study. Suicide and Life-Threatening Behavior, 2012, 42, 255-265.	0.9	14
85	Trait-Related Decision-Making Impairment in the Three Phases of Bipolar Disorder. Biological Psychiatry, 2011, 70, 357-365.	0.7	114
86	The need to consider mood disorders, and especially chronic mania, in cases of Diogenes syndrome (squalor syndrome). International Psychogeriatrics, 2011, 23, 505-507.	0.6	19
87	The neuroscience of suicidal behaviors: what can we expect from endophenotype strategies?. Translational Psychiatry, 2011, 1, e7-e7.	2.4	119
88	The suicidal mind and brain: A review of neuropsychological and neuroimaging studies. World Journal of Biological Psychiatry, 2011, 12, 319-339.	1.3	310
89	Distinguishing the relevant features of frequent suicide attempters. Journal of Psychiatric Research, 2011, 45, 619-625.	1.5	65
90	Is decision making really impaired in eating disorders?. Neuropsychology, 2010, 24, 808-812.	1.0	53

#	ARTICLE	IF	CITATIONS
91	Higher psychological pain during a major depressive episode may be a factor of vulnerability to suicidal ideation and act. <i>Journal of Affective Disorders</i> , 2010, 120, 226-230.	2.0	129
92	Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): Toward the identification of homogeneous subgroups of suicidal behaviors. <i>Journal of Affective Disorders</i> , 2010, 121, 80-87.	2.0	44
93	Suicide attempt characteristics may orientate toward a bipolar disorder in attempters with recurrent depression. <i>Journal of Affective Disorders</i> , 2010, 122, 53-59.	2.0	30
94	COMT but not serotonin-related genes modulates the influence of childhood abuse on anger traits. <i>Genes, Brain and Behavior</i> , 2010, 9, 193-202.	1.1	55
95	Decreased activation of lateral orbitofrontal cortex during risky choices under uncertainty is associated with disadvantageous decision-making and suicidal behavior. <i>NeuroImage</i> , 2010, 51, 1275-1281.	2.1	266
96	Genes, suicide and decisions. <i>European Psychiatry</i> , 2010, 25, 294-296.	0.1	21
97	Distinct Roles of Prefrontal Cortical Subregions in the Iowa Gambling Task. <i>Cerebral Cortex</i> , 2009, 19, 1134-1143.	1.6	187
98	Somatic markers and explicit knowledge are both involved in decision-making. <i>Neuropsychologia</i> , 2009, 47, 2120-2124.	0.7	85
99	Admixture analysis of age at first suicide attempt. <i>Journal of Psychiatric Research</i> , 2009, 43, 895-900.	1.5	42
100	Genetic and epigenetic analysis of SSAT gene dysregulation in suicidal behavior. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 799-807.	1.1	57
101	Modulation of anger control in suicide attempters by TPH1. <i>Genes, Brain and Behavior</i> , 2009, 8, 97-100.	1.1	23
102	Childhood trauma as a correlative factor of suicidal behavior " via aggression traits. Similar results in an Italian and in a French sample. <i>European Psychiatry</i> , 2009, 24, 57-62.	0.1	70
103	Decision making and problem solving in adolescents who deliberately self-harm. <i>Psychological Medicine</i> , 2009, 39, 95-104.	2.7	98
104	Interaction between BDNF Val66Met and childhood trauma on adult's violent suicide attempt. <i>Genes, Brain and Behavior</i> , 2008, 7, 314-322.	1.1	99
105	Orbitofrontal Cortex Response to Angry Faces in Men With Histories of Suicide Attempts. <i>American Journal of Psychiatry</i> , 2008, 165, 740-748.	4.0	226
106	Dr. Jollant Replies. <i>American Journal of Psychiatry</i> , 2008, 165, 1203-1203.	4.0	0
107	Diagnósticos psiquiátricos y rasgos de personalidad asociados con el deterioro de la capacidad de toma de decisiones. <i>European Psychiatry (Ed Española)</i> , 2008, 15, 23-30.	0.0	0
108	Prefrontal cortex dysfunction in patients with suicidal behavior. <i>Psychological Medicine</i> , 2007, 37, 411.	2.7	118

#	ARTICLE	IF	CITATIONS
109	Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. <i>European Psychiatry</i> , 2007, 22, 455-461.	0.1	91
110	The influence of four serotonin-related genes on decision-making in suicide attempters. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 615-624.	1.1	78
111	Catechol-O-methyltransferase polymorphism (COMT) in suicide attempters: A possible gender effect on anger traits. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 1042-1047.	1.1	36
112	Impaired decision-making in suicide attempters may increase the risk of problems in affective relationships. <i>Journal of Affective Disorders</i> , 2007, 99, 59-62.	2.0	105
113	No Human Tryptophan Hydroxylase-2 Gene R441H Mutation in a Large Cohort of Psychiatric Patients and Control Subjects. <i>Biological Psychiatry</i> , 2006, 60, 202-203.	0.7	49
114	The monoamine oxidase A gene may influence the means used in suicide attempts. <i>Psychiatric Genetics</i> , 2005, 15, 189-193.	0.6	37
115	Suicidal behavior: Relationship between phenotype and serotonergic genotype. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2005, 133C, 25-33.	0.7	78
116	Impaired Decision Making in Suicide Attempters. <i>American Journal of Psychiatry</i> , 2005, 162, 304-310.	4.0	457
117	Serotonin transporter gene may be involved in short-term risk of subsequent suicide attempts. <i>Biological Psychiatry</i> , 2004, 55, 46-51.	0.7	77
118	A History of Major Depressive Disorder Influences Intent to Die in Violent Suicide Attempters. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 690-695.	1.1	22