

Soheil Mohammadi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3874616/soheil-mohammadi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

2,484
citations

27
h-index

46
g-index

139
ext. papers

2,944
ext. citations

3.3
avg, IF

5.75
L-index

#	Paper	IF	Citations
124	The forgotten tract of vision in multiple sclerosis: vertical occipital fasciculus, its fiber properties, and visuospatial memory.. <i>Brain Structure and Function</i> , 2022 , 1	4	0
123	Spectral-domain OCT measurements in obesity: A systematic review and meta-analysis.. <i>PLoS ONE</i> , 2022 , 17, e0267495	3.7	0
122	Brain-derived neurotrophic factor in patients with epilepsy: A systematic review and meta-analysis. <i>Epilepsy Research</i> , 2021 , 178, 106794	3	0
121	Metabolic profile in patients with narcolepsy: a systematic review and meta-analysis. <i>Sleep Medicine</i> , 2021 , 81, 268-284	4.6	4
120	Phase evolution based thermomechanical crack closure mechanism of shape memory polymers. <i>Mechanics of Materials</i> , 2021 , 160, 103998	3.3	2
119	Numerical simulation of direct shear test on granular materials composed of breakable angular particles: A DEM-XFEM approach. <i>Powder Technology</i> , 2021 , 391, 450-466	5.2	2
118	Deformation mechanics in inclined, brittle-ductile transpression zones: Insights from 3D finite element modelling. <i>Journal of Structural Geology</i> , 2020 , 137, 104082	3	9
117	A brittle to ductile phase transition fracture analysis of shape memory polymers. <i>Engineering Fracture Mechanics</i> , 2020 , 224, 106751	4.2	3
116	Understanding the Immunologic Characteristics of Neurologic Manifestations of SARS-CoV-2 and Potential Immunological Mechanisms. <i>Molecular Neurobiology</i> , 2020 , 57, 5263-5275	6.2	37
115	XFEM fracture analysis of cracked pipeline with and without FRP composite repairs. <i>Mechanics of Advanced Materials and Structures</i> , 2020 , 27, 1888-1899	1.8	5
114	Cytokines in narcolepsy: A systematic review and meta-analysis. <i>Cytokine</i> , 2020 , 131, 155103	4	8
113	Wavelet-based iterative data enhancement for implementation in purification of modal frequency for extremely noisy ambient vibration tests in Shiraz-Iran. <i>Frontiers of Structural and Civil Engineering</i> , 2020 , 14, 446-472	2.5	0
112	The variable node multiscale approach: Coupling the atomistic and continuum scales. <i>Computational Materials Science</i> , 2019 , 160, 256-274	3.2	2
111	Experimental and numerical investigation into the methods of determination of mode I static fracture toughness of rocks. <i>Theoretical and Applied Fracture Mechanics</i> , 2019 , 100, 154-170	3.7	19
110	Delamination analysis in bimetals consisting of shape memory alloy and elastoplastic layers. <i>Composite Structures</i> , 2019 , 225, 111149	5.3	2
109	Micromechanical study of particle breakage in 2D angular rockfill media using combined DEM and XFEM. <i>Granular Matter</i> , 2019 , 21, 1	2.6	10
108	Untangling narcolepsy and diabetes: Pathomechanisms with eyes on therapeutic options. <i>Brain Research</i> , 2019 , 1718, 212-222	3.7	7

107	An adapting cohesive approach for crack-healing analysis in SMA fiber-reinforced composites. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019 , 349, 550-575	5.7	11
106	Multiscale Polynomial-Based High-Order Central High Resolution Schemes. <i>Journal of Scientific Computing</i> , 2019 , 80, 555-613	2.3	3
105	Quasicontinuum multiscale modeling of the effect of rough surface on nanoindentation behavior. <i>Meccanica</i> , 2019 , 54, 411-427	2.1	0
104	Maximum entropy based finite element analysis of porous media. <i>Frontiers of Structural and Civil Engineering</i> , 2019 , 13, 364-379	2.5	1
103	A hierarchical nano to macro multiscale analysis of monotonic behavior of concrete columns made of CNT-reinforced cement composite. <i>Construction and Building Materials</i> , 2018 , 175, 134-143	6.7	17
102	Stable discontinuous space-time analysis of dynamic interface crack growth in orthotropic bi-materials using oscillatory crack tip enrichment functions. <i>International Journal of Mechanical Sciences</i> , 2018 , 140, 557-580	5.5	7
101	2D simulation of breakage of angular particles using combined DEM and XFEM. <i>Powder Technology</i> , 2018 , 336, 282-297	5.2	22
100	Evaluation of Patients Satisfaction and Functional Outcome of Dorsal Hand Unit Reconstruction in Burn Patients in Shiraz, Southern Iran. <i>Journal of Burn Care and Research</i> , 2018 , 39, 572-579	0.8	0
99	Post-Septoplasty Palatal Fistula in A Patient with Normal Palate: Case Report. <i>World Journal of Plastic Surgery</i> , 2018 , 7, 382-384	0.8	
98	Avoiding overzealous excision of superficial burn and full excision of deep areas are two equally important prerequisites for successful early excision and grafting (EE&G). <i>Burns</i> , 2018 , 44, 230-231	2.3	2
97	Mechanical evolution of transpression zones affected by fault interactions: Insights from 3D elasto-plastic finite element models. <i>Journal of Structural Geology</i> , 2018 , 106, 19-40	3	13
96	Efficacy of Topical Enalapril in Treatment of Hypertrophic Scars. <i>World Journal of Plastic Surgery</i> , 2018 , 7, 326-331	0.8	5
95	Analysis of transpression within contractional fault steps using finite-element method. <i>Journal of Structural Geology</i> , 2017 , 96, 1-20	3	19
94	The foot, an important but less noticed burned area of the body. <i>Burns</i> , 2017 , 43, 1137	2.3	2
93	Hand aesthetic, an annoying problem for the burn patients, but commonly overlooked issue by the burn surgeons. <i>Burns</i> , 2017 , 43, 1130-1131	2.3	3
92	Early excision and grafting (EE&G): Opportunity or threat?. <i>Burns</i> , 2017 , 43, 1358-1359	2.3	4
91	3D hierarchical multiscale analysis of heterogeneous SMA based materials. <i>International Journal of Solids and Structures</i> , 2017 , 118-119, 24-40	3.1	16
90	A finite strain integral-type anisotropic damage model for fiber-reinforced materials: Application in soft biological tissues. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2017 , 322, 262-295	5.7	10

89	Chronic intermittent intra-abdominal hypertension and limitation of chest wall expansion: A possible cause of morbidity in extensive, unyielding trunk burn scarring. <i>Burns</i> , 2017 , 43, 1605-1607	2-3	
88	Surgical technique, an important factor in tissue expander exposure complications. <i>Burns</i> , 2017 , 43, 1597-1598	2-3	1
87	Recurrent nonhealing wound in old burn scar may be due to Heterotopic Ossification. <i>Burns</i> , 2017 , 43, 1599-1601	2-3	1
86	An important caution to tissue expander manufacturing companies: Burned tissues because of their inherent weakness need more delicate expanders to reduce complications. <i>Burns</i> , 2017 , 43, 1596-1597	2-3	1
85	Micro-based enriched multiscale homogenization method for analysis of heterogeneous materials. <i>International Journal of Solids and Structures</i> , 2017 , 125, 22-42	3-1	2
84	An extended finite element framework for vibration analysis of cracked FGM shells. <i>Composite Structures</i> , 2017 , 180, 298-315	5-3	18
83	A high performance supercapacitor based on decoration of MoS ₂ /reduced graphene oxide with NiO nanoparticles. <i>RSC Advances</i> , 2017 , 7, 52772-52781	3-7	47
82	Eigenvalue buckling analysis of cracked functionally graded cylindrical shells in the framework of the extended finite element method. <i>Composite Structures</i> , 2017 , 159, 548-566	5-3	23
81	Absence of the Labiomental Groove: A Common but Preventable Unpleasant Aesthetic Problem of the Lower Lip-Chin Burn Reconstruction. <i>World Journal of Plastic Surgery</i> , 2017 , 6, 393-395	0-8	
80	Multiscale dynamic fracture behavior of the carbon nanotube reinforced concrete under impact loading. <i>International Journal of Impact Engineering</i> , 2016 , 87, 55-64	4	26
79	An efficient computational technique for modeling dislocation-precipitate interactions within dislocation dynamics. <i>Computational Materials Science</i> , 2016 , 122, 281-287	3-2	20
78	An extended element free Galerkin method for fracture analysis of functionally graded materials. <i>Mechanics of Advanced Materials and Structures</i> , 2016 , 23, 513-528	1-8	22
77	Molecular dynamics simulation of the nonlinear behavior of the CNT-reinforced calcium silicate hydrate (CSH) composite. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016 , 82, 78-87	8-4	44
76	Numerical study of thermo-mechanical coupling effects on crack tip fields of mixed-mode fracture in pseudoelastic shape memory alloys. <i>International Journal of Solids and Structures</i> , 2016 , 81, 160-178	3-1	21
75	Transient analysis of stationary interface cracks in orthotropic bi-materials using oscillatory crack tip enrichments. <i>Composite Structures</i> , 2016 , 142, 200-214	5-3	8
74	Nanoindentation simulation of coated aluminum thin film using quasicontinuum method. <i>Computational Materials Science</i> , 2016 , 111, 12-22	3-2	6
73	XFEM analysis of fiber bridging in mixed-mode crack propagation in composites. <i>Composite Structures</i> , 2015 , 125, 314-327	5-3	48
72	Thermo-mechanically coupled fracture analysis of shape memory alloys using the extended finite element method. <i>Smart Materials and Structures</i> , 2015 , 24, 045031	3-4	14

71	Dynamic adaptive finite element analysis of acoustic wave propagation due to underwater explosion for fluid-structure interaction problems. <i>Journal of Marine Science and Application</i> , 2015 , 14, 302-315	1.2	6
70	Strain-rate sensitivity of unstable localized phase transformation phenomenon in shape memory alloys using a non-local model. <i>International Journal of Solids and Structures</i> , 2015 , 63, 167-183	3.1	16
69	Numerical analysis of rock fracturing by gas pressure using the extended finite element method. <i>Petroleum Science</i> , 2015 , 12, 304-315	4.4	41
68	XFEM buckling analysis of cracked composite plates. <i>Composite Structures</i> , 2015 , 131, 333-343	5.3	31
67	XFEM dislocation dynamics multi-scale modeling of plasticity and fracture. <i>Computational Materials Science</i> , 2015 , 104, 98-107	3.2	16
66	Numerical analysis of crack tip fields in interface fracture of SMA/elastic bi-materials. <i>International Journal of Fracture</i> , 2015 , 195, 39-52	2.3	12
65	T-spline based XIGA for fracture analysis of orthotropic media. <i>Computers and Structures</i> , 2015 , 147, 138-146	4.6	157
64	Analysis of cohesive cracking in saturated porous media using an extrinsically enriched EFG method. <i>Computers and Geotechnics</i> , 2015 , 63, 183-198	4.4	15
63	Finite strain fracture analysis using the extended finite element method with new set of enrichment functions. <i>International Journal for Numerical Methods in Engineering</i> , 2015 , 102, 1316-1351	2.4	10
62	An extended thermo-mechanically coupled algorithm for simulation of superelasticity and shape memory effect in shape memory alloys. <i>Frontiers of Structural and Civil Engineering</i> , 2015 , 9, 466-477	2.5	2
61	Weak discontinuity in porous media: an enriched EFG method for fully coupled layered porous media. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2014 , 38, 1792-1822	4	7
60	Mixed mode fracture analysis of adiabatic cracks in homogeneous and non-homogeneous materials in the framework of partition of unity and the path-independent interaction integral. <i>Engineering Fracture Mechanics</i> , 2014 , 131, 100-127	4.2	26
59	An XFEM multiscale approach for fracture analysis of carbon nanotube reinforced concrete. <i>Theoretical and Applied Fracture Mechanics</i> , 2014 , 72, 64-75	3.7	53
58	UCC: UML profile to cloud computing modeling: Using stereotypes and tag values 2014 ,		5
57	Strong tangential discontinuity modeling of shear bands using the extended finite element method. <i>Computational Mechanics</i> , 2013 , 52, 1023-1038	4	10
56	Effect of defects on the local shell buckling and post-buckling behavior of single and multi-walled carbon nanotubes. <i>Computational Materials Science</i> , 2013 , 79, 736-744	3.2	37
55	A local PUFEM modeling of stress singularity in sliding contact with minimal enrichment for direct evaluation of generalized stress intensity factors. <i>Engineering Fracture Mechanics</i> , 2013 , 105, 16-40	4.2	4
54	XFEM fracture analysis of orthotropic functionally graded materials. <i>Composites Part B: Engineering</i> , 2013 , 44, 8-25	10	85

53	Thermo-mechanical XFEM crack propagation analysis of functionally graded materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 561, 285-302	5.3	63
52	A Multiscale Finite Element Simulation of Human Aortic Heart Valve. <i>Applied Mechanics and Materials</i> , 2013 , 367, 275-279	0.3	0
51	Fracture analysis of composites by time independent moving-crack orthotropic XFEM. <i>International Journal of Mechanical Sciences</i> , 2012 , 54, 20-37	5.5	43
50	Extended isogeometric analysis for simulation of stationary and propagating cracks. <i>International Journal for Numerical Methods in Engineering</i> , 2012 , 89, 1069-1101	2.4	153
49	How particle shape affects the flow through granular materials. <i>Physical Review E</i> , 2012 , 85, 036310	2.4	8
48	Fracture analysis of FRP-reinforced beams by orthotropic XFEM. <i>Journal of Composite Materials</i> , 2012 , 46, 1367-1389	2.7	14
47	Analytical Solution for Isothermal Flow in a Shock Tube Containing Rigid Granular Material. <i>Transport in Porous Media</i> , 2012 , 93, 13-27	3.1	1
46	A two-mesh coupled gas flow-solid interaction model for 2D blast analysis in fractured media. <i>Finite Elements in Analysis and Design</i> , 2012 , 50, 48-69	2.2	18
45	A New Approach for Numerical Modeling of Hydraulic Fracture Propagation in Naturally Fractured Reservoirs 2012 ,		25
44	A STABILIZED PARTICLE METHOD FOR LARGE DEFORMATION DYNAMIC ANALYSIS OF STRUCTURES. <i>International Journal of Structural Stability and Dynamics</i> , 2012 , 12, 1250026	1.9	2
43	2012 ,		37
42	Analytical derivation of tortuosity and permeability of monosized spheres: a volume averaging approach. <i>Physical Review E</i> , 2011 , 83, 026312	2.4	87
41	XFEM fracture analysis of shells: The effect of crack tip enrichments. <i>Computational Materials Science</i> , 2011 , 50, 2793-2813	3.2	43
40	Delamination analysis of composites by new orthotropic bimaterial extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 86, 1507-1543	2.4	72
39	Plane-strain discrete dislocation plasticity incorporating anisotropic elasticity. <i>International Journal of Solids and Structures</i> , 2011 , 48, 374-387	3.1	27
38	Orthotropic enriched element free Galerkin method for fracture analysis of composites. <i>Engineering Fracture Mechanics</i> , 2011 , 78, 1906-1927	4.2	47
37	Numerical simulation of particle breakage of angular particles using combined DEM and FEM. <i>Powder Technology</i> , 2011 , 205, 15-29	5.2	52
36	Modeling delamination in composite laminates using XFEM by new orthotropic enrichment functions. <i>IOP Conference Series: Materials Science and Engineering</i> , 2010 , 10, 012240	0.4	9

35	Lateral Spreading Forces on Bridge Piers and Pile Caps in Laterally Spreading Soil: Effect of Angle of Incidence. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2010 , 136, 1589-1599	3.4	8
34	Large deflection analysis of flexible plates by the meshless finite point method. <i>Thin-Walled Structures</i> , 2010 , 48, 200-214	4.7	15
33	Dynamic crack propagation analysis of orthotropic media by the extended finite element method. <i>International Journal of Fracture</i> , 2010 , 161, 21-39	2.3	64
32	Unsteady fluid-solid interaction by a kernel-based particle method. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2010 , 26, 1596-1603	2.6	3
31	Experimental and numerical investigations of low velocity impact behavior of high-performance fiber-reinforced cement based composite. <i>International Journal of Impact Engineering</i> , 2010 , 37, 220-229 ⁴		98
30	Dynamic analysis of fixed cracks in composites by the extended finite element method. <i>Engineering Fracture Mechanics</i> , 2010 , 77, 3373-3393	4.2	53
29	Meshless equilibrium on line method (MELM) for linear elasticity. <i>Structural Engineering and Mechanics</i> , 2010 , 35, 511-533		2
28	Well Test Analysis of Naturally Fractured Reservoirs with Unsteady State Behavior Using Direct Synthesis Technique. <i>Petroleum Science and Technology</i> , 2009 , 27, 263-278	1.4	
27	New point-to-face contact algorithm for 3-D contact problems using the augmented Lagrangian method in 3-D DDA. <i>Geomechanics and Geoengineering</i> , 2009 , 4, 221-236	1.4	17
26	Validation of dynamic block displacement analysis and modification of edge-to-edge contact constraints in 3-D DDA. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2009 , 46, 1223-1234 ⁶		26
25	Analysis of shock wave reflection from fixed and moving boundaries using a stabilized particle method. <i>Particuology</i> , 2009 , 7, 373-383	2.8	2
24	A dislocation-dynamics-based derivation of the Frank-Read source characteristics for discrete dislocation plasticity. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2008 , 16, 075002	2	13
23	A field smoothing stabilization of particle methods in elastodynamics. <i>Finite Elements in Analysis and Design</i> , 2008 , 44, 564-579	2.2	4
22	Micromechanics of breakage in sharp-edge particles using combined DEM and FEM. <i>Particuology</i> , 2008 , 6, 347-361	2.8	26
21	Analysis of chloride diffusion in concrete structures for prediction of initiation time of corrosion using a new meshless approach. <i>Construction and Building Materials</i> , 2008 , 22, 546-556	6.7	27
20	Equilibrium on line method (ELM) for imposition of Neumann boundary conditions in the finite point method (FPM). <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 69, 60-86	2.4	8
19	Developing new enrichment functions for crack simulation in orthotropic media by the extended finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2007 , 69, 2150-2172	2.4	123
18	Non-uniform isentropic gas flow analysis of explosion in fractured solid media. <i>Finite Elements in Analysis and Design</i> , 2007 , 43, 478-493	2.2	12

17	Analysis of fractured rock and gas flow interaction in explosion simulations. <i>Combustion, Explosion and Shock Waves</i> , 2007 , 43, 482-491	1	4
16	3D Multi Delamination/Fracture Analysis of Composites Subjected to Impact Loadings. <i>Journal of Composite Materials</i> , 2007 , 41, 1459-1475	2.7	5
15	Crack analysis in orthotropic media using the extended finite element method. <i>Thin-Walled Structures</i> , 2006 , 44, 1031-1038	4.7	95
14	Modeling crack in orthotropic media using a coupled finite element and partition of unity methods. <i>Finite Elements in Analysis and Design</i> , 2006 , 42, 1165-1175	2.2	73
13	A coupled gas-solid interaction model for FE/DE simulation of explosion. <i>Finite Elements in Analysis and Design</i> , 2005 , 41, 1289-1308	2.2	8
12	Adaptive Numerical Simulation of Machining Process Involving Chip Creation. <i>Materials Science Forum</i> , 2003 , 440-441, 169-178	0.4	
11	3D Adaptive Multi Fracture Analysis of Composites. <i>Materials Science Forum</i> , 2003 , 440-441, 145-152	0.4	4
10	Contact based delamination and fracture analysis of composites. <i>Thin-Walled Structures</i> , 2002 , 40, 595-609	0.7	7
9	A Contact Based Method for 3D Delamination Analysis of Composites Subjected to Impact Loading 2001 , 691-696		
8	Performance of the anisotropic Morley shell element in dynamic large deformation analysis. <i>Communications in Numerical Methods in Engineering</i> , 1999 , 15, 445-455		4
7	Fracture Mechanics, a Review13-60		
6	Extended Finite Element Method for Isotropic Problems61-116		1
5	XFEM for Orthotropic Problems117-161		
4	XFEM for Cohesive Cracks163-188		
3	New Frontiers189-217		
2	XFEM Flow219-234		
1	Evaluation of T-stress in stationary and propagating adiabatic cracks in FGM subjected to thermo-mechanical loading. <i>Mechanics of Advanced Materials and Structures</i> ,1-20	1.8	0