

# Roman Topor-Madry

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3875873/roman-topor-madry-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71  
papers

17,169  
citations

36  
h-index

77  
g-index

77  
ext. papers

22,930  
ext. citations

13.4  
avg, IF

4.93  
L-index

#	Paper	IF	Citations
71	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , <b>2017</b> , 377, 13-27	59.2	3027
70	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 70, 1-25	15.1	1804
69	Global, regional, and national deaths, prevalence, disability-adjusted life years, and years lived with disability for chronic obstructive pulmonary disease and asthma, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Respiratory Medicine</i> , <b>2017</b> , 5, 691-706	35.1	1119
68	Global, regional, and national burden of stroke, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , <b>2019</b> , 18, 439-458	24.1	1102
67	Global, regional, and national burden of neurological disorders during 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology</i> , <b>2017</b> , 16, 877-897	24.1	984
66	The Burden of Primary Liver Cancer and Underlying Etiologies From 1990 to 2015 at the Global, Regional, and National Level: Results From the Global Burden of Disease Study 2015. <i>JAMA Oncology</i> , <b>2017</b> , 3, 1683-1691	13.4	880
65	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2016: A Systematic Analysis for the Global Burden of Disease Study. <i>JAMA Oncology</i> , <b>2018</b> , 4, 1553-1568	13.4	875
64	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990-2015: a systematic analysis from the Global Burden of Disease Study 2015. <i>Lancet</i> , <b>2017</b> , 389, 1885-1906	40	867
63	The State of US Health, 1990-2016: Burden of Diseases, Injuries, and Risk Factors Among US States. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 1444-1472	27.4	632
62	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory infections in 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Infectious Diseases</i> , <b>2018</b> , 18, 1191-1210	25.5	534
61	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , <b>2018</b> , 379, 2429-2437	59.2	495
60	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Infectious Diseases</i> , <b>2018</b> , 18, 1211-1228	25.5	478
59	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 987-1012	23.3	456
58	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. <i>Lancet</i> , <b>2015</b> , 385, 351-61	40	409
57	Global, regional, and national burden of multiple sclerosis 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , <b>2019</b> , 18, 269-285	24.1	407
56	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory tract infections in 195 countries: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases</i> , <b>2017</b> , 17, 1133-1161	25.5	337
55	Vitamin D and mortality: meta-analysis of individual participant data from a large consortium of cohort studies from Europe and the United States. <i>BMJ</i> , <b>2014</b> , 348, g3656	5.9	265

54	Child and Adolescent Health From 1990 to 2015: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2015 Study. <i>JAMA Pediatrics</i> , <b>2017</b> , 171, 573-592	8.3	216
53	The Burden of Cardiovascular Diseases Among US States, 1990-2016. <i>JAMA Cardiology</i> , <b>2018</b> , 3, 375-389	16.2	184
52	Estimated dietary intake and major food sources of polyphenols in the Polish arm of the HAPIEE study. <i>Nutrition</i> , <b>2014</b> , 30, 1398-403	4.8	169
51	The global burden of tuberculosis: results from the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases</i> , <b>2018</b> , 18, 261-284	25.5	165
50	Evolution and patterns of global health financing 1995-2014: development assistance for health, and government, prepaid private, and out-of-pocket health spending in 184 countries. <i>Lancet</i> , <b>2017</b> , 389, 1981-2004	4.0	152
49	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2019</b> , 4, 913-933	18.8	144
48	Trends in future health financing and coverage: future health spending and universal health coverage in 188 countries, 2016-40. <i>Lancet</i> , <b>2018</b> , 391, 1783-1798	4.0	121
47	Future and potential spending on health 2015-40: development assistance for health, and government, prepaid private, and out-of-pocket health spending in 184 countries. <i>Lancet</i> , <b>2017</b> , 389, 2005-2030	4.0	120
46	Spending on health and HIV/AIDS: domestic health spending and development assistance in 188 countries, 1995-2015. <i>Lancet</i> , <b>2018</b> , 391, 1799-1829	4.0	95
45	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2017 Study. <i>JAMA Pediatrics</i> , <b>2019</b> , 173, e190337	8.3	74
44	Association of daily coffee and tea consumption and metabolic syndrome: results from the Polish arm of the HAPIEE study. <i>European Journal of Nutrition</i> , <b>2015</b> , 54, 1129-37	5.2	73
43	Evidence for the free radical/oxidative stress theory of ageing from the CHANCES consortium: a meta-analysis of individual participant data. <i>BMC Medicine</i> , <b>2015</b> , 13, 300	11.4	64
42	Depressive symptoms in urban population samples in Russia, Poland and the Czech Republic. <i>British Journal of Psychiatry</i> , <b>2006</b> , 188, 359-65	5.4	64
41	Predictors of healthy ageing: public health policy targets. <i>BMC Health Services Research</i> , <b>2016</b> , 16 Suppl 5, 289	2.9	48
40	Renal Denervation in Resistant Hypertension and Obstructive Sleep Apnea: Randomized Proof-of-Concept Phase II Trial. <i>Hypertension</i> , <b>2018</b> , 72, 381-390	8.5	47
39	Socio-economic status over the life-course and depressive symptoms in men and women in Eastern Europe. <i>Journal of Affective Disorders</i> , <b>2008</b> , 105, 125-36	6.6	46
38	Morbidity and mortality from road injuries: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , <b>2020</b> , 26, i46-i56	3.2	46
37	Alcohol, drinking pattern and all-cause, cardiovascular and alcohol-related mortality in Eastern Europe. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 21-30	12.1	43

36	Coffee consumption and risk of hypertension in the Polish arm of the HAPIEE cohort study. <i>European Journal of Clinical Nutrition</i> , <b>2016</b> , 70, 109-15	5.2	40
35	Childhood socioeconomic circumstances and adult height and leg length in central and eastern Europe. <i>Journal of Epidemiology and Community Health</i> , <b>2008</b> , 62, 351-7	5.1	36
34	Sustained diabetes risk reduction after real life and primary health care setting implementation of the diabetes in Europe prevention using lifestyle, physical activity and nutritional intervention (DE-PLAN) project. <i>BMC Public Health</i> , <b>2017</b> , 17, 198	4.1	34
33	Effect of cigarette smoking on plasma fibrin clot permeability and susceptibility to lysis. <i>Thrombosis and Haemostasis</i> , <b>2009</b> , 102, 1289-91	7	34
32	The global distribution of lymphatic filariasis, 2000-18: a geospatial analysis. <i>The Lancet Global Health</i> , <b>2020</b> , 8, e1186-e1194	13.6	34
31	A Mediterranean-type diet is associated with better metabolic profile in urban Polish adults: Results from the HAPIEE study. <i>Metabolism: Clinical and Experimental</i> , <b>2015</b> , 64, 738-46	12.7	33
30	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. <i>Lancet, The</i> , <b>2020</b> , 396, 693-724	4.0	32
29	Socioeconomic inequalities in all-cause mortality in the Czech Republic, Russia, Poland and Lithuania in the 2000s: findings from the HAPIEE Study. <i>Journal of Epidemiology and Community Health</i> , <b>2014</b> , 68, 297-303	5.1	27
28	The association between psychosocial characteristics at work and problem drinking: a cross-sectional study of men in three Eastern European urban populations. <i>Occupational and Environmental Medicine</i> , <b>2005</b> , 62, 546-50	2.1	27
27	Prevalence, awareness, treatment and control of hypertension in the adult Polish population - Multi-center National Population Health Examination Surveys - WOBASZ studies. <i>Archives of Medical Science</i> , <b>2018</b> , 14, 951-961	2.9	27
26	Study of the Serum Copper Levels in Patients with Major Depressive Disorder. <i>Biological Trace Element Research</i> , <b>2016</b> , 174, 287-293	4.5	26
25	Antioxidant vitamin intake and mortality in three Central and Eastern European urban populations: the HAPIEE study. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 547-560	5.2	26
24	The burden of disease in Greece, health loss, risk factors, and health financing, 2000-16: an analysis of the Global Burden of Disease Study 2016. <i>Lancet Public Health, The</i> , <b>2018</b> , 3, e395-e406	22.4	24
23	Independent association of obstructive sleep apnea with left ventricular geometry and systolic function in resistant hypertension: the RESIST-POL study. <i>Sleep Medicine</i> , <b>2014</b> , 15, 1302-8	4.6	22
22	Thiobarbituric Acid-Reactive Substances: Markers of an Acute Episode and a Late Stage of Bipolar Disorder. <i>Neuropsychobiology</i> , <b>2016</b> , 73, 116-22	4	22
21	Fibrin clot properties in acute stroke: what differs cerebral hemorrhage from cerebral ischemia?. <i>Stroke</i> , <b>2012</b> , 43, 1412-4	6.7	21
20	The serum zinc concentration as a potential biological marker in patients with major depressive disorder. <i>Metabolic Brain Disease</i> , <b>2017</b> , 32, 97-103	3.9	20
19	Prevention of type 2 diabetes by lifestyle intervention in primary health care setting in Poland: Diabetes in Europe Prevention using Lifestyle, physical Activity and Nutritional intervention (DE-PLAN) project. <i>British Journal of Diabetes and Vascular Disease</i> , <b>2011</b> , 11, 198-203		20

18	Postpartum depression: identifying associations with bipolarity and personality traits. Preliminary results from a cross-sectional study in Poland. <i>Psychiatry Research</i> , <b>2014</b> , 215, 69-74	9.9	18
17	Changes in disease burden in Poland between 1990-2017 in comparison with other Central European countries: A systematic analysis for the Global Burden of Disease Study 2017. <i>PLoS ONE</i> , <b>2020</b> , 15, e0226766	3.7	14
16	Decreased serum zinc concentration during depressive episode in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2016</b> , 190, 272-277	6.6	13
15	Postpartum depression: bipolar or unipolar? Analysis of 434 Polish postpartum women. <i>Revista Brasileira De Psiquiatria</i> , <b>2017</b> , 39, 154-159	2.6	10
14	Simvastatin administration reduces thromboxane production in subjects taking aspirin: links between aspirin resistance and thrombin generation. <i>International Journal of Cardiology</i> , <b>2012</b> , 154, 59-64	3.2	10
13	Subclinical Mood and Cognition Impairments and Blood Pressure Control in a Large Cohort of Elderly Hypertensives. <i>Journal of the American Medical Directors Association</i> , <b>2016</b> , 17, 864.e17-22	5.9	10
12	Prevalence of diabetes in Poland: a combined analysis of national databases. <i>Diabetic Medicine</i> , <b>2019</b> , 36, 1209-1216	3.5	8
11	Association between central nervous system drugs and recurrent falling based on prospective falls registration in nursing homes. <i>European Geriatric Medicine</i> , <b>2012</b> , 3, 82-86	3	7
10	Management and treatment goals in Polish patients with type 2 diabetes of more than ten yearsU duration - results of ARETAEUS2-Grupa Study. <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 158-68	1.1	7
9	Trends in hypertension prevalence, awareness, treatment, and control among Polish adults 75 years and older during 2007-2014. <i>Cardiology Journal</i> , <b>2018</b> , 25, 333-344	1.4	6
8	Body mass index and risk of death in middle-aged men and women in Poland. Results of POL-MONICA cohort study. <i>Kardiologia Polska</i> , <b>2005</b> , 62, 95-105; discussion 106-7	0.9	5
7	The Influence of Micropauses on SurgeonsUPrecision After Short Laparoscopy Procedures. <i>Polski Przegląd Chirurgiczny</i> , <b>2015</b> , 87, 116-20	0.6	3
6	Cardiovascular risk management in type 2 diabetes of more than 10-year duration: Results of Polish ARETAEUS2-Grupa Study. <i>Cardiology Journal</i> , <b>2015</b> , 22, 150-9	1.4	3
5	Perceived control as a predictor of cardiovascular disease mortality in Poland. The HAPIEE study. <i>Cardiology Journal</i> , <b>2015</b> , 22, 404-12	1.4	3
4	Oral rehydration therapies in Senegal, Mali, and Sierra Leone: a spatial analysis of changes over time and implications for policy. <i>BMC Medicine</i> , <b>2020</b> , 18, 405	11.4	2
3	Innovative Managed Care May Be Related to Improved Prognosis for Acute Myocardial Infarction Survivors. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2021</b> , 14, e007800	5.8	1
2	Thrombin generation markers and coronary heart disease risk factors in a Polish population sample. <i>Thrombosis and Haemostasis</i> , <b>1997</b> , 77, 697-700	7	1
1	Oral and Poster Papers Submitted for Presentation at the 5th Congress of the EUGMS Geriatric Medicine in a Time of Generational Shift September 3 <sup>rd</sup> , 2008 Copenhagen, Denmark. <i>Journal of Nutrition, Health and Aging</i> , <b>2008</b> , 12, 545-593	5.2	

