

# Roman Topor-Madry

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3875873/roman-topor-madry-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71  
papers

17,169  
citations

36  
h-index

77  
g-index

77  
ext. papers

22,930  
ext. citations

13.4  
avg, IF

4.93  
L-index

#	Paper	IF	Citations
71	Innovative Managed Care May Be Related to Improved Prognosis for Acute Myocardial Infarction Survivors. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2021</b> , 14, e007800	5.8	1
70	Changes in disease burden in Poland between 1990-2017 in comparison with other Central European countries: A systematic analysis for the Global Burden of Disease Study 2017. <i>PLoS ONE</i> , <b>2020</b> , 15, e0226766	3.7	14
69	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. <i>Lancet, The</i> , <b>2020</b> , 396, 693-724 <sup>40</sup>		32
68	Oral rehydration therapies in Senegal, Mali, and Sierra Leone: a spatial analysis of changes over time and implications for policy. <i>BMC Medicine</i> , <b>2020</b> , 18, 405	11.4	2
67	The global distribution of lymphatic filariasis, 2000-18: a geospatial analysis. <i>The Lancet Global Health</i> , <b>2020</b> , 8, e1186-e1194	13.6	34
66	Morbidity and mortality from road injuries: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , <b>2020</b> , 26, i46-i56	3.2	46
65	Global, regional, and national burden of multiple sclerosis 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , <b>2019</b> , 18, 269-285	24.1	407
64	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2017 Study. <i>JAMA Pediatrics</i> , <b>2019</b> , 173, e190337	8.3	74
63	Global, regional, and national burden of stroke, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , <b>2019</b> , 18, 439-458	24.1	1102
62	Prevalence of diabetes in Poland: a combined analysis of national databases. <i>Diabetic Medicine</i> , <b>2019</b> , 36, 1209-1216	3.5	8
61	The global, regional, and national burden of colorectal cancer and its attributable risk factors in 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2019</b> , 4, 913-933	18.8	144
60	Spending on health and HIV/AIDS: domestic health spending and development assistance in 188 countries, 1995-2015. <i>Lancet, The</i> , <b>2018</b> , 391, 1799-1829	40	95
59	Trends in future health financing and coverage: future health spending and universal health coverage in 188 countries, 2016-40. <i>Lancet, The</i> , <b>2018</b> , 391, 1783-1798	40	121
58	The State of US Health, 1990-2016: Burden of Diseases, Injuries, and Risk Factors Among US States. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 1444-1472	27.4	632
57	The Burden of Cardiovascular Diseases Among US States, 1990-2016. <i>JAMA Cardiology</i> , <b>2018</b> , 3, 375-389	16.2	184
56	The burden of disease in Greece, health loss, risk factors, and health financing, 2000-16: an analysis of the Global Burden of Disease Study 2016. <i>Lancet Public Health, The</i> , <b>2018</b> , 3, e395-e406	22.4	24
55	Trends in hypertension prevalence, awareness, treatment, and control among Polish adults 75 years and older during 2007-2014. <i>Cardiology Journal</i> , <b>2018</b> , 25, 333-344	1.4	6

54	The global burden of tuberculosis: results from the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases, The</i> , <b>2018</b> , 18, 261-284	25.5	165
53	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , <b>2018</b> , 379, 2429-2437	59.2	495
52	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Psychiatry, the</i> , <b>2018</b> , 5, 987-1012	23.3	456
51	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory infections in 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Infectious Diseases, The</i> , <b>2018</b> , 18, 1191-1210	25.5	534
50	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Infectious Diseases, The</i> , <b>2018</b> , 18, 1211-1228	25.5	478
49	Prevalence, awareness, treatment and control of hypertension in the adult Polish population - Multi-center National Population Health Examination Surveys - WOBASZ studies. <i>Archives of Medical Science</i> , <b>2018</b> , 14, 951-961	2.9	27
48	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2016: A Systematic Analysis for the Global Burden of Disease Study. <i>JAMA Oncology</i> , <b>2018</b> , 4, 1553-1568	13.4	875
47	Renal Denervation in Resistant Hypertension and Obstructive Sleep Apnea: Randomized Proof-of-Concept Phase II Trial. <i>Hypertension</i> , <b>2018</b> , 72, 381-390	8.5	47
46	Sustained diabetes risk reduction after real life and primary health care setting implementation of the diabetes in Europe prevention using lifestyle, physical activity and nutritional intervention (DE-PLAN) project. <i>BMC Public Health</i> , <b>2017</b> , 17, 198	4.1	34
45	Future and potential spending on health 2015-40: development assistance for health, and government, prepaid private, and out-of-pocket health spending in 184 countries. <i>Lancet, The</i> , <b>2017</b> , 389, 2005-2030	40	120
44	Evolution and patterns of global health financing 1995-2014: development assistance for health, and government, prepaid private, and out-of-pocket health spending in 184 countries. <i>Lancet, The</i> , <b>2017</b> , 389, 1981-2004	40	152
43	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 70, 1-25	15.1	1804
42	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , <b>2017</b> , 377, 13-27	59.2	3027
41	Child and Adolescent Health From 1990 to 2015: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2015 Study. <i>JAMA Pediatrics</i> , <b>2017</b> , 171, 573-592	8.3	216
40	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990-2015: a systematic analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2017</b> , 389, 1885-1906	40	867
39	The Burden of Primary Liver Cancer and Underlying Etiologies From 1990 to 2015 at the Global, Regional, and National Level: Results From the Global Burden of Disease Study 2015. <i>JAMA Oncology</i> , <b>2017</b> , 3, 1683-1691	13.4	880
38	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory tract infections in 195 countries: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases, The</i> , <b>2017</b> , 17, 1133-1161	25.5	337
37	Global, regional, and national burden of neurological disorders during 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , <b>2017</b> , 16, 877-897	24.1	984

36	Global, regional, and national deaths, prevalence, disability-adjusted life years, and years lived with disability for chronic obstructive pulmonary disease and asthma, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Respiratory Medicine</i> , <b>2017</b> , 5, 691-706	35.1	1119
35	The serum zinc concentration as a potential biological marker in patients with major depressive disorder. <i>Metabolic Brain Disease</i> , <b>2017</b> , 32, 97-103	3.9	20
34	Postpartum depression: bipolar or unipolar? Analysis of 434 Polish postpartum women. <i>Revista Brasileira De Psiquiatria</i> , <b>2017</b> , 39, 154-159	2.6	10
33	Coffee consumption and risk of hypertension in the Polish arm of the HAPIEE cohort study. <i>European Journal of Clinical Nutrition</i> , <b>2016</b> , 70, 109-15	5.2	40
32	Predictors of healthy ageing: public health policy targets. <i>BMC Health Services Research</i> , <b>2016</b> , 16 Suppl 5, 289	2.9	48
31	Study of the Serum Copper Levels in Patients with Major Depressive Disorder. <i>Biological Trace Element Research</i> , <b>2016</b> , 174, 287-293	4.5	26
30	Antioxidant vitamin intake and mortality in three Central and Eastern European urban populations: the HAPIEE study. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 547-560	5.2	26
29	Decreased serum zinc concentration during depressive episode in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2016</b> , 190, 272-277	6.6	13
28	Thiobarbituric Acid-Reactive Substances: Markers of an Acute Episode and a Late Stage of Bipolar Disorder. <i>Neuropsychobiology</i> , <b>2016</b> , 73, 116-22	4	22
27	Alcohol, drinking pattern and all-cause, cardiovascular and alcohol-related mortality in Eastern Europe. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 21-30	12.1	43
26	Subclinical Mood and Cognition Impairments and Blood Pressure Control in a Large Cohort of Elderly Hypertensives. <i>Journal of the American Medical Directors Association</i> , <b>2016</b> , 17, 864.e17-22	5.9	10
25	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. <i>Lancet, The</i> , <b>2015</b> , 385, 351-61	40	409
24	Evidence for the free radical/oxidative stress theory of ageing from the CHANCES consortium: a meta-analysis of individual participant data. <i>BMC Medicine</i> , <b>2015</b> , 13, 300	11.4	64
23	The Influence of Micropauses on Surgeons' Precision After Short Laparoscopy Procedures. <i>Polski Przegląd Chirurgiczny</i> , <b>2015</b> , 87, 116-20	0.6	3
22	A Mediterranean-type diet is associated with better metabolic profile in urban Polish adults: Results from the HAPIEE study. <i>Metabolism: Clinical and Experimental</i> , <b>2015</b> , 64, 738-46	12.7	33
21	Association of daily coffee and tea consumption and metabolic syndrome: results from the Polish arm of the HAPIEE study. <i>European Journal of Nutrition</i> , <b>2015</b> , 54, 1129-37	5.2	73
20	Cardiovascular risk management in type 2 diabetes of more than 10-year duration: Results of Polish ARETAEUS2-Grupa Study. <i>Cardiology Journal</i> , <b>2015</b> , 22, 150-9	1.4	3
19	Perceived control as a predictor of cardiovascular disease mortality in Poland. The HAPIEE study. <i>Cardiology Journal</i> , <b>2015</b> , 22, 404-12	1.4	3

18	Independent association of obstructive sleep apnea with left ventricular geometry and systolic function in resistant hypertension: the RESIST-POL study. <i>Sleep Medicine</i> , <b>2014</b> , 15, 1302-8	4.6	22
17	Postpartum depression: identifying associations with bipolarity and personality traits. Preliminary results from a cross-sectional study in Poland. <i>Psychiatry Research</i> , <b>2014</b> , 215, 69-74	9.9	18
16	Vitamin D and mortality: meta-analysis of individual participant data from a large consortium of cohort studies from Europe and the United States. <i>BMJ, The</i> , <b>2014</b> , 348, g3656	5.9	265
15	Socioeconomic inequalities in all-cause mortality in the Czech Republic, Russia, Poland and Lithuania in the 2000s: findings from the HAPIEE Study. <i>Journal of Epidemiology and Community Health</i> , <b>2014</b> , 68, 297-303	5.1	27
14	Estimated dietary intake and major food sources of polyphenols in the Polish arm of the HAPIEE study. <i>Nutrition</i> , <b>2014</b> , 30, 1398-403	4.8	169
13	Management and treatment goals in Polish patients with type 2 diabetes of more than ten yearsU duration - results of ARETAEUS2-Grupa Study. <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 158-68	1.1	7
12	Simvastatin administration reduces thromboxane production in subjects taking aspirin: links between aspirin resistance and thrombin generation. <i>International Journal of Cardiology</i> , <b>2012</b> , 154, 59-64 <sup>3,2</sup>		10
11	Association between central nervous system drugs and recurrent falling based on prospective falls registration in nursing homes. <i>European Geriatric Medicine</i> , <b>2012</b> , 3, 82-86	3	7
10	Fibrin clot properties in acute stroke: what differs cerebral hemorrhage from cerebral ischemia?. <i>Stroke</i> , <b>2012</b> , 43, 1412-4	6.7	21
9	Prevention of type 2 diabetes by lifestyle intervention in primary health care setting in Poland: Diabetes in Europe Prevention using Lifestyle, physical Activity and Nutritional intervention (DE-PLAN) project. <i>British Journal of Diabetes and Vascular Disease</i> , <b>2011</b> , 11, 198-203		20
8	Effect of cigarette smoking on plasma fibrin clot permeability and susceptibility to lysis. <i>Thrombosis and Haemostasis</i> , <b>2009</b> , 102, 1289-91	7	34
7	Socio-economic status over the life-course and depressive symptoms in men and women in Eastern Europe. <i>Journal of Affective Disorders</i> , <b>2008</b> , 105, 125-36	6.6	46
6	Childhood socioeconomic circumstances and adult height and leg length in central and eastern Europe. <i>Journal of Epidemiology and Community Health</i> , <b>2008</b> , 62, 351-7	5.1	36
5	Oral and Poster Papers Submitted for Presentation at the 5th Congress of the EUGMS Geriatric Medicine in a Time of Generational Shift September 3 <sup>rd</sup> , 2008 Copenhagen, Denmark. <i>Journal of Nutrition, Health and Aging</i> , <b>2008</b> , 12, 545-593	5.2	
4	Depressive symptoms in urban population samples in Russia, Poland and the Czech Republic. <i>British Journal of Psychiatry</i> , <b>2006</b> , 188, 359-65	5.4	64
3	The association between psychosocial characteristics at work and problem drinking: a cross-sectional study of men in three Eastern European urban populations. <i>Occupational and Environmental Medicine</i> , <b>2005</b> , 62, 546-50	2.1	27
2	Body mass index and risk of death in middle-aged men and women in Poland. Results of POL-MONICA cohort study. <i>Kardiologia Polska</i> , <b>2005</b> , 62, 95-105; discussion 106-7	0.9	5
1	Thrombin generation markers and coronary heart disease risk factors in a Polish population sample. <i>Thrombosis and Haemostasis</i> , <b>1997</b> , 77, 697-700	7	1

