

Rian Q Landers-Ramos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3876162/publications.pdf>

Version: 2024-02-01

19
papers

233
citations

1307594

7
h-index

1058476

14
g-index

20
all docs

20
docs citations

20
times ranked

484
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of exercise on the lipoprotein subclass profile: A meta-analysis of 10 interventions. <i>Atherosclerosis</i> , 2015, 243, 364-372.	0.8	72
2	The Microvasculature and Skeletal Muscle Health in Aging. <i>Exercise and Sport Sciences Reviews</i> , 2018, 46, 172-179.	3.0	33
3	Chronic endurance exercise affects paracrine action of CD31 ⁺ and CD34 ⁺ cells on endothelial tube formation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H407-H420.	3.2	24
4	Short-term exercise training improves flow-mediated dilation and circulating angiogenic cell number in older sedentary adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 832-841.	1.9	22
5	Exercise-induced endothelial progenitor cell mobilization is attenuated in impaired glucose tolerance and type 2 diabetes. <i>Journal of Applied Physiology</i> , 2016, 121, 36-41.	2.5	15
6	Effects of regular endurance exercise on GlycA: Combined analysis of 14 exercise interventions. <i>Atherosclerosis</i> , 2018, 277, 1-6.	0.8	12
7	Investigating the extremes of the continuum of paracrine functions in CD34 ⁺ /CD31 ⁺ CACs across diverse populations. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 312, H162-H172.	3.2	11
8	Exercise and Cardiovascular Progenitor Cells. , 2019, 9, 767-797.		9
9	Circulating microparticle concentrations across acute and chronic cardiovascular disease conditions. <i>Physiological Reports</i> , 2020, 8, e14534.	1.7	8
10	Type 2 diabetes and older age contribute to elevated plasma microparticle concentrations independent of chronic stroke. <i>Experimental Physiology</i> , 2018, 103, 1560-1570.	2.0	7
11	Serum IL-6 and sIL-6R in type 2 diabetes contribute to impaired capillary-like network formation. <i>Journal of Applied Physiology</i> , 2019, 127, 385-392.	2.5	7
12	Sex-specific alterations in blood-borne factors in physically inactive individuals are detrimental to endothelial cell functions. <i>Journal of Applied Physiology</i> , 2020, 129, 664-674.	2.5	4
13	Exercise and Protein Supplementation for Prevention and Treatment of Sarcopenia. <i>Current Geriatrics Reports</i> , 2019, 8, 202-209.	1.1	3
14	Sitting decreases endothelial microparticles but not circulating angiogenic cells irrespective of lower leg exercises: a randomized cross-over trial. <i>Experimental Physiology</i> , 2020, 105, 1408-1419.	2.0	3
15	Peripheral Vascular and Neuromuscular Responses to Ultramarathon Running. <i>Journal of Science in Sport and Exercise</i> , 0, , 1.	1.0	2
16	Projected Metabolic Consequences of Post-Traumatic Osteoarthritis and the Aging Population. <i>Current Geriatrics Reports</i> , 2021, 10, 1-9.	1.1	1
17	CD31 ⁺ Circulating Angiogenic Cell Number and Subtypes are Reduced in Individuals with Chronic Stroke. <i>Current Neurovascular Research</i> , 2021, 18, 113-122.	1.1	0
18	Effects of training status on circulating angiogenic cell paracrine activity in young men and women. <i>FASEB Journal</i> , 2013, 27, lb673.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Type 2 Diabetes and Older Age Contribute to Elevated Plasma Microparticle Concentrations. FASEB Journal, 2018, 32, 902.10.	0.5	0