

Graham Ogg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3878479/publications.pdf>

Version: 2024-02-01

239
papers

26,828
citations

16791

66
h-index

7427

157
g-index

273
all docs

273
docs citations

273
times ranked

26139
citing authors

#	ARTICLE	IF	CITATIONS
1	EAACI Biologicals Guidelinesâ€”Omalizumab for the treatment of chronic spontaneous urticaria in adults and in the paediatric population 12â€”17 years old. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 17-38.	2.7	19
2	Surveillance of SARS-CoV-2 variants of concern by identification of single nucleotide polymorphisms in the spike protein by a multiplex real-time PCR. <i>Journal of Virological Methods</i> , 2022, 300, 114374.	1.0	5
3	British Association of Dermatologists guidelines for the management of people with chronic urticaria 2021*. <i>British Journal of Dermatology</i> , 2022, 186, 398-413.	1.4	20
4	An immunodominant NP105â€”113-B*07:02 cytotoxic T cell response controls viral replication and is associated with less severe COVID-19 disease. <i>Nature Immunology</i> , 2022, 23, 50-61.	7.0	110
5	Phospholipase activity of acyloxyacyl hydrolase induces ILâ€”22â€”producing CD1aâ€”autoreactive T cells in individuals with psoriasis. <i>European Journal of Immunology</i> , 2022, 52, 511-524.	1.6	8
6	Kinetics of immune responses to SARS-CoV-2 proteins in individuals with varying severity of infection and following a single dose of the AZD1222. <i>Clinical and Experimental Immunology</i> , 2022, 208, 323-331.	1.1	3
7	Immune responses following the first dose of the Sputnik V (Gam-COVID-Vac). <i>Scientific Reports</i> , 2022, 12, 1727.	1.6	11
8	HLAâ€”dependent variation in SARSâ€”CoVâ€”2 CD8 ⁺ T cell crossâ€”reactivity with human coronaviruses. <i>Immunology</i> , 2022, 166, 78-103.	2.0	16
9	Kinetics of immune responses to the AZD1222/Covishield vaccine with varying dose intervals in Sri Lankan individuals. <i>Immunity, Inflammation and Disease</i> , 2022, 10, e592.	1.3	6
10	Sensitivity and specificity of two WHO approved SARS-CoV2 antigen assays in detecting patients with SARS-CoV2 infection. <i>BMC Infectious Diseases</i> , 2022, 22, 276.	1.3	13
11	Ni ²⁺ -Assisted Hydrolysis May Affect the Human Proteome; Filaggrin Degradation Ex Vivo as an Example of Possible Consequences. <i>Frontiers in Molecular Biosciences</i> , 2022, 9, 828674.	1.6	1
12	Dengue NS1 induces phospholipase A2 enzyme activity, prostaglandins, and inflammatory cytokines in monocytes. <i>Antiviral Research</i> , 2022, 202, 105312.	1.9	6
13	Decitabine increases neoantigen and cancer testis antigen expression to enhance T-cellâ€”mediated toxicity against glioblastoma. <i>Neuro-Oncology</i> , 2022, 24, 2093-2106.	0.6	18
14	Persistence of immune responses to the Sinopharm/BBIBPâ€”CorV vaccine. <i>Immunity, Inflammation and Disease</i> , 2022, 10, .	1.3	20
15	Efficacy of rupatadine in reducing the incidence of dengue haemorrhagic fever in patients with acute dengue: A randomised, double blind, placebo-controlled trial. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010123.	1.3	4
16	Antibody responses to Sinopharm/BBIBP-CorV in pregnant mothers in Sri Lanka. <i>PLOS Global Public Health</i> , 2022, 2, e0000607.	0.5	1
17	Immune responses to Sinopharm/BBIBPâ€”CorV in individuals in Sri Lanka. <i>Immunology</i> , 2022, 167, 275-285.	2.0	8
18	Dengue and COVID-19: two sides of the same coin. <i>Journal of Biomedical Science</i> , 2022, 29, .	2.6	16

#	ARTICLE	IF	CITATIONS
19	Comparison of the immunogenicity of five COVID-19 vaccines in Sri Lanka. <i>Immunology</i> , 2022, 167, 263-274.	2.0	12
20	Role of regulatory T cells in psoriasis pathogenesis and treatment. <i>British Journal of Dermatology</i> , 2021, 184, 14-24.	1.4	124
21	Efficacy and safety of dupilumab for moderate-to-severe atopic dermatitis: A systematic review for the EAACI biologicals guidelines. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 45-58.	2.7	41
22	Efficacy and safety of treatment with omalizumab for chronic spontaneous urticaria: A systematic review for the EAACI Biologicals Guidelines. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 59-70.	2.7	58
23	Developmental cell programs are co-opted in inflammatory skin disease. <i>Science</i> , 2021, 371, .	6.0	264
24	Human skin is colonized by T cells that recognize CD1a independently of lipid. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	31
25	Urinary leukotrienes and histamine in patients with varying severity of acute dengue. <i>PLoS ONE</i> , 2021, 16, e0245926.	1.1	14
26	CD1a function in human skin disease. <i>Molecular Immunology</i> , 2021, 130, 14-19.	1.0	9
27	T cell assays differentiate clinical and subclinical SARS-CoV-2 infections from cross-reactive antiviral responses. <i>Nature Communications</i> , 2021, 12, 2055.	5.8	102
28	Identification of Novel Candidate CD8+ T Cell Epitopes of the SARS-CoV2 with Homology to Other Seasonal Coronaviruses. <i>Viruses</i> , 2021, 13, 972.	1.5	5
29	CD1a selectively captures endogenous cellular lipids that broadly block T cell response. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	24
30	IL-6 effector function of group 2 innate lymphoid cells (ILC2) is NOD2 dependent. <i>Science Immunology</i> , 2021, 6, .	5.6	8
31	Pre-existing asthma as a comorbidity does not modify cytokine responses and severity of COVID-19. <i>Allergy, Asthma and Clinical Immunology</i> , 2021, 17, 67.	0.9	3
32	Immune responses to a single dose of the AZD1222/Covishield vaccine in health care workers. <i>Nature Communications</i> , 2021, 12, 4617.	5.8	44
33	Comparison of two assays to detect IgG antibodies to the receptor binding domain of SARS-CoV-2 as a surrogate marker for assessing neutralizing antibodies in COVID-19 patients. <i>International Journal of Infectious Diseases</i> , 2021, 109, 85-89.	1.5	18
34	Identification of immune correlates of fatal outcomes in critically ill COVID-19 patients. <i>PLoS Pathogens</i> , 2021, 17, e1009804.	2.1	39
35	Genomic and Epidemiological Analysis of SARS-CoV-2 Viruses in Sri Lanka. <i>Frontiers in Microbiology</i> , 2021, 12, 722838.	1.5	9
36	SARS-CoV-2 neutralizing antibodies in patients with varying severity of acute COVID-19 illness. <i>Scientific Reports</i> , 2021, 11, 2062.	1.6	58

#	ARTICLE	IF	CITATIONS
37	EAACI Biologicals Guidelinesâ€”dupilumab for children and adults with moderateâ€”severe atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 988-1009.	2.7	24
38	The impact of viral mutations on recognition by SARS-CoV-2 specific T cells. <i>iScience</i> , 2021, 24, 103353.	1.9	57
39	Immune Responses to a Single Dose of the AZD1222/Covishield Vaccine at 16 Weeks in Individuals in Sri Lanka. <i>Journal of Immunology</i> , 2021, 207, 2681-2687.	0.4	4
40	Transmission dynamics, clinical characteristics and sero-surveillance in the COVID-19 outbreak in a population dense area of Colombo, Sri Lanka April- May 2020. <i>PLoS ONE</i> , 2021, 16, e0257548.	1.1	8
41	Seroprevalence of SARS-CoV-2 Infection in the Colombo Municipality Region, Sri Lanka. <i>Frontiers in Public Health</i> , 2021, 9, 724398.	1.3	8
42	Atopic dermatitis epidemiology and unmet need in the United Kingdom. <i>Journal of Dermatological Treatment</i> , 2020, 31, 801-809.	1.1	43
43	Advances in the assessment of T-cell clonality. <i>Diagnostic Histopathology</i> , 2020, 26, 388-397.	0.2	0
44	Predicting Cross-Reactivity and Antigen Specificity of T Cell Receptors. <i>Frontiers in Immunology</i> , 2020, 11, 565096.	2.2	45
45	Addressing Differentiation in Live Human Keratinocytes by Assessment of Membrane Packing Order. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 573230.	1.8	9
46	Risk Factors for Elevated Serum Lipopolysaccharide in Acute Dengue and Association with Clinical Disease Severity. <i>Tropical Medicine and Infectious Disease</i> , 2020, 5, 170.	0.9	7
47	Dysfunctional Innate Immune Responses and Severe Dengue. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 590004.	1.8	30
48	Similarities and differences between the â€”cytokine stormsâ€” in acute dengue and COVID-19. <i>Scientific Reports</i> , 2020, 10, 19839.	1.6	27
49	Re-evaluation of human BDCA-2+ DC during acute sterile skin inflammation. <i>Journal of Experimental Medicine</i> , 2020, 217, .	4.2	29
50	Broad and strong memory CD4+ and CD8+ T cells induced by SARS-CoV-2 in UK convalescent individuals following COVID-19. <i>Nature Immunology</i> , 2020, 21, 1336-1345.	7.0	1,066
51	Potential CD8+ T Cell Cross-Reactivity Against SARS-CoV-2 Conferred by Other Coronavirus Strains. <i>Frontiers in Immunology</i> , 2020, 11, 579480.	2.2	42
52	Identification of Immune Responses to Japanese Encephalitis Virus Specific T Cell Epitopes. <i>Frontiers in Public Health</i> , 2020, 8, 19.	1.3	2
53	Natural killer cells get under your skin. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	2
54	Innate Lymphocyte Mechanisms in Skin Diseases. <i>Annual Review of Immunology</i> , 2020, 38, 171-202.	9.5	10

#	ARTICLE	IF	CITATIONS
55	Phenotype and functionality of follicular helper T cells in patients with acute dengue infection. <i>Journal of Biomedical Science</i> , 2020, 27, 50.	2.6	12
56	Longitudinal COVID-19 profiling associates IL-1RA and IL-10 with disease severity and RANTES with mild disease. <i>JCI Insight</i> , 2020, 5, .	2.3	310
57	Development of an ELISA to Assess Japanese Encephalitis Virus NS1 Protein Antibody Responses in a Community Cohort in Sri Lanka. , 2020, , .		0
58	Altered monocyte response to the dengue virus in those with varying severity of past dengue infection. <i>Antiviral Research</i> , 2019, 169, 104554.	1.9	9
59	Association of dengue virus-specific polyfunctional T cell responses with clinical disease severity in acute dengue infection. <i>Immunity, Inflammation and Disease</i> , 2019, 7, 276-285.	1.3	19
60	Proof-of-concept clinical trial of etokimab shows a key role for IL-33 in atopic dermatitis pathogenesis. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	172
61	Capturing the antigen landscape: HLA-E, CD1 and MR1. <i>Current Opinion in Immunology</i> , 2019, 59, 121-129.	2.4	17
62	Resistance to apoptosis underpins the corticosteroid insensitivity of group 2 innate lymphoid cells. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1722-1726.e10.	1.5	5
63	Fevipirant, a selective prostaglandin D2 receptor 2 antagonist, inhibits human group 2 innate lymphoid cell aggregation and function. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 2329-2333.	1.5	11
64	Spontaneous atopic dermatitis in mice with a defective skin barrier is independent of ILC2 and mediated by IL-1 β . <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1920-1933.	2.7	51
65	A preliminary study on efficacy of rupatadine for the treatment of acute dengue infection. <i>Scientific Reports</i> , 2018, 8, 3857.	1.6	20
66	A randomized controlled trial protocol assessing the effectiveness, safety and cost-effectiveness of methotrexate vs. ciclosporin in the treatment of severe atopic eczema in children: the TREATment of severe Atopic eczema Trial (TREAT). <i>British Journal of Dermatology</i> , 2018, 179, 1297-1306.	1.4	14
67	Orchestrated control of filaggrin-actin scaffolds underpins cornification. <i>Cell Death and Disease</i> , 2018, 9, 412.	2.7	42
68	Emerging roles of innate lymphoid cells in inflammatory diseases: Clinical implications. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 837-850.	2.7	79
69	Regulatory T cells in acute dengue viral infection. <i>Immunology</i> , 2018, 154, 89-97.	2.0	24
70	Role of NS1 antibodies in the pathogenesis of acute secondary dengue infection. <i>Nature Communications</i> , 2018, 9, 5242.	5.8	67
71	Quantification of dengue virus specific T cell responses and correlation with viral load and clinical disease severity in acute dengue infection. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006540.	1.3	37
72	Cultured ELISpot Assay to Investigate Dengue Virus Specific T-Cell Responses. <i>Methods in Molecular Biology</i> , 2018, 1808, 165-171.	0.4	17

#	ARTICLE	IF	CITATIONS
73	Foxp3+ T reg cells control psoriasiform inflammation by restraining an IFN- γ -driven CD8+ T cell response. <i>Journal of Experimental Medicine</i> , 2018, 215, 1987-1998.	4.2	50
74	Activated innate lymphoid cell populations accumulate in human tumour tissues. <i>BMC Cancer</i> , 2018, 18, 341.	1.1	85
75	Killer T cells show their kinder side. <i>Nature</i> , 2018, 555, 594-595.	13.7	4
76	Synergistic activation of pro-inflammatory type-2 CD8+ T lymphocytes by lipid mediators in severe eosinophilic asthma. <i>Mucosal Immunology</i> , 2018, 11, 1408-1419.	2.7	46
77	Cysteinyl leukotriene E 4 activates human group 2 innate lymphoid cells and enhances the effect of prostaglandin D 2 and epithelial cytokines. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1090-1100.e11.	1.5	130
78	Secretory phospholipase A2 in the pathogenesis of acute dengue infection. <i>Immunity, Inflammation and Disease</i> , 2017, 5, 7-15.	1.3	23
79	Pathogenesis of vascular leak in dengue virus infection. <i>Immunology</i> , 2017, 151, 261-269.	2.0	165
80	IL-17 Receptor A Maintains and Protects the Skin Barrier To Prevent Allergic Skin Inflammation. <i>Journal of Immunology</i> , 2017, 199, 707-717.	0.4	50
81	Deficiency of filaggrin regulates endogenous cysteine protease activity, leading to impaired skin barrier function. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 622-631.	0.6	27
82	Therapeutic vaccines for allergic disease. <i>Npj Vaccines</i> , 2017, 2, 12.	2.9	7
83	CD1a presentation of endogenous antigens by group 2 innate lymphoid cells. <i>Science Immunology</i> , 2017, 2, .	5.6	57
84	Dengue NS1 antigen contributes to disease severity by inducing interleukin (IL)-10 by monocytes. <i>Clinical and Experimental Immunology</i> , 2016, 184, 90-100.	1.1	49
85	Expansion of highly activated invariant natural killer T cells with altered phenotype in acute dengue infection. <i>Clinical and Experimental Immunology</i> , 2016, 185, 228-238.	1.1	6
86	Patterns and causes of liver involvement in acute dengue infection. <i>BMC Infectious Diseases</i> , 2016, 16, 319.	1.3	126
87	Interleukin-33, friend and foe in type-2 immune responses. <i>Current Opinion in Immunology</i> , 2016, 42, 16-24.	2.4	64
88	Psoriatic T cells recognize neolipid antigens generated by mast cell phospholipase delivered by exosomes and presented by CD1a. <i>Journal of Experimental Medicine</i> , 2016, 213, 2399-2412.	4.2	194
89	Lipid-specific T cells and the skin. <i>British Journal of Dermatology</i> , 2016, 175, 19-25.	1.4	5
90	Lipopolysaccharide acts synergistically with the dengue virus to induce monocyte production of platelet activating factor and other inflammatory mediators. <i>Antiviral Research</i> , 2016, 133, 183-190.	1.9	32

#	ARTICLE	IF	CITATIONS
91	Elevated and cross-responsive CD1a-reactive T cells in bee and wasp venom allergic individuals. <i>European Journal of Immunology</i> , 2016, 46, 242-252.	1.6	51
92	Enhanced isolation of lymphoid cells from human skin. <i>Clinical and Experimental Dermatology</i> , 2016, 41, 552-556.	0.6	12
93	Clinical outcomes and response of patients applying topical therapy for pyoderma gangrenosum: A prospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 940-949.	0.6	53
94	Filaggrin inhibits generation of CD1a neolipid antigens by house dust mite-derived phospholipase. <i>Science Translational Medicine</i> , 2016, 8, 325ra18.	5.8	77
95	Group 2 Innate Lymphoid Cells Express Functional Nkp30 Receptor Inducing Type 2 Cytokine Production. <i>Journal of Immunology</i> , 2016, 196, 45-54.	0.4	73
96	Spontaneous atopic dermatitis is mediated by innate immunity, with the secondary lung inflammation of the atopic march requiring adaptive immunity. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 482-491.	1.5	117
97	Bee venom processes human skin lipids for presentation by CD1a. <i>Journal of Experimental Medicine</i> , 2015, 212, 149-163.	4.2	98
98	Functionality of Dengue Virus Specific Memory T Cell Responses in Individuals Who Were Hospitalized or Who Had Mild or Subclinical Dengue Infection. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003673.	1.3	41
99	Platelet Activating Factor Contributes to Vascular Leak in Acute Dengue Infection. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003459.	1.3	55
100	The Characterization of Varicella Zoster Virus-Specific T Cells in Skin and Blood during Aging. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1752-1762.	0.3	86
101	Prostaglandin D2 and leukotriene E4 synergize to stimulate diverse TH2 functions and TH2 cell/neutrophil crosstalk. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1358-1366.e11.	1.5	50
102	Change in Dengue and Japanese Encephalitis Seroprevalence Rates in Sri Lanka. <i>PLoS ONE</i> , 2015, 10, e0144799.	1.1	35
103	Polymorphisms of transporter associated with antigen presentation, tumor necrosis factor- β and interleukin-10 and their implications for protection and susceptibility to severe forms of dengue fever in patients in Sri Lanka. <i>Journal of Global Infectious Diseases</i> , 2015, 7, 157.	0.2	17
104	Role of skin homing T cells in acute dengue infection. <i>Annals of Translational Medicine</i> , 2015, 3, 252.	0.7	0
105	Sphingosine 1-Phosphate in Acute Dengue Infection. <i>PLoS ONE</i> , 2014, 9, e113394.	1.1	41
106	Innate lymphoid cells and the skin. <i>BMC Dermatology</i> , 2014, 14, 18.	2.1	23
107	Dengue NS1 antigen as a marker of severe clinical disease. <i>BMC Infectious Diseases</i> , 2014, 14, 570.	1.3	76
108	Histamine enhances keratinocyte-mediated resolution of inflammation by promoting wound healing and response to infection. <i>Clinical and Experimental Dermatology</i> , 2014, 39, 187-195.	0.6	15

#	ARTICLE	IF	CITATIONS
109	Combinatorial HLA-peptide bead libraries for high throughput identification of CD8+ T cell specificity. <i>Journal of Immunological Methods</i> , 2014, 403, 72-78.	0.6	8
110	The histamine-synthesizing enzyme histidine decarboxylase is upregulated by keratinocytes in atopic skin. <i>British Journal of Dermatology</i> , 2014, 171, 771-778.	1.4	27
111	MHCII-Mediated Dialog between Group 2 Innate Lymphoid Cells and CD4+ T Cells Potentiates Type 2 Immunity and Promotes Parasitic Helminth Expulsion. <i>Immunity</i> , 2014, 41, 283-295.	6.6	601
112	Prostaglandin D2 activates group 2 innate lymphoid cells through chemoattractant receptor-homologous molecule expressed on TH2 cells. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 1184-1194.e7.	1.5	433
113	Filaggrin-insufficiency in keratinocytes influences responsiveness of allergen-specific T cells to cognate antigen and compounds barrier function deficiency. <i>Clinical Immunology</i> , 2014, 153, 153-155.	1.4	7
114	Cytokine regulation of the epidermal barrier. <i>Clinical and Experimental Allergy</i> , 2013, 43, 586-598.	1.4	41
115	T cell responses in dengue viral infections. <i>Journal of Clinical Virology</i> , 2013, 58, 605-611.	1.6	43
116	A role for IL-25 and IL-33-driven type-2 innate lymphoid cells in atopic dermatitis. <i>Journal of Experimental Medicine</i> , 2013, 210, 2939-2950.	4.2	803
117	Serum IL-10 as a marker of severe dengue infection. <i>BMC Infectious Diseases</i> , 2013, 13, 341.	1.3	73
118	Suppression of Virus Specific Immune Responses by IL-10 in Acute Dengue Infection. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2409.	1.3	58
119	Varicella Zoster-Specific CD4+Foxp3+ T Cells Accumulate after Cutaneous Antigen Challenge in Humans. <i>Journal of Immunology</i> , 2013, 190, 977-986.	0.4	50
120	Linking genotype to phenotype on beads: high throughput selection of peptides with biological function. <i>Scientific Reports</i> , 2013, 3, 3030.	1.6	8
121	The Epidermis as an Adjuvant. <i>Journal of Investigative Dermatology</i> , 2012, 132, 940-948.	0.3	56
122	Leukotriene E4 Activates Human Th2 Cells for Exaggerated Proinflammatory Cytokine Production in Response to Prostaglandin D2. <i>Journal of Immunology</i> , 2012, 188, 694-702.	0.4	36
123	Evaluation of the WHO revised criteria for classification of clinical disease severity in acute adult dengue infection. <i>BMC Research Notes</i> , 2012, 5, 645.	0.6	53
124	IL-17 downregulates filaggrin and affects keratinocyte expression of genes associated with cellular adhesion. <i>Experimental Dermatology</i> , 2012, 21, 104-110.	1.4	188
125	Identification of serotype-specific T cell responses to highly conserved regions of the dengue viruses. <i>Clinical and Experimental Immunology</i> , 2012, 168, 215-223.	1.1	36
126	Cellular and Cytokine Correlates of Severe Dengue Infection. <i>PLoS ONE</i> , 2012, 7, e50387.	1.1	96

#	ARTICLE	IF	CITATIONS
127	Pathogenesis of severe dengue infection. Ceylon Medical Journal, 2012, 57, 97.	0.1	22
128	Central role of JC virus-specific CD4+ lymphocytes in progressive multi-focal leucoencephalopathy-immune reconstitution inflammatory syndrome. Brain, 2011, 134, 2687-2702.	3.7	78
129	Interleukin-22 downregulates filaggrin expression and affects expression of profilaggrin processing enzymes. British Journal of Dermatology, 2011, 165, 492-498.	1.4	143
130	Phenotypic analysis of perennial airborne allergen-specific CD4+ T cells in atopic and non-atopic individuals. Clinical and Experimental Allergy, 2011, 41, 1555-1567.	1.4	11
131	Common Filaggrin Null Alleles Are Not Associated with Hymenoptera Venom Allergy in Europeans. International Archives of Allergy and Immunology, 2011, 154, 353-355.	0.9	6
132	HLA Class I and Class II Associations in Dengue Viral Infections in a Sri Lankan Population. PLoS ONE, 2011, 6, e20581.	1.1	56
133	Direct Ex-Vivo Evaluation of Pneumococcal Specific T-Cells in Healthy Adults. PLoS ONE, 2011, 6, e25367.	1.1	10
134	Natural killer cells during primary varicella zoster virus infection. Journal of Infection, 2010, 61, 190-192.	1.7	4
135	T cells reactive with the NC16A domain of BP180 are present in vulvar lichen sclerosus and lichen planus. Journal of the European Academy of Dermatology and Venereology, 2010, 24, 186-190.	1.3	49
136	Rapid effector function of circulating CD4+ T cells specific for immunodominant regions of the conserved serine/threonine kinase found in Streptococcus pneumoniae (StkP) in healthy adults. FEMS Immunology and Medical Microbiology, 2010, 60, 113-122.	2.7	3
137	Filaggrin null mutations associate with increased frequencies of allergen-specific CD4+ T-helper 2 cells in patients with atopic eczema. British Journal of Dermatology, 2010, 163, 544-549.	1.4	22
138	IE63-specific T-cell responses associate with control of subclinical varicella zoster virus reactivation in individuals with malignancies. British Journal of Cancer, 2010, 102, 727-730.	2.9	26
139	Tracking Antigen-Specific T-Cells during Clinical Tolerance Induction in Humans. PLoS ONE, 2010, 5, e11028.	1.1	45
140	Natural killer cells during primary varicella zoster virus infection. Journal of Infection, 2010, 61, 190-2.	1.7	2
141	ELISPOT and functional T cell analyses using HLA mono-specific target cells. Journal of Immunological Methods, 2009, 350, 150-160.	0.6	2
142	Role of T cells in the pathogenesis of atopic dermatitis. Clinical and Experimental Allergy, 2009, 39, 310-316.	1.4	28
143	Phenotypic analysis of human cd4+ t cells specific for ie63 protein of vzv. Journal of Infection, 2008, 56, 300.	1.7	0
144	Anti-lymphocyte function associated antigen-1 inhibits T-helper 2 function of human allergen-specific CD4+ T cells. British Journal of Dermatology, 2008, 158, 456-462.	1.4	5

#	ARTICLE	IF	CITATIONS
145	Identification of an immunodominant region of Fel d 1 and characterization of constituent epitopes. <i>Clinical and Experimental Allergy</i> , 2008, 38, 1760-1768.	1.4	21
146	Varicella zoster virus glycoprotein E-specific CD4+ T cells show evidence of recent activation and effector differentiation, consistent with frequent exposure to replicative cycle antigens in healthy immune donors. <i>Clinical and Experimental Immunology</i> , 2008, 152, 522-531.	1.1	68
147	Viral Load, Clinical Disease Severity and Cellular Immune Responses in Primary Varicella Zoster Virus Infection in Sri Lanka. <i>PLoS ONE</i> , 2008, 3, e3789.	1.1	67
148	Bacterial superantigen facilitates epithelial presentation of allergen to T helper 2 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 5557-5562.	3.3	61
149	Rapid Effector Function of Varicella-Zoster Virus Glycoprotein E-Specific CD4+ T Cells Many Decades after Primary Infection. <i>Journal of Infectious Diseases</i> , 2007, 195, 660-664.	1.9	34
150	Immunotherapy with Antibody-Targeted HLA Class I Complexes: Results of in vivo Tumour Cell Killing and Therapeutic Vaccination. <i>Tumor Biology</i> , 2007, 28, 205-211.	0.8	5
151	Human keratinocyte induction of rapid effector function in antigen-specific memory CD4+ and CD8+ T cells. <i>European Journal of Immunology</i> , 2007, 37, 1485-1493.	1.6	102
152	Phenotypic analysis of human CD4+ T cells specific for immediate early 63 protein of varicella-zoster virus. <i>European Journal of Immunology</i> , 2007, 37, 3393-3403.	1.6	29
153	Interleukin-4 promotes human CD8+ T cell expression of CCR7. <i>Immunology</i> , 2007, 120, 66-72.	2.0	15
154	Persistent central memory phenotype of circulating Fel d 1 peptide/DRB1*0101 tetramer-binding CD4+ T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 1350-1356.	1.5	60
155	Defining the T cell antigen proteome of wasp venom. <i>Clinical and Experimental Allergy</i> , 2006, 36, 1274-1280.	1.4	7
156	A novel fluorescent sensitive assay for detection of differential T cell mediated lysis of multiple adherent target cells. <i>Journal of Immunological Methods</i> , 2006, 316, 153-157.	0.6	4
157	Persistent High Frequencies of Varicella-Zoster Virus ORF4 Protein-Specific CD4 + T Cells after Primary Infection. <i>Journal of Virology</i> , 2006, 80, 9772-9778.	1.5	38
158	Role of T cells in the pathogenesis of mucous membrane pemphigoid. <i>Expert Review of Dermatology</i> , 2006, 1, 25-30.	0.3	3
159	Detection of T Lymphocytes Specific for Human Endogenous Retrovirus K (HERV-K) in Patients with Seminoma. <i>AIDS Research and Human Retroviruses</i> , 2006, 22, 52-56.	0.5	53
160	p53-specific CD8+ T-cell responses in individuals with cutaneous squamous cell carcinoma. <i>British Journal of Dermatology</i> , 2005, 153, 987-991.	1.4	15
161	Interleukin-4 induced down-regulation of skin homing receptor expression by human viral-specific CD8+ T cells may contribute to atopic risk of cutaneous infection. <i>Clinical and Experimental Immunology</i> , 2005, 141, 107-115.	1.1	12
162	Longitudinal Analysis of CD8 + T Cells Specific for Structural and Nonstructural Hepatitis B Virus Proteins in Patients with Chronic Hepatitis B: Implications for Immunotherapy. <i>Journal of Virology</i> , 2004, 78, 5707-5719.	1.5	371

#	ARTICLE	IF	CITATIONS
163	CD4 ⁺ CD8 ⁺ Subset of CD1d-Restricted NKT Cells Controls T Cell Expansion. <i>Journal of Immunology</i> , 2004, 172, 7350-7358.	0.4	54
164	Simplified one-step antibody-HLA directed expansion of HIV-specific cytotoxic T lymphocytes. <i>Aids</i> , 2004, 18, 2099-2101.	1.0	0
165	TLR2 is expressed on activated T cells as a costimulatory receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 3029-3034.	3.3	443
166	Rapid effector function of circulating NC16A-specific T cells in individuals with mucous membrane pemphigoid. <i>British Journal of Dermatology</i> , 2004, 151, 1160-1164.	1.4	27
167	Antibody-targeted MHC complex-directed expansion of HIV-1 and KSHV-specific CD8 ⁺ lymphocytes: a new approach to therapeutic vaccination. <i>Blood</i> , 2004, 103, 1791-1795.	0.6	18
168	Use of B cell-bound HLA-A2 class I monomers to generate high-avidity, allo-restricted CTLs against the leukemia-associated protein Wilms tumor antigen. <i>Blood</i> , 2004, 103, 4613-4615.	0.6	62
169	The role of p53 in the immunobiology of cutaneous squamous cell carcinoma. <i>Clinical and Experimental Immunology</i> , 2003, 132, 379-384.	1.1	29
170	Immunopolarization of CD4 ⁺ and CD8 ⁺ T Cells to Type-1-Like is Associated with Melanocyte Loss in Human Vitiligo. <i>Laboratory Investigation</i> , 2003, 83, 683-695.	1.7	212
171	T-cell immunotherapy of allergic disease: the role of CD8 ⁺ T cells. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2003, 3, 475-479.	1.1	3
172	Escaping High Viral Load Exhaustion. <i>Journal of Experimental Medicine</i> , 2002, 195, 1089-1101.	4.2	213
173	Lack of Epstein-Barr virus- and HIV-specific CD27 ⁺ CD8 ⁺ T cells is associated with progression to viral disease in HIV-infection. <i>Aids</i> , 2002, 16, 2001-2011.	1.0	57
174	Dynamics of T Cell Responses in HIV Infection. <i>Journal of Immunology</i> , 2002, 168, 3660-3666.	0.4	137
175	Oligomeric MHC molecules and their homologues: state of the art. <i>Journal of Immunological Methods</i> , 2002, 268, 3-7.	0.6	10
176	Anti-viral cytotoxic T cells inhibit the growth of cancer cells with antibody targeted hla class I/peptide complexes in scid mice. <i>International Journal of Cancer</i> , 2002, 98, 561-566.	2.3	19
177	Comparison between HIV- and CMV-specific T cell responses in long-term HIV infected donors. <i>Clinical and Experimental Immunology</i> , 2002, 130, 509-517.	1.1	53
178	Memory CD8 ⁺ T cells vary in differentiation phenotype in different persistent virus infections. <i>Nature Medicine</i> , 2002, 8, 379-385.	15.2	1,432
179	Induction of viral and tumour specific CTL responses using antibody targeted HLA class I peptide complexes. <i>British Journal of Cancer</i> , 2002, 86, 1336-1342.	2.9	23
180	Allergen-specific CD8 ⁺ T cells and atopic disease. <i>Journal of Clinical Investigation</i> , 2002, 110, 1283-1291.	3.9	52

#	ARTICLE	IF	CITATIONS
181	Allergen-specific CD8+ T cells and atopic disease. <i>Journal of Clinical Investigation</i> , 2002, 110, 1283-1291.	3.9	27
182	Vancomycin-induced linear IgA disease with autoantibodies to BP180 and LAD285.. <i>British Journal of Dermatology</i> , 2001, 145, 816-820.	1.4	65
183	High viral burden in the presence of major HIV-specific CD8+ T cell expansions: evidence for impaired CTL effector function. <i>European Journal of Immunology</i> , 2001, 31, 677-686.	1.6	171
184	Direct Measurement of CD4+ and CD8+ T-Cell Responses to CMV in HIV-1-Infected Subjects. <i>Virology</i> , 2001, 279, 459-470.	1.1	92
185	Lamivudine treatment can overcome cytotoxic T-cell hyporesponsiveness in chronic hepatitis B: New perspectives for immune therapy. <i>Hepatology</i> , 2001, 33, 963-971.	3.6	316
186	Skewed maturation of memory HIV-specific CD8 T lymphocytes. <i>Nature</i> , 2001, 410, 106-111.	13.7	910
187	Clustered Mutations in HIV-1 Gag Are Consistently Required for Escape from Hla-B27-Restricted Cytotoxic T Lymphocyte Responses. <i>Journal of Experimental Medicine</i> , 2001, 193, 375-386.	4.2	424
188	Cytotoxic T cell abundance and virus load in human immunodeficiency virus type 1 and human T cell leukaemia virus type 1. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2001, 268, 1215-1221.	1.2	54
189	A simple and rapid magnetic bead separation technique for the isolation of tetramer-positive virus-specific CD8 T cells. <i>Aids</i> , 2001, 15, 810-812.	1.0	12
190	Direct visualization of HIV-1-specific cytotoxic T lymphocytes during primary infection. <i>Aids</i> , 2000, 14, 225-233.	1.0	140
191	T cell receptor usage of virus-specific CD8 cells and recognition of viral mutations during acute and persistent hepatitis B virus infection. <i>European Journal of Immunology</i> , 2000, 30, 3067-3078.	1.6	45
192	Characterization of HIV-1-Specific Cytotoxic T Lymphocytes Expressing the Mucosal Lymphocyte Integrin CD103 in Rectal and Duodenal Lymphoid Tissue of HIV-1-Infected Subjects. <i>Virology</i> , 2000, 270, 317-327.	1.1	33
193	Incubation Phase of Acute Hepatitis B in Man: Dynamic of Cellular Immune Mechanisms. <i>Hepatology</i> , 2000, 32, 1117-1124.	3.6	359
194	Sensitization of tumour cells to lysis by virus-specific CTL using antibody-targeted MHC class I/peptide complexes. <i>British Journal of Cancer</i> , 2000, 82, 1058-1062.	2.9	22
195	An Antigenic Threshold for Maintaining Human Immunodeficiency Virus Type 1-specific Cytotoxic T Lymphocytes. <i>Molecular Medicine</i> , 2000, 6, 803-809.	1.9	33
196	Differential Narrow Focusing of Immunodominant Human Immunodeficiency Virus Gag-Specific Cytotoxic T-Lymphocyte Responses in Infected African and Caucosoid Adults and Children. <i>Journal of Virology</i> , 2000, 74, 5679-5690.	1.5	117
197	The Role of Virus-Specific Cd8+ Cells in Liver Damage and Viral Control during Persistent Hepatitis B Virus Infection. <i>Journal of Experimental Medicine</i> , 2000, 191, 1269-1280.	4.2	761
198	Human Immunodeficiency Virus Type 1- and Cytomegalovirus-Specific Cytotoxic T Lymphocytes Can Persist at High Frequency for Prolonged Periods in the Absence of Circulating Peripheral CD4+ T Cells. <i>Journal of Virology</i> , 2000, 74, 1018-1022.	1.5	89

#	ARTICLE	IF	CITATIONS
199	HIV-Specific Cd8+ T Cells Produce Antiviral Cytokines but Are Impaired in Cytolytic Function. Journal of Experimental Medicine, 2000, 192, 63-76.	4.2	820
200	Human CD8+ CTL Specific for the Mycobacterial Major Secreted Antigen 85A. Journal of Immunology, 2000, 165, 7088-7095.	0.4	107
201	Functionally Inert HIV-Specific Cytotoxic T Lymphocytes Do Not Play a Major Role in Chronically Infected Adults and Children. Journal of Experimental Medicine, 2000, 192, 1819-1832.	4.2	125
202	Induction of antigen-specific CD8+ T cells, T helper cells, and protective levels of antibody in humans by particle-mediated administration of a hepatitis B virus DNA vaccine. Vaccine, 2000, 19, 764-778.	1.7	329
203	Isolation of Cytomegalovirus-Specific Cytotoxic T-Lymphocytes from Gut-Associated Lymphoid Tissue (GALT) of HIV Type 1-Infected Subjects. AIDS Research and Human Retroviruses, 2000, 16, 1157-1162.	0.5	8
204	Memory CD8 + T cells in HIV infection. Philosophical Transactions of the Royal Society B: Biological Sciences, 2000, 355, 363-367.	1.8	38
205	The dynamics of the cellular immune response to HIV infection: implications for vaccination. Philosophical Transactions of the Royal Society B: Biological Sciences, 2000, 355, 1007-1011.	1.8	24
206	Expansion of HIV-1-specific CD28 ⁺ CD45RA ⁺ CD8+ T cells in chronically HIV-1-infected individuals. Aids, 2000, 14, 2049.	1.0	12
207	DETECTION OF HLA-SPECIFIC IGG ANTIBODIES USING SINGLE RECOMBINANT HLA ALLELES. Transplantation, 2000, 70, 531-536.	0.5	14
208	HLA alleles determine human T-lymphotropic virus-I (HTLV-I) proviral load and the risk of HTLV-I-associated myelopathy. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 3848-3853.	3.3	393
209	Quantitation of antigen-specific CD8+ T-cell responses. Immunology Letters, 1999, 66, 77-80.	1.1	27
210	Broadly cross-reactive HIV-specific cytotoxic T-lymphocytes in highly-exposed persistently seronegative donors. Immunology Letters, 1999, 66, 9-14.	1.1	101
211	Direct ex vivo analysis of hepatitis B virus-specific CD8+ T cells associated with the control of infection. Gastroenterology, 1999, 117, 1386-1396.	0.6	331
212	A recombinant vaccinia virus based ELISPOT assay detects high frequencies of Pol-specific CD8 T cells in HIV-1-positive individuals. Aids, 1999, 13, 767-777.	1.0	206
213	Isolation of HIV-1-specific cytotoxic T lymphocytes using human leukocyte antigen-coated beads. Aids, 1999, 13, 1991.	1.0	8
214	Strong Human Immunodeficiency Virus (HIV)-Specific Cytotoxic T-Lymphocyte Activity in Sydney Blood Bank Cohort Patients Infected with <i>nef</i> -Defective HIV Type 1. Journal of Virology, 1999, 73, 436-443.	1.5	103
215	Decay Kinetics of Human Immunodeficiency Virus-Specific Effector Cytotoxic T Lymphocytes after Combination Antiretroviral Therapy. Journal of Virology, 1999, 73, 797-800.	1.5	331
216	Longitudinal Phenotypic Analysis of Human Immunodeficiency Virus Type 1-Specific Cytotoxic T Lymphocytes: Correlation with Disease Progression. Journal of Virology, 1999, 73, 9153-9160.	1.5	142

#	ARTICLE	IF	CITATIONS
217	Distinct Recognition of Non-Clade B Human Immunodeficiency Virus Type 1 Epitopes by Cytotoxic T Lymphocytes Generated from Donors Infected in Africa. <i>Journal of Virology</i> , 1999, 73, 1708-1714.	1.5	67
218	Levels of Human Immunodeficiency Virus Type 1-Specific Cytotoxic T-Lymphocyte Effector and Memory Responses Decline after Suppression of Viremia with Highly Active Antiretroviral Therapy. <i>Journal of Virology</i> , 1999, 73, 6721-6728.	1.5	287
219	Rapid Death of Adoptively Transferred T Cells in Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1999, 93, 1506-1510.	0.6	104
220	Rapid Death of Adoptively Transferred T Cells in Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1999, 93, 1506-1510.	0.6	16
221	HLA-E binds to natural killer cell receptors CD94/NKG2A, B and C. <i>Nature</i> , 1998, 391, 795-799.	13.7	1,983
222	Direct isolation, phenotyping and cloning of low-frequency antigen-specific cytotoxic T lymphocytes from peripheral blood. <i>Current Biology</i> , 1998, 8, 413-416.	1.8	222
223	HLA-peptide tetrameric complexes. <i>Current Opinion in Immunology</i> , 1998, 10, 393-396.	2.4	105
224	Quantitation of HIV-1-Specific Cytotoxic T Lymphocytes and Plasma Load of Viral RNA. <i>Science</i> , 1998, 279, 2103-2106.	6.0	1,340
225	Direct Visualization of Antigen-specific CD8+ T Cells during the Primary Immune Response to Epstein-Barr Virus In Vivo. <i>Journal of Experimental Medicine</i> , 1998, 187, 1395-1402.	4.2	830
226	Oligoclonal Expansions of CD8+ T Cells in Chronic HIV Infection Are Antigen Specific. <i>Journal of Experimental Medicine</i> , 1998, 188, 785-790.	4.2	153
227	Ex Vivo Staining of Metastatic Lymph Nodes by Class I Major Histocompatibility Complex Tetramers Reveals High Numbers of Antigen-experienced Tumor-specific Cytolytic T Lymphocytes. <i>Journal of Experimental Medicine</i> , 1998, 188, 1641-1650.	4.2	475
228	High Frequency of Skin-homing Melanocyte-specific Cytotoxic T Lymphocytes in Autoimmune Vitiligo. <i>Journal of Experimental Medicine</i> , 1998, 188, 1203-1208.	4.2	408
229	Four novel cytotoxic T-lymphocyte epitopes in the highly conserved major homology region of HIV-1 Gag, restricted through B*4402, B*1801, A*2601, B*70 (B*1509). <i>Aids</i> , 1998, 12, 1561-1563.	1.0	13
230	Stability of empty and peptide-loaded class II major histocompatibility complex molecules at neutral and endosomal pH: Comparison to class I proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 2495-2500.	3.3	60
231	Late escape from an immunodominant cytotoxic T-lymphocyte response associated with progression to AIDS. <i>Nature Medicine</i> , 1997, 3, 212-217.	15.2	1,096
232	Optimization of a peptide-based protocol employing IL-7 for in vitro restimulation of human cytotoxic T lymphocyte precursors. <i>Journal of Immunological Methods</i> , 1997, 210, 65-77.	0.6	78
233	Cerebral nocardia abscesses in a patient with AIDS: Correlation of magnetic resonance and white cell scanning images with neuropathological findings. <i>Journal of Infection</i> , 1997, 35, 311-313.	1.7	11
234	Cytotoxic T lymphocytes and viral turnover in HIV type 1 infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 15323-15328.	3.3	107

#	ARTICLE	IF	CITATIONS
235	Anti-HLA-A2 antibody-enhancement of peptide association with HLA-A2 as detected by cytotoxic T lymphocytes. <i>Nature</i> , 1989, 342, 443-446.	13.7	42
236	Sensitivity and Specificity of Two WHO Approved SARS-CoV-2 Antigen Assays in Detecting Patients with SARS-CoV-2 Infection. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
237	The Impact of Viral Mutations on Recognition by SARS-CoV-2 Specific T-Cells. <i>SSRN Electronic Journal</i> , 0, , .	0.4	11
238	Longitudinal Profiling of Cytokines and Chemokines in COVID-19 Reveals Inhibitory Mediators IL-1Ra and IL-10 Are Associated with Disease Severity While Elevated RANTES Is an Early Predictor of Mild Disease. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1
239	Exposure of Keratinocytes to <i>Candida Albicans</i> in the Context of Atopic Milieu Induces Changes in the Surface Glycosylation Pattern of Small Extracellular Vesicles to Enhance Their Propensity to Interact With Inhibitory Siglec Receptors. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	7