

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3879593/zm-shi-publications-by-citations.pdf>

Version: 2023-03-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

254
papers

7,856
citations

37
h-index

83
g-index

282
ext. papers

9,665
ext. citations

5.3
avg, IF

6.4
L-index

#	Paper	IF	Citations
253	National, regional, and global trends in fasting plasma glucose and diabetes prevalence since 1980: systematic analysis of health examination surveys and epidemiological studies with 370 country-years and 217 million participants. <i>Lancet, The</i> , 2011 , 378, 31-40	36.2	2575
252	Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. <i>Lancet Diabetes and Endocrinology, the</i> , 2014 , 2, 634-47	17.4	443
251	Evidence that the prevalence of childhood overweight is plateauing: data from nine countries. <i>Pediatric Obesity</i> , 2011 , 6, 342-60		427
250	Multimorbidity - not just an older person issue. Results from an Australian biomedical study. <i>BMC Public Health</i> , 2010 , 10, 718	4	145
249	Prevalence of diabetes among men and women in China. <i>New England Journal of Medicine</i> , 2010 , 362, 2425; author reply 2426	57.2	144
248	Socio-demographic differences in food habits and preferences of school adolescents in Jiangsu Province, China. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1439-48	5	126
247	Longitudinal changes in testosterone over five years in community-dwelling men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3289-97	5.4	102
246	Prevalence of metabolic syndrome and factors associated with its components in Chinese adults. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 1102-8	10	87
245	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021 , 398, 957-980	36.2	93
244	Association between serum ferritin, hemoglobin, iron intake, and diabetes in adults in Jiangsu, China. <i>Diabetes Care</i> , 2006 , 29, 1878-83	14.1	81
243	Nutrition Knowledge and Dietary Intake in Pregnancy in Rural Malawi: Comparing Supplementary Nutrition Education and -Counseling With Routine Antenatal Care. <i>Current Developments in Nutrition</i> , 2021 , 5, 145-145	0.3	78
242	Dietary fat and sleep duration in Chinese men and women. <i>International Journal of Obesity</i> , 2008 , 32, 1835-40	5.2	71
241	Monosodium glutamate is not associated with obesity or a greater prevalence of weight gain over 5 years: findings from the Jiangsu Nutrition Study of Chinese adults. <i>British Journal of Nutrition</i> , 2010 , 104, 457-63	3.4	71
240	Physical activity and associated socio-demographic factors among school adolescents in Jiangsu Province, China. <i>Preventive Medicine</i> , 2006 , 43, 218-21	4.1	71
239	Anemia in relation to body mass index and waist circumference among Chinese women. <i>Nutrition Journal</i> , 2013 , 12, 10	4	66
238	Dietary Pattern Is Associated with Obesity in Older People in China: Data from China Health and Nutrition Survey (CHNS). <i>Nutrients</i> , 2015 , 7, 8170-88	6.4	68
237	Vegetable-rich food pattern is related to obesity in China. <i>International Journal of Obesity</i> , 2008 , 32, 975-84	5.4	65

236	Familial hypercholesterolemia in China: prevalence and evidence of underdetection and undertreatment in a community population. <i>International Journal of Cardiology</i> , 2014 , 174, 834-6	3	65
235	Muscle grip strength predicts incident type 2 diabetes: Population-based cohort study. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 883-92	10	64
234	Association between dietary patterns, cadmium intake and chronic kidney disease among adults. <i>Clinical Nutrition</i> , 2018 , 37, 276-284	3.5	63
233	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020 , 396, 1511-1524	36.2	65
232	Prevalence, trends and risk factors for the diabetes epidemic in China: a systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2014 , 104, 63-72	7.2	59
231	Association between serum leptin concentrations and insulin resistance: a population-based study from China. <i>PLoS ONE</i> , 2013 , 8, e54615	3.6	57
230	Epidemic T2DM, early development and epigenetics: implications of the Chinese Famine. <i>Nature Reviews Endocrinology</i> , 2018 , 14, 738-746	14.8	56
229	Soft drink consumption and mental health problems among adults in Australia. <i>Public Health Nutrition</i> , 2010 , 13, 1073-9	3.1	55
228	Short sleep duration and obesity among Australian children. <i>BMC Public Health</i> , 2010 , 10, 609	4	51
227	Association between nutrition and the evolution of multimorbidity: the importance of fruits and vegetables and whole grain products. <i>Clinical Nutrition</i> , 2014 , 33, 513-20	3.5	52
226	Vitamin D levels in an Australian population. <i>BMC Public Health</i> , 2014 , 14, 1001	4	51
225	Egg consumption and the risk of diabetes in adults, Jiangsu, China. <i>Nutrition</i> , 2011 , 27, 194-8	4.4	48
224	Rice intake, weight change and risk of the metabolic syndrome development among Chinese adults: the Jiangsu Nutrition Study (JIN). <i>Asia Pacific Journal of Clinical Nutrition</i> , 2012 , 21, 35-43	0.9	47
223	Iron intake and body iron stores, anaemia and risk of hyperglycaemia among Chinese adults: the prospective Jiangsu Nutrition Study (JIN). <i>Public Health Nutrition</i> , 2010 , 13, 1319-27	3.1	45
222	Food Habits, Lifestyle Factors and Mortality among Oldest Old Chinese: The Chinese Longitudinal Healthy Longevity Survey (CLHLS). <i>Nutrients</i> , 2015 , 7, 7562-79	6.4	42
221	Early life exposure to Chinese famine modifies the association between hypertension and cardiovascular disease. <i>Journal of Hypertension</i> , 2018 , 36, 54-60	1.5	41
220	The prevalence of childhood asthma in China: a systematic review. <i>BMC Public Health</i> , 2012 , 12, 860	4	40
219	Major Dietary Patterns in Relation to General and Central Obesity among Chinese Adults. <i>Nutrients</i> , 2015 , 7, 5834-49	6.4	39

218	Interaction between physical activity and sleep duration in relation to insulin resistance among non-diabetic Chinese adults. <i>BMC Public Health</i> , 2012 , 12, 247	4	38
217	Comparisons of Visceral Adiposity Index, Body Shape Index, Body Mass Index and Waist Circumference and Their Associations with Diabetes Mellitus in Adults. <i>Nutrients</i> , 2019 , 11,	6.4	38
216	Prevalence and factors associated with stunting and thinness among adolescent students in Northern Ethiopia: a comparison to World Health Organization standards. <i>Archives of Public Health</i> , 2015 , 73, 44	2.6	37
215	Evaluation of older Chinese people's macronutrient intake status: results from the China Health and Nutrition Survey. <i>British Journal of Nutrition</i> , 2015 , 113, 159-71	3.4	38
214	Perceived risk, behavior changes and Health-related outcomes during COVID-19 pandemic: Findings among adults with and without diabetes in China. <i>Diabetes Research and Clinical Practice</i> , 2020 , 167, 108350	7.2	33
213	Sociodemographic correlates of food habits among school adolescents (12-15 year) in North Gaza Strip. <i>BMC Public Health</i> , 2009 , 9, 185	4	34
212	The sociodemographic correlates of nutritional status of school adolescents in Jiangsu Province, China. <i>Journal of Adolescent Health</i> , 2005 , 37, 313-22	3	36
211	Is dietary zinc protective for type 2 diabetes? Results from the Australian longitudinal study on women's health. <i>BMC Endocrine Disorders</i> , 2013 , 13, 40	3.2	34
210	Monosodium glutamate is related to a higher increase in blood pressure over 5 years: findings from the Jiangsu Nutrition Study of Chinese adults. <i>Journal of Hypertension</i> , 2011 , 29, 846-53	1.5	35
209	Dietary Pattern during 1991-2011 and Its Association with Cardio Metabolic Risks in Chinese Adults: The China Health and Nutrition Survey. <i>Nutrients</i> , 2017 , 9,	6.4	32
208	Ten-year trends in major lifestyle risk factors using an ongoing population surveillance system in Australia. <i>Population Health Metrics</i> , 2014 , 12, 31	2.8	33
207	Chronic medical conditions mediate the association between depression and cardiovascular disease mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 615-25	4.4	33
206	Dietary pattern and weight change in a 5-year follow-up among Chinese adults: results from the Jiangsu Nutrition Study. <i>British Journal of Nutrition</i> , 2011 , 105, 1047-54	3.4	33
205	Qatar Biobank Cohort Study: Study Design and First Results. <i>American Journal of Epidemiology</i> , 2019 , 188, 1420-1433	3.7	32
204	Comorbid diabetes and the risk of disease severity or death among 8807 COVID-19 patients in China: A meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2020 , 166, 108346	7.2	31
203	Association between dietary patterns and anaemia in adults from Jiangsu Province in Eastern China. <i>British Journal of Nutrition</i> , 2006 , 96, 906-12	3.4	31
202	Perceptions of weight and associated factors of adolescents in Jiangsu Province, China. <i>Public Health Nutrition</i> , 2007 , 10, 298-305	3.1	29
201	Association between soft drink consumption and asthma and chronic obstructive pulmonary disease among adults in Australia. <i>Respirology</i> , 2012 , 17, 363-9	3.5	28

200	Haemochromatosis HFE gene polymorphisms as potential modifiers of hereditary nonpolyposis colorectal cancer risk and onset age. <i>International Journal of Cancer</i> , 2009 , 125, 78-83	7.3	30
199	Inadequate riboflavin intake and anemia risk in a Chinese population: five-year follow up of the Jiangsu Nutrition Study. <i>PLoS ONE</i> , 2014 , 9, e88862	3.6	27
198	Hypertension Impact on Health-Related Quality of Life: A Cross-Sectional Survey among Middle-Aged Adults in Chongqing, China. <i>International Journal of Hypertension</i> , 2016 , 2016, 7404957	2.4	25
197	Assessing dietary quality of older Chinese people using the Chinese Diet Balance Index (DBI). <i>PLoS ONE</i> , 2015 , 10, e0121618	3.6	26
196	Soft drink and sweet food consumption and suicidal behaviours among Chinese adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, e215-22	3	25
195	Burden and trend of diet-related non-communicable diseases in Australia and comparison with 34 OECD countries, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>European Journal of Nutrition</i> , 2019 , 58, 1299-1313	5	26
194	The impact of dietary risk factors on the burden of non-communicable diseases in Ethiopia: findings from the Global Burden of Disease study 2013. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 122	8	24
193	Maternal dietary intake during pregnancy and its association to birth size in rural Malawi: A cross-sectional study. <i>Maternal and Child Nutrition</i> , 2018 , 14,	3.2	23
192	Dietary pattern transitions, and the associations with BMI, waist circumference, weight and hypertension in a 7-year follow-up among the older Chinese population: a longitudinal study. <i>BMC Public Health</i> , 2016 , 16, 743	4	24
191	The association between total phthalate concentration and non-communicable diseases and chronic inflammation in South Australian urban dwelling men. <i>Environmental Research</i> , 2017 , 158, 366-372 ⁸	7.8	22
190	Dietary Patterns and Insomnia Symptoms in Chinese Adults: The China Kadoorie Biobank. <i>Nutrients</i> , 2017 , 9,	6.4	22
189	Chilli consumption and the incidence of overweight and obesity in a Chinese adult population. <i>International Journal of Obesity</i> , 2017 , 41, 1074-1079	5.2	22
188	Serum testosterone levels correlate with haemoglobin in middle-aged and older men. <i>Internal Medicine Journal</i> , 2009 , 39, 532-8	1.5	22
187	The association between gastroesophageal reflux disease with sleep quality, depression, and anxiety in a cohort study of Australian men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1170-1177	3.8	21
186	Incidence, prevalence, mortality, disability-adjusted life years and risk factors of cancer in Australia and comparison with OECD countries, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>Cancer Epidemiology</i> , 2018 , 52, 43-54	2.7	21
185	Infant feeding practices in the first 6 months and associated factors in a rural and semiurban community in Mangochi District, Malawi. <i>Journal of Human Lactation</i> , 2007 , 23, 325-32	2.4	21
184	Association between dietary patterns and low bone mineral density among adults aged 50 years and above: findings from the North West Adelaide Health Study (NWAHS). <i>British Journal of Nutrition</i> , 2016 , 116, 1437-1446	3.4	20
183	The association of socio-demographic status, lifestyle factors and dietary patterns with total urinary phthalates in Australian men. <i>PLoS ONE</i> , 2015 , 10, e0122140	3.6	20

182	Social and demographic determinants for breastfeeding in a rural, suburban and city area of South East China. <i>Contemporary Nurse</i> , 2013 , 45, 234-43	1.5	20
181	Reactions of Chinese adults to warning labels on cigarette packages: a survey in Jiangsu Province. <i>BMC Public Health</i> , 2011 , 11, 133	4	20
180	Dietary pattern, serum magnesium, ferritin, C-reactive protein and anaemia among older people. <i>Clinical Nutrition</i> , 2017 , 36, 444-451	3.5	21
179	Micronutrients deficiency and associated sociodemographic factors in Chinese children. <i>World Journal of Pediatrics</i> , 2011 , 7, 217-23	4.2	19
178	Joint association of magnesium and iron intake with anemia among Chinese adults. <i>Nutrition</i> , 2008 , 24, 977-84	4.4	19
177	Nutrient patterns and chronic inflammation in a cohort of community dwelling middle-aged men. <i>Clinical Nutrition</i> , 2017 , 36, 1040-1047	3.5	19
176	Association of impaired fasting glucose, diabetes and dietary patterns with mortality: a 10-year follow-up cohort in Eastern China. <i>Acta Diabetologica</i> , 2016 , 53, 799-806	3.8	17
175	Exclusive breastfeeding duration during the first 6 months of life is positively associated with length-for-age among infants 6-12 months old, in Mangochi district, Malawi. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 96-101	5	18
174	Associations between Macronutrient Intake and Obstructive Sleep Apnoea as Well as Self-Reported Sleep Symptoms: Results from a Cohort of Community Dwelling Australian Men. <i>Nutrients</i> , 2016 , 8, 207	6.4	18
173	The association between A Body Shape Index and mortality: Results from an Australian cohort. <i>PLoS ONE</i> , 2017 , 12, e0181244	3.6	17
172	Body Shape Index Is a Stronger Predictor of Diabetes. <i>Nutrients</i> , 2019 , 11,	6.4	18
171	Predictive value of serum testosterone for type 2 diabetes risk assessment in men. <i>BMC Endocrine Disorders</i> , 2016 , 16, 26	3.2	15
170	Influence of Gender on Associations of Obstructive Sleep Apnea Symptoms with Chronic Conditions and Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.5	15
169	Tea consumption is inversely related to 5-year blood pressure change among adults in Jiangsu, China: a cross-sectional study. <i>Nutrition Journal</i> , 2014 , 13, 98	4	16
168	Exposure to the Chinese famine in early life and the risk of anaemia in adulthood. <i>BMC Public Health</i> , 2013 , 13, 904	4	16
167	Prostate-specific antigen (PSA) rate of decline post external beam radiotherapy predicts prostate cancer death. <i>Radiotherapy and Oncology</i> , 2013 , 107, 129-33	1	16
166	The use of a surveillance system to measure changes in mental health in Australian adults during the global financial crisis. <i>International Journal of Public Health</i> , 2011 , 56, 367-72	3.9	16
165	Monosodium glutamate intake, dietary patterns and asthma in Chinese adults. <i>PLoS ONE</i> , 2012 , 7, e51563	3.6	15

164	Monosodium glutamate intake increases hemoglobin level over 5 years among Chinese adults. <i>Amino Acids</i> , 2012 , 43, 1389-97	3.4	17
163	Zinc intake and the risk of hyperglycemia among Chinese adults: the prospective Jiangsu Nutrition Study (JIN). <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 332-5	5	16
162	Do older Chinese people's diets meet the Chinese Food Pagoda guidelines? Results from the China Health and Nutrition Survey 2009. <i>Public Health Nutrition</i> , 2015 , 18, 3020-30	3.1	15
161	Association of dietary pattern and body weight with blood pressure in Jiangsu Province, China. <i>BMC Public Health</i> , 2014 , 14, 948	4	15
160	Association between Body Mass Index and All-Cause Mortality among Oldest Old Chinese. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 262-268	5	14
159	A Prospective Association of Nut Consumption with Cognitive Function in Chinese Adults aged 55+ - China Health and Nutrition Survey. <i>Journal of Nutrition, Health and Aging</i> , 2019 , 23, 211-216	5	14
158	Associations of childhood, maternal and household dietary patterns with childhood stunting in Ethiopia: proposing an alternative and plausible dietary analysis method to dietary diversity scores. <i>Nutrition Journal</i> , 2018 , 17, 14	4	14
157	Dietary Pattern, Hypertension and Cognitive Function in an Older Population: 10-Year Longitudinal Survey. <i>Frontiers in Public Health</i> , 2018 , 6, 201	5.8	14
156	Zinc biofortification of rice in China: a simulation of zinc intake with different dietary patterns. <i>Nutrients</i> , 2012 , 4, 517-28	6.4	13
155	Association between magnesium : iron intake ratio and diabetes in Chinese adults in Jiangsu Province. <i>Diabetic Medicine</i> , 2008 , 25, 1164-70	3.4	14
154	Coexistence of anaemia and the metabolic syndrome in adults in Jiangsu, China. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2008 , 17, 505-13	0.9	14
153	A comparison of principal component analysis, partial least-squares and reduced-rank regressions in the identification of dietary patterns associated with bone mass in ageing Australians. <i>European Journal of Nutrition</i> , 2018 , 57, 1969-1983	5	13
152	Magnesium Intake and Sleep Disorder Symptoms: Findings from the Jiangsu Nutrition Study of Chinese Adults at Five-Year Follow-Up. <i>Nutrients</i> , 2018 , 10,	6.4	13
151	Dietary patterns are associated with insulin resistance in Chinese adults without known diabetes. <i>British Journal of Nutrition</i> , 2013 , 109, 1662-9	3.4	13
150	Incidence of diabetes in Asian-Indian subjects: a five year follow-up study from Bangladesh. <i>Primary Care Diabetes</i> , 2011 , 5, 117-24	2.3	13
149	Chilli intake is inversely associated with hypertension among adults. <i>Clinical Nutrition ESPEN</i> , 2018 , 23, 67-72	0.8	12
148	High Chili Intake and Cognitive Function among 4582 Adults: An Open Cohort Study over 15 Years. <i>Nutrients</i> , 2019 , 11,	6.4	13
147	Knowledge, Attitude, and Behaviors Related to Eating Out among University Students in China. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.5	11

146	Dinner fat intake and sleep duration and self-reported sleep parameters over five years: Findings from the Jiangsu Nutrition Study of Chinese adults. <i>Nutrition</i> , 2016 , 32, 970-4	4.4	12
145	Strong negative association between intake of tofu and anemia among Chinese adults in Jiangsu, China. <i>Journal of the American Dietetic Association</i> , 2008 , 108, 1146-53		12
144	Early life exposure to 1959-1961 Chinese famine exacerbates association between diabetes and cardiovascular disease. <i>Journal of Diabetes</i> , 2020 , 12, 134-141	3.7	12
143	Dietary intake of zinc in the population of Jiangsu Province, China. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2009 , 18, 193-9	0.9	12
142	Prevalence and Treatment of Diabetes in China, 2013-2018.. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2498-2506	26.8	12
141	Dietary patterns and obesity in preschool children in Australia: a cross-sectional study. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018 , 27, 406-412	0.9	12
140	Soft drink consumption and multimorbidity among adults. <i>Clinical Nutrition ESPEN</i> , 2015 , 10, e71-e76	0.8	10
139	Factors Associated with Activities of Daily Life Disability among Centenarians in Rural Chongqing, China: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.5	10
138	Association between multimorbidity and undiagnosed obstructive sleep apnea severity and their impact on quality of life in men over 40 years old. <i>Global Health, Epidemiology and Genomics</i> , 2018 , 3, e10	2.6	10
137	Breastfeeding perceptions in communities in Mangochi district in Malawi. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010 , 99, 367-72	3	11
136	Dietary habits of Palestinian adolescents and associated sociodemographic characteristics in Ramallah, Nablus and Hebron governorates. <i>Public Health Nutrition</i> , 2010 , 13, 1419-29	3.1	11
135	Soy Isoflavone Intake and Sleep Parameters over 5 Years among Chinese Adults: Longitudinal Analysis from the Jiangsu Nutrition Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2017 , 117, 536-544.e2	1.4	11
134	U-shape association between white blood cell count and the risk of diabetes in young Chinese adults. <i>Diabetic Medicine</i> , 2009 , 26, 955-60	3.4	11
133	Age-related changes in estradiol and longitudinal associations with fat mass in men. <i>PLoS ONE</i> , 2018 , 13, e0201912	3.6	10
132	SSRI antidepressant use potentiates weight gain in the context of unhealthy lifestyles: results from a 4-year Australian follow-up study. <i>BMJ Open</i> , 2017 , 7, e016224	2.9	9
131	Prospective Associations of Dietary and Nutrient Patterns with Fracture Risk: A 20-Year Follow-Up Study. <i>Nutrients</i> , 2017 , 9,	6.4	10
130	Prevalence and risk factors of diabetes and impaired fasting glucose among university applicants in Eastern China: findings from a population-based study. <i>Diabetic Medicine</i> , 2014 , 31, 1194-8	3.4	9
129	Association between socioeconomic status (SES), mental health and need for long-term care (NLTC)-A Longitudinal Study among the Japanese Elderly. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 372-81	3.8	9

128	Iron-related dietary pattern increases the risk of poor cognition. <i>Nutrition Journal</i> , 2019 , 18, 48	4	9
127	Clinical, biochemical, neuroradiological and molecular characterization of Egyptian patients with glutaric acidemia type 1. <i>Metabolic Brain Disease</i> , 2019 , 34, 1231-1241	3.8	9
126	Genetic polymorphisms associated with type 2 diabetes in the Arab world: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2019 , 151, 198-208	7.2	9
125	High iron intake is associated with poor cognition among Chinese old adults and varied by weight status-a 15-y longitudinal study in 4852 adults. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 109-116	6.6	9
124	Prevalence and Sociodemographic and Lifestyle Determinants of Anemia during Pregnancy: A Cross-Sectional Study of Pregnant Women in China. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.5	9
123	Increase in the prevalence of hypertension among adults exposed to the Great Chinese Famine during early life. <i>Environmental Health and Preventive Medicine</i> , 2017 , 22, 64	4	9
122	Association between dietary zinc intake and mortality among Chinese adults: findings from 10-year follow-up in the Jiangsu Nutrition Study. <i>European Journal of Nutrition</i> , 2018 , 57, 2839-2846	5	9
121	Weighting of the data and analytical approaches may account for differences in overcoming the inadequate representativeness of the respondents to the third wave of a cohort study. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 461-4	5.5	9
120	Hb level, iron intake and mortality in Chinese adults: a 10-year follow-up study. <i>British Journal of Nutrition</i> , 2017 , 117, 572-581	3.4	9
119	Determinants of second pregnancy among pregnant women: a hospital-based cross-sectional survey in China. <i>BMJ Open</i> , 2017 , 7, e014544	2.9	9
118	Association between dietary lead intake and 10-year mortality among Chinese adults. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 12273-12280	5	9
117	Personal Involvement Moderates Message Framing Effects on Food Safety Education among Medical University Students in Chongqing, China. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.5	7
116	Association between nutrient patterns and bone mineral density among ageing adults. <i>Clinical Nutrition ESPEN</i> , 2017 , 22, 97-106	0.8	8
115	Seasonality in associations between dietary diversity scores and nutrient adequacy ratios among pregnant women in rural Malawi - a cross-sectional study. <i>Food and Nutrition Research</i> , 2019 , 63,	2.9	7
114	Association of low serum magnesium with diabetes and hypertension: Findings from Qatar Biobank study. <i>Diabetes Research and Clinical Practice</i> , 2019 , 158, 107903	7.2	7
113	The use of a chronic disease and risk factor surveillance system to determine the age, period and cohort effects on the prevalence of obesity and diabetes in South Australian adults--2003-2013. <i>PLoS ONE</i> , 2015 , 10, e0125233	3.6	7
112	Trends of mortality attributable to child and maternal undernutrition, overweight/obesity and dietary risk factors of non-communicable diseases in sub-Saharan Africa, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>Public Health Nutrition</i> , 2019 , 22, 827-840	3.1	7
111	Meal-specific food patterns and the incidence of hyperglycemia in a Chinese adult population. <i>British Journal of Nutrition</i> , 2017 , 118, 53-59	3.4	7

110	Decreasing the use of edible oils in China using WeChat and theories of behavior change: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 631	2.7	7
109	Learning from an epidemiological, population-based study on prescribed medicine use in adults. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 271-7	2.6	7
108	Trajectories of Dietary Patterns, Sleep Duration, and Body Mass Index in China: A Population-Based Longitudinal Study from China Nutrition and Health Survey, 1991-2009. <i>Nutrients</i> , 2020 , 12,	6.4	8
107	Muscle Strength and Glycaemic Control among Patients with Type 2 Diabetes. <i>Nutrients</i> , 2020 , 12,	6.4	7
106	Serum vitamin D is associated with improved lung function markers but not with prevalence of asthma, emphysema, and chronic bronchitis. <i>Scientific Reports</i> , 2020 , 10, 11542	4.7	7
105	Higher egg consumption associated with increased risk of diabetes in Chinese adults - China Health and Nutrition Survey. <i>British Journal of Nutrition</i> , 2021 , 126, 110-117	3.4	7
104	Dietary patterns, dietary lead exposure and hypertension in the older Chinese population. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018 , 27, 451-459	0.9	8
103	Trend in gender disparities of BMI and height between 2004 and 2011 among adolescents aged 17-18 years in Changzhou China. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2013 , 22, 466-73	0.9	7
102	Association between Soft Drink Consumption and Asthma among Qatari Adults. <i>Nutrients</i> , 2019 , 11,	6.4	6
101	Association between monosodium glutamate intake and sleep-disordered breathing among Chinese adults with normal body weight. <i>Nutrition</i> , 2013 , 29, 508-13	4.4	6
100	Monosodium glutamate intake is inversely related to the risk of hyperglycemia. <i>Clinical Nutrition</i> , 2014 , 33, 823-8	3.5	6
99	Serum leptin concentrations in relation to dietary patterns in Chinese men and women. <i>Public Health Nutrition</i> , 2014 , 17, 1524-30	3.1	7
98	Visceral adiposity index is a better predictor of type 2 diabetes than body mass index in Qatari population. <i>Medicine (United States)</i> , 2020 , 99, e21327	1.8	6
97	Dietary patterns and cardiovascular disease risk among Chinese adults: a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 1725-1735	5	6
96	Validation of Vitamin D-Specific Food Frequency Questionnaire against Food Records for Qatari Women. <i>Foods</i> , 2020 , 9,	4.7	6
95	Dietary patterns and sleep parameters in a cohort of community dwelling Australian men. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017 , 26, 1158-1169	0.9	6
94	Chili Intake Is Inversely Associated with Chronic Kidney Disease among Adults: A Population-Based Study. <i>Nutrients</i> , 2019 , 11,	6.4	5
93	Dietary patterns associated with hypertension risk among adults in Thailand: 8-year findings from the Thai Cohort Study. <i>Public Health Nutrition</i> , 2019 , 22, 307-313	3.1	5

92	The C282Y polymorphism of the hereditary hemochromatosis gene is associated with increased sex hormone-binding globulin and normal testosterone levels in men. <i>Journal of Endocrinological Investigation</i> , 2010 , 33, 544-8	5.1	5
91	Prostate cancer outcomes and delays in care. <i>International Urology and Nephrology</i> , 2017 , 49, 449-455	2.2	7
90	Verum- versus Sham-Acupuncture on Alzheimer's Disease (AD) in Animal Models: A Preclinical Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2020 , 2020, 5901573	2.9	5
89	The circadian syndrome predicts cardiovascular disease better than metabolic syndrome in Chinese adults. <i>Journal of Internal Medicine</i> , 2021 , 289, 851-860	10.5	5
88	Burden of disease attributable to suboptimal diet, metabolic risks and low physical activity in Ethiopia and comparison with Eastern sub-Saharan African countries, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>BMC Public Health</i> , 2018 , 18, 552	4	5
87	Multivariable Analysis of Nutritional and Socio-Economic Profiles Shows Differences in Incident Anemia for Northern and Southern Jiangsu in China. <i>Nutrients</i> , 2017 , 9,	6.4	4
86	Modeling the target dose fall-off in IMRT and VMAT planning techniques for cervical SBRT. <i>Medical Dosimetry</i> , 2018 , 43, 1-10	1.3	4
85	Diabetes, impaired fasting glucose and their relations to plasma pro-inflammatory cytokines: a population-based study in China. <i>Diabetic Medicine</i> , 2010 , 27, 1461-3	3.4	4
84	Chinese Famine and the diabetes mellitus epidemic. <i>Nature Reviews Endocrinology</i> , 2020 , 16, 123	14.8	4
83	Adiposity Indicators as Cardio-Metabolic Risk Predictors in Adults from Country with High Burden of Obesity. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 175-183	3.3	4
82	High Consumption of Soft Drinks Is Associated with an Increased Risk of Fracture: A 7-Year Follow-Up Study. <i>Nutrients</i> , 2020 , 12,	6.4	4
81	Nutritional quality and health risk of pepper fruit as affected by magnesium fertilization. <i>Journal of the Science of Food and Agriculture</i> , 2021 , 101, 582-592	4.2	4
80	Association between selenium intake, diabetes and mortality in adults: findings from National Health and Nutrition Examination Survey (NHANES) 2003-2014. <i>British Journal of Nutrition</i> , 2021 , 1-8	3.4	4
79	Body iron stores and dietary iron intake in relation to diabetes in adults in North China: response to Luan et al. <i>Diabetes Care</i> , 2008 , 31, e25; author reply e26	14.1	4
78	Gender and trust in government modify the association between mental health and stringency of social distancing related public health measures to reduce COVID-19: a global online survey		3
77	Association between Eating Out and Socio-Demographic Factors of University Students in Chongqing, China. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.5	3
76	Effectiveness of a television advertisement campaign on giving cigarettes in a Chinese population. <i>Journal of Epidemiology</i> , 2014 , 24, 508-13	3.3	3
75	Riboflavin intake and 5-year blood pressure change in Chinese adults: interaction with hypertensive medication. <i>Food and Nutrition Bulletin</i> , 2014 , 35, 33-42	1.8	3

74	Comparing the predictive ability of the Edmonton Obesity Staging System with the body mass index for use of health services and pharmacotherapies in Australian adults: A nationally representative cross-sectional study. <i>Clinical Obesity</i> , 2020 , 10, e12368	3.5	3
73	Developing an Indicator System for a Healthy City: Taking an Urban Area as a Pilot. <i>Risk Management and Healthcare Policy</i> , 2020 , 13, 83-92	2.7	3
72	Income-related health inequality among Chinese adults during the COVID-19 pandemic: evidence based on an online survey. <i>International Journal for Equity in Health</i> , 2021 , 20, 106	4.4	3
71	Regional Difference in the Association between the Trajectory of Selenium Intake and Hypertension: A 20-Year Cohort Study. <i>Nutrients</i> , 2021 , 13,	6.4	3
70	Prevalence and risk factors for diabetes, comparison of rural populations in Bangladesh, China and Pakistan. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2009 , 3, 109-112	8.6	3
69	Diet, nutritional status and school performance among adolescents in Gaza Strip. <i>Eastern Mediterranean Health Journal</i> , 2011 , 17, 218-25	1.6	3
68	Association between rice intake and all-cause mortality among Chinese adults: findings from the Jiangsu Nutrition Study. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017 , 26, 1152-1157	0.9	3
67	Cadmium intake and chronic kidney disease: Response to Kawada T. <i>Clinical Nutrition</i> , 2018 , 37, 1774	3.5	2
66	Effect of social mobility in family financial situation and housing tenure on mental health conditions among South Australian adults: results from a population health surveillance system, 2009 to 2011. <i>BMC Public Health</i> , 2015 , 15, 675	4	2
65	The diabetes epidemic in China is a public health emergency: the potential role of prenatal exposure. <i>Journal of Public Health and Emergency</i> , 2017 , 1, 80-80	1.1	2
64	Evaluation of Chronic Disease Prevention and Control Public Service Advertisement on the Awareness and Attitude Change among Urban Population in Chongqing, China: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.5	2
63	Empirically Derived Dietary Patterns and Hypertension. <i>Current Nutrition Reports</i> , 2012 , 1, 73-86	5.8	2
62	Prevalence of Type 2 Diabetes and Its Association with Added Sugar Intake in Citizens and Refugees Aged 40 or Older in the Gaza Strip, Palestine. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.5	2
61	Age and gender specific cut-off points for body fat parameters among adults in Qatar. <i>Nutrition Journal</i> , 2020 , 19, 75	4	2
60	Association Between Self-Reported Food Preferences and Psychological Well-Being During Perimenopausal Period Among Chinese Women. <i>Frontiers in Psychology</i> , 2020 , 11, 1196	3.3	2
59	Association between Soft Drink Consumption and Aggressive Behaviour among a Quarter Million Adolescents from 64 Countries Based on the Global School-Based Student Health Survey (GSHS). <i>Nutrients</i> , 2020 , 12,	6.4	2
58	Genetic epidemiology of beta-thalassemia in the Maldives: 23½years of a beta-thalassemia screening program. <i>Gene</i> , 2020 , 741, 144544	3.7	2
57	Serum Magnesium and Cognitive Function Among Qatari Adults. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 101	5.2	2

56	Design and implementation of an intelligent monitoring system for household added salt consumption in China based on a real-world study: a randomized controlled trial. <i>Trials</i> , 2020 , 21, 349	2.7	2
55	Cadmium Intake, Dietary Patterns and Hyperuricemia Among Adults in China. <i>Exposure and Health</i> , 2021 , 13, 219-227	8.7	2
54	Fast food and sweet intake pattern is directly associated with the prevalence of asthma in a Qatari population. <i>European Journal of Clinical Nutrition</i> , 2021 ,	5	2
53	Ultra-Processed Food Consumption Associated with Overweight/Obesity among Chinese Adults-Results from China Health and Nutrition Survey 1997-2011. <i>Nutrients</i> , 2021 , 13,	6.4	2
52	Monosodium glutamate is not associated with obesity or a greater prevalence of weight gain over 5 years: findings from the Jiangsu Nutrition Study of Chinese adults [Response by Shi et al.. <i>British Journal of Nutrition</i> , 2010 , 104, 1730-1730	3.4	2
51	The Relative Validity and Reproducibility of Food Frequency Questionnaires in the China Kadoorie Biobank Study.. <i>Nutrients</i> , 2022 , 14,	6.4	2
50	Temporal, geographical and demographic trends of stroke prevalence in China: a systematic review and meta-analysis. <i>Annals of Translational Medicine</i> , 2020 , 8, 1432	3.1	2
49	Temporal, geographical and demographic trends of stroke prevalence in China: a systematic review and meta-analysis. <i>Annals of Translational Medicine</i> , 2020 , 8, 1432-1432	3.1	2
48	Breast Ductal Carcinoma : A Literature Review of Adjuvant Hormonal Therapy. <i>Oncology Reviews</i> , 2016 , 10, 304	4.2	1
47	Effects of Goal-Framed Messages on Mental Health Education Among Medical University Students: Moderating Role of Personal Involvement. <i>Frontiers in Public Health</i> , 2019 , 7, 371	5.8	1
46	Dietary patterns and glycaemic control among Qatari adults with type 2 diabetes. <i>Public Health Nutrition</i> , 2021 , 24, 4506-4513	3.1	1
45	Assessment of lung cancer risk factors and mortality in Qatar: A case series study. <i>Cancer Reports</i> , 2021 , 4, e1302	1.4	1
44	Validity and Reproducibility of a Food Frequency Questionnaire to Assess Macro and Micro-Nutrient Intake among a Convenience Cohort of Healthy Adult Qataris. <i>Nutrients</i> , 2021 , 13,	6.4	1
43	Breakfast Consumption Habits at Age 6 and Cognitive Ability at Age 12: A Longitudinal Cohort Study. <i>Nutrients</i> , 2021 , 13,	6.4	1
42	Higher Dietary Se Intake Is Associated With the Risk of New-Onset Fracture: A National Longitudinal Study for 20 Years. <i>Frontiers in Nutrition</i> , 2021 , 8, 719147	5.9	1
41	Mental distress and its associations with behavioral outcomes during the COVID-19 pandemic: a national survey of Chinese adults. <i>Public Health</i> , 2021 , 198, 315-323	3.9	1
40	Enhancing nutrition knowledge and dietary diversity among rural pregnant women in Malawi: a randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 644	3.1	1
39	The Joint Effects of Diet and Dietary Supplements in Relation to Obesity and Cardiovascular Disease over a 10-Year Follow-Up: A Longitudinal Study of 69,990 Participants in Australia. <i>Nutrients</i> , 2021 , 13,	6.4	1

38	Depressive Symptoms among Patients with Diabetes in Qatar: Frequency and Potential Determinants. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	1
37	Serum Uric Acid Level Is Positively Associated With Higher Bone Mineral Density at Multiple Skeletal Sites Among Healthy Qataris. <i>Frontiers in Endocrinology</i> , 2021 , 12, 653685	5.5	1
36	COVID-19, Diabetes, and Associated Health Outcomes in China: Results from a Nationwide Survey of 10 545 Adults. <i>Hormone and Metabolic Research</i> , 2021 , 53, 301-310	3	1
35	Race/ethnicity and challenges for optimal insulin therapy. <i>Diabetes Research and Clinical Practice</i> , 2021 , 175, 108823	7.2	2
34	Nutritional determinants of anemia among adults in Eastern China. <i>World Journal of Translational Medicine</i> , 2015 , 4, 55	8	1
33	Importance of Nutrition Intervention in Autistic Patients. <i>Advances in Neurobiology</i> , 2020 , 24, 535-545	2.1	1
32	Lessons for the Sustainable Development Goals from Ethiopia's success: the case of under-5 mortality. <i>The Lancet Global Health</i> , 2017 , 5, e1060-e1061	12	0
31	Influence of the request and purchase of television advertised foods on dietary intake and obesity among children in China. <i>BMC Public Health</i> , 2021 , 21, 1130	4	0
30	Geographic, Gender, and Seasonal Variation of Diabetes: A Nationwide Study With 1.4 Million Participants. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4981-e4992	5.4	0
29	U-shaped association between dietary calcium density intake during adolescence and hypertension in adulthood: a 20-year longitudinal nationwide study in China. <i>British Journal of Nutrition</i> , 2021 , 1-8	3.4	
28	Habitual Tea and Coffee Consumption and Mean Reaction Time Among Qatari Adults. <i>Journal of Alzheimer's Disease</i> , 2021 , 84, 767-776	4.2	0
27	Serum 25-hydroxyvitamin D concentrations are inversely associated with body adiposity measurements but the association with bone mass is non-linear in postmenopausal women. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2021 , 212, 105923	4.9	
26	Association between central obesity indices and iron status indicators among Qatari adults. <i>PLoS ONE</i> , 2021 , 16, e0250759	3.6	0
25	Nutrition Literacy of Middle School Students and Its Influencing Factors: A Cross-Sectional Study in Chongqing, China.. <i>Frontiers in Public Health</i> , 2022 , 10, 807526	5.8	0
24	Dietary Patterns and Changes in Weight Status Among Chinese Men and Women During the COVID-19 Pandemic.. <i>Frontiers in Public Health</i> , 2021 , 9, 709535	5.8	0
23	The Relationship Between Bone Mineral Density and Body Composition Among Qatari Women With High Rate of Obesity: Qatar Biobank Data.. <i>Frontiers in Nutrition</i> , 2022 , 9, 834007	5.9	0
22	Association between egg consumption and cognitive function among Chinese adults: long-term effect and interaction effect of iron intake. <i>British Journal of Nutrition</i> , 2021 , 1-10	3.4	0
21	Growing Burden of Hypertension in China: Causes, Challenges, and Opportunities. <i>China CDC Weekly</i> , 2020 , 2, 776-779	3.1	

20	Delays in radical prostatectomy for prostate cancer and survival outcomes. <i>World Journal of Urology</i> , 2018 , 36, 1337-1338	3.9
19	Elevated transaminase levels among overweight adolescents in eastern China. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016 , 105, e593-e599	3
18	Dietary magnesium-to-iron intake ratios and risk of impaired fasting glucose in Chinese adults: The prospective Jiangsu Nutrition Study (JIN). <i>Journal of Nutrition & Intermediary Metabolism</i> , 2018 , 14, 22-28	2.6
17	Multifactorial causes of differences in maternal and early childhood mortality in two neighbouring Liangshan areas in rural Sichuan Province: a mixed-methods, cross-sectional study. <i>Lancet, The</i> , 2019 , 394, S14	36.2
16	Unique associations of the Job Demand-Control-Support model subscales with leisure-time physical activity and dietary energy intake. <i>Industrial Health</i> , 2019 , 57, 99-117	2.4
15	A15863 Time trends and distribution patterns of stroke rates in China over the past two decades. <i>Journal of Hypertension</i> , 2018 , 36, e336	1.5
14	Rice Intake, Weight Change and Metabolic Syndrome 2014 , 323-331	
13	Soda consumption is associated with negative behavior in young children. <i>Journal of Pediatrics</i> , 2014 , 164, 1241-2	3.5
12	Re. Association between monosodium glutamate intake and sleep-disordered breathing among Chinese adults with normal body weight: emerging opportunities for research on monosodium glutamate intake and health at a population level. <i>Nutrition</i> , 2013 , 29, 1276-7	4.4
11	Prevalence of chronic kidney disease in China. <i>Lancet, The</i> , 2012 , 380, 214; author reply 214-6	36.2
10	Chronic medical conditions mediate the association between depression and cardiovascular disease mortality. <i>European Psychiatry</i> , 2011 , 26, 511-511	5.8
9	1059-P: Unmet Social Needs and Diabetes-Related Emergency Department Visits and Hospitalization: A Nationally Representative Study of U.S. Safety-Net Health Center Patients. <i>Diabetes</i> , 2021 , 70, 1059-P	0.7
8	52-LB: Weight Management Practices among U.S. Safety-Net Health Center Patients with Diabetes or Other Metabolic Disorders. <i>Diabetes</i> , 2021 , 70, 52-LB	0.7
7	973-P: Unmet Social Needs and Emergency Department Visits and Hospitalization among U.S. Safety-Net Health Center Patients with Both Diabetes and Hypertension. <i>Diabetes</i> , 2021 , 70, 973-P	0.7
6	The Circadian Syndrome Predicts Cardiovascular Disease Better than Metabolic Syndrome in Chinese Adults. <i>Metabolism: Clinical and Experimental</i> , 2021 , 116, 154574	10
5	Protein Intake Among Patients with Insulin-Treated Diabetes is Linked to Poor Glycemic Control: Findings of NHANES Data.. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2022 , 15, 767-775	3.3
4	Emotional Distress and Associated Factors among the General Population during the COVID-19 Pandemic in China: A Nationwide Cross-Sectional Survey. <i>Covid</i> , 2022 , 2, 261-272	
3	An exploratory social media intervention for perception and behavior on eating away from home: A cluster randomized trial in Chongqing, China. <i>Journal of Cleaner Production</i> , 2022 , 347, 131206	10.1

- 2 The Relationship between Alcohol Consumption and other Risk Factors Assessed Using An Ongoing Population-based Surveillance System. *AIMS Public Health*, **2016**, 3, 985-1002 1.8
- 1 Association between food intake patterns and serum vitamin D concentrations in US adults. *British Journal of Nutrition*, 1-34 3.4