

# Agnes Van Minnen

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3879836/agnes-van-minnen-publications-by-citations.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

|                   |                         |                |                 |
|-------------------|-------------------------|----------------|-----------------|
| 52<br>papers      | 2,119<br>citations      | 19<br>h-index  | 46<br>g-index   |
| 53<br>ext. papers | 2,472<br>ext. citations | 4.9<br>avg, IF | 4.97<br>L-index |

| #  | Paper  | IF   | Citations |
|----|--|------|-----------|
| 52 | Prolonged exposure in patients with chronic PTSD: predictors of treatment outcome and dropout. <i>Behaviour Research and Therapy</i> , <b>2002</b> , 40, 439-57  | 5.2  | 272       |
| 51 | Prolonged exposure vs eye movement desensitization and reprocessing vs waiting list for posttraumatic stress disorder in patients with a psychotic disorder: a randomized clinical trial. <i>JAMA Psychiatry</i> , <b>2015</b> , 72, 259-67  | 14.5 | 198       |
| 50 | When do trauma experts choose exposure therapy for PTSD patients? A controlled study of therapist and patient factors. <i>Behaviour Research and Therapy</i> , <b>2010</b> , 48, 312-20  | 5.2  | 177       |
| 49 | CRITICAL ANALYSIS OF THE CURRENT TREATMENT GUIDELINES FOR COMPLEX PTSD IN ADULTS. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 359-69   | 8.4  | 153       |
| 48 | Treatment of trichotillomania with behavioral therapy or fluoxetine: a randomized, waiting-list controlled study. <i>Archives of General Psychiatry</i> , <b>2003</b> , 60, 517-22   |      | 151       |
| 47 | The impact of dissociation and depression on the efficacy of prolonged exposure treatment for PTSD. <i>Behaviour Research and Therapy</i> , <b>2010</b> , 48, 19-27  | 5.2  | 133       |
| 46 | Examining potential contraindications for prolonged exposure therapy for PTSD. <i>Högre Utbildning</i> , <b>2012</b> , 3,  | 5    | 131       |
| 45 | Fear activation and habituation patterns as early process predictors of response to prolonged exposure treatment in PTSD. <i>Journal of Traumatic Stress</i> , <b>2002</b> , 15, 359-67  | 3.8  | 96        |
| 44 | Changes in PTSD patients' narratives during prolonged exposure therapy: a replication and extension. <i>Journal of Traumatic Stress</i> , <b>2002</b> , 15, 255-8  | 3.8  | 82        |
| 43 | Trauma-Focused Treatment in PTSD Patients With Psychosis: Symptom Exacerbation, Adverse Events, and Revictimization. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 693-702   | 1.3  | 70        |
| 42 | The relationship between autobiographical memory specificity and depressed mood following a stressful life event: a prospective study. <i>British Journal of Clinical Psychology</i> , <b>2005</b> , 44, 405-15  | 3.6  | 67        |
| 41 | Changes in comorbid conditions after prolonged exposure for PTSD: a literature review. <i>Current Psychiatry Reports</i> , <b>2015</b> , 17, 549   | 9.1  | 65        |
| 40 | Effectiveness of an intensive treatment programme combining prolonged exposure and eye movement desensitization and reprocessing for severe post-traumatic stress disorder. <i>Högre Utbildning</i> , <b>2018</b> , 9, 1487225   | 5    | 44        |
| 39 | Intensive prolonged exposure therapy for chronic PTSD patients following multiple trauma and multiple treatment attempts. <i>Högre Utbildning</i> , <b>2018</b> , 9, 1425574   | 5    | 43        |
| 38 | Development and Evaluation of the Dutch Clinician-Administered PTSD Scale for DSM-5 (CAPS-5). <i>Högre Utbildning</i> , <b>2018</b> , 9, 1546085   | 5    | 42        |
| 37 | Hospital vs. outreach treatment of patients with mental retardation and psychiatric disorders: a controlled study. <i>Acta Psychiatrica Scandinavica</i> , <b>1997</b> , 95, 515-22  | 6.5  | 37        |
| 36 | A multi-site single blind clinical study to compare the effects of prolonged exposure, eye movement desensitization and reprocessing and waiting list on patients with a current diagnosis of psychosis and co morbid post traumatic stress disorder: study protocol for the randomized controlled trial Treating Trauma in Psychosis. <i>Trials</i> , <b>2013</b> , 14, 151 | 2.8  | 33        |

|    |   |      |    |
|----|---|------|----|
| 35 | Presence of the dissociative subtype of PTSD does not moderate the outcome of intensive trauma-focused treatment for PTSD. <i>Högre Utbildning</i> , <b>2018</b> , 9, 1468707   | 5    | 33 |
| 34 | The impact of childhood sexual abuse on the outcome of intensive trauma-focused treatment for PTSD. <i>Högre Utbildning</i> , <b>2018</b> , 9, 1430962  | 5    | 28 |
| 33 | Trauma-focused treatment outcome for complex PTSD patients: results of an intensive treatment programme. <i>Högre Utbildning</i> , <b>2020</b> , 11, 1783955  | 5    | 19 |
| 32 | Effectiveness of trauma-focused treatment for patients with psychosis with and without the dissociative subtype of post-traumatic stress disorder. <i>British Journal of Psychiatry</i> , <b>2016</b> , 209, 347-348  | 5.4  | 18 |
| 31 | Therapist rotation: a novel approach for implementation of trauma-focused treatment in post-traumatic stress disorder. <i>Högre Utbildning</i> , <b>2018</b> , 9, 1492836   | 5    | 18 |
| 30 | Intensive EMDR to Treat Patients With Complex Posttraumatic Stress Disorder: A Case Series. <i>Journal of EMDR Practice and Research</i> , <b>2017</b> , 11, 84-95  | 1.7  | 17 |
| 29 | A transdiagnostic comparison of trauma and panic memories in PTSD, panic disorder, and healthy controls. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2009</b> , 40, 412-22  | 2.6  | 15 |
| 28 | The impact of brief intensive trauma-focused treatment for PTSD on symptoms of borderline personality disorder. <i>Högre Utbildning</i> , <b>2020</b> , 11, 1721142   | 5    | 13 |
| 27 | Autobiographical memory specificity in dissociative identity disorder. <i>Journal of Abnormal Psychology</i> , <b>2014</b> , 123, 419-28  | 7    | 13 |
| 26 | Feasibility of brief intensive exposure therapy for PTSD patients with childhood sexual abuse: a brief clinical report. <i>Högre Utbildning</i> , <b>2010</b> , 1,  | 5    | 13 |
| 25 | Effect of Prolonged Exposure, intensified Prolonged Exposure and STAIR+Prolonged Exposure in patients with PTSD related to childhood abuse: a randomized controlled trial. <i>Högre Utbildning</i> , <b>2021</b> , 12, 1851511  | 5    | 13 |
| 24 | Do emotion regulation difficulties affect outcome of intensive trauma-focused treatment of patients with severe PTSD?. <i>Högre Utbildning</i> , <b>2020</b> , 11, 1724417  | 5    | 12 |
| 23 | Impact of dissociation on the effectiveness of psychotherapy for post-traumatic stress disorder: meta-analysis. <i>BJPsych Open</i> , <b>2020</b> , 6, e53  | 5    | 12 |
| 22 | Appraisal-based cognitive bias modification in patients with posttraumatic stress disorder: a randomised clinical trial. <i>Högre Utbildning</i> , <b>2019</b> , 10, 1625690  | 5    | 11 |
| 21 | Harm expectancy violation during exposure therapy for posttraumatic stress disorder. <i>Journal of Anxiety Disorders</i> , <b>2017</b> , 49, 48-52  | 10.9 | 10 |
| 20 | Health-economic benefits of treating trauma in psychosis. <i>Högre Utbildning</i> , <b>2019</b> , 10, 1565032   | 5    | 10 |
| 19 | Avoidance behaviour of patients with posttraumatic stress disorder. Initial development of a questionnaire, psychometric properties and treatment sensitivity. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2010</b> , 41, 191-8   | 2.6  | 9  |
| 18 | Improving treatment for patients with childhood abuse related posttraumatic stress disorder (IMPACT study): protocol for a multicenter randomized trial comparing prolonged exposure with intensified prolonged exposure and phase-based treatment. <i>BMC Psychiatry</i> , <b>2018</b> , 18, 385 | 4.2  | 9  |

|    |  |      |   |
|----|--|------|---|
| 17 | Exposing therapists to trauma-focused treatment in psychosis: effects on credibility, expected burden, and harm expectancies. <i>Høgre Utbildning</i> , <b>2016</b> , 7, 31712   | 5    | 8 |
| 16 | Improvements in cardiorespiratory fitness are not significantly associated with post-traumatic stress disorder symptom reduction in intensive treatment. <i>Høgre Utbildning</i> , <b>2019</b> , 10, 1654783             | 5    | 7 |
| 15 | Sequence matters: Combining Prolonged Exposure and EMDR therapy for PTSD. <i>Psychiatry Research</i> , <b>2020</b> , 290, 113032   | 9.9  | 5 |
| 14 | Application of Multilevel Models to Structured Repeated Measurements. <i>Quality and Quantity</i> , <b>2005</b> , 39, 711-732  | 2.4  | 4 |
| 13 | The Self-Control Cognition Questionnaire. <i>European Journal of Psychological Assessment</i> , <b>2017</b> , 33, 328-335  | 3.5  | 4 |
| 12 | Vantage perspective during encoding: The effects on phenomenological memory characteristics. <i>Consciousness and Cognition</i> , <b>2016</b> , 42, 142-149  | 2.6  | 4 |
| 11 | Vantage perspective in analogue trauma memories: an experimental study. <i>Cognition and Emotion</i> , <b>2019</b> , 33, 1261-1270   | 2.3  | 4 |
| 10 | Safety and effectiveness of intensive treatment for complex PTSD delivered via home-based telehealth. <i>Høgre Utbildning</i> , <b>2021</b> , 12, 1860346  | 5    | 3 |
| 9  | Personalization of Treatment for Patients with Childhood-Abuse-Related Posttraumatic Stress Disorder. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,  | 5.1  | 3 |
| 8  | Comparing Intensive Trauma-Focused Treatment Outcome on PTSD Symptom Severity in Older and Younger Adults. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,   | 5.1  | 2 |
| 7  | Does complex PTSD predict or moderate treatment outcomes of three variants of exposure therapy?. <i>Journal of Anxiety Disorders</i> , <b>2021</b> , 80, 102388  | 10.9 | 2 |
| 6  | A brief cognitive-behavioural treatment approach for PTSD and Dissociative Identity Disorder, a case report. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2021</b> , 72, 101655                   | 2.6  | 2 |
| 5  | Combining a single session of prolonged exposure with physical activity in patients with PTSD: The effect of sequence. <i>Mental Health and Physical Activity</i> , <b>2021</b> , 21, 100417                             | 5    | 2 |
| 4  | SPECIALIZED TREATMENT OF MILDLY MENTALLY RETARDED ADULTS WITH PSYCHIATRIC AND/OR BEHAVIOURAL DISORDERS: INPATIENT OR OUTREACH TREATMENT?. <i>British Journal of Developmental Disabilities</i> , <b>1994</b> , 40, 24-31 |      | 1 |
| 3  | Augmenting PTSD treatment with physical activity: study protocol of the APPART study (Augmentation for PTSD with Physical Activity in a Randomized Trial).. <i>Høgre Utbildning</i> , <b>2022</b> , 13, 2016215          | 5    | 0 |
| 2  | Temporal Relationship Between Change in Subjective Distress and PTSD Symptom Decrease During Prolonged Exposure Therapy for Posttraumatic Stress Disorder.. <i>Behavior Therapy</i> , <b>2022</b> , 53, 170-181          | 4.8  | 0 |
| 1  | The effects of symptom overreporting on PTSD treatment outcome. <i>Høgre Utbildning</i> , <b>2020</b> , 11, 1794729  | 5    |   |