Agnes Van Minnen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3879836/agnes-van-minnen-publications-by-year.pdf
Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52 papers	2,119 citations	19 h-index	46 g-index
53 ext. papers	2,472 ext. citations	4.9 avg, IF	4.97 L-index

#	Paper	IF	Citations
52	Augmenting PTSD treatment with physical activity: study protocol of the APPART study (Augmentation for PTSD with Physical Activity in a Randomized Trial).. *Høgre Utbildning*, **2022**, 13, 2016219	5	0
51	Temporal Relationship Between Change in Subjective Distress and PTSD Symptom Decrease During Prolonged Exposure Therapy for Posttraumatic Stress Disorder.. *Behavior Therapy*, **2022**, 53, 170-181	4.8	0
50	Comparing Intensive Trauma-Focused Treatment Outcome on PTSD Symptom Severity in Older and Younger Adults. *Journal of Clinical Medicine*, **2021**, 10,	5.1	2
49	Does complex PTSD predict or moderate treatment outcomes of three variants of exposure therapy?. *Journal of Anxiety Disorders*, **2021**, 80, 102388	10.9	2
48	Safety and effectiveness of intensive treatment for complex PTSD delivered via home-based telehealth. *Høgre Utbildning*, **2021**, 12, 1860346	5	3
47	Personalization of Treatment for Patients with Childhood-Abuse-Related Posttraumatic Stress Disorder. *Journal of Clinical Medicine*, **2021**, 10,	5.1	3
46	A brief cognitive-behavioural treatment approach for PTSD and Dissociative Identity Disorder, a case report. *Journal of Behavior Therapy and Experimental Psychiatry*, **2021**, 72, 101655	2.6	2
45	Combining a single session of prolonged exposure with physical activity in patients with PTSD: The effect of sequence. *Mental Health and Physical Activity*, **2021**, 21, 100417	5	2
44	Effect of Prolonged Exposure, intensified Prolonged Exposure and STAIR+Prolonged Exposure in patients with PTSD related to childhood abuse: a randomized controlled trial. *Høgre Utbildning*, **2021**, 12, 1851511	5	13
43	Sequence matters: Combining Prolonged Exposure and EMDR therapy for PTSD. *Psychiatry Research*, **2020**, 290, 113032	9.9	5
42	Do emotion regulation difficulties affect outcome of intensive trauma-focused treatment of patients with severe PTSD?. *Høgre Utbildning*, **2020**, 11, 1724417	5	12
41	The impact of brief intensive trauma-focused treatment for PTSD on symptoms of borderline personality disorder. *Høgre Utbildning*, **2020**, 11, 1721142	5	13
40	Impact of dissociation on the effectiveness of psychotherapy for post-traumatic stress disorder: meta-analysis. *BJPsych Open*, **2020**, 6, e53	5	12
39	The effects of symptom overreporting on PTSD treatment outcome. *Høgre Utbildning*, **2020**, 11, 1794729	5	
38	Trauma-focused treatment outcome for complex PTSD patients: results of an intensive treatment programme. *Høgre Utbildning*, **2020**, 11, 1783955	5	19
37	Improvements in cardiorespiratory fitness are not significantly associated with post-traumatic stress disorder symptom reduction in intensive treatment. *Høgre Utbildning*, **2019**, 10, 1654783	5	7
36	Health-economic benefits of treating trauma in psychosis. *Høgre Utbildning*, **2019**, 10, 1565032	5	10

35	Appraisal-based cognitive bias modification in patients with posttraumatic stress disorder: a randomised clinical trial. *Høgre Utbildning*, **2019**, 10, 1625690	5	11
34	Vantage perspective in analogue trauma memories: an experimental study. *Cognition and Emotion*, **2019**, 33, 1261-1270	2.3	4
33	The impact of childhood sexual abuse on the outcome of intensive trauma-focused treatment for PTSD. *Høgre Utbildning*, **2018**, 9, 1430962	5	28
32	Intensive prolonged exposure therapy for chronic PTSD patients following multiple trauma and multiple treatment attempts. *Høgre Utbildning*, **2018**, 9, 1425574	5	43
31	Effectiveness of an intensive treatment programme combining prolonged exposure and eye movement desensitization and reprocessing for severe post-traumatic stress disorder. *Høgre Utbildning*, **2018**, 9, 1487225	5	44
30	Therapist rotation: a novel approach for implementation of trauma-focused treatment in post-traumatic stress disorder. *Høgre Utbildning*, **2018**, 9, 1492836	5	18
29	Development and Evaluation of the Dutch Clinician-Administered PTSD Scale for DSM-5 (CAPS-5). *Høgre Utbildning*, **2018**, 9, 1546085	5	42
28	Improving treatment for patients with childhood abuse related posttraumatic stress disorder (IMPACT study): protocol for a multicenter randomized trial comparing prolonged exposure with intensified prolonged exposure and phase-based treatment. *BMC Psychiatry*, **2018**, 18, 385	4.2	9
27	Presence of the dissociative subtype of PTSD does not moderate the outcome of intensive trauma-focused treatment for PTSD. *Høgre Utbildning*, **2018**, 9, 1468707	5	33
26	Harm expectancy violation during exposure therapy for posttraumatic stress disorder. *Journal of Anxiety Disorders*, **2017**, 49, 48-52	10.9	10
25	Intensive EMDR to Treat Patients With Complex Posttraumatic Stress Disorder: A Case Series. *Journal of EMDR Practice and Research*, **2017**, 11, 84-95	1.7	17
24	The Self-Control Cognition Questionnaire. *European Journal of Psychological Assessment*, **2017**, 33, 328-335	2.5	4
23	Effectiveness of trauma-focused treatment for patients with psychosis with and without the dissociative subtype of post-traumatic stress disorder. *British Journal of Psychiatry*, **2016**, 209, 347-348	5.4	18
22	Trauma-Focused Treatment in PTSD Patients With Psychosis: Symptom Exacerbation, Adverse Events, and Revictimization. *Schizophrenia Bulletin*, **2016**, 42, 693-702	1.3	70
21	CRITICAL ANALYSIS OF THE CURRENT TREATMENT GUIDELINES FOR COMPLEX PTSD IN ADULTS. *Depression and Anxiety*, **2016**, 33, 359-69	8.4	153
20	Exposing therapists to trauma-focused treatment in psychosis: effects on credibility, expected burden, and harm expectancies. *Høgre Utbildning*, **2016**, 7, 31712	5	8
19	Vantage perspective during encoding: The effects on phenomenological memory characteristics. *Consciousness and Cognition*, **2016**, 42, 142-149	2.6	4
18	Changes in comorbid conditions after prolonged exposure for PTSD: a literature review. *Current Psychiatry Reports*, **2015**, 17, 549	9.1	65

17	Prolonged exposure vs eye movement desensitization and reprocessing vs waiting list for posttraumatic stress disorder in patients with a psychotic disorder: a randomized clinical trial. *JAMA Psychiatry*, **2015**, 72, 259-67	14.5	198
16	Autobiographical memory specificity in dissociative identity disorder. *Journal of Abnormal Psychology*, **2014**, 123, 419-28	7	13
15	A multi-site single blind clinical study to compare the effects of prolonged exposure, eye movement desensitization and reprocessing and waiting list on patients with a current diagnosis of psychosis and co morbid post traumatic stress disorder: study protocol for the randomized controlled trial Treating Trauma in Psychosis. *Trials*, **2013**, 14, 151	2.8	33
14	Examining potential contraindications for prolonged exposure therapy for PTSD. *Høgre Utbildning*, **2012**, 3,	5	131
13	Feasibility of brief intensive exposure therapy for PTSD patients with childhood sexual abuse: a brief clinical report. *Høgre Utbildning*, **2010**, 1,	5	13
12	Avoidance behaviour of patients with posttraumatic stress disorder. Initial development of a questionnaire, psychometric properties and treatment sensitivity. *Journal of Behavior Therapy and Experimental Psychiatry*, **2010**, 41, 191-8	2.6	9
11	The impact of dissociation and depression on the efficacy of prolonged exposure treatment for PTSD. *Behaviour Research and Therapy*, **2010**, 48, 19-27	5.2	133
10	When do trauma experts choose exposure therapy for PTSD patients? A controlled study of therapist and patient factors. *Behaviour Research and Therapy*, **2010**, 48, 312-20	5.2	177
9	A transdiagnostic comparison of trauma and panic memories in PTSD, panic disorder, and healthy controls. *Journal of Behavior Therapy and Experimental Psychiatry*, **2009**, 40, 412-22	2.6	15
8	The relationship between autobiographical memory specificity and depressed mood following a stressful life event: a prospective study. *British Journal of Clinical Psychology*, **2005**, 44, 405-15	3.6	67
7	Application of Multilevel Models to Structured Repeated Measurements. *Quality and Quantity*, **2005**, 39, 711-732	2.4	4
6	Treatment of trichotillomania with behavioral therapy or fluoxetine: a randomized, waiting-list controlled study. *Archives of General Psychiatry*, **2003**, 60, 517-22		151
5	Changes in PTSD patientsTnarratives during prolonged exposure therapy: a replication and extension. *Journal of Traumatic Stress*, **2002**, 15, 255-8	3.8	82
4	Fear activation and habituation patterns as early process predictors of response to prolonged exposure treatment in PTSD. *Journal of Traumatic Stress*, **2002**, 15, 359-67	3.8	96
3	Prolonged exposure in patients with chronic PTSD: predictors of treatment outcome and dropout. *Behaviour Research and Therapy*, **2002**, 40, 439-57	5.2	272
2	Hospital vs. outreach treatment of patients with mental retardation and psychiatric disorders: a controlled study. *Acta Psychiatrica Scandinavica*, **1997**, 95, 515-22	6.5	37
1	SPECIALIZED TREATMENT OF MILDLY MENTALLY RETARDED ADULTS WITH PSYCHIATRIC AND/OR BEHAVIOURAL DISORDERS: INPATIENT OR OUTREACH TREATMENT?. *British Journal of Developmental Disabilities*, **1994**, 40, 24-31		1