

# Nav Kapur

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3880061/nav-kapur-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

312  
papers

12,219  
citations

58  
h-index

97  
g-index

347  
ext. papers

15,077  
ext. citations

6.4  
avg, IF

6.45  
L-index

#	Paper	IF	Citations
312	Suicide risk and prevention during the COVID-19 pandemic. <i>Lancet Psychiatry, the</i> , <b>2020</b> , 7, 468-471	23.3	608
311	Suicide after deliberate self-harm: a 4-year cohort study. <i>American Journal of Psychiatry</i> , <b>2005</b> , 162, 297-303		463
310	Randomised controlled trial of brief psychological intervention after deliberate self poisoning. <i>BMJ: British Medical Journal</i> , <b>2001</b> , 323, 135-8		264
309	Self-harm in England: a tale of three cities. Multicentre study of self-harm. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2007</b> , 42, 513-21	4.5	262
308	Predicting suicide following self-harm: systematic review of risk factors and risk scales. <i>British Journal of Psychiatry</i> , <b>2016</b> , 209, 277-283	5.4	235
307	The epidemiology and prevention of suicide by hanging: a systematic review. <i>International Journal of Epidemiology</i> , <b>2005</b> , 34, 433-42	7.8	199
306	Implementation of mental health service recommendations in England and Wales and suicide rates, 1997-2006: a cross-sectional and before-and-after observational study. <i>Lancet, The</i> , <b>2012</b> , 379, 1005-12	4.0	197
305	Premature death after self-harm: a multicentre cohort study. <i>Lancet, The</i> , <b>2012</b> , 380, 1568-74	4.0	194
304	Suicide following self-harm: findings from the Multicentre Study of self-harm in England, 2000-2012. <i>Journal of Affective Disorders</i> , <b>2015</b> , 175, 147-51	6.6	175
303	Suicide in mental health in-patients and within 3 months of discharge. National clinical survey. <i>British Journal of Psychiatry</i> , <b>2006</b> , 188, 129-34	5.4	175
302	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry, the</i> , <b>2021</b> , 8, 579-588	23.3	167
301	Predicting suicidal behaviours using clinical instruments: systematic review and meta-analysis of positive predictive values for risk scales. <i>British Journal of Psychiatry</i> , <b>2017</b> , 210, 387-395	5.4	166
300	Repetition of self-harm and suicide following self-harm in children and adolescents: findings from the Multicentre Study of Self-harm in England. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2012</b> , 53, 1212-9	7.9	164
299	Attitudes towards clinical services among people who self-harm: systematic review. <i>British Journal of Psychiatry</i> , <b>2009</b> , 194, 104-10	5.4	160
298	Suicide and the internet. <i>BMJ, The</i> , <b>2008</b> , 336, 800-2	5.9	150
297	Long term effect of reduced pack sizes of paracetamol on poisoning deaths and liver transplant activity in England and Wales: interrupted time series analyses. <i>BMJ, The</i> , <b>2013</b> , 346, f403	5.9	146
296	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. <i>BMJ, The</i> , <b>2017</b> , 359, j4351	5.9	145

295	Suicide risk in primary care patients with major physical diseases: a case-control study. <i>Archives of General Psychiatry</i> , <b>2012</b> , 69, 256-64		143
294	Suicide in recently discharged psychiatric patients: a case-control study. <i>Psychological Medicine</i> , <b>2009</b> , 39, 443-9	6.9	134
293	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. <i>British Journal of Psychiatry</i> , <b>2010</b> , 196, 354-8	5.4	127
292	Epidemiology and trends in non-fatal self-harm in three centres in England: 2000-2007. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 493-8	5.4	121
291	Epidemiology and trends in non-fatal self-harm in three centres in England, 2000-2012: findings from the Multicentre Study of Self-harm in England. <i>BMJ Open</i> , <b>2016</b> , 6, e010538	3	120
290	Management of deliberate self poisoning in adults in four teaching hospitals: descriptive study. <i>BMJ: British Medical Journal</i> , <b>1998</b> , 316, 831-2		117
289	The repetition of suicidal behavior: a multicenter cohort study. <i>Journal of Clinical Psychiatry</i> , <b>2006</b> , 67, 1599-609	4.6	113
288	Incidence of suicide, hospital-presenting non-fatal self-harm, and community-occurring non-fatal self-harm in adolescents in England (the iceberg model of self-harm): a retrospective study. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 167-174	23.3	107
287	Suicide within 12 months of mental health service contact in different age and diagnostic groups: National clinical survey. <i>British Journal of Psychiatry</i> , <b>2006</b> , 188, 135-42	5.4	99
286	Suicide in juveniles and adolescents in the United Kingdom. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2008</b> , 49, 1155-65	7.9	97
285	Hospital care and repetition following self-harm: multicentre comparison of self-poisoning and self-injury. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 440-5	5.4	97
284	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010-2011): A review of coroners' records. <i>Journal of Affective Disorders</i> , <b>2015</b> , 183, 98-105	6.6	94
283	Suicide and the 2008 economic recession: who is most at risk? Trends in suicide rates in England and Wales 2001-2011. <i>Social Science and Medicine</i> , <b>2014</b> , 117, 76-85	5.1	92
282	Emergency department contact prior to suicide in mental health patients. <i>Emergency Medicine Journal</i> , <b>2011</b> , 28, 467-71	1.5	92
281	Suicide and mental illness: a clinical review of 15 years findings from the UK National Confidential Inquiry into Suicide. <i>British Medical Bulletin</i> , <b>2011</b> , 100, 101-21	5.4	91
280	Psychosocial assessment following self-harm: results from the multi-centre monitoring of self-harm project. <i>Journal of Affective Disorders</i> , <b>2008</b> , 106, 285-93	6.6	86
279	A clinical tool for assessing risk after self-harm. <i>Annals of Emergency Medicine</i> , <b>2006</b> , 48, 459-66	2.1	86
278	How do methods of non-fatal self-harm relate to eventual suicide?. <i>Journal of Affective Disorders</i> , <b>2012</b> , 136, 526-33	6.6	84

277	Qualitative interviewing with vulnerable populations: individuals' experiences of participating in suicide and self-harm based research. <i>Journal of Affective Disorders</i> , <b>2013</b> , 145, 356-62	6.6	84
276	Primary care contact prior to suicide in individuals with mental illness. <i>British Journal of General Practice</i> , <b>2009</b> , 59, 825-32	1.6	81
275	Rates of mental disorder in people convicted of homicide. National clinical survey. <i>British Journal of Psychiatry</i> , <b>2006</b> , 188, 143-7	5.4	81
274	Are hospital services for self-harm getting better? An observational study examining management, service provision and temporal trends in England. <i>BMJ Open</i> , <b>2013</b> , 3, e003444	3	80
273	Suicide in current psychiatric in-patients: a case-control study The National Confidential Inquiry into Suicide and Homicide. <i>Psychological Medicine</i> , <b>2007</b> , 37, 831-7	6.9	80
272	Does clinical management improve outcomes following self-harm? Results from the multicentre study of self-harm in England. <i>PLoS ONE</i> , <b>2013</b> , 8, e70434	3.7	80
271	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. <i>Lancet Public Health, The</i> , <b>2021</b> , 6, e124-e135	22.4	80
270	Spatial patterning and correlates of self-harm in Manchester, England [CORRIGENDUM]. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29,	5.1	78
269	Predictive accuracy of risk scales following self-harm: multicentre, prospective cohort study. <i>British Journal of Psychiatry</i> , <b>2017</b> , 210, 429-436	5.4	76
268	Suicide within two weeks of discharge from psychiatric inpatient care: a case-control study. <i>Psychiatric Services</i> , <b>2013</b> , 64, 653-9	3.3	76
267	Perpetrators of homicide with schizophrenia: a national clinical survey in England and Wales. <i>Psychiatric Services</i> , <b>2006</b> , 57, 1648-51	3.3	73
266	Diagnosis of physical and mental health conditions in primary care during the COVID-19 pandemic: a retrospective cohort study. <i>Lancet Public Health, The</i> , <b>2020</b> , 5, e543-e550	22.4	73
265	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. <i>British Journal of Psychiatry</i> , <b>2012</b> , 200, 399-404	5.4	71
264	Hospitalization for physical illness and risk of subsequent suicide: a population study. <i>Journal of Internal Medicine</i> , <b>2013</b> , 273, 48-58	10.8	69
263	Suicide in children and young people in England: a consecutive case series. <i>Lancet Psychiatry, the</i> , <b>2016</b> , 3, 751-759	23.3	68
262	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , <b>2020</b> , 9, 1097	3.6	68
261	Time trends in coroners' use of different verdicts for possible suicides and their impact on officially reported incidence of suicide in England: 1990-2005. <i>Psychological Medicine</i> , <b>2013</b> , 43, 1415-22	6.9	67
260	Suicide after leaving the UK armed forces--a cohort study. <i>PLoS Medicine</i> , <b>2009</b> , 6, e26	11.6	65

259	Epidemiology and nature of self-harm in children and adolescents: findings from the multicentre study of self-harm in England. <i>European Child and Adolescent Psychiatry</i> , <b>2012</b> , 21, 369-77	5.5	64
258	Psychosocial assessment and repetition of self-harm: the significance of single and multiple repeat episode analyses. <i>Journal of Affective Disorders</i> , <b>2010</b> , 127, 257-65	6.6	62
257	Effect of withdrawal of co-proxamol on prescribing and deaths from drug poisoning in England and Wales: time series analysis. <i>BMJ, The</i> , <b>2009</b> , 338, b2270	5.9	59
256	Factors influencing the decision to use hanging as a method of suicide: qualitative study. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 320-5	5.4	58
255	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 212-8	5.4	58
254	Hospital admissions for self harm after discharge from psychiatric inpatient care: cohort study. <i>BMJ, The</i> , <b>2008</b> , 337, a2278	5.9	58
253	Suicide in schizophrenia: findings from a national clinical survey. <i>Journal of Psychiatric Practice</i> , <b>2006</b> , 12, 139-47	1.3	56
252	Service user perspectives on psychosocial assessment following self-harm and its impact on further help-seeking: a qualitative study. <i>Journal of Affective Disorders</i> , <b>2013</b> , 145, 315-23	6.6	55
251	The role of alcohol and drugs in homicides in England and Wales. <i>Addiction</i> , <b>2006</b> , 101, 1117-24	4.6	55
250	Risk factors for suicide in Hungary: a case-control study. <i>BMC Psychiatry</i> , <b>2009</b> , 9, 45	4.2	54
249	Emergency department management and outcome for self-poisoning: a cohort study. <i>General Hospital Psychiatry</i> , <b>2004</b> , 26, 36-41	5.6	54
248	The development of a population-level clinical screening tool for self-harm repetition and suicide: the ReACT Self-Harm Rule. <i>Psychological Medicine</i> , <b>2012</b> , 42, 2383-94	6.9	53
247	Self-harm in the UK: differences between South Asians and Whites in rates, characteristics, provision of service and repetition. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2006</b> , 41, 782-8	4.5	52
246	Mental health service changes, organisational factors, and patient suicide in England in 1997-2012: a before-and-after study. <i>Lancet Psychiatry</i> , <b>2016</b> , 3, 526-34	23.3	52
245	Six-year follow-up of impact of co-proxamol withdrawal in England and Wales on prescribing and deaths: time-series study. <i>PLoS Medicine</i> , <b>2012</b> , 9, e1001213	11.6	50
244	Homicide followed by suicide: a cross-sectional study. <i>Journal of Forensic Psychiatry and Psychology</i> , <b>2009</b> , 20, 306-321	0.9	50
243	Predicting the risk of repetition after self harm: cohort study. <i>BMJ, The</i> , <b>2005</b> , 330, 394-5	5.9	50
242	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , <b>2020</b> , 9, 1097	3.6	50

241	Which are the most useful scales for predicting repeat self-harm? A systematic review evaluating risk scales using measures of diagnostic accuracy. <i>BMJ Open</i> , <b>2016</b> , 6, e009297	3	50
240	Suicide following presentation to hospital for non-fatal self-harm in the Multicentre Study of Self-harm: a long-term follow-up study. <i>Lancet Psychiatry</i> , <b>2019</b> , 6, 1021-1030	23.3	49
239	Effect of general hospital management on repeat episodes of deliberate self poisoning: cohort study. <i>BMJ, The</i> , <b>2002</b> , 325, 866-7	5.9	49
238	Rates of self-harm presenting to general hospitals: a comparison of data from the Multicentre Study of Self-Harm in England and Hospital Episode Statistics. <i>BMJ Open</i> , <b>2016</b> , 6, e009749	3	48
237	Interventions to reduce the impact of unemployment and economic hardship on mental health in the general population: a systematic review. <i>Psychological Medicine</i> , <b>2017</b> , 47, 1062-1084	6.9	47
236	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001-2013. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 53	4.2	47
235	Psychiatric morbidity and suicidal behaviour in low- and middle-income countries: A systematic review and meta-analysis. <i>PLoS Medicine</i> , <b>2019</b> , 16, e1002905	11.6	47
234	Suicide in dementia: 9-year national clinical survey in England and Wales. <i>British Journal of Psychiatry</i> , <b>2009</b> , 194, 175-80	5.4	45
233	Psychosocial and illness related predictors of consultation rates in primary care--a cohort study. <i>Psychological Medicine</i> , <b>2004</b> , 34, 719-28	6.9	45
232	Information sources used by the suicidal to inform choice of method. <i>Journal of Affective Disorders</i> , <b>2012</b> , 136, 702-9	6.6	44
231	Suicide by gases in England and Wales 2001-2011: evidence of the emergence of new methods of suicide. <i>Journal of Affective Disorders</i> , <b>2015</b> , 170, 190-5	6.6	43
230	Scales for predicting risk following self-harm: an observational study in 32 hospitals in England. <i>BMJ Open</i> , <b>2014</b> , 4, e004732	3	41
229	Postcards, green cards and telephone calls: therapeutic contact with individuals following self-harm. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 5-7	5.4	41
228	Suicide amongst psychiatric in-patients who abscond from the ward: a national clinical survey. <i>BMC Psychiatry</i> , <b>2010</b> , 10, 14	4.2	41
227	New policy and evidence on suicide prevention. <i>Lancet Psychiatry</i> , <b>2017</b> , 4, 658-660	23.3	40
226	Can we usefully stratify patients according to suicide risk?. <i>BMJ, The</i> , <b>2017</b> , 359, j4627	5.9	40
225	Psychiatric in-patient care and suicide in England, 1997 to 2008: a longitudinal study. <i>Psychological Medicine</i> , <b>2013</b> , 43, 61-71	6.9	40
224	Psychological morbidity and job satisfaction in hospital consultants and junior house officers: multicentre, cross sectional survey. <i>BMJ: British Medical Journal</i> , <b>1998</b> , 317, 511-2		40

223	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <i>Lancet Psychiatry</i> , <b>2015</b> , 2, 809-16	23.3	39
222	The impact of self-harm by young people on parents and families: a qualitative study. <i>BMJ Open</i> , <b>2016</b> , 6, e009631	3	39
221	Alcohol use and misuse, self-harm and subsequent mortality: an epidemiological and longitudinal study from the multicentre study of self-harm in England. <i>Emergency Medicine Journal</i> , <b>2015</b> , 32, 793-9	1.5	39
220	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. <i>Psychological Medicine</i> , <b>2012</b> , 42, 727-41	6.9	39
219	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. <i>BMC Psychiatry</i> , <b>2018</b> , 18, 113	4.2	37
218	Messages from Manchester: pilot randomised controlled trial following self-harm. <i>British Journal of Psychiatry</i> , <b>2013</b> , 203, 73-4	5.4	37
217	"Well it's like someone at the other end cares about you." A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. <i>General Hospital Psychiatry</i> , <b>2011</b> , 33, 166-76	5.6	37
216	Clustering of suicides among people with mental illness. <i>British Journal of Psychiatry</i> , <b>2005</b> , 187, 476-80	5.4	37
215	General hospital services for deliberate self-poisoning: an expensive road to nowhere?. <i>Postgraduate Medical Journal</i> , <b>1999</b> , 75, 599-602	2	37
214	Suicides in ethnic minorities within 12 months of contact with mental health services. National clinical survey. <i>British Journal of Psychiatry</i> , <b>2003</b> , 183, 155-60	5.4	36
213	Suicide in recently admitted psychiatric in-patients: a case-control study. <i>Journal of Affective Disorders</i> , <b>2013</b> , 144, 123-8	6.6	35
212	A multicentre study of coproxamol poisoning suicides based on coroners' records in England. <i>British Journal of Clinical Pharmacology</i> , <b>2005</b> , 59, 207-12	3.8	35
211	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. <i>PLoS ONE</i> , <b>2016</b> , 11, e0149713	3.7	34
210	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring: A Population-Based Cohort Study. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 1015-1022	14.5	33
209	Quality of risk assessment prior to suicide and homicide. <i>Psychiatric Bulletin (2014)</i> , <b>2014</b> , 38, 46-7		32
208	Suicide in bipolar disorder in a national English sample, 1996-2009: frequency, trends and characteristics. <i>Psychological Medicine</i> , <b>2013</b> , 43, 2593-602	6.9	32
207	Understanding vulnerability to self-harm in times of economic hardship and austerity: a qualitative study. <i>BMJ Open</i> , <b>2016</b> , 6, e010131	3	32
206	Accuracy of Clinician Predictions of Future Self-Harm: A Systematic Review and Meta-Analysis of Predictive Studies. <i>Suicide and Life-Threatening Behavior</i> , <b>2019</b> , 49, 23-40	3.9	32

205	Suicide by hanging: multicentre study based on coroners' records in England. <i>British Journal of Psychiatry</i> , <b>2005</b> , 186, 260-1	5.4	31
204	Primary care consultation predictors in men and women: a cohort study. <i>British Journal of General Practice</i> , <b>2005</b> , 55, 108-13	1.6	31
203	Mortality in children and adolescents following presentation to hospital after non-fatal self-harm in the Multicentre Study of Self-harm: a prospective observational cohort study. <i>The Lancet Child and Adolescent Health</i> , <b>2020</b> , 4, 111-120	14.5	31
202	Depression predicts future emergency hospital admissions in primary care patients with chronic physical illness. <i>Journal of Psychosomatic Research</i> , <b>2016</b> , 82, 54-61	4.1	30
201	Individual- and area-level predictors of self-harm repetition. <i>British Journal of Psychiatry</i> , <b>2006</b> , 189, 416-31	3.4	30
200	Service provision and outcome for deliberate self-poisoning in adults--results from a six centre descriptive study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2003</b> , 38, 390-5	4.5	30
199	Switching methods of self-harm at repeat episodes: Findings from a multicentre cohort study. <i>Journal of Affective Disorders</i> , <b>2015</b> , 180, 44-51	6.6	29
198	Impact of the recent recession on self-harm: Longitudinal ecological and patient-level investigation from the Multicentre Study of Self-harm in England. <i>Journal of Affective Disorders</i> , <b>2016</b> , 191, 132-8	6.6	29
197	Trends in prescribing and self-poisoning in relation to UK regulatory authority warnings against use of SSRI antidepressants in under-18-year-olds. <i>British Journal of Clinical Pharmacology</i> , <b>2009</b> , 68, 618-29	3.8	29
196	Suicide in psychiatric in-patients in England, 1997 to 2003. <i>Psychological Medicine</i> , <b>2006</b> , 36, 1485-92	6.9	29
195	Suicide by gunshot in the United Kingdom: a review of the literature. <i>Medicine, Science and the Law</i> , <b>2004</b> , 44, 295-310	1.1	29
194	Suicide in late-life depression with and without comorbid anxiety disorders. <i>International Journal of Geriatric Psychiatry</i> , <b>2016</b> , 31, 146-52	3.9	27
193	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. <i>BMC Public Health</i> , <b>2011</b> , 11, 460	4.1	27
192	Psychiatric hospitalisation and the risk of suicide. <i>British Journal of Psychiatry</i> , <b>2018</b> , 212, 269-273	5.4	26
191	The use of the Internet by people who die by suicide in England: a cross sectional study. <i>Journal of Affective Disorders</i> , <b>2012</b> , 141, 480-3	6.6	26
190	Trends in national suicide rates for Scotland and for England & Wales, 1960-2008. <i>British Journal of Psychiatry</i> , <b>2012</b> , 200, 245-51	5.4	25
189	Self-poisoning suicides in England: a multicentre study. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2005</b> , 98, 589-97	2.7	25
188	Impact of the growing use of narrative verdicts by coroners on geographic variations in suicide: analysis of coroners' quest data. <i>Journal of Public Health</i> , <b>2012</b> , 34, 447-53	3.5	24



187	Mental illness in people who kill strangers: longitudinal study and national clinical survey. <i>BMJ, The</i> , <b>2004</b> , 328, 734-7	5.9	24
186	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. <i>Lancet Psychiatry, the</i> , <b>2018</b> , 5, 905-912	23.3	24
185	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. <i>Journal of Affective Disorders</i> , <b>2016</b> , 190, 522-528	6.6	23
184	Longer term management of self harm: summary of NICE guidance. <i>BMJ, The</i> , <b>2011</b> , 343, d7073	5.9	23
183	Suicide prevention in primary care: General practitioners' views on service availability. <i>BMC Research Notes</i> , <b>2010</b> , 3, 246	2.3	23
182	Factors influencing coroners' verdicts: an analysis of verdicts given in 12 coroners' districts to researcher-defined suicides in England in 2005. <i>Journal of Public Health</i> , <b>2015</b> , 37, 157-65	3.5	22
181	Routine hospital management of self-harm and risk of further self-harm: propensity score analysis using record-based cohort data. <i>Psychological Medicine</i> , <b>2018</b> , 48, 315-326	6.9	22
180	Safety of patients under the care of crisis resolution home treatment services in England: a retrospective analysis of suicide trends from 2003 to 2011. <i>Lancet Psychiatry, the</i> , <b>2014</b> , 1, 135-41	23.3	22
179	Trends in rates of mental illness in homicide perpetrators. <i>British Journal of Psychiatry</i> , <b>2011</b> , 198, 485-9	5.4	22
178	A comparison between clinicians' assessment and the Manchester Self-Harm Rule: a cohort study. <i>Emergency Medicine Journal</i> , <b>2007</b> , 24, 720-1	1.5	22
177	Suicide in the homeless within 12 months of contact with mental health services : a national clinical survey in the UK. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2006</b> , 41, 686-91	4.5	22
176	Suicide in patients suffering from late-life anxiety disorders; a comparison with younger patients. <i>International Psychogeriatrics</i> , <b>2015</b> , 27, 1197-205	3.4	21
175	GPs' experiences of dealing with parents bereaved by suicide: a qualitative study. <i>British Journal of General Practice</i> , <b>2016</b> , 66, e737-46	1.6	21
174	Mechanisms of brief contact interventions in clinical populations: a systematic review. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 194	4.2	21
173	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. <i>Lancet Public Health, The</i> , <b>2018</b> , 3, e498-e507	22.4	21
172	Patients with mental illness as victims of homicide: a national consecutive case series. <i>Lancet Psychiatry, the</i> , <b>2014</b> , 1, 129-34	23.3	20
171	Risk of self-harm in physically ill patients in UK primary care. <i>Journal of Psychosomatic Research</i> , <b>2012</b> , 73, 92-7	4.1	20
170	Self-harm and attempted suicide among UK armed forces personnel: results of a cross-sectional survey. <i>International Journal of Social Psychiatry</i> , <b>2012</b> , 58, 433-9	8.5	20

169	Gunshot suicides in England--a multicentre study based on coroners records. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2005</b> , 40, 324-8	4.5	20
168	"When you're in the hospital, you're in a sort of bubble." Understanding the high risk of self-harm and suicide following psychiatric discharge: a qualitative study. <i>Crisis</i> , <b>2014</b> , 35, 154-60	2.8	20
167	Why does Scotland have a higher suicide rate than England? An area-level investigation of health and social factors. <i>Journal of Epidemiology and Community Health</i> , <b>2013</b> , 67, 63-70	5.1	19
166	Working patterns and the quality of training of medical house officers: evaluating the effect of the new deal. <i>Medical Education</i> , <b>1998</b> , 32, 432-8	3.7	19
165	Co-proxamol and suicide: preventing the continuing toll of overdose deaths. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2005</b> , 98, 159-70	2.7	19
164	General practitioners perspectives on primary care consultations for suicidal patients. <i>Health and Social Care in the Community</i> , <b>2016</b> , 24, 260-9	2.6	19
163	Suicide risk linked with clinical consultation frequency, psychiatric diagnoses and psychotropic medication prescribing in a national study of primary-care patients. <i>Psychological Medicine</i> , <b>2016</b> , 46, 3407-3417	6.9	19
162	The timing of general population and patient suicide in England, 1997-2012. <i>Journal of Affective Disorders</i> , <b>2016</b> , 197, 175-81	6.6	19
161	Self-harm and life problems: findings from the Multicentre Study of Self-harm in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2016</b> , 51, 183-92	4.5	18
160	Non-psychotropic medication and risk of suicide or attempted suicide: a systematic review. <i>BMJ Open</i> , <b>2016</b> , 6, e009074	3	18
159	Suicide by burning barbecue charcoal in England. <i>Journal of Public Health</i> , <b>2013</b> , 35, 223-7	3.5	18
158	Impact of national policy initiatives on fatal and non-fatal self-harm after psychiatric hospital discharge: time series analysis. <i>British Journal of Psychiatry</i> , <b>2012</b> , 201, 233-8	5.4	18
157	The usefulness of coroners data on suicides for providing information relevant to prevention. <i>Suicide and Life-Threatening Behavior</i> , <b>2005</b> , 35, 607-14	3.9	18
156	Making Sense of an Unknown Terrain: How Parents Understand Self-Harm in Young People. <i>Qualitative Health Research</i> , <b>2017</b> , 27, 215-225	3.9	17
155	Premature Death Among Primary Care Patients With a History of Self-Harm. <i>Annals of Family Medicine</i> , <b>2017</b> , 15, 246-254	2.9	17
154	Clinical management following self-harm in a UK-wide primary care cohort. <i>Journal of Affective Disorders</i> , <b>2016</b> , 197, 182-8	6.6	17
153	Suicide and accidental deaths in children and adolescents in England and Wales, 2001-2010. <i>Archives of Disease in Childhood</i> , <b>2013</b> , 98, 945-50	2.2	17
152	Unnatural deaths in a national cohort of people diagnosed with diabetes. <i>Diabetes Care</i> , <b>2014</b> , 37, 2276-83	3.6	16

151	Nonresident suicides in England: a national study. <i>Suicide and Life-Threatening Behavior</i> , <b>2010</b> , 40, 151-8	3.9	16
150	Factors that influence emergency department doctors' assessment of suicide risk in deliberate self-harm patients. <i>European Journal of Emergency Medicine</i> , <b>2003</b> , 10, 283-7	2.3	16
149	Impact of withdrawal of the analgesic Co-proxamol on nonfatal self-poisoning in the UK. <i>Crisis</i> , <b>2011</b> , 32, 81-7	2.8	16
148	Suicide by mental health in-patients under observation. <i>Psychological Medicine</i> , <b>2017</b> , 47, 2238-2245	6.9	15
147	Variations in the hospital management of self-harm and patient outcome: a multi-site observational study in England. <i>Journal of Affective Disorders</i> , <b>2015</b> , 174, 101-5	6.6	15
146	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. <i>Journal of Psychopharmacology</i> , <b>2018</b> , 32, 654-662	4.6	15
145	Suicide risk in people with chronic fatigue syndrome. <i>Lancet, The</i> , <b>2016</b> , 387, 1596-7	4.0	15
144	Psychiatric morbidity and suicidal behaviour in psoriasis: a primary care cohort study. <i>British Journal of Dermatology</i> , <b>2019</b> , 180, 108-115	4	15
143	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. <i>Journal of Advanced Nursing</i> , <b>2011</b> , 67, 127-39	3.1	15
142	Predictors of outcome following brief psychodynamic-interpersonal therapy for deliberate self-poisoning. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2003</b> , 37, 532-6	2.6	15
141	Evaluating risks. <i>Advances in Psychiatric Treatment</i> , <b>2000</b> , 6, 399-406		15
140	Seeking help in times of economic hardship: access, experiences of services and unmet need. <i>BMC Psychiatry</i> , <b>2017</b> , 17, 84	4.2	14
139	Electroconvulsive therapy and suicide among the mentally ill in England: a national clinical survey. <i>Psychiatry Research</i> , <b>2011</b> , 187, 145-9	9.9	14
138	International Perspectives on the Epidemiology and Aetiology of Suicide and Self-Harm <b>2011</b> , 27-57		14
137	Suicide in later life: a comparison between cases with early-onset and late-onset depression. <i>Journal of Affective Disorders</i> , <b>2011</b> , 132, 185-91	6.6	14
136	A prospective study of noncompliance with medication, suicidal ideation, and suicidal behavior in recently discharged psychiatric inpatients. <i>Archives of Suicide Research</i> , <b>2006</b> , 10, 61-7	2.3	14
135	Ligature points and ligature types used by psychiatric inpatients who die by hanging: a national study. <i>Crisis</i> , <b>2012</b> , 33, 87-94	2.8	14
134	Contacts with primary and secondary healthcare prior to suicide: case-control whole-population-based study using person-level linked routine data in Wales, UK, 2000-2017. <i>British Journal of Psychiatry</i> , <b>2020</b> , 217, 717-724	5.4	14

133	Suicide in England in the COVID-19 pandemic: Early observational data from real time surveillance. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 4, 100110		14
132	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: a multi-centre cohort study. <i>Journal of Affective Disorders</i> , <b>2013</b> , 148, 435-9	6.6	13
131	Assessing risk of suicide or self harm in adults. <i>BMJ, The</i> , <b>2013</b> , 347, f4572	5.9	13
130	What can be done to reduce mortality from paracetamol overdoses? A patient interview study. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2012</b> , 105, 41-51	2.7	13
129	Suicide pacts in the mentally ill: a national clinical survey. <i>Psychiatry Research</i> , <b>2009</b> , 167, 131-8	9.9	13
128	Job satisfaction and psychological morbidity in medical house officers. <i>Journal of the Royal College of Physicians of London</i> , <b>1997</b> , 31, 162-7		13
127	Assessment and management of suicide risk in primary care. <i>Crisis</i> , <b>2014</b> , 35, 415-25	2.8	13
126	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 415-421	4.5	13
125	Suicide risk assessment in UK mental health services: a national mixed-methods study. <i>Lancet Psychiatry, the</i> , <b>2020</b> , 7, 1046-1053	23.3	13
124	Effects of the COVID-19 pandemic on self-harm. <i>Lancet Psychiatry, the</i> , <b>2021</b> , 8, e4	23.3	13
123	Self-harm in bipolar disorder: findings from a prospective clinical database. <i>Journal of Affective Disorders</i> , <b>2015</b> , 173, 113-9	6.6	12
122	Children and young people who die by suicide: childhood-related antecedents, gender differences and service contact. <i>BJPsych Open</i> , <b>2020</b> , 6, e49	5	12
121	A contact-based intervention for people recently discharged from inpatient psychiatric care: a pilot study. <i>Archives of Suicide Research</i> , <b>2014</b> , 18, 131-43	2.3	12
120	The incidence and associated risk factors for sudden unexplained death in psychiatric in-patients in England and Wales. <i>Journal of Psychopharmacology</i> , <b>2011</b> , 25, 1533-42	4.6	12
119	Method of suicide in the mentally ill: a national clinical survey. <i>Suicide and Life-Threatening Behavior</i> , <b>2010</b> , 40, 22-34	3.9	12
118	The hospital management of fatal self-poisoning in industrialized countries: an opportunity for suicide prevention?. <i>Suicide and Life-Threatening Behavior</i> , <b>2006</b> , 36, 302-12	3.9	12
117	Birthday blues: examining the association between birthday and suicide in a national sample. <i>Crisis</i> , <b>2011</b> , 32, 134-42	2.8	12
116	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003-2018. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 229	4.2	12

115	Experiences of support from primary care and perceived needs of parents bereaved by suicide: a qualitative study. <i>British Journal of General Practice</i> , <b>2020</b> , 70, e102-e110	1.6	12
114	Suicide, unemployment, and the effect of economic recession. <i>Lancet Psychiatry</i> , <b>2015</b> , 2, 196-7	23.3	11
113	View the First Port of Call Perspectives of Ambulance Staff on Responding to Deaths by Suicide: A Qualitative Study. <i>Frontiers in Psychology</i> , <b>2020</b> , 11, 722	3.4	11
112	Self-poisoning suicide deaths in England: could improved medical management contribute to suicide prevention?. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2010</b> , 103, 765-75	2.7	11
111	Introduction to suicide and self-harm. <i>Psychiatry (Abingdon, England)</i> , <b>2009</b> , 8, 233-236		11
110	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. <i>F1000Research</i> , <b>2020</b> , 9, 644	3.6	11
109	Examining the mechanisms by which adverse life events affect having a history of self-harm, and the protective effect of social support. <i>Journal of Affective Disorders</i> , <b>2020</b> , 263, 621-628	6.6	11
108	Risk of dying unnaturally among people aged 15-35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health</i> , <b>2019</b> , 4, e220-e228 <sup>10</sup>	22.4	10
107	Incidence and general hospital costs of self-harm across England: estimates based on the multicentre study of self-harm. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29, e108	5.1	10
106	Childhood experience and health care use in adulthood: nested case-control study. <i>British Journal of Psychiatry</i> , <b>2004</b> , 185, 134-9	5.4	10
105	Sources of job satisfaction and psychological distress in GPs and medical house officers. <i>Family Practice</i> , <b>1999</b> , 16, 600-1	1.9	10
104	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. <i>Journal of Affective Disorders</i> , <b>2019</b> , 246, 814-819	6.6	10
103	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. <i>BMC Psychiatry</i> , <b>2018</b> , 18, 399	4.2	10
102	Recession, recovery and suicide in mental health patients in England: time trend analysis. <i>British Journal of Psychiatry</i> , <b>2019</b> , 1-7	5.4	9
101	Meta-analysis of suicide rates among people discharged from non-psychiatric settings after presentation with suicidal thoughts or behaviours. <i>Acta Psychiatrica Scandinavica</i> , <b>2019</b> , 139, 472-483	6.5	9
100	Homicide convictions in different age-groups: a national clinical survey. <i>Journal of Forensic Psychiatry and Psychology</i> , <b>2010</b> , 21, 321-335	0.9	9
99	Assessment rates and compliance with assertive follow-up after self-harm: cohort study. <i>Archives of Suicide Research</i> , <b>2010</b> , 14, 120-34	2.3	9
98	A comparative study of non-fatal self-poisoning with antidepressants relative to prescribing in three centres in England. <i>Journal of Affective Disorders</i> , <b>2010</b> , 123, 95-101	6.6	9

97	Management and costs of deliberate self-poisoning in the general hospital: A multi-centre study. <i>Journal of Mental Health</i> , <b>2002</b> , 11, 223-230	2.7	9
96	Advance directives and suicidal behaviour. <i>BMJ, The</i> , <b>2010</b> , 341, c4557	5.9	9
95	First episode of self-harm in older age: a report from the 10-year prospective Manchester Self-Harm project. <i>Journal of Clinical Psychiatry</i> , <b>2011</b> , 72, 737-43	4.6	9
94	Cautions, concerns, and future directions for using machine learning in relation to mental health problems and clinical and forensic risks: A brief comment on "Model complexity improves the prediction of nonsuicidal self-injury" (Fox et al., 2019). <i>Journal of Consulting and Clinical Psychology</i> , <b>2020</b> , 88, 384-387	6.5	9
93	Paracetamol self-poisoning: Epidemiological study of trends and patient characteristics from the multicentre study of self-harm in England. <i>Journal of Affective Disorders</i> , <b>2020</b> , 276, 699-706	6.6	9
92	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. <i>PLoS ONE</i> , <b>2018</b> , 13, e0204670	3.7	9
91	Psychosocial, psychiatric and work-related risk factors associated with suicide in Ireland: optimised methodological approach of a case-control psychological autopsy study. <i>BMC Psychiatry</i> , <b>2019</b> , 19, 275	4.2	8
90	Self-harm in midlife: analysis using data from the Multicentre Study of Self-harm in England. <i>British Journal of Psychiatry</i> , <b>2019</b> , 1-8	5.4	8
89	Management of patients with an advance decision and suicidal behaviour: a systematic review. <i>BMJ Open</i> , <b>2019</b> , 9, e023978	3	8
88	Suicide under crisis resolution home treatment - a key setting for patient safety. <i>BJPsych Bulletin</i> , <b>2016</b> , 40, 172-4	1.2	8
87	Do GPs want or need formal support following a patient suicide?: a mixed methods study. <i>Family Practice</i> , <b>2016</b> , 33, 414-20	1.9	8
86	Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England. <i>Psychological Medicine</i> , <b>2020</b> , 50, 293-302	6.9	8
85	Navigating an unfamiliar world: how parents of young people who self-harm experience support and treatment. <i>Child and Adolescent Mental Health</i> , <b>2018</b> , 23, 78-84	2.2	8
84	Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. <i>BMC Psychiatry</i> , <b>2015</b> , 15, 254	4.2	7
83	Alcohol-related mortality following self-harm: a multicentre cohort study. <i>JRSM Open</i> , <b>2014</b> , 5, 2054270414533326	4.1	7
82	Methods of homicide in England and Wales: a comparison by diagnostic group. <i>Journal of Forensic Psychiatry and Psychology</i> , <b>2009</b> , 20, 286-305	0.9	7
81	Suicide in the mentally ill. <i>Psychiatry (Abingdon, England)</i> , <b>2009</b> , 8, 257-260		7
80	The typology of parricide and the role of mental illness: Data-driven approach. <i>Aggressive Behavior</i> , <b>2020</b> , 46, 516-522	2.8	7

79	Changes in parenting strategies after a young person's self-harm: a qualitative study. <i>Child and Adolescent Psychiatry and Mental Health</i> , <b>2016</b> , 10, 20	6.8	7
78	Services for self-harm: progress and promise?. <i>British Journal of Psychiatry</i> , <b>2020</b> , 217, 663-664	5.4	6
77	Costs of antidepressant overdose: a preliminary study. <i>British Journal of General Practice</i> , <b>1999</b> , 49, 733-4.6	4.6	6
76	High-Volume Repeaters of Self-Harm. <i>Crisis</i> , <b>2016</b> , 37, 427-437	2.8	6
75	Mental health services, suicide and 7-day working. <i>British Journal of Psychiatry</i> , <b>2016</b> , 209, 334-339	5.4	6
74	The personality disorder patient pathway: Service user and clinical perspectives. <i>Personality and Mental Health</i> , <b>2019</b> , 13, 134-143	3.1	5
73	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. <i>Journal of Affective Disorders</i> , <b>2019</b> , 249, 208-215	6.6	5
72	Early Post-Discharge Suicide in Mental Health Patients: Findings From a National Clinical Survey. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 502	5	5
71	The significance of site of cut in self-harm in young people. <i>Journal of Affective Disorders</i> , <b>2020</b> , 266, 603-609	6.6	5
70	Self-harm in the general hospital. <i>Clinical Medicine</i> , <b>2006</b> , 6, 529-32	1.9	5
69	Against a high-risk strategy in the prevention of suicide. <i>Psychiatric Bulletin</i> , <b>1998</b> , 22, 534-536		5
68	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. <i>JAMA Network Open</i> , <b>2021</b> , 4, e2134803	10.4	5
67	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. <i>Journal of Affective Disorders Reports</i> , <b>2021</b> , 6, 100271	1.4	5
66	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. <i>EClinicalMedicine</i> , <b>2021</b> , 41, 101175	11.3	5
65	Thinking about suicidal thinking. <i>Lancet Psychiatry</i> , <b>2020</b> , 7, 997-1000	23.3	5
64	Suicide in children and young people: Can it happen without warning?. <i>Journal of Affective Disorders</i> , <b>2020</b> , 275, 307-310	6.6	5
63	Relieved to be seen? Patient and carer experiences of psychosocial assessment in the emergency department following self-harm: qualitative analysis of 102 free-text survey responses. <i>BMJ Open</i> , <b>2021</b> , 11, e044434	3	5
62	Suicide after absconding from inpatient care in England: an exploration of mental health professionals' experiences. <i>Journal of Mental Health</i> , <b>2016</b> , 25, 245-53	2.7	5

61	Evaluating the impact of patient and carer involvement in suicide and self-harm research: A mixed-methods, longitudinal study protocol. <i>Health Expectations</i> , <b>2021</b> , 24 Suppl 1, 47-53	3.7	5
60	Suicide in England in the COVID-19 Pandemic: Early Figures from Real Time Surveillance. <i>SSRN Electronic Journal</i> ,	1	5
59	Support for Relatives Bereaved by Psychiatric Patient Suicide: National Confidential Inquiry Into Suicide and Homicide Findings. <i>Psychiatric Services</i> , <b>2017</b> , 68, 337-344	3.3	4
58	Healthcare professionals' implementation of national guidelines with patients who self-harm. <i>Journal of Psychiatric Research</i> , <b>2020</b> , 130, 405-411	5.2	4
57	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive Approaches to coMBatting Suicidality) randomised controlled trial protocol. <i>BMC Psychiatry</i> , <b>2020</b> , 20, 306	4.2	4
56	GPs' views and perspectives on patient non-adherence to treatment in primary care prior to suicide. <i>Journal of Mental Health</i> , <b>2018</b> , 27, 112-119	2.7	4
55	Psychiatric recommendations to the court as regards homicide perpetrators. <i>Journal of Forensic Psychiatry and Psychology</i> , <b>2009</b> , 20, 366-377	0.9	4
54	Self-harm in the general hospital. <i>Psychiatry (Abingdon, England)</i> , <b>2006</b> , 5, 76-80		4
53	Hospital management and costs of antidepressant overdose: multicentre comparison of tricyclic antidepressants and selective serotonin reuptake inhibitors. <i>Journal of Medical Economics</i> , <b>2001</b> , 4, 193-197	1.9	4
52	Reducing relapse and suicide in bipolar disorder: practical clinical approaches to identifying risk, reducing harm and engaging service users in planning and delivery of care [the PARADES (Psychoeducation, Anxiety, Relapse, Advance Directive Evaluation and Suicidality) programme]. <i>Programme Grants for Applied Research</i> , <b>2018</b> , 6, 1-296	1.5	4
51	Suicide in a National Student Mental Health Patient Population, 1997-2012. <i>Crisis</i> , <b>2017</b> , 38, 82-88	2.8	4
50	Do homicide rates increase during weekends and national holidays?. <i>Journal of Forensic Psychiatry and Psychology</i> , <b>2019</b> , 30, 367-380	0.9	3
49	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People-"Dual Harm". <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	3
48	Treatment of Mental Illness Prior to Suicide: A National Investigation of 12,909 patients, 2001-2016. <i>Psychiatric Services</i> , <b>2020</b> , 71, 772-778	3.3	3
47	Clinical characteristics and care pathways of patients with personality disorder who died by suicide. <i>BJPsych Open</i> , <b>2020</b> , 6, e29	5	3
46	Spatial patterning and correlates of self-harm in Manchester, England. <i>Epidemiology and Psychiatric Sciences</i> , <b>2019</b> , 29, e72	5.1	3
45	HOPE: Help fOR People with money, employment, benefit or housing problems: study protocol for a randomised controlled trial. <i>Pilot and Feasibility Studies</i> , <b>2017</b> , 3, 44	1.9	3
44	National study comparing the characteristics of patients diagnosed with schizophrenia who committed homicide vs. those who died by suicide. <i>Journal of Forensic Psychiatry and Psychology</i> , <b>2018</b> , 29, 674-689	0.9	3



43	Association between a national primary care pay-for-performance scheme and suicide rates in England: spatial cohort study. <i>British Journal of Psychiatry</i> , <b>2018</b> , 213, 600-608	5.4	3
42	Learning from clinicians' views of good quality practice in mental healthcare services in the context of suicide prevention: a qualitative study. <i>BMC Psychiatry</i> , <b>2019</b> , 19, 346	4.2	3
41	The use of the care programme approach in perpetrators of homicide. <i>Journal of Forensic Psychiatry and Psychology</i> , <b>2010</b> , 21, 649-659	0.9	3
40	Self-harm in the general hospital. <i>Psychiatry (Abingdon, England)</i> , <b>2009</b> , 8, 189-193		3
39	Evaluation of the Impact of the PABBS Suicide Bereavement Training on Clinicians' Knowledge and Skills. <i>Crisis</i> , <b>2020</b> , 41, 351-358	2.8	3
38	Mental disorder in people convicted of homicide: long-term national trends in rates and court outcome. <i>British Journal of Psychiatry</i> , <b>2020</b> , 1-7	5.4	3
37	Suicide rates and voting choice in the UK's 2016 national Brexit referendum on European Union membership: cross-sectional ecological investigation across England's local authority populations. <i>BJPsych Open</i> , <b>2020</b> , 6, e57	5	2
36	Suicide and self-harm	451-476	2
35	A multicentre programme of clinical and public health research in support of the National Suicide Prevention Strategy for England. <i>Programme Grants for Applied Research</i> , <b>2013</b> , 1, 1-216	1.5	2
34	Impact of a national primary care pay-for-performance scheme on ambulatory care sensitive hospital admissions: a small-area analysis in England. <i>BMJ Open</i> , <b>2020</b> , 10, e036046	3	2
33	Wasn't offered one, too poorly to ask for one? Reasons why some patients do not receive a psychosocial assessment following self-harm: Qualitative patient and carer survey. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2021</b> , 48674211011262	2.6	2
32	The help for people with money, employment or housing problems (HOPE) intervention: pilot randomised trial with mixed methods feasibility research. <i>Pilot and Feasibility Studies</i> , <b>2018</b> , 4, 172	1.9	2
31	Improving new deal shifts for junior house officers. <i>British Journal of Hospital Medicine</i> , <b>1998</b> , 59, 960-2, 964, 966		2
30	Translating promise into practice: a review of machine learning in suicide research and prevention. <i>Lancet Psychiatry</i> , <b>2022</b> , 9, 243-252	23.3	2
29	Psychiatric beds and increased suicide rates in England - Authors' reply. <i>Lancet Psychiatry</i> , <b>2016</b> , 3, 604-5	23.3	1
28	Access to means of lethal overdose among psychiatric patients with co-morbid physical health problems: Analysis of national suicide case series data from the United Kingdom. <i>Journal of Affective Disorders</i> , <b>2019</b> , 257, 173-179	6.6	1
27	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. <i>BMC Psychiatry</i> , <b>2015</b> , 15, 79	4.2	1
26	Risk factors for nonfatal self-harm and suicide among adolescents: two nested case-control studies conducted in the UK Clinical Practice Research Datalink. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2021</b> ,	7.9	1

25	Suicide rates by ethnic group among patients in contact with mental health services: an observational cohort study in England and Wales. <i>Lancet Psychiatry</i> , <b>2021</b> , 8, 1083-1093	23.3	1
24	CHOICE: Choosing Health Options In Chronic Care Emergencies. <i>Programme Grants for Applied Research</i> , <b>2017</b> , 5, 1-272	1.5	1
23	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. <i>BJPsych Open</i> , <b>2020</b> , 7, e2	5	1
22	Risk of suicide in patients who present to hospital after self-cutting according to site of injury: findings from the Multicentre Study of Self-harm in England. <i>Psychological Medicine</i> , <b>2021</b> , 1-9	6.9	1
21	Self-harm in children and adolescents by ethnic group: an observational cohort study from the Multicentre Study of Self-Harm in England. <i>The Lancet Child and Adolescent Health</i> , <b>2021</b> , 5, 782-791	14.5	1
20	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study.. <i>BMJ Open</i> , <b>2022</b> , 12, e052613	3	1
19	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study.. <i>British Journal of Psychiatry</i> , <b>2021</b> , 1-8	5.4	1
18	Online harms? Suicide-related online experience: a UK-wide case series study of young people who die by suicide.. <i>Psychological Medicine</i> , <b>2022</b> , 1-12	6.9	1
17	Advance decisions to refuse treatment and suicidal behaviour in emergency care: <del>Q</del> very much a step into the unknown <i>BJPsych Open</i> , <b>2019</b> , 5, e50	5	0
16	Early Intervention for Self-Harm and Suicidality <b>2014</b> , 255-266		0
15	Cost-effectiveness of psychosocial assessment for individuals who present to hospital following self-harm in England: a model-based retrospective analysis.. <i>European Psychiatry</i> , <b>2022</b> , 1-32	6	0
14	Exploring characteristics and risk of repetition in people who fail to report previous hospital presentations for self-harm: A case-control study using data from The Manchester Self-Harm Project. <i>Journal of Affective Disorders</i> , <b>2020</b> , 262, 77-82	6.6	0
13	Qualitative investigation of relatives and service users' experience of mental healthcare for suicidal behaviour in bipolar disorder. <i>BMJ Open</i> , <b>2019</b> , 9, e030335	3	0
12	Prevalence of comorbid mental and physical illnesses and risks for self-harm and premature death among primary care patients diagnosed with fatigue syndromes. <i>Psychological Medicine</i> , <b>2020</b> , 50, 1156-1163	6.9	0
11	Self-harm in children 12 years and younger: characteristics and outcomes based on the Multicentre Study of Self-harm in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 1	4.5	0
10	Self-harm in people experiencing homelessness: investigation of incidence, characteristics and outcomes using data from the Multicentre Study of Self-Harm in England.. <i>BJPsych Open</i> , <b>2022</b> , 8, e74	5	0
9	Suicide and death by other causes among patients with a severe mental illness: cohort study comparing risks among patients discharged from inpatient care . those treated in the community.. <i>Epidemiology and Psychiatric Sciences</i> , <b>2022</b> , 31, e32	5.1	0
8	Suicide rates amongst individuals from ethnic minority backgrounds: A systematic review and meta-analysis.. <i>EclinicalMedicine</i> , <b>2022</b> , 47, 101399	11.3	0

- 7 Self harm attempt in the older population of the UK - Author's reply. *Lancet Psychiatry*, 2019, 6, 92-93, 93
- 6 Spatial distribution and temporal trends in social fragmentation in England, 2001-2011: a national study. *BMJ Open*, 2019, 9, e025881 3
- 5 Authors' reply. *British Journal of Psychiatry*, 2017, 211, 183-184 5.4
- 4 Psychosocial therapy after self-harm associated with reduced repetition, suicide, and all-cause mortality in Denmark. *Evidence-Based Mental Health*, 2015, 18, 91 11.1
- 3 Transfer of suicide risk versus looking at suicides outside hospital in general practice. Reply. *Psychological Medicine*, 2012, 42, 2685-2686 6.9
- 2 Bereavement and suicide bereavement as an antecedent of suicide in children and young people: prevalence and characteristics. *Journal of Affective Disorders*, 2021, 300, 280-280 6.6
- 1 International Perspectives on the Epidemiology and Etiology of Suicide and Self-Harm 2016, 36-60