

Torsten Voigtländer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3880851/publications.pdf>

Version: 2024-02-01

33
papers

467
citations

687335

13
h-index

713444

21
g-index

33
all docs

33
docs citations

33
times ranked

875
citing authors

#	ARTICLE	IF	CITATIONS
1	Surgical Procedures in Patients Awaiting Liver Transplantation: Complications and Impact on the Liver Function. <i>Journal of Clinical and Experimental Hepatology</i> , 2022, 12, 68-79.	0.9	1
2	The biliary microbiome in ischaemicâ€”type biliary lesions can be shaped by stenting but is resilient to antibiotic treatment. <i>Liver International</i> , 2022, 42, 1070-1083.	3.9	4
3	P174â€”Exploration of urinary peptides in hepatocellular carcinoma. , 2021, , .		0
4	Pathophysiological Implications of Urinary Peptides in Hepatocellular Carcinoma. <i>Cancers</i> , 2021, 13, 3786.	3.7	7
5	Endoscopic vacuum assisted closure (E-VAC) of upper gastrointestinal leakages. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 1-4.	1.5	5
6	Bile and urine peptide marker profiles: access keys to molecular pathways and biological processes in cholangiocarcinoma. <i>Journal of Biomedical Science</i> , 2020, 27, 13.	7.0	19
7	Discovery, validation and sequencing of urinary peptides for diagnosis of liver fibrosisâ€”A multicentre study. <i>EBioMedicine</i> , 2020, 62, 103083.	6.1	10
8	Sequential systemic treatment in patients with hepatocellular carcinoma. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 205-212.	3.7	17
9	Chemosaturation with percutaneous hepatic perfusion is effective in patients with ocular melanoma and cholangiocarcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 3003-3012.	2.5	18
10	Endoscopic decompression of acute intestinal distension is associated with reduced mortality in critically ill patients. <i>BMC Gastroenterology</i> , 2020, 20, 87.	2.0	2
11	Secondary sclerosing cholangitis in critically ill patients has a poor outcome but lower tumour incidence than primary sclerosing cholangitis. <i>United European Gastroenterology Journal</i> , 2020, 8, 716-724.	3.8	13
12	Dilatation Therapy and Demographic Characteristics Significantly Influence the Amount of Propofol for Therapeutic Endoscopic Retrograde Cholangiography. <i>International Journal of Hepatology</i> , 2019, 1-6.	1.1	0
13	FRI-372-Next generation sequencing outperforms standard microbiological cultivation for detection of bacteria in the biliary tract in patients with ischemic type biliary lesions and/or anastomotic stricture. <i>Journal of Hepatology</i> , 2019, 70, e558.	3.7	2
14	Treatment with metformin is associated with a prolonged survival in patients with hepatocellular carcinoma. <i>Liver International</i> , 2019, 39, 714-726.	3.9	49
15	Endoscopic biliary drainage in patients with cholangiocarcinoma â€” self-expanding metal versus polyethylene stents. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 640-645.	1.5	3
16	Transarterial chemoembolization versus sorafenib in patients with hepatocellular carcinoma and extrahepatic disease. <i>United European Gastroenterology Journal</i> , 2018, 6, 238-246.	3.8	17
17	Transjugular diagnostics in acute liver failure including measurements of hepatocentral venous biomarker gradients. <i>Hepatology Research</i> , 2018, 48, 914-925.	3.4	3
18	The unusual journey of a tooth. Found but not lost?. <i>Clinical Respiratory Journal</i> , 2017, 11, 267-268.	1.6	0

#	ARTICLE	IF	CITATIONS
19	Patterns and challenges of treatment sequencing in patients with hepatocellular carcinoma: Experience from a German referral center. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1730-1738.	2.8	17
20	Patients with primary sclerosing cholangitis require more sedation during endoscopic retrograde cholangiography. <i>Endoscopy International Open</i> , 2017, 05, E315-E320.	1.8	1
21	Retrograde portal vein flow and transarterial chemoembolization in patients with hepatocellular carcinoma – a case–control study. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 1398-1406.	1.5	1
22	NOD2 gene variants confer risk for secondary sclerosing cholangitis in critically ill patients. <i>Scientific Reports</i> , 2017, 7, 7026.	3.3	9
23	A combined bile and urine proteomic test for cholangiocarcinoma diagnosis in patients with biliary strictures of unknown origin. <i>United European Gastroenterology Journal</i> , 2017, 5, 668-676.	3.8	23
24	Experience from a real-life cohort: outcome of 606 patients with hepatocellular carcinoma following transarterial chemoembolization. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 116-124.	1.5	13
25	Clinical Impact of Liver Biopsies in Liver Transplant Recipients. <i>Annals of Transplantation</i> , 2017, 22, 108-114.	0.9	11
26	Liver transplantation for critically ill patients with secondary sclerosing cholangitis: Outcome and complications. <i>Liver Transplantation</i> , 2015, 21, 1295-1299.	2.4	18
27	When a respiratory pathogen turns to the skin: cutaneous tuberculosis in a lung transplant patient. <i>Therapeutic Advances in Respiratory Disease</i> , 2015, 9, 260-262.	2.6	9
28	Endoscopic diagnosis of cholangiocarcinoma: From endoscopic retrograde cholangiography to bile proteomics. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2015, 29, 267-275.	2.4	21
29	Microbiological analysis of bile and its impact in critically ill patients with secondary sclerosing cholangitis. <i>Journal of Infection</i> , 2015, 70, 483-490.	3.3	31
30	MicroRNAs in Serum and Bile of Patients with Primary Sclerosing Cholangitis and/or Cholangiocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0139305.	2.5	88
31	Calprotectin in Bile. <i>Journal of Clinical Gastroenterology</i> , 2014, 48, 866-869.	2.2	13
32	Angiopietin-2 and Biliary Diseases: Elevated Serum, but Not Bile Levels Are Associated with Cholangiocarcinoma. <i>PLoS ONE</i> , 2014, 9, e97046.	2.5	23
33	Biliary cast syndrome post–liver transplantation: risk factors and outcome. <i>Liver International</i> , 2013, 33, 1287-1292.	3.9	19