

Miguel Ángel Peñalva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3880982/publications.pdf>

Version: 2024-02-01

135
papers

16,148
citations

26567

56
h-index

16605

123
g-index

137
all docs

137
docs citations

137
times ranked

20398
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222. | 4.3 | 4,701 |
| 2 | Genomic sequence of the pathogenic and allergenic filamentous fungus <i>Aspergillus fumigatus</i> . <i>Nature</i> , 2005, 438, 1151-1156. | 13.7 | 1,272 |
| 3 | Sequencing of <i>Aspergillus nidulans</i> and comparative analysis with <i>A. fumigatus</i> and <i>A. oryzae</i> . <i>Nature</i> , 2005, 438, 1105-1115. | 13.7 | 1,250 |
| 4 | The <i>Aspergillus</i> PacC zinc finger transcription factor mediates regulation of both acid- and alkaline-expressed genes by ambient pH. <i>EMBO Journal</i> , 1995, 14, 779-790. | 3.5 | 550 |
| 5 | Ambient pH gene regulation in fungi: making connections. <i>Trends in Microbiology</i> , 2008, 16, 291-300. | 3.5 | 319 |
| 6 | The molecular basis of alkaptonuria. <i>Nature Genetics</i> , 1996, 14, 19-24. | 9.4 | 283 |
| 7 | The Tip Growth Apparatus of <i>Aspergillus nidulans</i> . <i>Molecular Biology of the Cell</i> , 2008, 19, 1439-1449. | 0.9 | 261 |
| 8 | Regulation of Gene Expression by Ambient pH in Filamentous Fungi and Yeasts. <i>Microbiology and Molecular Biology Reviews</i> , 2002, 66, 426-446. | 2.9 | 258 |
| 9 | Current challenges of research on filamentous fungi in relation to human welfare and a sustainable bio-economy: a white paper. <i>Fungal Biology and Biotechnology</i> , 2016, 3, 6. | 2.5 | 208 |
| 10 | Tracing the endocytic pathway of <i>Aspergillus nidulans</i> with FM4-64. <i>Fungal Genetics and Biology</i> , 2005, 42, 963-975. | 0.9 | 194 |
| 11 | Activation of the <i>Aspergillus</i> PacC transcription factor in response to alkaline ambient pH requires proteolysis of the carboxy-terminal moiety. <i>Genes and Development</i> , 1995, 9, 1622-1632. | 2.7 | 186 |
| 12 | Recent Advances in the Characterization of Ambient pH Regulation of Gene Expression in Filamentous Fungi and Yeasts. <i>Annual Review of Microbiology</i> , 2004, 58, 425-451. | 2.9 | 174 |
| 13 | Initiation of phage phi 29 DNA replication in vitro: formation of a covalent complex between the terminal protein, p3, and 5'-dAMP. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 5522-5526. | 3.3 | 172 |
| 14 | pH regulation is a major determinant in expression of a fungal penicillin biosynthetic gene. <i>EMBO Journal</i> , 1993, 12, 3947-3956. | 3.5 | 168 |
| 15 | Characterization of a Fungal Maleylacetoacetate Isomerase Gene and Identification of Its Human Homologue. <i>Journal of Biological Chemistry</i> , 1998, 273, 329-337. | 1.6 | 158 |
| 16 | YPXL/I Is a Protein Interaction Motif Recognized by <i>Aspergillus</i> PalA and Its Human Homologue, AIP1/Alix. <i>Molecular and Cellular Biology</i> , 2003, 23, 1647-1655. | 1.1 | 148 |
| 17 | Arrestin-related proteins mediate pH signaling in fungi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 12141-12146. | 3.3 | 144 |
| 18 | Preferential localization of the endocytic internalization machinery to hyphal tips underlies polarization of the actin cytoskeleton in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2008, 67, 891-905. | 1.2 | 140 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Crystal structure of human homogentisate dioxygenase. <i>Nature Structural Biology</i> , 2000, 7, 542-546. | 9.7 | 137 |
| 20 | Cloning and characterization of the isopenicillin N synthetase gene mediating the formation of the Î²-lactam ring in <i>Aspergillus nidulans</i> . <i>Gene</i> , 1987, 57, 171-181. | 1.0 | 134 |
| 21 | Long Distance Movement of <i>Aspergillus nidulans</i> Early Endosomes on Microtubule Tracks. <i>Traffic</i> , 2009, 10, 57-75. | 1.3 | 131 |
| 22 | Characterization of a <i>Penicillium chrysogenum</i> gene encoding a PacC transcription factor and its binding sites in the divergent pcbAB-pcbC promoter of the penicillin biosynthetic cluster. <i>Molecular Microbiology</i> , 1996, 20, 529-540. | 1.2 | 126 |
| 23 | Activation of the <i>Aspergillus</i> PacC zinc finger transcription factor requires two proteolytic steps. <i>EMBO Journal</i> , 2002, 21, 1350-1359. | 3.5 | 120 |
| 24 | The protein covalently linked to the 5' termini of the DNA of <i>Bacillus subtilis</i> phage Î²29 is involved in the initiation of DNA replication. <i>Virology</i> , 1980, 104, 84-96. | 1.1 | 119 |
| 25 | Molecular Characterization of a Gene Encoding a Homogentisate Dioxygenase from <i>Aspergillus nidulans</i> and Identification of Its Human and Plant Homologues. <i>Journal of Biological Chemistry</i> , 1995, 270, 21199-21205. | 1.6 | 115 |
| 26 | HookA is a novel dynein early endosome linker critical for cargo movement in vivo. <i>Journal of Cell Biology</i> , 2014, 204, 1009-1026. | 2.3 | 115 |
| 27 | pH regulation in <i>Aspergillus</i> and parallels with higher eukaryotic regulatory systems. <i>Trends in Genetics</i> , 2003, 19, 224-231. | 2.9 | 112 |
| 28 | Organization and Dynamics of the <i>Aspergillus nidulans</i> Golgi during Apical Extension and Mitosis. <i>Molecular Biology of the Cell</i> , 2009, 20, 4335-4347. | 0.9 | 110 |
| 29 | Specific DNA recognition by the <i>Aspergillus nidulans</i> three zinc finger transcription factor PacC. <i>Journal of Molecular Biology</i> , 1997, 274, 466-480. | 2.0 | 107 |
| 30 | Three Binding Sites for the <i>Aspergillus nidulans</i> PacC Zinc-finger Transcription Factor Are Necessary and Sufficient for Regulation by Ambient pH of the Isopenicillin N Synthase Gene Promoter. <i>Journal of Biological Chemistry</i> , 1996, 271, 28825-28830. | 1.6 | 104 |
| 31 | Carbon catabolite repression can account for the temporal pattern of expression of a penicillin biosynthetic gene in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 1992, 6, 1457-1465. | 1.2 | 100 |
| 32 | Cell Biology of Hyphal Growth. <i>Microbiology Spectrum</i> , 2017, 5, . | 1.2 | 98 |
| 33 | Ambient pH signal transduction in <i>Aspergillus</i> : completion of gene characterization. <i>Molecular Microbiology</i> , 1999, 33, 994-1003. | 1.2 | 92 |
| 34 | Endocytosis in filamentous fungi: Cinderella gets her reward. <i>Current Opinion in Microbiology</i> , 2010, 13, 684-692. | 2.3 | 89 |
| 35 | Maturation of late Golgi cisternae into RabE ^{RAB11} exocytic post-Golgi carriers visualized in vivo. <i>Molecular Biology of the Cell</i> , 2014, 25, 2428-2443. | 0.9 | 86 |
| 36 | Establishment of the Ambient pH Signaling Complex in <i>Aspergillus nidulans</i> : Pal Assists Plasma Membrane Localization of PalH. <i>Eukaryotic Cell</i> , 2007, 6, 2365-2375. | 3.4 | 85 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Endocytic Machinery Protein SlaB Is Dispensable for Polarity Establishment but Necessary for Polarity Maintenance in Hyphal Tip Cells of <i>Aspergillus nidulans</i> . <i>Eukaryotic Cell</i> , 2010, 9, 1504-1518. | 3.4 | 83 |
| 38 | Ambient pH Signaling Regulates Nuclear Localization of the <i>Aspergillus nidulans</i> PacC Transcription Factor. <i>Molecular and Cellular Biology</i> , 2001, 21, 1688-1699. | 1.1 | 82 |
| 39 | Structural and functional analysis of mutations in alkaptonuria. <i>Human Molecular Genetics</i> , 2000, 9, 2341-2350. | 1.4 | 80 |
| 40 | Mutation and Polymorphism Analysis of the Human Homogentisate 1,2-Dioxygenase Gene in Alkaptonuria Patients. <i>American Journal of Human Genetics</i> , 1998, 62, 776-784. | 2.6 | 79 |
| 41 | The Human Homogentisate 1,2-Dioxygenase (HGO) Gene. <i>Genomics</i> , 1997, 43, 115-122. | 1.3 | 78 |
| 42 | Evidence for the Direct Involvement of the Proteasome in the Proteolytic Processing of the <i>Aspergillus nidulans</i> Zinc Finger Transcription Factor PacC. <i>Journal of Biological Chemistry</i> , 2007, 282, 34735-34747. | 1.6 | 78 |
| 43 | <i>Aspergillus</i> RabB ^{Rab5} Integrates Acquisition of Degradative Identity with the Long Distance Movement of Early Endosomes. <i>Molecular Biology of the Cell</i> , 2010, 21, 2756-2769. | 0.9 | 77 |
| 44 | An ordered pathway for the assembly of ESCRT-containing fungal ambient pH signalling complexes at the plasma membrane. <i>Journal of Cell Science</i> , 2012, 125, 1784-95. | 1.2 | 77 |
| 45 | The optimization of penicillin biosynthesis in fungi. <i>Trends in Biotechnology</i> , 1998, 16, 483-489. | 4.9 | 75 |
| 46 | The p25 subunit of the dynactin complex is required for dynein-early endosome interaction. <i>Journal of Cell Biology</i> , 2011, 193, 1245-1255. | 2.3 | 75 |
| 47 | The Molecular Basis of 3-Methylcrotonylglycinuria, a Disorder of Leucine Catabolism. <i>American Journal of Human Genetics</i> , 2001, 68, 334-346. | 2.6 | 73 |
| 48 | Disruption of phacA, an <i>Aspergillus nidulans</i> Gene Encoding a Novel Cytochrome P450 Monooxygenase Catalyzing Phenylacetate 2-Hydroxylation, Results in Penicillin Overproduction. <i>Journal of Biological Chemistry</i> , 1999, 274, 14545-14550. | 1.6 | 72 |
| 49 | Molecular characterization of a fungal secondary metabolism promoter: transcription of the <i>Aspergillus nidulans</i> isopenicillin N synthetase gene is modulated by upstream negative elements. <i>Molecular Microbiology</i> , 1993, 9, 881-895. | 1.2 | 71 |
| 50 | Overlap of Nuclear Localisation Signal and Specific DNA-binding Residues Within the Zinc Finger Domain of PacC. <i>Journal of Molecular Biology</i> , 2003, 334, 667-684. | 2.0 | 71 |
| 51 | The microtubule plus-end localization of <i>Aspergillus</i> dynein is important for dynein-early-endosome interaction but not for dynein ATPase activation. <i>Journal of Cell Science</i> , 2010, 123, 3596-3604. | 1.2 | 71 |
| 52 | Specificity Determinants of Proteolytic Processing of <i>Aspergillus</i> PacC Transcription Factor Are Remote from the Processing Site, and Processing Occurs in Yeast If pH Signalling Is Bypassed. <i>Molecular and Cellular Biology</i> , 1999, 19, 1390-1400. | 1.1 | 68 |
| 53 | Putative membrane components of signal transduction pathways for ambient pH regulation in <i>Aspergillus</i> and meiosis in <i>Saccharomyces</i> are homologous. <i>Molecular Microbiology</i> , 1998, 30, 259-264. | 1.2 | 66 |
| 54 | Reduced Function of a Phenylacetate-Oxidizing Cytochrome P450 Caused Strong Genetic Improvement in Early Phylogeny of Penicillin-Producing Strains. <i>Journal of Bacteriology</i> , 2001, 183, 5465-5471. | 1.0 | 65 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | PalC, One of Two Bro1 Domain Proteins in the Fungal pH Signalling Pathway, Localizes to Cortical Structures and Binds Vps32. <i>Traffic</i> , 2007, 8, 1346-1364. | 1.3 | 64 |
| 56 | Liaison alcaline: Pals entice non-endosomal ESCRTs to the plasma membrane for pH signaling. <i>Current Opinion in Microbiology</i> , 2014, 22, 49-59. | 2.3 | 60 |
| 57 | On how a transcription factor can avoid its proteolytic activation in the absence of signal transduction. <i>EMBO Journal</i> , 2000, 19, 719-728. | 3.5 | 59 |
| 58 | Sequences of isopenicillin N synthetase genes suggest horizontal gene transfer from prokaryotes to eukaryotes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1990, 241, 164-169. | 1.2 | 58 |
| 59 | Endosomal maturation by Rab conversion in <i>Aspergillus nidulans</i> is coupled to dynein-mediated basipetal movement. <i>Molecular Biology of the Cell</i> , 2012, 23, 1889-1901. | 0.9 | 58 |
| 60 | Acute inactivation of the <i>Aspergillus nidulans</i> Golgi membrane fusion machinery: correlation of apical extension arrest and tip swelling with cisternal disorganization. <i>Molecular Microbiology</i> , 2013, 89, 228-248. | 1.2 | 58 |
| 61 | Triazolopyrimidines Are Microtubule-Stabilizing Agents that Bind the Vinca Inhibitor Site of Tubulin. <i>Cell Chemical Biology</i> , 2017, 24, 737-750.e6. | 2.5 | 58 |
| 62 | Fungal metabolic model for human type I hereditary tyrosinaemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 9132-9136. | 3.3 | 57 |
| 63 | Further Characterization of the Signaling Proteolysis Step in the <i>Aspergillus nidulans</i> pH Signal Transduction Pathway. <i>Eukaryotic Cell</i> , 2007, 6, 960-970. | 3.4 | 57 |
| 64 | New Interfacial Microtubule Inhibitors of Marine Origin, PM050489/PM060184, with Potent Antitumor Activity and a Distinct Mechanism. <i>ACS Chemical Biology</i> , 2013, 8, 2084-2094. | 1.6 | 57 |
| 65 | Characterization of <i>Aspergillus nidulans</i> RabC/Rab6. <i>Traffic</i> , 2011, 12, 386-406. | 1.3 | 56 |
| 66 | Searching for gold beyond mitosis. <i>Cellular Logistics</i> , 2012, 2, 2-14. | 0.9 | 56 |
| 67 | Receptor-independent Ambient pH Signaling by Ubiquitin Attachment to Fungal Arrestin-like PalF. <i>Journal of Biological Chemistry</i> , 2010, 285, 18095-18102. | 1.6 | 55 |
| 68 | TRAPP II regulates exocytic Golgi exit by mediating nucleotide exchange on the Ypt31 ortholog RabE ^{RAB11} . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4346-4351. | 3.3 | 55 |
| 69 | Physiological Involvement in pH Signaling of Vps24-mediated Recruitment of <i>Aspergillus</i> PalB Cysteine Protease to ESCRT-III. <i>Journal of Biological Chemistry</i> , 2009, 284, 4404-4412. | 1.6 | 54 |
| 70 | Endocytic recycling via the TGN underlies the polarized hyphal mode of life. <i>PLoS Genetics</i> , 2018, 14, e1007291. | 1.5 | 52 |
| 71 | Ras GTPase-Activating Protein Regulation of Actin Cytoskeleton and Hyphal Polarity in <i>Aspergillus nidulans</i> . <i>Eukaryotic Cell</i> , 2008, 7, 141-153. | 3.4 | 51 |
| 72 | In vitro binding of the two-finger repressor CreA to several consensus and non-consensus sites at the upstream region is context dependent. <i>FEBS Letters</i> , 1994, 342, 43-48. | 1.3 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Live-cell imaging of <i>Aspergillus nidulans</i> autophagy. <i>Autophagy</i> , 2013, 9, 1024-1043. | 4.3 | 50 |
| 74 | Transport of fungal RAB11 secretory vesicles involves myosin-5, dynein/dynactin/p25, and kinesin-1 and is independent of kinesin-3. <i>Molecular Biology of the Cell</i> , 2017, 28, 947-961. | 0.9 | 49 |
| 75 | Rescue of <i>Aspergillus nidulans</i> severely debilitating null mutations in ESCRT-0, I, II and III genes by inactivation of a salt-tolerance pathway allows examination of ESCRT gene roles in pH signalling. <i>Journal of Cell Science</i> , 2011, 124, 4064-4076. | 1.2 | 48 |
| 76 | Structure of protein-containing replicative intermediates of <i>Bacillus subtilis</i> phage ϕ 29 DNA. <i>Virology</i> , 1982, 116, 1-18. | 1.1 | 47 |
| 77 | Overexpression of two penicillin structural genes in <i>Aspergillus nidulans</i> . <i>Molecular Genetics and Genomics</i> , 1995, 246, 110-118. | 2.4 | 47 |
| 78 | <i>Aspergillus nidulans</i> CkiA is an essential casein kinase I required for delivery of amino acid transporters to the plasma membrane. <i>Molecular Microbiology</i> , 2012, 84, 530-549. | 1.2 | 45 |
| 79 | Transformation in <i>Penicillium chrysogenum</i> . <i>Gene</i> , 1987, 51, 97-102. | 1.0 | 43 |
| 80 | Cytoplasmic dynein and early endosome transport. <i>Cellular and Molecular Life Sciences</i> , 2015, 72, 3267-3280. | 2.4 | 40 |
| 81 | The <i>Aspergillus nidulans</i> Peripheral ER: Disorganization by ER Stress and Persistence during Mitosis. <i>PLoS ONE</i> , 2013, 8, e67154. | 1.1 | 36 |
| 82 | Template requirements for initiation of phage ϕ 29 DNA replication in vitro.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 80-84. | 3.3 | 35 |
| 83 | Fungal Metabolic Model for 3-Methylcrotonyl-CoA Carboxylase Deficiency. <i>Journal of Biological Chemistry</i> , 2004, 279, 4578-4587. | 1.6 | 34 |
| 84 | Factors involved in the initiation of phage ϕ 29 DNA replication in vitro: requirement of the gene 2 product for the formation of the protein p3-dAMP complex. <i>Nucleic Acids Research</i> , 1983, 11, 1309-1323. | 6.5 | 33 |
| 85 | Analysis of a novel calcium auxotrophy in <i>Aspergillus nidulans</i> . <i>Fungal Genetics and Biology</i> , 2010, 47, 647-655. | 0.9 | 33 |
| 86 | Molecular cloning of the uaY regulatory gene of <i>Aspergillus nidulans</i> reveals a favoured region for DNA insertions. <i>Molecular Genetics and Genomics</i> , 1991, 230, 369-375. | 2.4 | 32 |
| 87 | Spectrophotometric Determination of Homogentisate Using <i>Aspergillus nidulans</i> Homogentisate Dioxygenase. <i>Analytical Biochemistry</i> , 1997, 245, 218-221. | 1.1 | 30 |
| 88 | Mutational Analysis of the pH Signal Transduction Component PalC of <i>Aspergillus nidulans</i> Supports Distant Similarity to BRO1 Domain Family Members. <i>Genetics</i> , 2005, 171, 393-401. | 1.2 | 28 |
| 89 | AgtA, the Dicarboxylic Amino Acid Transporter of <i>Aspergillus nidulans</i> , Is Concertedly Down-Regulated by Exquisite Sensitivity to Nitrogen Metabolite Repression and Ammonium-Elicited Endocytosis. <i>Eukaryotic Cell</i> , 2009, 8, 339-352. | 3.4 | 28 |
| 90 | A lacZ reporter fusion method for the genetic analysis of regulatory mutations in pathways of fungal secondary metabolism and its application to the <i>Aspergillus nidulans</i> penicillin pathway. <i>Journal of Bacteriology</i> , 1995, 177, 6069-6076. | 1.0 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Characterisation of the gene encoding acetyl-CoA synthetase in <i>Penicillium chrysogenum</i> : conservation of intron position in plectomycetes. <i>Gene</i> , 1993, 130, 265-270. | 1.0 | 25 |
| 92 | Characterization of <i>Aspergillus nidulans</i> TRAPPs uncovers unprecedented similarities between fungi and metazoans and reveals the modular assembly of TRAPP. <i>PLoS Genetics</i> , 2019, 15, e1008557. | 1.5 | 25 |
| 93 | The upstream region of the IPNS gene determines expression during secondary metabolism in <i>Aspergillus nidulans</i> . <i>Gene</i> , 1990, 89, 109-115. | 1.0 | 24 |
| 94 | Conditional inactivation of <i>Aspergillus nidulans</i> SarA uncovers the morphogenetic potential of regulating endoplasmic reticulum (ER) exit. <i>Molecular Microbiology</i> , 2015, 95, 491-508. | 1.2 | 24 |
| 95 | The fungal RABOME: RAB GTPases acting in the endocytic and exocytic pathways of <i>Aspergillus nidulans</i> (with excursions to other filamentous fungi). <i>Molecular Microbiology</i> , 2021, 116, 53-70. | 1.2 | 22 |
| 96 | A Fungal Perspective on Human Inborn Errors of Metabolism: Alkaptonuria and Beyond. <i>Fungal Genetics and Biology</i> , 2001, 34, 1-10. | 0.9 | 21 |
| 97 | <i>Aspergillus nidulans</i> Ambient pH Signaling Does Not Require Endocytosis. <i>Eukaryotic Cell</i> , 2015, 14, 545-553. | 3.4 | 21 |
| 98 | Functional analysis of MCCA and MCCB mutations causing methylcrotonylglycinuria. <i>Molecular Genetics and Metabolism</i> , 2003, 80, 315-320. | 0.5 | 20 |
| 99 | GBF/Gea mutant with a single substitution sustains fungal growth in the absence of BIG/Sec7. <i>FEBS Letters</i> , 2014, 588, 4799-4806. | 1.3 | 19 |
| 100 | The <i>Aspergillus nidulans</i> syntaxin PepA ^{Pep12} is regulated by two Sec1/Munc18 proteins to mediate fusion events at early endosomes, late endosomes and vacuoles. <i>Molecular Microbiology</i> , 2016, 99, 199-216. | 1.2 | 17 |
| 101 | Genetic dissection of the secretory route followed by a fungal extracellular glycosyl hydrolase. <i>Molecular Microbiology</i> , 2018, 109, 781-800. | 1.2 | 17 |
| 102 | Mutational analysis of the <i>Aspergillus</i> ambient pH receptor PalH underscores its potential as a target for antifungal compounds. <i>Molecular Microbiology</i> , 2016, 101, 982-1002. | 1.2 | 16 |
| 103 | Recognizing gene regulation by ambient pH. <i>Fungal Genetics and Biology</i> , 2003, 40, 1-3. | 0.9 | 15 |
| 104 | Cell Biology of Hyphal Growth. , 0, , 231-265. | | 15 |
| 105 | The Essential <i>Aspergillus nidulans</i> Genes Encode an Homologue of Fungal Plasma Membrane H ⁺ -ATPases. <i>Fungal Genetics and Biology</i> , 1998, 23, 288-299. | 0.9 | 14 |
| 106 | Refining the pH response in <i>Aspergillus nidulans</i> : a modulatory triad involving PacX, a novel zinc binuclear cluster protein. <i>Molecular Microbiology</i> , 2015, 98, 1051-1072. | 1.2 | 14 |
| 107 | An Isoprenylation and Palmitoylation Motif Promotes Intraluminal Vesicle Delivery of Proteins in Cells from Distant Species. <i>PLoS ONE</i> , 2014, 9, e107190. | 1.1 | 14 |
| 108 | NapA and NapB are the <i>Aspergillus nidulans</i> Nap/SET family members and NapB is a nuclear protein specifically interacting with importin β . <i>Fungal Genetics and Biology</i> , 2008, 45, 278-291. | 0.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Identification of the guanine nucleotide exchange factor for SAR1 in the filamentous fungal model <i>Aspergillus nidulans</i> . <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 118551. | 1.9 | 13 |
| 110 | Characterization of <i>Aspergillus nidulans</i> DidBDid2, a non-essential component of the multivesicular body pathway. <i>Fungal Genetics and Biology</i> , 2010, 47, 636-646. | 0.9 | 12 |
| 111 | A lipid-managing program maintains a stout <i>S. pitzenkämpfer</i> . <i>Molecular Microbiology</i> , 2015, 97, 1-6. | 1.2 | 12 |
| 112 | <i>Aspergillus nidulans</i> BapH is a RAB11 effector that connects membranes in the <i>S. pitzenkämpfer</i> with basal autophagy. <i>Molecular Microbiology</i> , 2017, 106, 452-468. | 1.2 | 12 |
| 113 | COPI localizes to the early Golgi in <i>Aspergillus nidulans</i> . <i>Fungal Genetics and Biology</i> , 2019, 123, 78-86. | 0.9 | 12 |
| 114 | Carbon regulation of penicillin biosynthesis in <i>Aspergillus nidulans</i> : a minor effect of mutations in <i>creB</i> and <i>creC</i> . <i>FEMS Microbiology Letters</i> , 1995, 126, 63-7. | 0.7 | 12 |
| 115 | Molecular cloning and characterization of the <i>trpC</i> gene from <i>Penicillium chrysogenum</i> . <i>Molecular Genetics and Genomics</i> , 1986, 205, 248-252. | 2.4 | 11 |
| 116 | The complete nucleotide sequence of the <i>trpC</i> gene from <i>Penicillium chrysogenum</i> . <i>Nucleic Acids Research</i> , 1987, 15, 1874-1874. | 6.5 | 11 |
| 117 | <i>In bloc</i> TGN recruitment of <i>Aspergillus</i> TRAPP II reveals TRAPP maturation as unlikely to drive RAB1-to-RAB11 transition. <i>Journal of Cell Science</i> , 2020, 133, . | 1.2 | 11 |
| 118 | Secretion of mature human interferon alpha 2 into the periplasmic space of <i>Escherichia coli</i> . <i>Journal of Biotechnology</i> , 1986, 4, 255-267. | 1.9 | 10 |
| 119 | Fungal Metabolic Model for Type I 3-Methylglutaconic Aciduria. <i>Journal of Biological Chemistry</i> , 2004, 279, 32385-32392. | 1.6 | 10 |
| 120 | Adaptation of the Tokuyasu method for the ultrastructural study and immunogold labelling of filamentous fungi. <i>Journal of Electron Microscopy</i> , 2011, 60, 211-216. | 0.9 | 10 |
| 121 | Cloning of the <i>PYR4</i> gene encoding orotidine-5?-phosphate decarboxylase in <i>Cephalosporium acremonium</i> . <i>Current Genetics</i> , 1990, 17, 223-227. | 0.8 | 9 |
| 122 | Molecular basis of resistance to the microtubule-depolymerizing antitumor compound plocabulin. <i>Scientific Reports</i> , 2018, 8, 8616. | 1.6 | 9 |
| 123 | The subunit I of the respiratory-chain NADH dehydrogenase from <i>Cephalosporium acremonium</i> : the evolution of a mitochondrial gene. <i>Current Genetics</i> , 1986, 10, 797-801. | 0.8 | 8 |
| 124 | Tracking exocytosis of a GPI-anchored protein in <i>Aspergillus nidulans</i> . <i>Traffic</i> , 2020, 21, 675-688. | 1.3 | 8 |
| 125 | Genetic studies on the physiological role of CORVET in <i>Aspergillus nidulans</i> . <i>FEMS Microbiology Letters</i> , 2017, 364, . | 0.7 | 6 |
| 126 | The type V myosin-containing complex HUM is a RAB11 effector powering movement of secretory vesicles. <i>IScience</i> , 2022, 25, 104514. | 1.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Structure of a Cephalosporium acremonium mtDNA replicator. FEBS Letters, 1986, 198, 92-98. | 1.3 | 5 |
| 128 | Probing the effect of tip pressure on fungal growth: Application to <i>Aspergillus nidulans</i> . Physical Review E, 2017, 96, 022402. | 0.8 | 5 |
| 129 | Putative membrane components of signal transduction pathways for ambient pH regulation in <i>Aspergillus</i> and meiosis in <i>Saccharomyces</i> are homologous.. Molecular Microbiology, 2001, 39, 211-211. | 1.2 | 2 |
| 130 | Regulation of Gene Expression by Ambient pH. , 2014, , 480-487. | | 2 |
| 131 | Expression of fungal genes involved in penicillin biosynthesis. World Journal of Microbiology and Biotechnology, 1993, 9, 461-467. | 1.7 | 1 |
| 132 | On how a transcription factor can avoid its proteolytic activation in the absence of signal transduction. EMBO Journal, 2000, 19, 2391-2391. | 3.5 | 1 |
| 133 | Comment on Dimou et al. Profile of Membrane Cargo Trafficking Proteins and Transporters Expressed under N Source Derepressing Conditions in <i>Aspergillus nidulans</i> . J. Fungi 2021, 7, 560. Journal of Fungi (Basel, Switzerland), 2021, 7, 1037. | 1.5 | 1 |
| 134 | Ambient pH signal transduction in <i>Aspergillus</i> : completion of gene characterization. Molecular Microbiology, 1999, 34, 1149-1149. | 1.2 | 0 |
| 135 | PRIMING OF PHAGE λ 29 REPLICATION BY PROTEIN p3, COVALENTLY LINKED TO THE 5' ENDS OF THE DNA1. , 1981, , 437-453. | | 0 |