
Samaa A Kasem

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3881015/publications.pdf Version: 2024-02-01



SAMAA A KASEM

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The effect of preoperative aminophylline on the recovery profile after major pelvic-abdominal surgeries: a randomized controlled double-blinded study. BMC Anesthesiology, 2021, 21, 122. | 1.8 | 1 |
| 2 | Non-invasive Assessment of Intravascular Volume Status for Postoperative Patients: The Correlation Between the Internal Jugular Vein/Common Carotid Artery Cross-sectional Area Ratio and the Inferior Vena Cava Diameter. Anesthesiology and Pain Medicine, 2021, 11, e114597. | 1.3 | 0 |
| 3 | Comparison between two mathematical methods to estimate arterial occlusion pressure and tourniquet effectiveness in lower limb surgery: a prospective, randomized, double blind, comparative study. Journal of Clinical Monitoring and Computing, 2020, 34, 675-681. | 1.6 | 3 |
| 4 | Efficacy of Serratus Anterior Plane Block Using Bupivacaine/ Magnesium Sulfate Versus Bupivacaine/ Nalbuphine for Mastectomy: A Randomized, Double-Blinded Comparative Study. Anesthesiology and Pain Medicine, 2020, 10, e103141. | 1.3 | 16 |
| 5 | The Relation Between Common Carotid Artery Diameter and Central Venous Pressure for Assessment of Intravascular Fluid Status after Major Surgeries; an Observational Study. Anesthesiology and Pain Medicine, 2020, 10, e105138. | 1.3 | 4 |
| 6 | The Effect of Dexmedetomidine and Esmolol on Early Postoperative Cognitive Dysfunction After Middle Ear Surgery Under Hypotensive Technique: A Comparative, Randomized, Double-blind Study. Anesthesiology and Pain Medicine, 2020, 11, e107659. | 1.3 | 6 |
| 7 | Minimal Inflation Tourniquet Pressure Using Induced Hypotension with Limb Occlusion Pressure Determination or Arterial Occlusion Pressure Estimation in Upper Limb Surgery: A Randomized Double-Blinded Comparative Study. Anesthesiology and Pain Medicine, 2020, 10, e102124. | 1.3 | 1 |
| 8 | The role of Gabapentin oral solution in decreasing desflurane associated emergence agitation and delirium in children after stabismus surgery, a prospective randomized double-blind study. BMC Anesthesiology, 2018, 18, 73. | 1.8 | 12 |
| 9 | Tourniquet-induced cardiovascular responses in anterior cruciate ligament reconstruction surgery under general anesthesia: Effect of preoperative oral amantadine. Egyptian Journal of Anaesthesia, 2015, 31, 29-33. | 0.5 | 4 |
| 10 | Effect of tramadol gargle on postoperative sore throat: A double blinded randomized placebo controlled study. Egyptian Journal of Anaesthesia, 2014, 30, 235-239. | 0.5 | 8 |
| 11 | Effect of parecoxib on remifentanil induced postoperative shivering. Egyptian Journal of Anaesthesia, 2014, 30, 399-403. | 0.5 | 2 |
| 12 | Effect of preoperative oral amantadine on intraoperative anesthetic and analgesic requirements in female patients during abdominoplasty. Egyptian Journal of Anaesthesia, 2013, 29, 7-11. | 0.5 | 7 |
| 13 | The analgesic efficacy of continuous fascia iliaca block vs. continuous psoas compartment block after hip surgery: A comparative study. Egyptian Journal of Anaesthesia, 2012, 28, 183-187. | 0.5 | 4 |
| 14 | Efficacy of prophylactic use of hydrocortisone and low dose ketamine for prevention of shivering during spinal anesthesia. Egyptian Journal of Anaesthesia, 2012, 28, 217-221. | 0.5 | 4 |