
## Andrzej Oleksy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3881174/publications.pdf Version: 2024-02-01



ANDRZEL OLEKSY

#	Article	IF	CITATIONS
1	Crowding as an Agronomic Factor Determining the Development of Plants and the Productivity of Linseed (Linum usitatissimum L.). Journal of Natural Fibers, 2020, 17, 1199-1211.	3.1	2
2	Impact of crop stand, Rhizobium inoculation, and foliar fertilization on pea root parameters. Bodenkultur, 2020, 71, 77-85.	0.2	1
3	Early potato cultivation using synthetic and biodegradable covers. Plant, Soil and Environment, 2019, 65, 97-103.	2.2	2
4	A comparison of the chemical composition of the seeds of linseed and pea cultivars grown in pure stands or mixtures. Journal of Natural Fibers, 2019, 16, 319-327.	3.1	5
5	Simulating the partitioning of winter rape biomass by increasing the cutting height of stems. International Agrophysics, 2019, 33, 241-253.	1.7	2
6	Fusarium head blight incidence and mycotoxin accumulation in three durum wheat cultivars in relation to sowing date and density. Die Naturwissenschaften, 2018, 105, 2.	1.6	27
7	The value of different vegetative indices (NDVI, GAI) for the assessment of yield potential of pea (Pisum) Tj ETQq1 2018, 71, .	1 0.7843 1.0	814 rgBT /O
8	Biological and production responses of intercropped plants of pea, spring wheat, and linseed. Acta Agrobotanica, 2018, 71, .	1.0	4
9	Accumulation of biomass and bioenergy in culms of cereals as a factor of straw cutting height. International Agrophysics, 2017, 31, 273-285.	1.7	3
10	Aboveground dry biomass partitioning and nitrogen accumulation in early maturing soybean â€~Merlin'. Acta Agrobotanica, 2017, 70, .	1.0	3
11	New approach to determine biological and environmental factors influencing mass of a single pea (Pisum sativum L.) seed in Silesia region in Poland using a CART model. European Journal of Agronomy, 2016, 74, 29-37.	4.1	21
12	Analysis of yield and plant traits of oilseed rape (Brassica napus L.) cultivated in temperate region in light of the possibilities of sowing in arid areas. Acta Agrobotanica, 2016, 69, .	1.0	19
13	Agronomic performance of naked oat (Avena nuda L.) and faba bean intercropping. Chilean Journal of Agricultural Research, 2015, 75, 168-173.	1.1	16
14	Ontogenetic-based sequential path analysis of grain yield and its related traits in several winter wheat cultivars. Acta Agriculturae Scandinavica - Section B Soil and Plant Science, 2015, 65, 605-618.	0.6	5
15	Pure sowings versus mixtures of winter cereal species as an effective option for fodder–grain production in temperate zone. Field Crops Research, 2014, 166, 152-161.	5.1	15
16	Stem-Base Disease in Winter Durum and Common Wheat Cultivation in the Years 2009–2011. Journal of Plant Protection Research, 2014, 54, 15-21.	1.0	3
17	The development competition and productivity of linseed and pea-cultivars grown in a pure sowing or in a mixture. European Journal of Agronomy, 2013, 44, 22-31.	4.1	18
18	THE EFFECT OF MINERAL FERTILIZATION ON GRAIN YIELD OF MAIZE IN VARIOUS EARLINESS CLASS. Journal of Central European Agriculture, 2013, 14, 354-362.	0.6	0

#	Article	IF	CITATIONS
19	Biological determinants of plant and crop productivity of flax (Linum usitatissimum L.). Acta Agrobotanica, 2012, 65, 3-14.	1.0	25
20	The effect of tillage system and forecrop on the yield and values of LAI and SPAD indices of spring wheat. European Journal of Agronomy, 2010, 33, 43-51.	4.1	22