

Bernard J Hanseeuw

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3881175/bernard-j-hanseeuw-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

2,669
citations

27
h-index

50
g-index

141
ext. papers

3,645
ext. citations

5.8
avg, IF

5.12
L-index

#	Paper	IF	Citations
122	Variant-dependent heterogeneity in amyloid burden in autosomal dominant Alzheimer's disease: cross-sectional and longitudinal analyses of an observational study.. <i>Lancet Neurology, The</i> , 2022 , 21, 140-152	24.1	5
121	Associations Between Brainstem Volume and Alzheimer's Disease Pathology in Middle-Aged Individuals of the Framingham Heart Study.. <i>Journal of Alzheimers Disease</i> , 2022 ,	4.3	
120	Mechanism of Cellular Formation and In Vivo Seeding Effects of Hexameric β Amyloid Assemblies. <i>Molecular Neurobiology</i> , 2021 , 58, 6647-6669	6.2	0
119	Disclosing tau tangles using PET imaging: a pharmacological review of the radiotracers available in 2021. <i>Acta Neurologica Belgica</i> , 2021 , 1	1.5	1
118	A multisite analysis of the concordance between visual image interpretation and quantitative analysis of [F]flutemetamol amyloid PET images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 2183-2199	8.8	3
117	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>EclinicalMedicine</i> , 2021 , 35, 100848	11.3	8
116	Comparing PET and MRI Biomarkers Predicting Cognitive Decline in Preclinical Alzheimer Disease. <i>Neurology</i> , 2021 ,	6.5	5
115	CSF1R inhibition rescues tau pathology and neurodegeneration in an A/T/N model with combined AD pathologies, while preserving plaque associated microglia. <i>Acta Neuropathologica Communications</i> , 2021 , 9, 108	7.3	7
114	Pathological correlates of impaired self-awareness of memory function in Alzheimer's disease. <i>Alzheimers Research and Therapy</i> , 2021 , 13, 118	9	1
113	Defining a Centiloid scale threshold predicting long-term progression to dementia in patients attending the memory clinic: an [F] flutemetamol amyloid PET study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 302-310	8.8	9
112	Immune-mediated neurological syndromes in SARS-CoV-2-infected patients. <i>Journal of Neurology</i> , 2021 , 268, 751-757	5.5	94
111	Defining the Lowest Threshold for Amyloid-PET to Predict Future Cognitive Decline and Amyloid Accumulation. <i>Neurology</i> , 2021 , 96, e619-e631	6.5	13
110	Biomarker counseling, disclosure of diagnosis and follow-up in patients with mild cognitive impairment: A European Alzheimer's disease consortium survey. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 324-333	3.9	9
109	Longitudinal amyloid and tau accumulation in autosomal dominant Alzheimer's disease: findings from the Colombia-Boston (COLBOS) biomarker study. <i>Alzheimers Research and Therapy</i> , 2021 , 13, 27	9	12
108	Spouse-Appraised Memory Functioning Predicts Memory Decline Better Than Subjective Memory Complaints in Community Dwelling Older Adults at Genetic Risk for Alzheimer's Disease. <i>Frontiers in Psychiatry</i> , 2021 , 12, 633102	5	0
107	Association of cortical microstructure with amyloid- β and tau: impact on cognitive decline, neurodegeneration, and clinical progression in older adults. <i>Molecular Psychiatry</i> , 2021 ,	15.1	1
106	Diagnostic Performance of Automated MRI Volumetry by icobrain dm for Alzheimer's Disease in a Clinical Setting: A REMEMBER Study. <i>Journal of Alzheimers Disease</i> , 2021 , 83, 623-639	4.3	3

105	Premature termination codon mutations in ABCA7 contribute to Alzheimer's disease risk in Belgian patients. <i>Neurobiology of Aging</i> , 2021 , 106, 307.e1-307.e7	5.6	3
104	The cortical origin and initial spread of medial temporal tauopathy in Alzheimer's disease assessed with positron emission tomography. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	32
103	Excessive Worrying as a Central Feature of Anxiety during the First COVID-19 Lockdown-Phase in Belgium: Insights from a Network Approach.. <i>Psychologica Belgica</i> , 2021 , 61, 401-418	0.6	0
102	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>Alzheimers and Dementia</i> , 2021 , 17,	1.2	1
101	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimers and Dementia</i> , 2020 , 16, e038867	1.2	
100	Evolution of unawareness of memory decline in individuals with autosomal dominant Alzheimer's disease. <i>Alzheimers and Dementia</i> , 2020 , 16, e039921	1.2	
99	The relationship between cortical microstructural changes and in vivo amyloid- β and tau in aging and preclinical Alzheimer's disease. <i>Alzheimers and Dementia</i> , 2020 , 16, e041626	1.2	
98	Estimating an individual's placement on a theoretical continuum using longitudinal cognitive trajectories: Relationships with longitudinal amyloid and Tau-PET. <i>Alzheimers and Dementia</i> , 2020 , 16, e043566	1.2	
97	Faster rates of tau accumulation in FTP-PET in females relative to males, and a cross-sectional influence on faster cognitive decline: Preliminary findings from HABS and ADNI. <i>Alzheimers and Dementia</i> , 2020 , 16, e043620	1.2	
96	Associations of peak width of skeletonized mean diffusivity with cardiovascular disease risk and cognitive decline in clinically normal older adults. <i>Alzheimers and Dementia</i> , 2020 , 16, e043812	1.2	
95	Alzheimer-like glucose hypometabolism predicts subsequent dementia in amyloid-negative mild cognitive impairment. <i>Alzheimers and Dementia</i> , 2020 , 16, e044541	1.2	
94	Current status and quantitative results of the AMYPAD prognostic and natural history study. <i>Alzheimers and Dementia</i> , 2020 , 16, e044711	1.2	
93	Multivariate prediction of rate of decline in memory functioning over six years using imaging biomarkers. <i>Alzheimers and Dementia</i> , 2020 , 16, e045645	1.2	1
92	Longitudinal hippocampal atrophy is associated with an amyloid-independent entorhinal tauopathy and an amyloid-dependent neocortical tauopathy. <i>Alzheimers and Dementia</i> , 2020 , 16, e045733	1.2	
91	Distinct contributions of longitudinal tau and amyloid to decline in various cognitive domains in preclinical AD. <i>Alzheimers and Dementia</i> , 2020 , 16, e046075	1.2	
90	Depressive symptoms are associated with hippocampal neurodegeneration in preclinical autosomal dominant Alzheimer's disease. <i>Alzheimers and Dementia</i> , 2020 , 16, e046495	1.2	
89	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimers and Dementia</i> , 2020 , 16, e046549	1.2	
88	CSF biomarkers within a Belgian allochthonous population. <i>Alzheimers and Dementia</i> , 2020 , 16, e047125	1.2	

87	Longitudinal increase in depressive symptoms in relation to neurodegeneration in clinically normal older adults: Findings from the Harvard Aging Brain Study. <i>Alzheimers and Dementia</i> , 2020 , 16, e047321	1.2	
86	Pathological correlates of impaired self-awareness of memory function in dementia. <i>Alzheimers and Dementia</i> , 2020 , 16, e047694	1.2	
85	Inferior temporal tau is associated with accelerated prospective cortical thinning in clinically normal older adults. <i>NeuroImage</i> , 2020 , 220, 116991	7.9	9
84	Interdisciplinary and Transdisciplinary Perspectives: On the Road to a Holistic Approach to Dementia Prevention and Care. <i>Journal of Alzheimers Disease Reports</i> , 2020 , 4, 39-48	3.3	5
83	Functional and Pathological Correlates of Judgments of Learning in Cognitively Unimpaired Older Adults. <i>Cerebral Cortex</i> , 2020 , 30, 1974-1983	5.1	2
82	Evolution of anosognosia in alzheimer's disease and its relationship to amyloid. <i>Annals of Neurology</i> , 2020 , 87, 267-280	9.4	23
81	Sex Mediates Relationships Between Regional Tau Pathology and Cognitive Decline. <i>Annals of Neurology</i> , 2020 , 88, 921-932	9.4	14
80	Unmasking selective path integration deficits in Alzheimer's disease risk carriers. <i>Science Advances</i> , 2020 , 6, eaba1394	14.3	13
79	Practices and opinions about disclosure of the diagnosis of Alzheimer's disease to patients with MCI or dementia: a survey among Belgian medical experts in the field of dementia. <i>Acta Neurologica Belgica</i> , 2020 , 120, 1157-1163	1.5	1
78	Association of anxiety with subcortical amyloidosis in cognitively normal older adults. <i>Molecular Psychiatry</i> , 2020 , 25, 2599-2607	15.1	14
77	Linking APOE- ϵ , blood-brain barrier dysfunction, and inflammation to Alzheimer's pathology. <i>Neurobiology of Aging</i> , 2020 , 85, 96-103	5.6	24
76	Trajectory of Unawareness of Memory Decline in Individuals With Autosomal Dominant Alzheimer Disease. <i>JAMA Network Open</i> , 2020 , 3, e2027472	10.4	7
75	Regional Tau Correlates of Instrumental Activities of Daily Living and Apathy in Mild Cognitive Impairment and Alzheimer's Disease Dementia. <i>Journal of Alzheimers Disease</i> , 2019 , 67, 757-768	4.3	17
74	Sex Differences in the Association of Global Amyloid and Regional Tau Deposition Measured by Positron Emission Tomography in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019 , 76, 542-551	17.2	114
73	Analytical and clinical performances of the automated Lumipulse cerebrospinal fluid A β and T-Tau assays for Alzheimer's disease diagnosis. <i>Journal of Neurology</i> , 2019 , 266, 2304-2311	5.5	16
72	Dementia, End of Life, and Euthanasia: A Survey Among Dementia Specialists Organized by the Belgian Dementia Council. <i>Journal of Alzheimers Disease</i> , 2019 , 69, 989-1001	4.3	8
71	Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease: A Longitudinal Study. <i>JAMA Neurology</i> , 2019 , 76, 915-924	17.2	277
70	An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. <i>Journal of Alzheimers Disease</i> , 2019 , 68, 1161-1170	4.3	1

69	Associations between baseline amyloid, sex, and APOE on subsequent tau accumulation in cerebrospinal fluid. <i>Neurobiology of Aging</i> , 2019 , 78, 178-185	5.6	36
68	The elusive tau molecular structures: can we translate the recent breakthroughs into new targets for intervention?. <i>Acta Neuropathologica Communications</i> , 2019 , 7, 31	7.3	35
67	Striatal amyloid is associated with tauopathy and memory decline in familial Alzheimer's disease. <i>Alzheimers Research and Therapy</i> , 2019 , 11, 17	9	13
66	IC-P-008: ANATOMICAL STAGING OF BETA-AMYLOID ACCUMULATION BASED ON LONGITUDINAL ASSESSMENT OF GLOBALLY PIB NEGATIVE ADULTS 2019 , 15, P18-P19		
65	Decreased meta-memory is associated with early tauopathy in cognitively unimpaired older adults. <i>NeuroImage: Clinical</i> , 2019 , 24, 102097	5.3	3
64	Vascular Risk and Amyloid Are Synergistically Associated with Cortical Tau. <i>Annals of Neurology</i> , 2019 , 85, 272-279	9.4	44
63	Tau Accumulation in Clinically Normal Older Adults Is Associated with Hippocampal Hyperactivity. <i>Journal of Neuroscience</i> , 2019 , 39, 548-556	6.6	44
62	The impact of amyloid-beta and tau on prospective cognitive decline in older individuals. <i>Annals of Neurology</i> , 2019 , 85, 181-193	9.4	100
61	The relationship between recall of recently versus remotely encoded famous faces and amyloidosis in clinically normal older adults. <i>Alzheimers and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 121-129	5.2	7
60	Longitudinal Association of Amyloid Beta and Anxious-Depressive Symptoms in Cognitively Normal Older Adults. <i>American Journal of Psychiatry</i> , 2018 , 175, 530-537	11.9	106
59	A Retrospective Belgian Multi-Center MRI Biomarker Study in Alzheimer's Disease (REMEMBER). <i>Journal of Alzheimers Disease</i> , 2018 , 63, 1509-1522	4.3	13
58	Interactive versus additive relationships between regional cortical thinning and amyloid burden in predicting clinical decline in mild AD and MCI individuals. <i>NeuroImage: Clinical</i> , 2018 , 17, 388-396	5.3	5
57	O3-12-01: DECREASED META-MEMORY FOR EPISODIC BUT NOT SEMANTIC INFORMATION IS ASSOCIATED WITH EARLY TAUOPATHY IN CLINICALLY NORMAL OLDER ADULTS 2018 , 14, P1050-P1050		
56	P3-290: AMYLOID PATHOLOGY EXPLAINS UNAWARENESS OF MEMORY DEFICITS ABOVE AND BEYOND CORTICAL THICKNESS IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT 2018 , 14, P1191-P1192		
55	O3-04-03: AMYLOID IS ASSOCIATED WITH GREATER TAU BURDEN IN CLINICALLY NORMAL FEMALES RELATIVE TO MALES: FINDINGS FROM TWO INDEPENDENT COHORTS 2018 , 14, P1019-P1020		
54	P1-443: ASSOCIATION BETWEEN REGIONAL AMYLOID AND REGIONAL TAU IN YOUNGER, NON-DEMENTED INDIVIDUALS IN THE FRAMINGHAM HEART STUDY 2018 , 14, P482-P483		
53	IC-P-138: ASSOCIATION BETWEEN REGIONAL AMYLOID AND REGIONAL TAU WITHIN YOUNGER, NON-DEMENTED INDIVIDUALS OF THE FRAMINGHAM HEART STUDY 2018 , 14, P115-P116		
52	O1-10-03: SEX AND APOE GENOTYPE INFLUENCE THE ASSOCIATION BETWEEN AMYLOID AND LONGITUDINAL TAU PATHOLOGY IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE ADNI STUDY 2018 , 14, P243-P244		

51	IC-02-04: REGIONAL ASYMMETRIES IN AMYLOID AND TAU GO TOGETHER: EVIDENCE FOR LOCAL INTERACTION 2018 , 14, P4-P5		1
50	IC-P-140: TAU ACCUMULATION AND MEMORY DECLINE ARE MORE CLOSELY RELATED TO STRIATAL THAN CORTICAL AMYLOIDOSIS IN INDIVIDUALS WITH EARLY-ONSET AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE 2018 , 14, P117-P117		
49	Regional tau pathology and loneliness in cognitively normal older adults. <i>Translational Psychiatry</i> , 2018 , 8, 282	8.6	16
48	Neurogenetic contributions to amyloid beta and tau spreading in the human cortex. <i>Nature Medicine</i> , 2018 , 24, 1910-1918	50.5	80
47	Sex, amyloid, and APOE ϵ and risk of cognitive decline in preclinical Alzheimer's disease: Findings from three well-characterized cohorts. <i>Alzheimers and Dementia</i> , 2018 , 14, 1193-1203	1.2	111
46	PET staging of amyloidosis using striatum. <i>Alzheimers and Dementia</i> , 2018 , 14, 1281-1292	1.2	62
45	Early and late change on the preclinical Alzheimer's cognitive composite in clinically normal older individuals with elevated amyloid β <i>Alzheimers and Dementia</i> , 2017 , 13, 1004-1012	1.2	96
44	Fluorodeoxyglucose metabolism associated with tau-amyloid interaction predicts memory decline. <i>Annals of Neurology</i> , 2017 , 81, 583-596	9.4	90
43	Functional network integrity presages cognitive decline in preclinical Alzheimer disease. <i>Neurology</i> , 2017 , 89, 29-37	6.5	51
42	Anosognosia for memory deficits in mild cognitive impairment: Insight into the neural mechanism using functional and molecular imaging. <i>NeuroImage: Clinical</i> , 2017 , 15, 408-414	5.3	46
41	Hierarchical Organization of Tau and Amyloid Deposits in the Cerebral Cortex. <i>JAMA Neurology</i> , 2017 , 74, 813-820	17.2	44
40	Memory self-awareness in the preclinical and prodromal stages of Alzheimer's disease. <i>Neuropsychologia</i> , 2017 , 99, 343-349	3.2	52
39	Hippocampal hypometabolism in older adults with memory complaints and increased amyloid burden. <i>Neurology</i> , 2017 , 88, 1759-1767	6.5	41
38	Phases of Hyperconnectivity and Hypoconnectivity in the Default Mode and Salience Networks Track with Amyloid and Tau in Clinically Normal Individuals. <i>Journal of Neuroscience</i> , 2017 , 37, 4323-4331	6.6	131
37	Region-Specific Association of Subjective Cognitive Decline With Tauopathy Independent of Global β Amyloid Burden. <i>JAMA Neurology</i> , 2017 , 74, 1455-1463	17.2	90
36	Alzheimer's disease and driving: review of the literature and consensus guideline from Belgian dementia experts and the Belgian road safety institute endorsed by the Belgian Medical Association. <i>Acta Neurologica Belgica</i> , 2017 , 117, 811-819	1.5	9
35	Alzheimer's Disease Biomarkers and Future Decline in Cognitive Normal Older Adults. <i>Journal of Alzheimers Disease</i> , 2017 , 60, 1451-1459	4.3	58
34	[P3B76]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY 2017 , 13, P1103-P1103		1

33	[P3061]: IMPROVED PREDICTION OF COGNITIVE PERFORMANCE USING A WEIGHTED LINEAR COMPOSITE OF BIOMARKERS OF ALZHEIMER'S DISEASE 2017 , 13, P1149-P1150		
32	[P4028]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY 2017 , 13, P1357-P1359		
31	[IC-P-181]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY 2017 , 13, P134-P136		2
30	[IC-0203]: TAU AND HIPPOCAMPAL VOLUME REFLECT DISTINCT PROCESSES IN PRECLINICAL ALZHEIMER'S DISEASE 2017 , 13, P5-P6		1
29	[P1098]: TAU ACCUMULATION IS DETECTABLE AND CORRELATED TO AMYLOID BURDEN IN NORMAL AND IMPAIRED OLDER INDIVIDUALS USING SERIAL PET 2017 , 13, P423-P424		
28	[O10205]: GENOTYPIC VARIANCE MAY EXPLAIN THE BALANCE OF EARLY CORTICAL VERSUS STRIATAL AMYLOID DEPOSITION IN AUTOSOMAL DOMINANT AD 2017 , 13, P187-P188		1
27	[O2003]: SEVERITY OF SUBJECTIVE COGNITIVE DECLINE ALIGNS WITH REGIONAL AMYLOID SEVERITY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY 2017 , 13, P577-P578		
26	[P400]: SPATIAL PATTERNS OF FLORTAUCIPIR (FTP) SIGNAL IN COGNITIVELY NORMAL ELDERLY 2017 , 13, P1530-P1531		1
25	Heterogeneity in Suspected Non-Alzheimer Disease Pathophysiology Among Clinically Normal Older Individuals. <i>JAMA Neurology</i> , 2016 , 73, 1185-1191	17.2	40
24	Targretin Improves Cognitive and Biological Markers in a Patient with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016 , 49, 271-6	4.3	19
23	Patients with Amyloid-Negative Mild Cognitive Impairment have Cortical Hypometabolism but the Hippocampus is Preserved. <i>Journal of Alzheimer's Disease</i> , 2016 , 53, 651-60	4.3	9
22	Prediction of Free and Cued Selective Reminding Test Performance Using Volumetric and Amyloid-Based Biomarkers of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2016 , 22, 991-1004	3.1	9
21	IC-P-013: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum 2016 , 12, P20-P21		1
20	IC-P-043: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment 2016 , 12, P36-P37		1
19	F3-04-01: In Vivo Cortical Distribution of Tau and Amyloid Deposits in Cognitively Normal Elderly 2016 , 12, P274-P274		
18	O4-01-06: Ab+ Clinically Normal Participants with Elevated Tau Show Greatest Decline in the Preclinical Alzheimer's Disease Cognitive Composite 2016 , 12, P333-P334		
17	O4-06-04: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment 2016 , 12, P345-P346		
16	O4-07-05: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum 2016 , 12, P349-P350		

15	P4-325: TAU BURDEN is Associated with Subjective Cognitive Concerns in the Context of β Amyloid Burden in Preclinical ad 2016 , 12, P1158-P1159		
14	Decreased hippocampal metabolism in high-amyloid mild cognitive impairment. <i>Alzheimers and Dementia</i> , 2016 , 12, 1288-1296	1.2	20
13	Classification of non-demented patients attending a memory clinic using the new diagnostic criteria for Alzheimer's disease with disease-related biomarkers. <i>Journal of Alzheimers Disease</i> , 2015 , 43, 835-47	4.3	23
12	Investigating Associative Learning Effects in Patients with Prodromal Alzheimer's Disease Using the Temporal Context Model. <i>Journal of the International Neuropsychological Society</i> , 2015 , 21, 699-708	3.1	4
11	P4-083: Hippocampal metabolism is decreased in high-amyloid mild cognitive impairment but not in high-amyloid clinically normal elders 2015 , 11, P802-P803		
10	Unirhinal Olfactory Testing for the Diagnostic Workup of Mild Cognitive Impairment. <i>Journal of Alzheimers Disease</i> , 2015 , 47, 253-70	4.3	9
9	O4-01-03: Entorhinal tau deposition is associated with parietal association cortex hypometabolism in clinically normal older individuals 2015 , 11, P266-P267		
8	O2-03-02: REGIONAL BRAIN METABOLISM AND CORTICAL THICKNESS IN F18-FLUTEMETAMOL AMYLOID-POSITIVE VERSUS -NEGATIVE MILD COGNITIVE IMPAIRMENT PATIENTS 2014 , 10, P167-P168		
7	Cerebral lateralization of face-sensitive areas in left-handers: only the FFA does not get it right. <i>Cortex</i> , 2013 , 49, 2583-9	3.8	65
6	Defining face perception areas in the human brain: a large-scale factorial fMRI face localizer analysis. <i>Brain and Cognition</i> , 2012 , 79, 138-57	2.7	187
5	Increased sensitivity to proactive and retroactive interference in amnesic mild cognitive impairment: new insights. <i>Brain and Cognition</i> , 2012 , 80, 104-10	2.7	8
4	Associative encoding deficits in amnesic mild cognitive impairment: a volumetric and functional MRI study. <i>NeuroImage</i> , 2011 , 56, 1743-8	7.9	25
3	Performance on the RI-48 Cued Recall Test Best Predicts Conversion to Dementia at the 5- and 10-Year Follow-Ups. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2011 , 1, 258-66	2.5	10
2	Mild cognitive impairment: differential atrophy in the hippocampal subfields. <i>American Journal of Neuroradiology</i> , 2011 , 32, 1658-61	4.4	80
1	Increased sensitivity to proactive interference in amnesic mild cognitive impairment is independent of associative and semantic impairment. <i>Brain and Cognition</i> , 2010 , 72, 325-31	2.7	11