

# Florence Fourcade

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3881997/florence-fourcade-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67  
papers

1,776  
citations

27  
h-index

40  
g-index

68  
ext. papers

2,031  
ext. citations

6.1  
avg, IF

4.9  
L-index

#	Paper	IF	Citations
67	Improvement of the biodegradability of diatrizoate by electroreduction of its amido groups. <i>Separation and Purification Technology</i> , <b>2022</b> , 285, 120317	8.3	0
66	Bismuth coated graphite felt modified by silver particles for selective electroreduction of CO <sub>2</sub> into formate in a flow cell. <i>Electrochimica Acta</i> , <b>2021</b> , 371, 137821	6.7	5
65	Metallic nanoparticles for electrocatalytic reduction of halogenated organic compounds: A review. <i>Electrochimica Acta</i> , <b>2021</b> , 377, 138039	6.7	5
64	Electrochemical technologies coupled with biological treatments. <i>Current Opinion in Electrochemistry</i> , <b>2021</b> , 26, 100668	7.2	11
63	A novel system coupling an electro-Fenton process and an advanced biological process to remove a pharmaceutical compound, metronidazole. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 415, 125705	12.8	11
62	Electro-reductive deiodination of iohexol catalyzed by vitamin B12 and biodegradability investigation. <i>Journal of Electroanalytical Chemistry</i> , <b>2021</b> , 897, 115559	4.1	2
61	Electrochemical Processes Coupled to a Biological Treatment for the Removal of Iodinated X-ray Contrast Media Compounds. <i>Frontiers in Chemistry</i> , <b>2020</b> , 8, 646	5	3
60	Nickel foam as a new material for chlortetracycline electrochemical oxidation: Biodegradability improvement and biological treatment. <i>Journal of Electroanalytical Chemistry</i> , <b>2020</b> , 878, 114543	4.1	4
59	Efficient Dechlorination of Halocarbonyl and Haloallyl Pollutants by Electroreduction on Bismuth. <i>Environmental Science &amp; Technology</i> , <b>2020</b> , 54, 559-567	10.3	4
58	Iron oxide nanoparticles as heterogeneous electro-Fenton catalysts for the removal of AR18 azo dye. <i>Environmental Technology (United Kingdom)</i> , <b>2020</b> , 41, 2146-2153	2.6	10
57	Alachlor dechlorination prior to an electro-Fenton process: Influence on the biodegradability of the treated solution. <i>Separation and Purification Technology</i> , <b>2020</b> , 232, 115936	8.3	20
56	Hybrid electrochemical and biological treatment of herbicidal ionic liquids comprising the MCPA anion. <i>Ecotoxicology and Environmental Safety</i> , <b>2019</b> , 181, 172-179	7	7
55	Development of a new cathode for the electro-Fenton process combining carbon felt and iron-containing organic/inorganic hybrids. <i>Comptes Rendus Chimie</i> , <b>2019</b> , 22, 238-249	2.7	1
54	Enoxacin degradation by photo-Fenton process combined with a biological treatment: optimization and improvement of by-products biodegradability. <i>International Journal of Environmental Science and Technology</i> , <b>2019</b> , 16, 655-666	3.3	5
53	Ni-coated graphite felt modified with Ag nanoparticles: A new electrode material for electro-reductive dechlorination. <i>Journal of Electroanalytical Chemistry</i> , <b>2019</b> , 849, 113357	4.1	13
52	Electro Fenton removal of clopyralid in soil washing effluents. <i>Chemosphere</i> , <b>2019</b> , 237, 124447	8.4	10
51	Reductive dehalogenation of a chloroacetanilide herbicide in a flow electrochemical cell fitted with Ag-modified Ni foams. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2018</b> , 93, 1572-1578	3.5	14

50	Reactive oxygen and iron species monitoring to investigate the electro-Fenton performances. Impact of the electrochemical process on the biodegradability of metronidazole and its by-products. <i>Chemosphere</i> , <b>2018</b> , 199, 486-494	8.4	36
49	Immobilization of synthetic gold nanoparticles on a three-dimensional porous electrode. <i>Electrochemistry Communications</i> , <b>2018</b> , 88, 15-18	5.1	2
48	Electro-Fenton catalyzed with magnetic chitosan beads for the removal of Chlordimeform insecticide. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 226, 346-359	21.8	66
47	The feasibility of combining an electrochemical treatment on a carbon felt electrode and a biological treatment for the degradation of tetracycline and tylosin □ Application of the experimental design methodology. <i>Separation Science and Technology</i> , <b>2018</b> , 53, 337-348	2.5	15
46	Metronidazole removal by means of a combined system coupling an electro-Fenton process and a conventional biological treatment: By-products monitoring and performance enhancement. <i>Journal of Hazardous Materials</i> , <b>2018</b> , 359, 85-95	12.8	35
45	Direct and indirect electrochemical reduction prior to a biological treatment for dimetridazole removal. <i>Journal of Hazardous Materials</i> , <b>2017</b> , 335, 10-17	12.8	28
44	Combination of the Electro/Fe/peroxydisulfate (PDS) process with activated sludge culture for the degradation of sulfamethazine. <i>Environmental Toxicology and Pharmacology</i> , <b>2017</b> , 53, 34-39	5.8	25
43	Efficiency of DMSO as hydroxyl radical probe in an Electrochemical Advanced Oxidation Process □ Reactive oxygen species monitoring and impact of the current density. <i>Electrochimica Acta</i> , <b>2017</b> , 246, 1-8	6.7	31
42	Reductive dechlorination of a chloroacetanilide herbicide in water by a Co complex-supported catalyst. <i>Molecular Catalysis</i> , <b>2017</b> , 432, 8-14	3.3	14
41	Sulfamethazine removal by means of a combined process coupling an oxidation pretreatment and activated sludge culture - preliminary results. <i>Environmental Technology (United Kingdom)</i> , <b>2017</b> , 38, 2684-2690 <sup>7</sup>	2.6	7
40	Removal of herbicidal ionic liquids by electrochemical advanced oxidation processes combined with biological treatment. <i>Environmental Technology (United Kingdom)</i> , <b>2017</b> , 38, 1093-1099	2.6	19
39	Effective heterogeneous electro-Fenton process for the degradation of a malodorous compound, indole, using iron loaded alginate beads as a reusable catalyst. <i>Applied Catalysis B: Environmental</i> , <b>2016</b> , 182, 47-58	21.8	80
38	Enhancement of the biodegradability of a mixture of dyes (methylene blue and basic yellow 28) using the electrochemical process on a glassy carbon electrode. <i>Desalination and Water Treatment</i> , <b>2016</b> , 57, 12316-12323		8
37	Electrocatalytic reduction of metronidazole using titanocene/Nafion□ -modified graphite felt electrode. <i>Electrochimica Acta</i> , <b>2016</b> , 191, 821-831	6.7	13
36	Degradation of enoxacin antibiotic by the electro-Fenton process: Optimization, biodegradability improvement and degradation mechanism. <i>Journal of Environmental Management</i> , <b>2016</b> , 165, 96-105	7.9	73
35	Preparation of Silver-Modified Nickel Foams by Galvanic Displacement and Their Use as Cathodes for the Reductive Dechlorination of Herbicides. <i>ChemElectroChem</i> , <b>2016</b> , 3, 2084-2092	4.3	21
34	A new bipyridyl cobalt complex for reductive dechlorination of pesticides. <i>Electrochimica Acta</i> , <b>2016</b> , 207, 313-320	6.7	24
33	Mineralization of synthetic and industrial pharmaceutical effluent containing trimethoprim by combining electro-Fenton and activated sludge treatment. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , <b>2015</b> , 53, 58-67	5.3	33

32	Combined process for removal of tetracycline antibiotic [Coupling pre-treatment with a nickel-modified graphite felt electrode and a biological treatment. <i>International Biodeterioration and Biodegradation</i> , <b>2015</b> , 103, 147-153	4.8	18
31	Relevance of a combined process coupling electro-Fenton and biological treatment for the remediation of sulfamethazine solutions [Application to an industrial pharmaceutical effluent. <i>Comptes Rendus Chimie</i> , <b>2015</b> , 18, 39-44	2.7	28
30	Energetic valorization of ammonium resulting from nitrate electrochemical reduction [Feasibility of biohydrogen production. <i>Biochemical Engineering Journal</i> , <b>2015</b> , 94, 145-152	4.2	5
29	Direct electrochemical oxidation of a pesticide, 2,4-dichlorophenoxyacetic acid, at the surface of a graphite felt electrode: Biodegradability improvement. <i>Comptes Rendus Chimie</i> , <b>2015</b> , 18, 32-38	2.7	23
28	Photocatalytic degradation of bezacryl yellow in batch reactors--feasibility of the combination of photocatalysis and a biological treatment. <i>Environmental Technology (United Kingdom)</i> , <b>2015</b> , 36, 1-10	2.6	37
27	Removal of a mixture tetracycline-tylosin from water based on anodic oxidation on a glassy carbon electrode coupled to activated sludge. <i>Environmental Technology (United Kingdom)</i> , <b>2015</b> , 36, 1837-46	2.6	19
26	Improvement of the activated sludge treatment by its combination with electro Fenton for the mineralization of sulfamethazine. <i>International Biodeterioration and Biodegradation</i> , <b>2014</b> , 88, 29-36	4.8	42
25	Selective and quantitative nitrate electroreduction to ammonium using a porous copper electrode in an electrochemical flow cell. <i>Journal of Electroanalytical Chemistry</i> , <b>2014</b> , 727, 148-153	4.1	41
24	Heat Attachment Method for the Immobilization of TiO <sub>2</sub> on Glass Plates: Application to Photodegradation of Basic Yellow Dye and Optimization of Operating Parameters, Using Response Surface Methodology. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 3813-3819	3.9	37
23	Reductive dehalogenation of 1,3-dichloropropane by a [Ni(tetramethylcyclam)]Br <sub>2</sub> -Nafion <sup>®</sup> modified electrode. <i>Electrochimica Acta</i> , <b>2014</b> , 137, 511-517	6.7	15
22	Electro-Fenton pretreatment for the improvement of tylosin biodegradability. <i>Environmental Science and Pollution Research</i> , <b>2014</b> , 21, 8534-42	5.1	27
21	Indirect electroreduction as pretreatment to enhance biodegradability of metronidazole. <i>Journal of Hazardous Materials</i> , <b>2014</b> , 278, 172-9	12.8	45
20	Combined electrochemical treatment/biological process for the removal of a commercial herbicide solution, U46D <sup>®</sup> . <i>Separation and Purification Technology</i> , <b>2014</b> , 132, 704-711	8.3	25
19	Combination of an electrochemical pretreatment with a biological oxidation for the mineralization of nonbiodegradable organic dyes: Basic yellow 28 dye. <i>Environmental Progress and Sustainable Energy</i> , <b>2014</b> , 33, 160-169	2.5	33
18	Flow electrolysis on high surface electrode for biodegradability enhancement of sulfamethazine solutions. <i>Journal of Electroanalytical Chemistry</i> , <b>2013</b> , 707, 122-128	4.1	15
17	Tetracycline degradation and mineralization by the coupling of an electro-Fenton pretreatment and a biological process. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2013</b> , 88, 1380-1386	3.5	64
16	Electrochemical Reduction Prior to Electro-Fenton Oxidation of Azo Dyes: Impact of the Pretreatment on Biodegradability. <i>Water, Air, and Soil Pollution</i> , <b>2013</b> , 224, 1	2.6	15
15	Electrochemical Pre-Treatment Combined with Biological Treatment for the Degradation of Methylene Blue Dye: Pb/PbO <sub>2</sub> Electrode and Modeling-Optimization through Central Composite Design. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2013</b> , 52, 14743-14751	3.9	39

14	Removal of tetracycline hydrochloride from water based on direct anodic oxidation (Pb/PbO <sub>2</sub> electrode) coupled to activated sludge culture. <i>Chemical Engineering Journal</i> , <b>2013</b> , 221, 418-425	14.7	92
13	Combined process for 2,4-Dichlorophenoxyacetic acid treatment [Coupling of an electrochemical system with a biological treatment. <i>Biochemical Engineering Journal</i> , <b>2013</b> , 70, 17-22	4.2	51
12	Relevance of Photocatalysis prior to Biological Treatment of Organic Pollutants [Selection Criteria. <i>Chemical Engineering and Technology</i> , <b>2012</b> , 35, 238-246	2	17
11	Electrochemical oxidation of 2,4-Dichlorophenoxyacetic acid: Analysis of by-products and improvement of the biodegradability. <i>Chemical Engineering Journal</i> , <b>2012</b> , 195-196, 208-217	14.7	65
10	Response surface methodology for the optimization of the electrochemical degradation of phenol on Pb/PbO <sub>2</sub> electrode. <i>Environmental Progress and Sustainable Energy</i> , <b>2012</b> , 31, 515-523	2.5	34
9	Biodegradability Improvement of Sulfamethazine Solutions by Means of an electro-Fenton Process. <i>Water, Air, and Soil Pollution</i> , <b>2012</b> , 223, 2023-2034	2.6	54
8	Integration of photocatalysis and biological treatment for azo dye removal--application to AR183. <i>Environmental Technology (United Kingdom)</i> , <b>2011</b> , 32, 507-14	2.6	17
7	Feasibility of an electrochemical pre-treatment prior to a biological treatment for tetracycline removal. <i>Separation and Purification Technology</i> , <b>2011</b> , 83, 151-156	8.3	49
6	Photocatalysis as a pre-treatment prior to a biological degradation of cyproconazole. <i>Desalination</i> , <b>2011</b> , 281, 61-67	10.3	29
5	Removal of antibiotics by an integrated process coupling photocatalysis and biological treatment [ Case of tetracycline and tylosin. <i>International Biodeterioration and Biodegradation</i> , <b>2011</b> , 65, 997-1003	4.8	91
4	Effect of electro-Fenton application on azo dyes biodegradability. <i>Environmental Progress and Sustainable Energy</i> , <b>2011</b> , 30, 160-167	2.5	15
3	Relevance of an electrochemical process prior to a biological treatment for the removal of an organophosphorous pesticide, phosmet. <i>Journal of Hazardous Materials</i> , <b>2010</b> , 181, 617-23	12.8	68
2	Supported photocatalysis as a pre-treatment prior to biological degradation for the removal of some dyes from aqueous solutions; Acid Red 183, Biebrich Scarlet, Methyl Red Sodium Salt, Orange II. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2010</b> , 85, n/a-n/a	3.5	5
1	Integrated Process for Degradation of Amitrole in Wastewaters: Photocatalysis/Biodegradation. <i>International Journal of Chemical Reactor Engineering</i> , <b>2007</b> , 5,	1.2	5