Isaac J Jensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3883443/publications.pdf

Version: 2024-02-01



ISAAC LIENSEN

#	Article	IF	CITATIONS
1	Novel Mouse Model of Murine Cytomegalovirus–Induced Adaptive NK Cells. ImmunoHorizons, 2022, 6, 8-15.	1.8	4
2	A Functionally Distinct CXCR3+/IFN-γ+/IL-10+ Subset Defines Disease-Suppressive Myelin-Specific CD8 T Cells. Journal of Immunology, 2021, 206, 1151-1160.	0.8	4
3	Prolonged Reactive Oxygen Species Production following Septic Insult. ImmunoHorizons, 2021, 5, 477-488.	1.8	14
4	Protective function and durability of mouse lymph node-resident memory CD8+ T cells. ELife, 2021, 10, .	6.0	14
5	Severity of Sepsis Determines the Degree of Impairment Observed in Circulatory and Tissue-Resident Memory CD8 T Cell Populations. Journal of Immunology, 2021, 207, 1871-1881.	0.8	10
6	Sepsis and multiple sclerosis: Causative links and outcomes. Immunology Letters, 2021, 238, 40-46.	2.5	5
7	NK Cell–Derived IL-10 Supports Host Survival during Sepsis. Journal of Immunology, 2021, 206, 1171-1180.	0.8	19
8	Autoimmunity Increases Susceptibility to and Mortality from Sepsis. ImmunoHorizons, 2021, 5, 844-854.	1.8	3
9	Sepsis leads to lasting changes in phenotype and function of memory CD8 T cells. ELife, 2021, 10, .	6.0	19
10	Expeditious recruitment of circulating memory CD8 TÂcells to the liver facilitates control of malaria. Cell Reports, 2021, 37, 109956.	6.4	26
11	Inducing Experimental Polymicrobial Sepsis by Cecal Ligation and Puncture. Current Protocols in Immunology, 2020, 131, e110.	3.6	25
12	Peripherally induced brain tissue–resident memory CD8+ T cells mediate protection against CNS infection. Nature Immunology, 2020, 21, 938-949.	14.5	75
13	Worry and FRET: ROS Production Leads to Fluorochrome Tandem Degradation and impairs Interpretation of Flow Cytometric Results. Immunity, 2020, 52, 419-421.	14.3	6
14	Sepsis impedes EAE disease development and diminishes autoantigen-specific naive CD4 T cells. ELife, 2020, 9, .	6.0	16
15	Microbial Exposure Enhances Immunity to Pathogens Recognized by TLR2 but Increases Susceptibility to Cytokine Storm through TLR4 Sensitization. Cell Reports, 2019, 28, 1729-1743.e5.	6.4	74
16	A preliminary analysis of interleukin-1 ligands as potential predictive biomarkers of response to cetuximab. Biomarker Research, 2019, 7, 14.	6.8	6
17	Interleukin-1 alpha increases anti-tumor efficacy of cetuximab in head and neck squamous cell carcinoma. , 2019, 7, 79.		28
18	Sepsis-Induced State of Immunoparalysis Is Defined by Diminished CD8 T Cell–Mediated Antitumor Immunity. Journal of Immunology, 2019, 203, 725-735.	0.8	21

ISAAC J JENSEN

#	Article	IF	CITATIONS
19	Cutting Edge: Polymicrobial Sepsis Has the Capacity to Reinvigorate Tumor-Infiltrating CD8 T Cells and Prolong Host Survival. Journal of Immunology, 2019, 202, 2843-2848.	0.8	20
20	Bystander responses impact accurate detection of murine and human antigen-specific CD8+ T cells. Journal of Clinical Investigation, 2019, 129, 3894-3908.	8.2	29
21	Polymicrobial sepsis influences NK-cell-mediated immunity by diminishing NK-cell-intrinsic receptor-mediated effector responses to viral ligands or infections. PLoS Pathogens, 2018, 14, e1007405.	4.7	46
22	Sepsis-Induced T Cell Immunoparalysis: The Ins and Outs of Impaired T Cell Immunity. Journal of Immunology, 2018, 200, 1543-1553.	0.8	143
23	Polymicrobial sepsis impairs bystander recruitment of effector cells to infected skin despite optimal sensing and alarming function of skin resident memory CD8 T cells. PLoS Pathogens, 2017, 13, e1006569.	4.7	47