

Paul J Wolters

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3884012/paul-j-wolters-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

10,859
citations

53
h-index

103
g-index

152
ext. papers

13,980
ext. citations

12.6
avg, IF

5.95
L-index

#	Paper	IF	Citations
136	A simple method to generate human airway epithelial organoids with externally-oriented apical membranes.. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2022 ,	5.8	2
135	Oncostatin M expression induced by bacterial triggers drives airway inflammatory and mucus secretion in severe asthma.. <i>Science Translational Medicine</i> , 2022 , 14, eabf8188	17.5	1
134	Interaction Between Epithelial and Mesenchymal Cells in Interstitial Lung Disease 2022 , 114-125		
133	Human alveolar type 2 epithelium transdifferentiates into metaplastic KRT5 basal cells.. <i>Nature Cell Biology</i> , 2021 ,	23.4	13
132	Molecular programs of fibrotic change in aging human lung. <i>Nature Communications</i> , 2021 , 12, 6309	17.4	1
131	Dual inhibition of TGF α and TGF β reduces fibrogenesis in lung tissue explants from patients with IPF. <i>Respiratory Research</i> , 2021 , 22, 265	7.3	2
130	Molecular mapping of interstitial lung disease reveals a phenotypically distinct senescent basal epithelial cell population. <i>JCI Insight</i> , 2021 , 6,	9.9	11
129	Molecular markers of telomere dysfunction and senescence are common findings in the usual interstitial pneumonia pattern of lung fibrosis. <i>Histopathology</i> , 2021 , 79, 67-76	7.3	6
128	Peripheral blood leucocyte telomere length is associated with progression of interstitial lung disease in systemic sclerosis. <i>Thorax</i> , 2021 , 76, 1186-1192	7.3	4
127	Essential Components of an Interstitial Lung Disease Clinic: Results From a Delphi Survey and Patient Focus Group Analysis. <i>Chest</i> , 2021 , 159, 1517-1530	5.3	5
126	Extracellular BMP1 is the major proteinase for COOH-terminal proteolysis of type I procollagen in lung fibroblasts. <i>American Journal of Physiology - Cell Physiology</i> , 2021 , 320, C162-C174	5.4	2
125	Leukocyte telomere length and mycophenolate therapy in chronic hypersensitivity pneumonitis. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	7
124	Autoantibodies targeting telomere-associated proteins in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 912-919	2.4	6
123	Invariant Natural Killer T cells coordinate removal of senescent cells. <i>Med</i> , 2021 , 2, 938-950	31.7	3
122	TGF α and TGF β isoforms drive fibrotic disease pathogenesis. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	10
121	The prognostic role of matrix metalloproteinase-7 in scleroderma-associated interstitial lung disease. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	1
120	Treatment of fibrotic interstitial lung disease: current approaches and future directions. <i>Lancet, The</i> , 2021 , 398, 1450-1460	40	7

119	MUC5B promoter variant rs35705950 and rheumatoid arthritis associated interstitial lung disease survival and progression. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 996-1004	5.3	3
118	Blocking LOXL2 and TGF β signalling induces collagen I turnover in precision-cut lung slices derived from patients with idiopathic pulmonary fibrosis. <i>Thorax</i> , 2021 , 76, 729-732	7.3	9
117	Osteopontin Links Myeloid Activation and Disease Progression in Systemic Sclerosis. <i>Cell Reports Medicine</i> , 2020 , 1, 100140	18	14
116	Frailty after lung transplantation is associated with impaired health-related quality of life and mortality. <i>Thorax</i> , 2020 , 75, 669-678	7.3	7
115	Telomere length in patients with unclassifiable interstitial lung disease: a cohort study. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	7
114	Long-term ozone exposure is positively associated with telomere length in critically ill patients. <i>Environment International</i> , 2020 , 141, 105780	12.9	3
113	Airway Epithelial Telomere Dysfunction Drives Remodeling Similar to Chronic Lung Allograft Dysfunction. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2020 , 63, 490-501	5.7	5
112	Reversal of TGF β -Driven Profibrotic State in Patients with Pulmonary Fibrosis. <i>New England Journal of Medicine</i> , 2020 , 382, 1068-1070	59.2	20
111	Chronic Hypersensitivity Pneumonitis, an Interstitial Lung Disease with Distinct Molecular Signatures. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 1430-1444	10.2	26
110	A Systematically Derived Exposure Assessment Instrument for Chronic Hypersensitivity Pneumonitis. <i>Chest</i> , 2020 , 157, 1506-1512	5.3	18
109	Collagen-producing lung cell atlas identifies multiple subsets with distinct localization and relevance to fibrosis. <i>Nature Communications</i> , 2020 , 11, 1920	17.4	111
108	Age-dependent regulation of cell-mediated collagen turnover. <i>JCI Insight</i> , 2020 , 5,	9.9	12
107	Peripheral blood leukocyte telomere length is associated with survival of sepsis patients. <i>European Respiratory Journal</i> , 2020 , 55,	13.6	15
106	Diaphragmatic Atrophy May Limit Progression of Idiopathic Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, e72-e73	10.2	1
105	Lymphatic Proliferation Ameliorates Pulmonary Fibrosis after Lung Injury. <i>American Journal of Pathology</i> , 2020 , 190, 2355-2375	5.8	7
104	Gli1 mesenchymal stromal cells form a pathological niche to promote airway progenitor metaplasia in the fibrotic lung. <i>Nature Cell Biology</i> , 2020 , 22, 1295-1306	23.4	20
103	The Pulmonary Fibrosis Foundation Patient Registry. Rationale, Design, and Methods. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 1620-1628	4.7	8
102	Regulatory T cells in skin are uniquely poised to suppress profibrotic immune responses. <i>Science Immunology</i> , 2019 , 4,	28	37

101	Resequencing Study Confirms That Host Defense and Cell Senescence Gene Variants Contribute to the Risk of Idiopathic Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 199-208	10.2	53
100	Association between greenhouse working exposure and bronchial asthma: A pilot, cross-sectional survey of 5,420 greenhouse farmers from northeast China. <i>Journal of Occupational and Environmental Hygiene</i> , 2019 , 16, 286-293	2.9	2
99	Pulmonary physiology is poorly associated with radiological extent of disease in systemic sclerosis-associated interstitial lung disease. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	5
98	Significance of bronchiocentric fibrosis in patients with histopathological usual interstitial pneumonia. <i>Histopathology</i> , 2019 , 74, 1088-1097	7.3	11
97	Histopathological and molecular analysis of idiopathic pulmonary fibrosis lungs from patients treated with pirfenidone or nintedanib. <i>Histopathology</i> , 2019 , 74, 341-349	7.3	12
96	A nonlinear relationship between visceral adipose tissue and frailty in adult lung transplant candidates. <i>American Journal of Transplantation</i> , 2019 , 19, 3155-3161	8.7	11
95	Rare Protein-Altering Telomere-related Gene Variants in Patients with Chronic Hypersensitivity Pneumonitis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 1154-1163	10.2	45
94	Prevalence and Clinical Significance of Antineutrophil Cytoplasmic Antibodies in North American Patients With Idiopathic Pulmonary Fibrosis. <i>Chest</i> , 2019 , 156, 715-723	5.3	23
93	Reference-based analysis of lung single-cell sequencing reveals a transitional profibrotic macrophage. <i>Nature Immunology</i> , 2019 , 20, 163-172	19.1	752
92	Telomere length and genetic variant associations with interstitial lung disease progression and survival. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	67
91	Air Pollution Exposure Is Associated With Lower Lung Function, but Not Changes in Lung Function, in Patients With Idiopathic Pulmonary Fibrosis. <i>Chest</i> , 2018 , 154, 119-125	5.3	44
90	Time for a change: is idiopathic pulmonary fibrosis still idiopathic and only fibrotic?. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 154-160	35.1	76
89	Increased Extracellular Vesicles Mediate WNT5A Signaling in Idiopathic Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 198, 1527-1538	10.2	76
88	Laparoscopic anti-reflux surgery for the treatment of idiopathic pulmonary fibrosis (WRAP-IPF): a multicentre, randomised, controlled phase 2 trial. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 707-714	35.1	74
87	Analysis of protein-altering variants in telomerase genes and their association with MUC5B common variant status in patients with idiopathic pulmonary fibrosis: a candidate gene sequencing study. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 603-614	35.1	73
86	Identification of Diagnostic Criteria for Chronic Hypersensitivity Pneumonitis: An International Modified Delphi Survey. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 1036-1044	10.2	109
85	MUC5B Promoter Variant and Rheumatoid Arthritis with Interstitial Lung Disease. <i>New England Journal of Medicine</i> , 2018 , 379, 2209-2219	59.2	173
84	Response. <i>Chest</i> , 2018 , 154, 727-728	5.3	

83	Prognostic and predictive biomarkers for patients with idiopathic pulmonary fibrosis treated with pirfenidone: post-hoc assessment of the CAPACITY and ASCEND trials. <i>Lancet Respiratory Medicine, the</i> , 2018 , 6, 615-626	35.1	51
82	Pathologic Findings and Prognosis in a Large Prospective Cohort of Chronic Hypersensitivity Pneumonitis. <i>Chest</i> , 2017 , 152, 502-509	5.3	80
81	The use of pretest probability increases the value of high-resolution CT in diagnosing usual interstitial pneumonia. <i>Thorax</i> , 2017 , 72, 424-429	7.3	81
80	CXCL14 is a candidate biomarker for Hedgehog signalling in idiopathic pulmonary fibrosis. <i>Thorax</i> , 2017 , 72, 780-787	7.3	31
79	Spontaneous Chitin Accumulation in Airways and Age-Related Fibrotic Lung Disease. <i>Cell</i> , 2017 , 169, 497-509.e13	56.2	58
78	The performance of the GAP model in patients with rheumatoid arthritis associated interstitial lung disease. <i>Respiratory Medicine</i> , 2017 , 127, 51-56	4.6	33
77	Short lung transplant donor telomere length is associated with decreased CLAD-free survival. <i>Thorax</i> , 2017 , 72, 1052-1054	7.3	34
76	Mortality Risk Prediction in Scleroderma-Related Interstitial Lung Disease: The SADL Model. <i>Chest</i> , 2017 , 152, 999-1007	5.3	40
75	The MUC5B promoter polymorphism and telomere length in patients with chronic hypersensitivity pneumonitis: an observational cohort-control study. <i>Lancet Respiratory Medicine, the</i> , 2017 , 5, 639-647	35.1	125
74	Use of Mycophenolate Mofetil or Azathioprine for the Management of Chronic Hypersensitivity Pneumonitis. <i>Chest</i> , 2017 , 151, 619-625	5.3	120
73	Brief Report: Whole-Exome Sequencing for Identification of Potential Causal Variants for Diffuse Cutaneous Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2257-62	9.5	28
72	Telomere dysfunction in alveolar epithelial cells causes lung remodeling and fibrosis. <i>JCI Insight</i> , 2016 , 1, e86704	9.9	129
71	Integrated, multicohort analysis of systemic sclerosis identifies robust transcriptional signature of disease severity. <i>JCI Insight</i> , 2016 , 1, e89073	9.9	41
70	Genome-wide imputation study identifies novel HLA locus for pulmonary fibrosis and potential role for auto-immunity in fibrotic idiopathic interstitial pneumonia. <i>BMC Genetics</i> , 2016 , 17, 74	2.6	54
69	miR-34 miRNAs Regulate Cellular Senescence in Type II Alveolar Epithelial Cells of Patients with Idiopathic Pulmonary Fibrosis. <i>PLoS ONE</i> , 2016 , 11, e0158367	3.7	80
68	Amplification of TGF β -Induced ITGB6 Gene Transcription May Promote Pulmonary Fibrosis. <i>PLoS ONE</i> , 2016 , 11, e0158047	3.7	25
67	Donor-Reactive Regulatory T Cell Frequency Increases During Acute Cellular Rejection of Lung Allografts. <i>Transplantation</i> , 2016 , 100, 2090-8	1.8	12
66	Non-invasive Imaging of Idiopathic Pulmonary Fibrosis Using Cathepsin Protease Probes. <i>Scientific Reports</i> , 2016 , 6, 19755	4.9	65

65	A diagnostic model for chronic hypersensitivity pneumonitis. <i>Thorax</i> , 2016 , 71, 951-4	7.3	53
64	The effect of bronchodilators on forced vital capacity measurement in patients with idiopathic pulmonary fibrosis. <i>Respiratory Medicine</i> , 2015 , 109, 1058-62	4.6	7
63	Lung transplantation for hypersensitivity pneumonitis. <i>Chest</i> , 2015 , 147, 1558-1565	5.3	46
62	Overexpression of inhibitor of DNA-binding 2 attenuates pulmonary fibrosis through regulation of c-Abl and Twist. <i>American Journal of Pathology</i> , 2015 , 185, 1001-11	5.8	23
61	Transforming Growth Factor- β and Interleukin-1 β Signaling Pathways Converge on the Chemokine CCL20 Promoter. <i>Journal of Biological Chemistry</i> , 2015 , 290, 14717-28	5.4	19
60	Survival in interstitial pneumonia with features of autoimmune disease: a comparison of proposed criteria. <i>Respiratory Medicine</i> , 2015 , 109, 1326-31	4.6	33
59	Frailty Phenotypes, Disability, and Outcomes in Adult Candidates for Lung Transplantation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 192, 1325-34	10.2	124
58	Heterogeneous gene expression signatures correspond to distinct lung pathologies and biomarkers of disease severity in idiopathic pulmonary fibrosis. <i>Thorax</i> , 2015 , 70, 48-56	7.3	142
57	Interstitial lung diseases in the hospitalized patient. <i>BMC Medicine</i> , 2015 , 13, 245	11.4	28
56	Classification of usual interstitial pneumonia in patients with interstitial lung disease: assessment of a machine learning approach using high-dimensional transcriptional data. <i>Lancet Respiratory Medicine</i> , 2015 , 3, 473-82	35.1	81
55	Pathogenesis of idiopathic pulmonary fibrosis. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2014 , 9, 157-79	34	439
54	Effect of telomere length on survival in patients with idiopathic pulmonary fibrosis: an observational cohort study with independent validation. <i>Lancet Respiratory Medicine</i> , 2014 , 2, 557-65	35.1	151
53	Dipeptidyl peptidase I controls survival from <i>Klebsiella pneumoniae</i> lung infection by processing surfactant protein D. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 450, 818-823	3.4	7
52	Diagnosis of idiopathic pulmonary fibrosis with high-resolution CT. <i>Lancet Respiratory Medicine</i> , 2014 , 2, e5	35.1	6
51	Fibulin-1 predicts disease progression in patients with idiopathic pulmonary fibrosis. <i>Chest</i> , 2014 , 146, 1055-1063	5.3	32
50	Predicting survival across chronic interstitial lung disease: the ILD-GAP model. <i>Chest</i> , 2014 , 145, 723-728	5.3	253
49	Accumulation of BDCA1+ dendritic cells in interstitial fibrotic lung diseases and Th2-high asthma. <i>PLoS ONE</i> , 2014 , 9, e99084	3.7	29
48	Subacute onset of pulmonary langerhans cell histiocytosis with resolution after smoking cessation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, e64	10.2	8

47	Selective targeting of TGF- β activation to treat fibroinflammatory airway disease. <i>Science Translational Medicine</i> , 2014 , 6, 241ra79	17.5	70
46	Endogenously expressed IL-13R α attenuates IL-13-mediated responses but does not activate signaling in human lung fibroblasts. <i>Journal of Immunology</i> , 2014 , 193, 111-9	5.3	48
45	Serum IgE clearance is facilitated by human Fc ϵ R1 internalization. <i>Journal of Clinical Investigation</i> , 2014 , 124, 1187-98	15.9	58
44	Increased susceptibility to Klebsiella pneumonia and mortality in GSNOR-deficient mice. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 442, 122-6	3.4	10
43	Genome-wide association study identifies multiple susceptibility loci for pulmonary fibrosis. <i>Nature Genetics</i> , 2013 , 45, 613-20	36.3	467
42	BPIFB1 is a lung-specific autoantigen associated with interstitial lung disease. <i>Science Translational Medicine</i> , 2013 , 5, 206ra139	17.5	66
41	Noradrenergic neurons regulate monocyte trafficking and mortality during gram-negative peritonitis in mice. <i>Journal of Immunology</i> , 2013 , 190, 4717-24	5.3	23
40	Prevalence and prognosis of unclassifiable interstitial lung disease. <i>European Respiratory Journal</i> , 2013 , 42, 750-7	13.6	164
39	Relative versus absolute change in forced vital capacity in idiopathic pulmonary fibrosis. <i>Thorax</i> , 2012 , 67, 407-11	7.3	117
38	Cleaved cytokeratin-18 is a mechanistically informative biomarker in idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2012 , 13, 105	7.3	25
37	Calcium-activated chloride channel TMEM16A modulates mucin secretion and airway smooth muscle contraction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 16354-9	11.5	235
36	Lung mast cell density defines a subpopulation of patients with idiopathic pulmonary fibrosis. <i>Histopathology</i> , 2012 , 61, 98-106	7.3	38
35	Inflection points in sepsis biology: from local defense to systemic organ injury. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2012 , 303, L355-63	5.8	80
34	In search of the fibrotic epithelial cell: opportunities for a collaborative network. <i>Thorax</i> , 2012 , 67, 179-82	7.3	14
33	Integrin β 1 in airway smooth muscle suppresses exaggerated airway narrowing. <i>Journal of Clinical Investigation</i> , 2012 , 122, 2916-27	15.9	36
32	Parasitic infection improves survival from septic peritonitis by enhancing mast cell responses to bacteria in mice. <i>PLoS ONE</i> , 2011 , 6, e27564	3.7	15
31	Gastroesophageal reflux therapy is associated with longer survival in patients with idiopathic pulmonary fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 184, 1390-4	10.2	313
30	Viral infection in acute exacerbation of idiopathic pulmonary fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 183, 1698-702	10.2	182

29	Interleukin-1beta induces increased transcriptional activation of the transforming growth factor-beta-activating integrin subunit beta8 through altering chromatin architecture. <i>Journal of Biological Chemistry</i> , 2011 , 286, 36864-74	5.4	31
28	Systemic mast cell degranulation increases mortality during polymicrobial septic peritonitis in mice. <i>Journal of Leukocyte Biology</i> , 2011 , 90, 591-7	6.5	21
27	Mouse and human lung fibroblasts regulate dendritic cell trafficking, airway inflammation, and fibrosis through integrin α 8-mediated activation of TGF- β . <i>Journal of Clinical Investigation</i> , 2011 , 121, 2863-75	15.9	140
26	Alveolar epithelial cells express mesenchymal proteins in patients with idiopathic pulmonary fibrosis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2011 , 301, L71-8	5.8	107
25	Transcription of the transforming growth factor beta activating integrin beta8 subunit is regulated by SP3, AP-1, and the p38 pathway. <i>Journal of Biological Chemistry</i> , 2010 , 285, 24695-706	5.4	24
24	Undifferentiated connective tissue disease-associated interstitial lung disease: changes in lung function. <i>Lung</i> , 2010 , 188, 143-9	2.9	42
23	Neutrophil-derived IL-6 limits alveolar barrier disruption in experimental ventilator-induced lung injury. <i>Journal of Immunology</i> , 2009 , 182, 8056-62	5.3	46
22	Genetic deficiency and pharmacological stabilization of mast cells reduce diet-induced obesity and diabetes in mice. <i>Nature Medicine</i> , 2009 , 15, 940-5	50.5	582
21	Epithelial cell alpha3beta1 integrin links beta-catenin and Smad signaling to promote myofibroblast formation and pulmonary fibrosis. <i>Journal of Clinical Investigation</i> , 2009 , 119, 213-24	15.9	310
20	Mfge8 diminishes the severity of tissue fibrosis in mice by binding and targeting collagen for uptake by macrophages. <i>Journal of Clinical Investigation</i> , 2009 , 119, 3713-22	15.9	158
19	Mast cell IL-6 improves survival from Klebsiella pneumonia and sepsis by enhancing neutrophil killing. <i>Journal of Immunology</i> , 2008 , 181, 5598-605	5.3	115
18	Mast cells promote atherosclerosis by releasing proinflammatory cytokines. <i>Nature Medicine</i> , 2007 , 13, 719-24	50.5	334
17	Relationships between early inflammatory response to bleomycin and sensitivity to lung fibrosis: a role for dipeptidyl-peptidase I and tissue inhibitor of metalloproteinase-3?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 176, 1098-107	10.2	16
16	Idiopathic nonspecific interstitial pneumonia: lung manifestation of undifferentiated connective tissue disease?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 176, 691-7	10.2	293
15	Clinical problem-solving. Anchors away. <i>New England Journal of Medicine</i> , 2007 , 356, 504-9	59.2	9
14	Mast cells modulate the pathogenesis of elastase-induced abdominal aortic aneurysms in mice. <i>Journal of Clinical Investigation</i> , 2007 , 117, 3359-68	15.9	184
13	Squamous metaplasia amplifies pathologic epithelial-mesenchymal interactions in COPD patients. <i>Journal of Clinical Investigation</i> , 2007 , 117, 3551-62	15.9	182
12	Mast cells protect mice from Mycoplasma pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 173, 219-25	10.2	72

11	Neutrophil histamine contributes to inflammation in mycoplasma pneumonia. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2907-17	16.6	81
10	Cutting edge: Deficiency of macrophage migration inhibitory factor impairs murine airway allergic responses. <i>Journal of Immunology</i> , 2006 , 177, 5779-84	5.3	29
9	Alveolar epithelial cell mesenchymal transition develops in vivo during pulmonary fibrosis and is regulated by the extracellular matrix. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 13180-5	11.5	971
8	Mast cell dipeptidyl peptidase I mediates survival from sepsis. <i>Journal of Clinical Investigation</i> , 2004 , 113, 628-34	15.9	63
7	Mast cell dipeptidyl peptidase I mediates survival from sepsis. <i>Journal of Clinical Investigation</i> , 2004 , 113, 628-634	15.9	122
6	Structure and activity of human pancreasin, a novel tryptic serine peptidase expressed primarily by the pancreas. <i>Journal of Biological Chemistry</i> , 2003 , 278, 3363-71	5.4	23
5	Dipeptidyl peptidase I is essential for activation of mast cell chymases, but not tryptases, in mice. <i>Journal of Biological Chemistry</i> , 2001 , 276, 18551-6	5.4	152
4	Characterization of human gamma-tryptases, novel members of the chromosome 16p mast cell tryptase and prostatic gene families. <i>Journal of Immunology</i> , 2000 , 164, 6566-75	5.3	105
3	Dipeptidyl peptidase I cleaves matrix-associated proteins and is expressed mainly by mast cells in normal dog airways. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2000 , 22, 183-90	5.7	46
2	Regulated expression, processing, and secretion of dog mast cell dipeptidyl peptidase I. <i>Journal of Biological Chemistry</i> , 1998 , 273, 15514-20	5.4	49
1	Telomere Dysfunction Drives Chronic Lung Allograft Dysfunction Pathology		2