

# Marcin Siwek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3884290/publications.pdf>

Version: 2024-02-01

88  
papers

1,846  
citations

304743

22  
h-index

289244

40  
g-index

96  
all docs

96  
docs citations

96  
times ranked

2360  
citing authors

#	ARTICLE	IF	CITATIONS
1	Zinc supplementation augments efficacy of imipramine in treatment resistant patients: A double blind, placebo-controlled study. <i>Journal of Affective Disorders</i> , 2009, 118, 187-195.	4.1	176
2	Serum zinc level in depressed patients during zinc supplementation of imipramine treatment. <i>Journal of Affective Disorders</i> , 2010, 126, 447-452.	4.1	111
3	Oxidative stress markers in affective disorders. <i>Pharmacological Reports</i> , 2013, 65, 1558-1571.	3.3	110
4	Effect of zinc supplementation on antidepressant therapy in unipolar depression: a preliminary placebo-controlled study. <i>Polish Journal of Pharmacology</i> , 2003, 55, 1143-7.	0.3	107
5	Antidepressant activity of zinc and magnesium in view of the current hypotheses of antidepressant action. <i>Pharmacological Reports</i> , 2008, 60, 588-9.	3.3	105
6	Are there differences in lipid peroxidation and immune biomarkers between major depression and bipolar disorder: Effects of melancholia, atypical depression, severity of illness, episode number, suicidal ideation and prior suicide attempts. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 372-383.	4.8	82
7	Zinc as a marker of affective disorders. <i>Pharmacological Reports</i> , 2013, 65, 1512-1518.	3.3	66
8	Risk factors of treatment resistance in major depression: Association with bipolarity. <i>Journal of Affective Disorders</i> , 2010, 126, 268-271.	4.1	65
9	Diagnostic conversions from major depressive disorder into bipolar disorder in an outpatient setting: Results of a retrospective chart review. <i>Journal of Affective Disorders</i> , 2013, 144, 112-115.	4.1	64
10	Lipid Peroxidation and Immune Biomarkers Are Associated with Major Depression and Its Phenotypes, Including Treatment-Resistant Depression and Melancholia. <i>Neurotoxicity Research</i> , 2018, 33, 448-460.	2.7	57
11	Study of the Serum Copper Levels in Patients with Major Depressive Disorder. <i>Biological Trace Element Research</i> , 2016, 174, 287-293.	3.5	46
12	Associations of Serum Cytokine Receptor Levels with Melancholia, Staging of Illness, Depressive and Manic Phases, and Severity of Depression in Bipolar Disorder. <i>Molecular Neurobiology</i> , 2017, 54, 5883-5893.	4.0	46
13	Phospholipid-protein balance in affective disorders: Analysis of human blood serum using Raman and FTIR spectroscopy. A pilot study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 131, 287-296.	2.8	40
14	Lower urinary tract symptoms, nocturia and overactive bladder in patients with depression and anxiety. <i>Psychiatria Polska</i> , 2016, 50, 417-430.	0.5	40
15	The serum zinc concentration as a potential biological marker in patients with major depressive disorder. <i>Metabolic Brain Disease</i> , 2017, 32, 97-103.	2.9	36
16	Polish version of the Hypomania Checklist (HCL-32) scale: the results in treatment-resistant depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 139-144.	3.2	33
17	Neurological and cerebellar soft signs do not discriminate schizophrenia from bipolar disorder patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 64, 96-101.	4.8	33
18	Thio-barbituric Acid-Reactive Substances: Markers of an Acute Episode and a Late Stage of Bipolar Disorder. <i>Neuropsychobiology</i> , 2016, 73, 116-122.	1.9	29

#	ARTICLE	IF	CITATIONS
19	Decreased serum zinc concentration during depressive episode in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 190, 272-277.	4.1	27
20	Associations between chronotype, sleep disturbances and seasonality with fatigue and inflammatory bowel disease symptoms. <i>Chronobiology International</i> , 2018, 35, 1-11.	2.0	27
21	The utility of Mood Disorder Questionnaire for the detection of bipolar diathesis in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2010, 124, 270-274.	4.1	26
22	Adverse effects of interactions between antipsychotics and medications used in the treatment of cardiovascular disorders. <i>Pharmacological Reports</i> , 2020, 72, 350-359.	3.3	26
23	Unwanted effects of psychotropic drug interactions with medicinal products and diet supplements containing plant extracts.. <i>Psychiatria Polska</i> , 2018, 52, 983-996.	0.5	26
24	Postpartum depression: Identifying associations with bipolarity and personality traits. Preliminary results from a cross-sectional study in Poland. <i>Psychiatry Research</i> , 2014, 215, 69-74.	3.3	25
25	Adverse effects of interactions between antidepressants and medications used in treatment of cardiovascular disorders. <i>Psychiatria Polska</i> , 2019, 53, 977-995.	0.5	22
26	A web-based study of bipolarity and impulsivity in athletes engaging in extreme and high-risk sports. <i>Acta Neuropsychiatrica</i> , 2016, 28, 179-183.	2.1	19
27	Content overlap analysis of 64 (hypo)mania symptoms among seven common rating scales. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1737.	2.1	18
28	The serum concentration of copper in bipolar disorder. <i>Psychiatria Polska</i> , 2017, 51, 469-481.	0.5	18
29	Depressogenic medications and other risk factors for depression among Polish patients with&nbsp;epilepsy. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2509.	2.2	17
30	Temperamental dimensions of the TEMPS-A in male and female subjects engaging in extreme or/and high risk sports. <i>Journal of Affective Disorders</i> , 2015, 170, 66-70.	4.1	17
31	Morningness&quot;eveningness and affective temperaments assessed by the Temperament Evaluation of Memphis, Pisa and San Diego-Autoquestionnaire (TEMPS-A). <i>Chronobiology International</i> , 2017, 34, 57-65.	2.0	16
32	Postpartum depression: bipolar or unipolar? Analysis of 434 Polish postpartum women. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 154-159.	1.7	16
33	Implicit motor learning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 174, 250-256.	4.1	15
34	Disrupted implicit motor sequence learning in schizophrenia and bipolar disorder revealed with ambidextrous Serial Reaction Time Task. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 169-175.	4.8	15
35	Subtypes of interictal depressive disorders according to ICD-10 in patients with epilepsy. <i>Neurologia I Neurochirurgia Polska</i> , 2015, 49, 90-94.	1.2	14
36	The role of affective temperaments assessed by the Temperament Evaluation of Memphis, Pisa and San Diego-Autoquestionnaire (TEMPS-A) in the relationship between morningness-eveningness and bipolarity. <i>Journal of Affective Disorders</i> , 2018, 232, 83-88.	4.1	14

#	ARTICLE	IF	CITATIONS
37	The 33-item Hypomania Checklist (HCL-33) – a study of the consistency between self – and external assessments in Polish bipolar patients. <i>Psychiatria Polska</i> , 2016, 50, 1085-1092.	0.5	14
38	Decreased sensitivity to paroxetine-induced inhibition of peripheral blood mononuclear cell growth in depressed and antidepressant treatment-resistant patients. <i>Translational Psychiatry</i> , 2016, 6, e827-e827.	4.8	13
39	A Study of Biological Rhythm Disturbances in Polish Remitted Bipolar Patients using the BRIAN, CSM, and SWPAQ Scales. <i>Neuropsychobiology</i> , 2016, 74, 125-130.	1.9	13
40	The serum concentration of magnesium as a potential state marker in patients with diagnosis of bipolar disorder. <i>Psychiatria Polska</i> , 2015, 49, 1277-1287.	0.5	13
41	Caregiving burden and psychological distress among spouses of bipolar patients – comparative analysis of subtype I and II. <i>Psychiatria Polska</i> , 2015, 49, 1289-1302.	0.5	12
42	The Biological Rhythms Interview of Assessment in Neuropsychiatry in patients with bipolar disorder: correlation with affective temperaments and schizotypy. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 325-328.	1.7	10
43	Time-Frequency Characterization of Resting Brain in Bipolar Disorder during Euthymia – A Preliminary Study. <i>Brain Sciences</i> , 2021, 11, 599.	2.3	10
44	How soft are neurological soft signs? Content overlap analysis of 71 symptoms among seven most commonly used neurological soft signs scales. <i>Journal of Psychiatric Research</i> , 2021, 138, 404-412.	3.1	10
45	Machine Learning-Based Identification of Suicidal Risk in Patients With Schizophrenia Using Multi-Level Resting-State fMRI Features. <i>Frontiers in Neuroscience</i> , 2020, 14, 605697.	2.8	10
46	The serum magnesium concentration as a potential state marker in patients with unipolar affective disorder. <i>Psychiatria Polska</i> , 2015, 49, 1265-1276.	0.5	10
47	The affective disorder-related burden imposed on the family environment: an overview. <i>Psychiatria Polska</i> , 2013, 47, 635-644.	0.5	9
48	Suicidality and its determinants among Polish patients with epilepsy. <i>Neurologia I Neurochirurgia Polska</i> , 2016, 50, 432-438.	1.2	8
49	Altered functional connectivity among frontal eye fields, thalamus and cerebellum in bipolar disorder. <i>Psychiatria Polska</i> , 2019, 54, 487-497.	0.5	8
50	Relationship between neurological and cerebellar soft signs, and implicit motor learning in schizophrenia and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110137.	4.8	7
51	Altered Functional Connectivity Differences in Salience Network as a Neuromarker of Suicide Risk in Euthymic Bipolar Disorder Patients. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 585766.	2.0	7
52	Bipolar spectrum features in obese individuals. <i>Psychiatria Polska</i> , 2015, 49, 993-1004.	0.5	7
53	Zinc and copper concentration do not differentiate bipolar disorder from major depressive disorder. <i>Psychiatria Polska</i> , 2018, 52, 449-457.	0.5	6
54	Lurasidone in Therapy of Treatment-resistant Ultra-rapid Cycling Bipolar Disorder: Case Report. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 568-571.	2.0	5

#	ARTICLE	IF	CITATIONS
55	Difficulties in the diagnosis of bipolar affective disorder. <i>Psychiatria I Psychologia Kliniczna</i> , 2018, 18, 61-73.	0.2	5
56	Withdrawal Symptoms Following Discontinuation of Vortioxetine – Retrospective Chart Review. <i>Pharmaceuticals</i> , 2021, 14, 451.	3.8	4
57	Brain biopsy in the diagnosis of Creutzfeldt-Jakob disease with a history of prodromal psychiatric symptoms and catatonic behavior. <i>Archives of Psychiatry and Psychotherapy</i> , 2016, 18, 48-53.	0.3	4
58	The analysis of the bipolarity features in students of arts and students of technology.. <i>Psychiatria Polska</i> , 2013, 47, 787-798.	0.5	4
59	DYADIC ADJUSTMENT AMONG HEALTHY SPOUSES OF BIPOLAR I AND II DISORDER PATIENTS. <i>Psychiatria Danubina</i> , 2017, 29, 322-329.	0.4	4
60	Impulsivity and cyclothymic affective temperament as predictors of risky gambling behaviour.. <i>Psychiatria Polska</i> , 2020, 54, 537-552.	0.5	3
61	Mental rotation task in bipolar disorder. <i>Psychiatria Polska</i> , 2018, 52, 807-817.	0.5	3
62	Vergence eye movements in bipolar disorder. <i>Psychiatria Polska</i> , 2020, 54, 467-485.	0.5	3
63	Graph Analysis of Verbal Fluency Tests in Schizophrenia and Bipolar Disorder. <i>Brain Sciences</i> , 2022, 12, 166.	2.3	3
64	A naturalistic, 24-week, open-label, add-on study of vortioxetine in bipolar depression. <i>Psychiatria Polska</i> , 2022, 56, 509-522.	0.5	2
65	Anhedonia in depressive disorders. <i>Psychiatria I Psychologia Kliniczna</i> , 2017, 17, 216-224.	0.2	2
66	Farmakoterapia biału u pacjenta leczonego lekami psychotropowymi – dlaczego należy zachować ostrożność?. <i>B&amp;A</i> , 2017, 18, 22-28.	0.1	2
67	Case Report: Vortioxetine in the Treatment of Depressive Symptoms in Patients With Epilepsy – Case Series. <i>Frontiers in Pharmacology</i> , 2022, 13, 852042.	3.5	2
68	FosB protein and its role in the nucleus accumbens – an important factor in addiction, stress and response to natural rewards and psychoactive drugs. <i>Neuropsychiatria I Neuropsychologia</i> , 2016, 2, 56-63.	0.4	1
69	Neuropsychiatric presentation of Wilson’s disease – a case report. <i>Neuropsychiatria I Neuropsychologia</i> , 2018, 13, 31-42.	0.4	1
70	Relationship between cerebellar impairments and lexicon retrieval in schizophrenia - preliminary study. <i>Archives of Psychiatry and Psychotherapy</i> , 2013, 15, 11-17.	0.3	1
71	Interactions of antidepressants, mood-stabilisers and antipsychotics with food. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2019, 35, 51-74.	0.1	1
72	The dyadic coping model of bipolar disorder patients. <i>Psychiatria Polska</i> , 2021, 55, 1-16.	0.5	1

#	ARTICLE	IF	CITATIONS
73	Aggression and stereotypical behavior in the form of watching blood as the first symptoms of frontotemporal dementia in a patient treated with antidepressants. <i>Neuropsychiatra I Neuropsychologia</i> , 2016, 3, 114-118.	0.4	0
74	771. Phase-Dependent Alterations in Immune Activation Contribute to Neuroprogression in Bipolar Disorder. <i>Biological Psychiatry</i> , 2017, 81, S313.	1.3	0
75	Burnout, neurotic symptoms and coping strategies among Polish medical students. <i>Archives of Psychiatry and Psychotherapy</i> , 2015, 17, 17-22.	0.3	0
76	Potential interaction-related toxicity of clozapine. <i>Psychiatria I Psychologia Kliniczna</i> , 2015, 15, 86-91.	0.2	0
77	Does the family "need" depression? A pilot study of family consultations.. <i>Psychiatria Polska</i> , 2018, 52, 573-583.	0.5	0
78	Venlafaxine " pharmacology and application in clinical practice. <i>Medycyna Fakt</i> , 2018, 11, 199-205.	0.0	0
79	The role of aripiprazole in the treatment of schizophrenia and mood disorders. <i>Psychiatria I Psychologia Kliniczna</i> , 2018, 18, 296-305.	0.2	0
80	Reboxetine in the light of science and clinical practice. <i>Psychiatria I Psychologia Kliniczna</i> , 2019, 19, 63-76.	0.2	0
81	Compliance among patients with depressive and anxiety disorders. <i>Psychiatria I Psychologia Kliniczna</i> , 2019, 19, 177-187.	0.2	0
82	Agomelatine " pharmacological properties and use in psychiatric practice. <i>Psychiatria I Psychologia Kliniczna</i> , 2019, 19, 188-203.	0.2	0
83	Violent behaviour as a result of delirium superimposed on dementia in the course of primary central nervous system lymphoma. <i>Archives of Psychiatry and Psychotherapy</i> , 2019, 22, 1-7.	0.3	0
84	Obesity and the pharmacotherapy of bipolar disorder. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2020, 35, 177-192.	0.1	0
85	Lurasidone " pharmacodynamic and pharmacokinetic properties, clinical potential and interaction risk. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2020, 36, 117-134.	0.1	0
86	Transformation and operation of a uniform psychiatric ward dedicated to COVID-19 patients during the pandemic. <i>Psychiatria Polska</i> , 2020, 54, 865-875.	0.5	0
87	Application of 360° virtual reality videos in the assessment of paranoia in schizophrenia patients: a pilot study. <i>Psychiatria Polska</i> , 2021, , 1-14.	0.5	0
88	Letter to Editor. Therapy with lithium as a protective factor against SARS-CoV-2 infection? Observations from the disease outbreak.. <i>Psychiatria Polska</i> , 2022, 56, 417-422.	0.5	0