

# Marcin Siwek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3884290/publications.pdf>

Version: 2024-02-01

88  
papers

1,846  
citations

304743

22  
h-index

289244

40  
g-index

96  
all docs

96  
docs citations

96  
times ranked

2360  
citing authors

#	ARTICLE	IF	CITATIONS
1	A naturalistic, 24-week, open-label, add-on study of vortioxetine in bipolar depression. <i>Psychiatria Polska</i> , 2022, 56, 509-522.	0.5	2
2	Graph Analysis of Verbal Fluency Tests in Schizophrenia and Bipolar Disorder. <i>Brain Sciences</i> , 2022, 12, 166.	2.3	3
3	Case Report: Vortioxetine in the Treatment of Depressive Symptoms in Patients With Epilepsy—Case Series. <i>Frontiers in Pharmacology</i> , 2022, 13, 852042.	3.5	2
4	Letter to Editor. Therapy with lithium as a protective factor against SARS-CoV-2 infection? Observations from the disease outbreak.. <i>Psychiatria Polska</i> , 2022, 56, 417-422.	0.5	0
5	Relationship between neurological and cerebellar soft signs, and implicit motor learning in schizophrenia and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110137.	4.8	7
6	Time-Frequency Characterization of Resting Brain in Bipolar Disorder during Euthymia—A Preliminary Study. <i>Brain Sciences</i> , 2021, 11, 599.	2.3	10
7	Withdrawal Symptoms Following Discontinuation of Vortioxetine—Retrospective Chart Review. <i>Pharmaceuticals</i> , 2021, 14, 451.	3.8	4
8	How soft are neurological soft signs? Content overlap analysis of 71 symptoms among seven most commonly used neurological soft signs scales. <i>Journal of Psychiatric Research</i> , 2021, 138, 404-412.	3.1	10
9	Lurasidone in Therapy of Treatment-resistant Ultra-rapid Cycling Bipolar Disorder: Case Report. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 568-571.	2.0	5
10	The dyadic coping model of bipolar disorder patients. <i>Psychiatria Polska</i> , 2021, 55, 1-16.	0.5	1
11	Application of 360° virtual reality videos in the assessment of paranoia in schizophrenia patients: a pilot study. <i>Psychiatria Polska</i> , 2021, , 1-14.	0.5	0
12	Altered Functional Connectivity Differences in Salience Network as a Neuromarker of Suicide Risk in Euthymic Bipolar Disorder Patients. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 585766.	2.0	7
13	Adverse effects of interactions between antipsychotics and medications used in the treatment of cardiovascular disorders. <i>Pharmacological Reports</i> , 2020, 72, 350-359.	3.3	26
14	Machine Learning-Based Identification of Suicidal Risk in Patients With Schizophrenia Using Multi-Level Resting-State fMRI Features. <i>Frontiers in Neuroscience</i> , 2020, 14, 605697.	2.8	10
15	Impulsivity and cyclothymic affective temperament as predictors of risky gambling behaviour.. <i>Psychiatria Polska</i> , 2020, 54, 537-552.	0.5	3
16	Vergence eye movements in bipolar disorder. <i>Psychiatria Polska</i> , 2020, 54, 467-485.	0.5	3
17	Obesity and the pharmacotherapy of bipolar disorder. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2020, 35, 177-192.	0.1	0
18	Lurasidone — pharmacodynamic and pharmacokinetic properties, clinical potential and interaction risk. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2020, 36, 117-134.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Transformation and operation of a uniform psychiatric ward dedicated to COVID-19 patients during the pandemic. <i>Psychiatria Polska</i> , 2020, 54, 865-875.	0.5	0
20	Altered functional connectivity among frontal eye fields, thalamus and cerebellum in bipolar disorder.. <i>Psychiatria Polska</i> , 2019, 54, 487-497.	0.5	8
21	Adverse effects of interactions between antidepressants and medications used in treatment of cardiovascular disorders. <i>Psychiatria Polska</i> , 2019, 53, 977-995.	0.5	22
22	Reboxetine in the light of science and clinical practice. <i>Psychiatria I Psychologia Kliniczna</i> , 2019, 19, 63-76.	0.2	0
23	Interactions of antidepressants, mood-stabilisers and antipsychotics with food. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2019, 35, 51-74.	0.1	1
24	Compliance among patients with depressive and anxiety disorders. <i>Psychiatria I Psychologia Kliniczna</i> , 2019, 19, 177-187.	0.2	0
25	Agomelatine – pharmacological properties and use in psychiatric practice. <i>Psychiatria I Psychologia Kliniczna</i> , 2019, 19, 188-203.	0.2	0
26	Violent behaviour as a result of delirium superimposed on dementia in the course of primary central nervous system lymphoma. <i>Archives of Psychiatry and Psychotherapy</i> , 2019, 22, 1-7.	0.3	0
27	The role of affective temperaments assessed by the Temperament Evaluation of Memphis, Pisa and San Diego-Autoquestionnaire (TEMPS-A) in the relationship between morningness-eveningness and bipolarity. <i>Journal of Affective Disorders</i> , 2018, 232, 83-88.	4.1	14
28	Are there differences in lipid peroxidation and immune biomarkers between major depression and bipolar disorder: Effects of melancholia, atypical depression, severity of illness, episode number, suicidal ideation and prior suicide attempts. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 372-383.	4.8	82
29	Lipid Peroxidation and Immune Biomarkers Are Associated with Major Depression and Its Phenotypes, Including Treatment-Resistant Depression and Melancholia. <i>Neurotoxicity Research</i> , 2018, 33, 448-460.	2.7	57
30	Neuropsychiatric presentation of Wilson’s disease – a case report. <i>Neuropsychiatria I Neuropsychologia</i> , 2018, 13, 31-42.	0.4	1
31	Content overlap analysis of 64 (hypo)mania symptoms among seven common rating scales. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1737.	2.1	18
32	Associations between chronotype, sleep disturbances and seasonality with fatigue and inflammatory bowel disease symptoms. <i>Chronobiology International</i> , 2018, 35, 1-11.	2.0	27
33	Zinc and copper concentration do not differentiate bipolar disorder from major depressive disorder. <i>Psychiatria Polska</i> , 2018, 52, 449-457.	0.5	6
34	Unwanted effects of psychotropic drug interactions with medicinal products and diet supplements containing plant extracts.. <i>Psychiatria Polska</i> , 2018, 52, 983-996.	0.5	26
35	Difficulties in the diagnosis of bipolar affective disorder. <i>Psychiatria I Psychologia Kliniczna</i> , 2018, 18, 61-73.	0.2	5
36	Does the family “need” depression? A pilot study of family consultations.. <i>Psychiatria Polska</i> , 2018, 52, 573-583.	0.5	0

#	ARTICLE	IF	CITATIONS
37	Venlafaxine – pharmacology and application in clinical practice. <i>Medycyna Faktów</i> , 2018, 11, 199-205.	0.0	0
38	The role of aripiprazole in the treatment of schizophrenia and mood disorders. <i>Psychiatria I Psychologia Kliniczna</i> , 2018, 18, 296-305.	0.2	0
39	Mental rotation task in bipolar disorder. <i>Psychiatria Polska</i> , 2018, 52, 807-817.	0.5	3
40	Disrupted implicit motor sequence learning in schizophrenia and bipolar disorder revealed with ambidextrous Serial Reaction Time Task. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 169-175.	4.8	15
41	771. Phase-Dependent Alterations in Immune Activation Contribute to Neuroprogression in Bipolar Disorder. <i>Biological Psychiatry</i> , 2017, 81, S313.	1.3	0
42	Morningness-eveningness and affective temperaments assessed by the Temperament Evaluation of Memphis, Pisa and San Diego-Autoquestionnaire (TEMPS-A). <i>Chronobiology International</i> , 2017, 34, 57-65.	2.0	16
43	The serum zinc concentration as a potential biological marker in patients with major depressive disorder. <i>Metabolic Brain Disease</i> , 2017, 32, 97-103.	2.9	36
44	Associations of Serum Cytokine Receptor Levels with Melancholia, Staging of Illness, Depressive and Manic Phases, and Severity of Depression in Bipolar Disorder. <i>Molecular Neurobiology</i> , 2017, 54, 5883-5893.	4.0	46
45	Postpartum depression: bipolar or unipolar? Analysis of 434 Polish postpartum women. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 154-159.	1.7	16
46	The serum concentration of copper in bipolar disorder. <i>Psychiatria Polska</i> , 2017, 51, 469-481.	0.5	18
47	DYADIC ADJUSTMENT AMONG HEALTHY SPOUSES OF BIPOLAR I AND II DISORDER PATIENTS. <i>Psychiatria Danubina</i> , 2017, 29, 322-329.	0.4	4
48	Anhedonia in depressive disorders. <i>Psychiatria I Psychologia Kliniczna</i> , 2017, 17, 216-224.	0.2	2
49	Farmakoterapia biału u pacjenta leczonego lekami psychotropowymi – dlaczego należy zachować ostrożność?. <i>Biał</i> , 2017, 18, 22-28.	0.1	2
50	Aggression and stereotypical behavior in the form of watching blood as the first symptoms of frontotemporal dementia in a patient treated with antidepressants. <i>Neuropsychiatria I Neuropsychologia</i> , 2016, 3, 114-118.	0.4	0
51	FosB protein and its role in the nucleus accumbens – an important factor in addiction, stress and response to natural rewards and psychoactive drugs. <i>Neuropsychiatria I Neuropsychologia</i> , 2016, 2, 56-63.	0.4	1
52	The Biological Rhythms Interview of Assessment in Neuropsychiatry in patients with bipolar disorder: correlation with affective temperaments and schizotypy. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 325-328.	1.7	10
53	Decreased sensitivity to paroxetine-induced inhibition of peripheral blood mononuclear cell growth in depressed and antidepressant treatment-resistant patients. <i>Translational Psychiatry</i> , 2016, 6, e827-e827.	4.8	13
54	A Study of Biological Rhythm Disturbances in Polish Remitted Bipolar Patients using the BRIAN, CSM, and SWPAQ Scales. <i>Neuropsychobiology</i> , 2016, 74, 125-130.	1.9	13

#	ARTICLE	IF	CITATIONS
55	Thiobarbituric Acid-Reactive Substances: Markers of an Acute Episode and a Late Stage of Bipolar Disorder. <i>Neuropsychobiology</i> , 2016, 73, 116-122.	1.9	29
56	Phospholipid-protein balance in affective disorders: Analysis of human blood serum using Raman and FTIR spectroscopy. A pilot study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 131, 287-296.	2.8	40
57	Suicidality and its determinants among Polish patients with epilepsy. <i>Neurologia I Neurochirurgia Polska</i> , 2016, 50, 432-438.	1.2	8
58	A web-based study of bipolarity and impulsivity in athletes engaging in extreme and high-risk sports. <i>Acta Neuropsychiatrica</i> , 2016, 28, 179-183.	2.1	19
59	Study of the Serum Copper Levels in Patients with Major Depressive Disorder. <i>Biological Trace Element Research</i> , 2016, 174, 287-293.	3.5	46
60	Decreased serum zinc concentration during depressive episode in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 190, 272-277.	4.1	27
61	Neurological and cerebellar soft signs do not discriminate schizophrenia from bipolar disorder patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 64, 96-101.	4.8	33
62	Brain biopsy in the diagnosis of Creutzfeldt-Jakob disease with a history of prodromal psychiatric symptoms and catatonic behavior. <i>Archives of Psychiatry and Psychotherapy</i> , 2016, 18, 48-53.	0.3	4
63	The 33-item Hypomania Checklist (HCL-33) – a study of the consistency between self – and external assessments in Polish bipolar patients. <i>Psychiatria Polska</i> , 2016, 50, 1085-1092.	0.5	14
64	Lower urinary tract symptoms, nocturia and overactive bladder in patients with depression and anxiety. <i>Psychiatria Polska</i> , 2016, 50, 417-430.	0.5	40
65	Depressogenic medications and other risk factors for depression among Polish patients with&nbsp;epilepsy. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2509.	2.2	17
66	Subtypes of interictal depressive disorders according to ICD-10 in patients with epilepsy. <i>Neurologia I Neurochirurgia Polska</i> , 2015, 49, 90-94.	1.2	14
67	Implicit motor learning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 174, 250-256.	4.1	15
68	Temperamental dimensions of the TEMPS-A in male and female subjects engaging in extreme or/and high risk sports. <i>Journal of Affective Disorders</i> , 2015, 170, 66-70.	4.1	17
69	Caregiving burden and psychological distress among spouses of bipolar patients – comparative analysis of subtype I and II. <i>Psychiatria Polska</i> , 2015, 49, 1289-1302.	0.5	12
70	The serum concentration of magnesium as a potential state marker in patients with diagnosis of bipolar disorder. <i>Psychiatria Polska</i> , 2015, 49, 1277-1287.	0.5	13
71	The serum magnesium concentration as a potential state marker in patients with unipolar affective disorder. <i>Psychiatria Polska</i> , 2015, 49, 1265-1276.	0.5	10
72	Bipolar spectrum features in obese individuals. <i>Psychiatria Polska</i> , 2015, 49, 993-1004.	0.5	7

#	ARTICLE	IF	CITATIONS
73	Burnout, neurotic symptoms and coping strategies among Polish medical students. Archives of Psychiatry and Psychotherapy, 2015, 17, 17-22.	0.3	0
74	Potential interaction-related toxicity of clozapine. Psychiatria I Psychologia Kliniczna, 2015, 15, 86-91.	0.2	0
75	Postpartum depression: Identifying associations with bipolarity and personality traits. Preliminary results from a cross-sectional study in Poland. Psychiatry Research, 2014, 215, 69-74.	3.3	25
76	Zinc as a marker of affective disorders. Pharmacological Reports, 2013, 65, 1512-1518.	3.3	66
77	Oxidative stress markers in affective disorders. Pharmacological Reports, 2013, 65, 1558-1571.	3.3	110
78	Diagnostic conversions from major depressive disorder into bipolar disorder in an outpatient setting: Results of a retrospective chart review. Journal of Affective Disorders, 2013, 144, 112-115.	4.1	64
79	Relationship between cerebellar impairments and lexicon retrieval in schizophrenia - preliminary study. Archives of Psychiatry and Psychotherapy, 2013, 15, 11-17.	0.3	1
80	The affective disorder-related burden imposed on the family environment: an overview. Psychiatria Polska, 2013, 47, 635-644.	0.5	9
81	The analysis of the bipolarity features in students of arts and students of technology.. Psychiatria Polska, 2013, 47, 787-798.	0.5	4
82	Polish version of the Hypomania Checklist (HCL-32) scale: the results in treatment-resistant depression. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 139-144.	3.2	33
83	The utility of Mood Disorder Questionnaire for the detection of bipolar diathesis in treatment-resistant depression. Journal of Affective Disorders, 2010, 124, 270-274.	4.1	26
84	Risk factors of treatment resistance in major depression: Association with bipolarity. Journal of Affective Disorders, 2010, 126, 268-271.	4.1	65
85	Serum zinc level in depressed patients during zinc supplementation of imipramine treatment. Journal of Affective Disorders, 2010, 126, 447-452.	4.1	111
86	Zinc supplementation augments efficacy of imipramine in treatment resistant patients: A double blind, placebo-controlled study. Journal of Affective Disorders, 2009, 118, 187-195.	4.1	176
87	Antidepressant activity of zinc and magnesium in view of the current hypotheses of antidepressant action. Pharmacological Reports, 2008, 60, 588-9.	3.3	105
88	Effect of zinc supplementation on antidepressant therapy in unipolar depression: a preliminary placebo-controlled study. Polish Journal of Pharmacology, 2003, 55, 1143-7.	0.3	107