

Elson M Asevedo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3884332/publications.pdf>

Version: 2024-02-01

40
papers

1,009
citations

394421

19
h-index

434195

31
g-index

42
all docs

42
docs citations

42
times ranked

1911
citing authors

#	ARTICLE	IF	CITATIONS
1	The ICD-11 developmental field study of reliability of diagnoses of high-burden mental disorders: results among adult patients in mental health settings of 13 countries. <i>World Psychiatry</i> , 2018, 17, 174-186.	10.4	89
2	Impact of peripheral levels of chemokines, BDNF and oxidative markers on cognition in individuals with schizophrenia. <i>Journal of Psychiatric Research</i> , 2013, 47, 1376-1382.	3.1	84
3	Systematic review of N-acetylcysteine in the treatment of addictions. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 168-175.	1.7	63
4	Clinical utility of ICD-11 diagnostic guidelines for high-burden mental disorders: results from mental health settings in 13 countries. <i>World Psychiatry</i> , 2018, 17, 306-315.	10.4	62
5	Abnormalities in sleep patterns in individuals at risk for psychosis and bipolar disorder. <i>Schizophrenia Research</i> , 2015, 169, 262-267.	2.0	54
6	Cytokines in schizophrenia: Possible role of anti-inflammatory medications in clinical and preclinical stages. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 247-260.	1.8	49
7	Peripheral interleukin-2 level is associated with negative symptoms and cognitive performance in schizophrenia. <i>Physiology and Behavior</i> , 2014, 129, 194-198.	2.1	49
8	Peripheral immuno-inflammatory abnormalities in ultra-high risk of developing psychosis. <i>Schizophrenia Research</i> , 2016, 176, 191-195.	2.0	46
9	Adipokines, metabolic dysfunction and illness course in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2016, 74, 63-69.	3.1	40
10	Utilization of agroindustrial residues for producing cellulases by <i>Aspergillus fumigatus</i> on Semi-Solid Fermentation. <i>Journal of Environmental Chemical Engineering</i> , 2018, 6, 937-944.	6.7	36
11	The association between adolescent suicide rates and socioeconomic indicators in Brazil: a 10-year retrospective ecological study. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 389-395.	1.7	36
12	Metabolomics and lipidomics analyses by 1H nuclear magnetic resonance of schizophrenia patient serum reveal potential peripheral biomarkers for diagnosis. <i>Schizophrenia Research</i> , 2017, 185, 182-189.	2.0	35
13	Microbiota abnormalities and the therapeutic potential of probiotics in the treatment of mood disorders. <i>Reviews in the Neurosciences</i> , 2017, 28, 739-749.	2.9	34
14	Impaired glucose metabolism moderates the course of illness in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 195, 57-62.	4.1	30
15	Shorter leukocyte telomere length in patients at ultra high risk for psychosis. <i>European Neuropsychopharmacology</i> , 2017, 27, 538-542.	0.7	25
16	1H-NMR, 1H-NMR T2-edited, and 2D-NMR in bipolar disorder metabolic profiling. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 23.	2.2	23
17	N-acetylcysteine as a potentially useful medication to prevent conversion to schizophrenia in at-risk individuals. <i>Reviews in the Neurosciences</i> , 2012, 23, 353-62.	2.9	22
18	Selfish brain and neuroprogression in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 43, 66-71.	4.8	22

#	ARTICLE	IF	CITATIONS
19	Clinical decisions and stigmatizing attitudes towards mental health problems in primary care physicians from Latin American countries. <i>PLoS ONE</i> , 2018, 13, e0206440.	2.5	21
20	Brain-derived neurotrophic factor, impaired glucose metabolism, and bipolar disorder course. <i>Bipolar Disorders</i> , 2016, 18, 373-378.	1.9	20
21	An immunological age index in bipolar disorder: A confirmatory factor analysis of putative immunosenescence markers and associations with clinical characteristics. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1614.	2.1	15
22	Ten-year evolution of suicide rates and economic indicators in large Brazilian urban centers. <i>Current Opinion in Psychiatry</i> , 2018, 31, 265-271.	6.3	15
23	Gene expression analysis in blood of ultra-high risk subjects compared to first-episode of psychosis patients and controls. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 441-446.	2.6	14
24	Bipolar disorder course, impaired glucose metabolism and antioxidant enzymes activities: A preliminary report. <i>Journal of Psychiatric Research</i> , 2016, 80, 38-44.	3.1	14
25	Peripheral levels of superoxide dismutase and glutathione peroxidase in youths in ultra-high risk for psychosis: a pilot study. <i>CNS Spectrums</i> , 2019, 24, 333-337.	1.2	14
26	Socioeconomic Disadvantage Moderates the Association between Peripheral Biomarkers and Childhood Psychopathology. <i>PLoS ONE</i> , 2016, 11, e0160455.	2.5	14
27	Serum copeptin in children exposed to maltreatment. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 434-441.	1.8	12
28	Plasma copeptin and metabolic dysfunction in individuals with bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 624-636.	1.8	12
29	Interrelation between brain-derived neurotrophic factor and antioxidant enzymes in bipolar disorder. <i>Bipolar Disorders</i> , 2016, 18, 433-439.	1.9	11
30	Perinatal complications, lipid peroxidation, and mental health problems in a large community pediatric sample. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 521-529.	4.7	10
31	Brain tumor in a patient with attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2013, 144, 151-152.	2.0	8
32	Inflammation, neurotrophism and oxidative stress and childhood psychopathology in a large community sample. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 122-132.	4.5	8
33	Association of serum interleukin-6 with mental health problems in children exposed to perinatal complications and social disadvantage. <i>Psychoneuroendocrinology</i> , 2016, 71, 94-101.	2.7	7
34	Population neuroscience: challenges and opportunities for psychiatric research in low- and middle-income countries. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 442-448.	1.7	5
35	NMR Spectroscopy Metabolomics Applied to Crack Cocaine Users and Patients with Schizophrenia: Similar Behavior but Different Molecular Causes. <i>ChemistrySelect</i> , 2017, 2, 2927-2930.	1.5	4
36	Continuing lack of evidence for the psychotic subtyping of PTSD. <i>British Journal of Psychiatry</i> , 2011, 198, 156-156.	2.8	2

#	ARTICLE	IF	CITATIONS
37	First manic episode in a patient with breast cancer. <i>General Hospital Psychiatry</i> , 2013, 35, 681.e13-681.e14.	2.4	1
38	A 10-year ecological study of the methods of suicide used by Brazilian adolescents. <i>Cadernos De Saude Publica</i> , 2020, 36, e00104619.	1.0	1
39	Management of common mental disorders should take place in primary health or specialized care? Clinical decisions of psychiatrists from Latin American countries. <i>PLoS ONE</i> , 2022, 17, e0265308.	2.5	1
40	Attenuated Psychosis Syndromes Among Brazilian Youth and Young Adults: Early Identification and Intervention. , 2019, , 279-288.		0