

Tomas Palenicek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3884662/tomas-palenicek-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

1,605

citations

21

h-index

39

g-index

99

ext. papers

1,952

ext. citations

3.4

avg, IF

4.43

L-index

#	Paper	IF	Citations
68	Anisotropic Conductivity of Rat Head Phantom and its Influence on Electroencephalogram Source Localization. <i>IEEE Access</i> , 2022 , 10, 9877-9888	3.5	1
67	Effects of synthetic cathinone naphyrone in the conditioned place preference test - evidence of its addictive potential.. <i>Behavioural Brain Research</i> , 2021 , 421, 113713	3.4	
66	Psilocin, LSD, mescaline, and DOB all induce broadband desynchronization of EEG and disconnection in rats with robust translational validity. <i>Translational Psychiatry</i> , 2021 , 11, 506	8.6	3
65	25CN-NBOMe Metabolites in Rat Urine, Human Liver Microsomes and Structure Determination and Synthesis of the Most Abundant Metabolites. <i>Metabolites</i> , 2021 , 11,	5.6	1
64	Naphyrone (naphthylpyrovalerone): Pharmacokinetics, behavioural effects and thermoregulation in Wistar rats. <i>Addiction Biology</i> , 2021 , 26, e12906	4.6	2
63	A single psilocybin dose is associated with long-term increased mindfulness, preceded by a proportional change in neocortical 5-HT _{2A} receptor binding. <i>European Neuropsychopharmacology</i> , 2020 , 33, 71-80	1.2	38
62	Synthesis and identification of deschloroketamine metabolites in ratsPurine and a quantification method for deschloroketamine and metabolites in ratsPserum and brain tissue using liquid chromatography tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2020 , 12, 343-360	3.5	4
61	The Effects of Daytime Psilocybin Administration on Sleep: Implications for Antidepressant Action. <i>Frontiers in Pharmacology</i> , 2020 , 11, 602590	5.6	3
60	Electrical Source Imaging in Freely Moving Rats: Evaluation of a 12-Electrode Cortical Electroencephalography System. <i>Frontiers in Neuroinformatics</i> , 2020 , 14, 589228	3.9	3
59	Cannabis-induced altered states of consciousness are associated with specific dynamic brain connectivity states. <i>Journal of Psychopharmacology</i> , 2019 , 33, 811-821	4.6	9
58	A single inhalation of vapor from dried toad secretion containing 5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT) in a naturalistic setting is related to sustained enhancement of satisfaction with life, mindfulness-related capacities, and a decrement of psychopathological symptoms. <i>Psychopharmacology</i> , 2019 , 236, 2653-2666	4.7	47
57	Antidepressant effect of adipokinetic hormone/red pigment-concentrating hormone family of peptides in olfactory bulbectomy model of rats. <i>European Neuropsychopharmacology</i> , 2019 , 29, S271-S272 ^{1,2}		
56	Comparison of Spline Methods for 3D Brain Mapping. <i>IFMBE Proceedings</i> , 2019 , 421-423	0.2	0
55	Effects of adipokinetic hormone/red pigment-concentrating hormone family of peptides on MK-801 induced schizophrenia models in rats. <i>European Neuropsychopharmacology</i> , 2019 , 29, S264-S265 ^{1,2}		
54	A role for enhanced functions of sleep in psychedelic therapy?. <i>Adaptive Behavior</i> , 2018 , 26, 129-135	1.1	4
53	Psilocybin disrupts sensory and higher order cognitive processing but not pre-attentive cognitive processing-study on P300 and mismatch negativity in healthy volunteers. <i>Psychopharmacology</i> , 2018 , 235, 491-503	4.7	15
52	Psilocin and ketamine microdosing: effects of subchronic intermittent microdoses in the elevated plus-maze in male Wistar rats. <i>Behavioural Pharmacology</i> , 2018 , 29, 530-536	2.4	17

51	Identification of three new phase II metabolites of a designer drug methylone formed in rats by N-demethylation followed by conjugation with dicarboxylic acids. <i>Xenobiotica</i> , 2018 , 48, 618-625	2	4
50	Behavioural, Pharmacokinetic, Metabolic, and Hyperthermic Profile of 3,4-Methylenedioxypropylamphetamine (MDPV) in the Wistar Rat. <i>Frontiers in Psychiatry</i> , 2018 , 9, 144	5	11
49	Effects of the adipokinetic hormone/red pigment-concentrating hormone (AKH/RPCH) family of peptides on MK-801-induced schizophrenia models. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 589-602	3.1	2
48	Behavioral and Pharmacokinetic Profile of Indole-Derived Synthetic Cannabinoids JWH-073 and JWH-210 as Compared to the Phytocannabinoid Δ^9 THC in Rats. <i>Frontiers in Neuroscience</i> , 2018 , 12, 703	5.1	12
47	Electrical Source Imaging in Rats: Cortical EEG Performance and Limitations 2018 ,		1
46	Chronic methamphetamine self-administration dysregulates 5-HT _{2A} and mGlu ₂ receptor expression in the rat prefrontal and perirhinal cortex: Comparison to chronic phencyclidine and MK-801. <i>Pharmacology Biochemistry and Behavior</i> , 2018 , 175, 89-100	3.9	12
45	Methods for Animal Brain Mapping. <i>Radioengineering</i> , 2018 , 27, 806-812	0.8	1
44	Individual prolactin reactivity modulates response of nucleus accumbens to erotic stimuli during acute cannabis intoxication: an fMRI pilot study. <i>Psychopharmacology</i> , 2017 , 234, 1933-1943	4.7	7
43	Acute Cannabis Intoxication and the Brain β Response to Visual Erotica: An Fmri Study. <i>Journal of Sexual Medicine</i> , 2017 , 14, e253	1.1	
42	Mephedrone (4-Methylmethcathinone): Acute Behavioral Effects, Hyperthermic, and Pharmacokinetic Profile in Rats. <i>Frontiers in Psychiatry</i> , 2017 , 8, 306	5	13
41	Pharmacokinetic and behavioural profile of THC, CBD, and THC+CBD combination after pulmonary, oral, and subcutaneous administration in rats and confirmation of conversion in vivo of CBD to THC. <i>European Neuropsychopharmacology</i> , 2017 , 27, 1223-1237	1.2	84
40	Study on the metabolism of 5,6-methylenedioxy-2-aminoindane (MDAI) in rats: identification of urinary metabolites. <i>Xenobiotica</i> , 2017 , 47, 505-514	2	2
39	Pharmacokinetic, Ambulatory, and Hyperthermic Effects of 3,4-Methylenedioxy--Methylcathinone (Methylone) in Rats. <i>Frontiers in Psychiatry</i> , 2017 , 8, 232	5	59
38	Synthetic Aminoindanes: A Summary of Existing Knowledge. <i>Frontiers in Psychiatry</i> , 2017 , 8, 236	5	17
37	Trans-generational neurochemical modulation of methamphetamine in the adult brain of the Wistar rat. <i>Archives of Toxicology</i> , 2017 , 91, 3373-3384	5.8	12
36	Neurobiology of the Effects of Psilocybin in Relation to Its Potential Therapeutic Targets 2016 , 782-793		3
35	Metabolic profile of mephedrone: Identification of nor-mephedrone conjugates with dicarboxylic acids as a new type of xenobiotic phase II metabolites. <i>Toxicology Letters</i> , 2016 , 240, 114-21	4.4	18
34	Salting-out-assisted liquid-liquid extraction as a suitable approach for determination of methoxetamine in large sets of tissue samples. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 1171-81	4.4	17

33	Sex differences and serotonergic mechanisms in the behavioural effects of psilocin. <i>Behavioural Pharmacology</i> , 2016 , 27, 309-20	2.4	17
32	Psilocybin-induced psychosis in humans and in rats [Translational quantitative EEG study. <i>European Neuropsychopharmacology</i> , 2016 , 26, S257-S258	1.2	
31	Quantitative EEG study of serotonergic hallucinogens in rats [The relationship of brain activity and behavior. <i>European Neuropsychopharmacology</i> , 2016 , 26, S260-S261	1.2	1
30	Emerging toxicity of 5,6-methylenedioxy-2-aminoindane (MDAI): Pharmacokinetics, behaviour, thermoregulation and LD50 in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 69, 49-59	5.5	22
29	Detailed pharmacological evaluation of methoxetamine (MXE), a novel psychoactive ketamine analogue-Behavioural, pharmacokinetic and metabolic studies in the Wistar rat. <i>Brain Research Bulletin</i> , 2016 , 126, 102-110	3.9	25
28	Sad mood induction has an opposite effect on amygdala response to emotional stimuli in euthymic patients with bipolar disorder and healthy controls. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 134-42	4.5	12
27	P.1.i.011 Effect of delta-9-tetrahydrocannabinol on the whole-brain resting state functional connectivity: a dynamic connectivity approach. <i>European Neuropsychopharmacology</i> , 2015 , 25, S305	1.2	
26	Biochemical, histopathological and morphological profiling of a rat model of early immune stimulation: relation to psychopathology. <i>PLoS ONE</i> , 2015 , 10, e0115439	3.7	19
25	Psilocybin--summary of knowledge and new perspectives. <i>European Neuropsychopharmacology</i> , 2014 , 24, 342-56	1.2	106
24	P.1.b.009 Default mode network activity decrement interrelated with anxious-like and dreadful experiences during acute cannabis intoxication. <i>European Neuropsychopharmacology</i> , 2014 , 24, S176-S177 ^{1,2}		
23	The effect of ((-)-2-oxa-4-aminobicyclo[3.1.0]hexane-2,6-dicarboxylic acid (LY379268), an mGlu2/3 receptor agonist, on EEG power spectra and coherence in ketamine model of psychosis. <i>Pharmacology Biochemistry and Behavior</i> , 2014 , 122, 212-21	3.9	9
22	The effect of psilocin on memory acquisition, retrieval, and consolidation in the rat. <i>Frontiers in Behavioral Neuroscience</i> , 2014 , 8, 180	3.5	19
21	Behavioral, neurochemical and pharmaco-EEG profiles of the psychedelic drug 4-bromo-2,5-dimethoxyphenethylamine (2C-B) in rats. <i>Psychopharmacology</i> , 2013 , 225, 75-93	4.7	31
20	Relationship of ketamine's antidepressant and psychotomimetic effects in unipolar depression. <i>Neuroendocrinology Letters</i> , 2013 , 34, 287-93	0.3	100
19	Impact of psychotropic drugs on adult hippocampal neurogenesis. <i>Neuroscience Research</i> , 2012 , 73, 93-82.9		6
18	Latent toxoplasmosis reduces gray matter density in schizophrenia but not in controls: voxel-based-morphometry (VBM) study. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 501-9	3.8	58
17	Electroencephalographic spectral and coherence analysis of ketamine in rats: correlation with behavioral effects and pharmacokinetics. <i>Neuropsychobiology</i> , 2011 , 63, 202-18	4	60
16	Behavioral, hyperthermic and pharmacokinetic profile of para-methoxymethamphetamine (PMMA) in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2011 , 98, 130-9	3.9	21

15	Letter to the editor: does ketamine exert a fast-acting antidepressant effect via inhibition of pro-inflammatory cytokines?. <i>Psychological Medicine</i> , 2011 , 41, 1787; author reply 1787-9	6.9	10
14	Subanesthetic dose of ketamine decreases prefrontal theta coherence in healthy volunteers: implications for antidepressant effect. <i>Psychological Medicine</i> , 2010 , 40, 1443-51	6.9	33
13	Sex differences in the effects of N,N-diethyllysergamide (LSD) on behavioural activity and prepulse inhibition. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 588-96	5.5	27
12	P.1.c.067 Effect of group II metabotropic glutamate receptor agonist on behaviour and electroencephalography in a model of psychosis. <i>European Neuropsychopharmacology</i> , 2010 , 20, S273-S274		
11	P.6.d.022 The role of serotonin and dopamine systems in the action of the psychedelic 4-bromo-2,5-dimethoxyphenylethylamine (2C-B). <i>European Neuropsychopharmacology</i> , 2010 , 20, S600-S601		
10	Disposition of 4-bromo-2,5-dimethoxyphenethylamine (2C-B) and its metabolite 4-bromo-2-hydroxy-5-methoxyphenethylamine in rats after subcutaneous administration. <i>Toxicology Letters</i> , 2008 , 178, 29-36	4.4	29
9	Mescaline effects on rat behavior and its time profile in serum and brain tissue after a single subcutaneous dose. <i>Psychopharmacology</i> , 2008 , 196, 51-62	4.7	34
8	The opposite effect of a low and a high dose of serotonin-1A agonist on behavior induced by MK-801. <i>Neuropharmacology</i> , 2007 , 52, 1071-8	5.5	21
7	An analysis of spontaneous behavior following acute MDMA treatment in male and female rats. <i>Neuroendocrinology Letters</i> , 2007 , 28, 781-8	0.3	12
6	Mechanism of action of atypical antipsychotic drugs and the neurobiology of schizophrenia. <i>CNS Drugs</i> , 2006 , 20, 389-409	6.7	315
5	Regional brain metabolism as the predictor of performance on the Trail Making Test in schizophrenia. A 18FDG PET covariation study. <i>Neuroendocrinology Letters</i> , 2006 , 27, 587-94	0.3	17
4	Increased sensitivity to the acute effects of MDMA ("ecstasy") in female rats. <i>Physiology and Behavior</i> , 2005 , 86, 546-53	3.5	61
3	Relation of sex and estrous phase to deficits in prepulse inhibition of the startle response induced by ecstasy (MDMA). <i>Behavioural Pharmacology</i> , 2005 , 16, 127-30	2.4	31
2	The effect of zotepine, risperidone, clozapine and olanzapine on MK-801-disrupted sensorimotor gating. <i>Pharmacology Biochemistry and Behavior</i> , 2005 , 80, 591-6	3.9	72
1	The effect of tryptophan depletion on the action of haloperidol in MK-801-treated rats. <i>European Journal of Pharmacology</i> , 2004 , 502, 109-16	5.3	8