

Ashraf El-Meanawy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3886875/publications.pdf>

Version: 2024-02-01

18
papers

257
citations

1040056

9
h-index

940533

16
g-index

18
all docs

18
docs citations

18
times ranked

360
citing authors

#	ARTICLE	IF	CITATIONS
1	Hyperfiltration-mediated Injury in the Remaining Kidney of a Transplant Donor. <i>Transplantation</i> , 2018, 102, 1624-1635.	1.0	35
2	Mechanotransduction signaling in podocytes from fluid flow shear stress. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F22-F34.	2.7	28
3	Cyclooxygenase-2, prostaglandin E ₂ , and prostanoid receptor EP2 in fluid flow shear stress-mediated injury in the solitary kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F1323-F1333.	2.7	27
4	Mechanisms of BK virus infection of renal cells and therapeutic implications. <i>Journal of Clinical Virology</i> , 2015, 71, 59-62.	3.1	25
5	Fluid flow shear stress upregulates prostanoid receptor EP2 but not EP4 in murine podocytes. <i>Prostaglandins and Other Lipid Mediators</i> , 2013, 104-105, 49-57.	1.9	22
6	Improving sensitivity of amyloid detection by Congo red stain by using polarizing microscope and avoiding pitfalls. <i>Diagnostic Pathology</i> , 2019, 14, 57.	2.0	20
7	Role of biomechanical forces in hyperfiltration-mediated glomerular injury in congenital anomalies of the kidney and urinary tract. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 759-765.	0.7	19
8	Accelerated lysine metabolism conveys kidney protection in salt-sensitive hypertension. <i>Nature Communications</i> , 2022, 13, .	12.8	18
9	Role of opioid signaling in kidney damage during the development of salt-induced hypertension. <i>Life Science Alliance</i> , 2020, 3, e202000853.	2.8	17
10	Vibrodissociation method for isolation of defined nephron segments from human and rodent kidneys. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, F1398-F1403.	2.7	9
11	Urinary prostaglandin E2 is a biomarker of early adaptive hyperfiltration in solitary functioning kidney. <i>Prostaglandins and Other Lipid Mediators</i> , 2020, 146, 106403.	1.9	8
12	Increased ENaC activity during kidney preservation in Wisconsin solution. <i>BMC Nephrology</i> , 2019, 20, 145.	1.8	7
13	Upregulated proteoglycan-related signaling pathways in fluid flow shear stress-treated podocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F312-F322.	2.7	6
14	p66Shc-mediated hydrogen peroxide production impairs nephrogenesis causing reduction of number of glomeruli. <i>Life Sciences</i> , 2021, 279, 119661.	4.3	6
15	Long-term kidney function and survival in recipients of allografts from living kidney donors with hypertension: a national cohort study. <i>Transplant International</i> , 2021, 34, 1530-1541.	1.6	5
16	IgM nephropathy - Successful treatment with rituximab. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2019, 30, 235-238.	0.3	3
17	Contribution of K _{ir} 4.1/K _{ir} 5.1 Channels to the Control of ENaC-Mediated Apical Sodium Transport in the Cortical Collecting Duct. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	2
18	DUAL ACTING COX-2 AND SOLUBLE EPOXIDE HYDROLASE INHIBITOR ATTENUATES GLOMERULAR INJURY IN FOCAL SEGMENTAL GLOMERULAR SCLEROSIS. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	0