Sang-Ryeol Ryu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/388743/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Combined effect of ultrasound and organic acids to reduce Escherichia coli O157:H7, Salmonella Typhimurium, and Listeria monocytogenes on organic fresh lettuce. International Journal of Food Microbiology, 2011, 145, 287-292.	4.7	272
2	Outer Membrane Proteins A (OmpA) and X (OmpX) Are Essential for Basolateral Invasion of <i>Cronobacter sakazakii</i> . Applied and Environmental Microbiology, 2010, 76, 5188-5198.	3.1	161
3	Characterization and Comparative Genomic Analysis of a Novel Bacteriophage, SFP10, Simultaneously Inhibiting both Salmonella enterica and Escherichia coli O157:H7. Applied and Environmental Microbiology, 2012, 78, 58-69.	3.1	142
4	ppGpp-dependent Stationary Phase Induction of Genes on Salmonella Pathogenicity Island 1. Journal of Biological Chemistry, 2004, 279, 34183-34190.	3.4	129
5	Use of Organic Acids to Inactivateâ€, <i>Escherichia coli</i> â€,O157:H7,â€, <i>Salmonella</i> â€,Typhimurium, andâ€, <i>Listeria monocytogenes</i> â€,on Organic Fresh Apples and Lettuce. Journal of Food Science, 2011, 76, M293-8.	3.1	127
6	Exceptional Production of both Prodigiosin and Cycloprodigiosin as Major Metabolic Constituents by a Novel Marine Bacterium, Zooshikella rubidus S1-1. Applied and Environmental Microbiology, 2011, 77, 4967-4973.	3.1	107
7	Radio-frequency heating to inactivate Salmonella Typhimurium and Escherichia coli O157:H7 on black and red pepper spice. International Journal of Food Microbiology, 2012, 153, 171-175.	4.7	103
8	Stepwise phosphorylation of p65 promotes NF-κB activation and NK cell responses during target cell recognition. Nature Communications, 2016, 7, 11686.	12.8	101
9	Biocontrol and Rapid Detection of Food-Borne Pathogens Using Bacteriophages and Endolysins. Frontiers in Microbiology, 2016, 7, 474.	3.5	99
10	Characterization of a T5-Like Coliphage, SPC35, and Differential Development of Resistance to SPC35 in <i>Salmonella enterica</i> Serovar Typhimurium and <i>Escherichia coli</i> . Applied and Environmental Microbiology, 2011, 77, 2042-2050.	3.1	98
11	Receptor Diversity and Host Interaction of Bacteriophages Infecting Salmonella enterica Serovar Typhimurium. PLoS ONE, 2012, 7, e43392.	2.5	98
12	Implication of Quorum Sensing in <i>Salmonella enterica</i> Serovar Typhimurium Virulence: the <i>luxS</i> Gene Is Necessary for Expression of Genes in Pathogenicity Island 1. Infection and Immunity, 2007, 75, 4885-4890.	2.2	93
13	Characterization of LysB4, an endolysin from the Bacillus cereus-infecting bacteriophage B4. BMC Microbiology, 2012, 12, 33.	3.3	90
14	Effective inhibition of Salmonella Typhimurium in fresh produce by a phage cocktail targeting multiple host receptors. Food Microbiology, 2019, 77, 52-60.	4.2	87
15	Spontaneous and transient defence against bacteriophage by phaseâ€variable glucosylation of <scp>O</scp> â€antigen in <i><scp>S</scp>almonella enterica</i> serovar <scp>T</scp> yphimurium. Molecular Microbiology, 2012, 86, 411-425.	2.5	84
16	Lateral flow assay-based bacterial detection using engineered cell wall binding domains of a phage endolysin. Biosensors and Bioelectronics, 2017, 96, 173-177.	10.1	84
17	Prevalence and genetic diversity of Enterobacter sakazakii in ingredients of infant foods. International Journal of Food Microbiology, 2008, 122, 196-203.	4.7	82
18	Screening for novel enzymes from metagenome and SIGEX, as a way to improve it. Microbial Cell Factories, 2005, 4, 8.	4.0	81

#	Article	IF	CITATIONS
19	Effective removal of staphylococcal biofilms on various food contact surfaces by Staphylococcus aureus phage endolysin LysCSA13. Food Microbiology, 2019, 84, 103245.	4.2	80
20	Prevalence, genetic diversity, and antibiotic resistance patterns of Campylobacter jejuni from retail raw chickens in Korea. International Journal of Food Microbiology, 2007, 114, 50-59.	4.7	77
21	Regulation of Oxidative Stress Response by CosR, an Essential Response Regulator in Campylobacter jejuni. PLoS ONE, 2011, 6, e22300.	2.5	77
22	A suggested new bacteriophage genus: "Viunalikevirus― Archives of Virology, 2012, 157, 2035-2046.	2.1	77
23	Exogenous Lytic Activity of SPN9CC Endolysin Against Gram-Negative Bacteria. Journal of Microbiology and Biotechnology, 2014, 24, 803-811.	2.1	75
24	Bacteriophages BCP1-1 and BCP8-2 require divalent cations for efficient control of Bacillus cereus in fermented foods. Food Microbiology, 2012, 31, 9-16.	4.2	74
25	Effects of Quorum Sensing on <i>flaA</i> Transcription and Autoagglutination in <i>Campylobacter jejuni</i> . Microbiology and Immunology, 2003, 47, 833-839.	1.4	71
26	Anti-Tumoral Effect of the Mitochondrial Target Domain of Noxa Delivered by an Engineered Salmonella typhimurium. PLoS ONE, 2014, 9, e80050.	2.5	71
27	Identification and Characterization of Outer Membrane Vesicle-Associated Proteins in Salmonella enterica Serovar Typhimurium. Infection and Immunity, 2014, 82, 4001-4010.	2.2	70
28	Identification and Characterization of a Novel Flagellum-Dependent Salmonella-Infecting Bacteriophage, iEPS5. Applied and Environmental Microbiology, 2013, 79, 4829-4837.	3.1	68
29	Characterization of a novel endolysin LysSA11 and its utility as a potent biocontrol agent against Staphylococcus aureus on food and utensils. Food Microbiology, 2017, 68, 112-120.	4.2	65
30	Promoter Analysis and Regulatory Characteristics of vvhBAEncoding Cytolytic Hemolysin of Vibrio vulnificus. Journal of Biological Chemistry, 2002, 277, 47292-47299.	3.4	62
31	Characterization of endolysin from a Salmonella Typhimurium-infecting bacteriophage SPN1S. Research in Microbiology, 2012, 163, 233-241.	2.1	62
32	Transcriptional Regulation of the CmeABC Multidrug Efflux Pump and the KatA Catalase by CosR in Campylobacter jejuni. Journal of Bacteriology, 2012, 194, 6883-6891.	2.2	61
33	Characterization of genes required for the pathogenicity of Pectobacterium carotovorum subsp. carotovorum Pcc21 in Chinese cabbage. Microbiology (United Kingdom), 2013, 159, 1487-1496.	1.8	61
34	Inactivation of Escherichia coli O157:H7 and Salmonella Typhimurium in black pepper and red pepper by gamma irradiation. International Journal of Food Microbiology, 2014, 172, 125-129.	4.7	61
35	Effect of Frequency and Waveform on Inactivation of Escherichia coli O157:H7 and Salmonella enterica Serovar Typhimurium in Salsa by Ohmic Heating. Applied and Environmental Microbiology, 2013, 79, 10-17.	3.1	59
36	Characterization and Genomic Study of the Novel Bacteriophage HY01 Infecting Both Escherichia coli O157:H7 and Shigella flexneri: Potential as a Biocontrol Agent in Food. PLoS ONE, 2016, 11, e0168985.	2.5	59

#	Article	IF	CITATIONS
37	Endolysin LysSA97 is synergistic with carvacrol in controlling Staphylococcus aureus in foods. International Journal of Food Microbiology, 2017, 244, 19-26.	4.7	59
38	Characterization of a New Bacteriocin, Carocin D, from <i>Pectobacterium carotovorum</i> subsp. <i>carotovorum</i> Pcc21. Applied and Environmental Microbiology, 2010, 76, 7541-7549.	3.1	58
39	gly Gene Cloning and Expression and Purification of Glycinecin A, a Bacteriocin Produced by Xanthomonas campestris pv. glycines 8ra. Applied and Environmental Microbiology, 2001, 67, 4105-4110.	3.1	55
40	RstA-Promoted Expression of the Ferrous Iron Transporter FeoB under Iron-Replete Conditions Enhances Fur Activity in <i>Salmonella enterica</i> . Journal of Bacteriology, 2008, 190, 7326-7334.	2.2	55
41	Core Lipopolysaccharide-Specific Phage SSU5 as an Auxiliary Component of a Phage Cocktail for Salmonella Biocontrol. Applied and Environmental Microbiology, 2014, 80, 1026-1034.	3.1	55
42	Combination effect of ozone and heat treatments for the inactivation of Escherichia coli O157:H7, Salmonella Typhimurium, and Listeria monocytogenes in apple juice. International Journal of Food Microbiology, 2014, 171, 147-153.	4.7	54
43	LsrR-Mediated Quorum Sensing Controls Invasiveness of Salmonella typhimurium by Regulating SPI-1 and Flagella Genes. PLoS ONE, 2012, 7, e37059.	2.5	54
44	Purification of Mlc and Analysis of Its Effects on the pts Expression in Escherichia coli. Journal of Biological Chemistry, 1999, 274, 25398-25402.	3.4	53
45	Development of an Engineered Bioluminescent Reporter Phage for the Sensitive Detection of Viable <i>Salmonella</i> Typhimurium. Analytical Chemistry, 2014, 86, 5858-5864.	6.5	53
46	Analysis of the Gene Encoding Cyclomaltodextrinase from AlkalophilicBacillussp. I-5 and Characterization of Enzymatic Properties. Archives of Biochemistry and Biophysics, 1998, 353, 221-227.	3.0	52
47	Identification of host receptor and receptor-binding module of a newly sequenced T5-like phage EPS7. FEMS Microbiology Letters, 2008, 289, 202-209.	1.8	52
48	Bacteriophage PBC1 and Its Endolysin as an Antimicrobial Agent against Bacillus cereus. Applied and Environmental Microbiology, 2015, 81, 2274-2283.	3.1	52
49	Prevalence of Bacillus cereus bacteriophages in fermented foods and characterization of phage JBP901. Research in Microbiology, 2011, 162, 791-797.	2.1	50
50	Multiplexed Detection of Foodborne Pathogens from Contaminated Lettuces Using a Handheld Multistep Lateral Flow Assay Device. Journal of Agricultural and Food Chemistry, 2018, 66, 290-297.	5.2	50
51	Clostridium perfringens Virulent Bacteriophage CPS2 and Its Thermostable Endolysin LysCPS2. Viruses, 2018, 10, 251.	3.3	50
52	Expression of ptsG Encoding the Major Glucose Transporter Is Regulated by ArcA in Escherichia coli. Journal of Biological Chemistry, 2004, 279, 38513-38518.	3.4	49
53	Prevalence and Genetic Diversity of Bacillus cereus in Dried Red Pepper in Korea. Journal of Food Protection, 2007, 70, 917-922.	1.7	49
54	Isolation and Genome Characterization of the Virulent Staphylococcus aureus Bacteriophage SA97. Viruses, 2015, 7, 5225-5242.	3.3	49

#	Article	IF	CITATIONS
55	<i>Salmonella</i> pathogenicity island 2 expression negatively controlled by EIIA ^{Ntr} –SsrB interaction is required for <i>Salmonella</i> virulence. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 20506-20511.	7.1	48
56	Genetic Ablation of Butyrate Utilization Attenuates Gastrointestinal Salmonella Disease. Cell Host and Microbe, 2018, 23, 266-273.e4.	11.0	48
57	Inactivation of biofilm cells of foodborne pathogen by aerosolized sanitizers. International Journal of Food Microbiology, 2012, 154, 130-134.	4.7	47
58	Inactivation of Salmonella enterica serovar Typhimurium and Escherichia coli O157:H7 in peanut butter cracker sandwiches by radio-frequency heating. Food Microbiology, 2013, 34, 145-150.	4.2	47
59	A novel and highly specific phage endolysin cell wall binding domain for detection of Bacillus cereus. European Biophysics Journal, 2015, 44, 437-446.	2.2	47
60	Preparation and characterization of endolysin-containing liposomes and evaluation of their antimicrobial activities against gram-negative bacteria. Enzyme and Microbial Technology, 2019, 128, 40-48.	3.2	47
61	Development of Multimodal Antibacterial Surfaces Using Porous Amine-Reactive Films Incorporating Lubricant and Silver Nanoparticles. ACS Applied Materials & Interfaces, 2019, 11, 6550-6560.	8.0	46
62	Inhibition of Primary Roots and Stimulation of Lateral Root Development in Arabidopsis thaliana by the Rhizobacterium Serratia marcescens 90-166 Is through Both Auxin-Dependent and -Independent Signaling Pathways. Molecules and Cells, 2010, 29, 251-258.	2.6	45
63	Complete Genome Sequence of Salmonella Bacteriophage SPN3US. Journal of Virology, 2011, 85, 13470-13471.	3.4	45
64	Inactivation of Escherichia coli O157:H7, Salmonella typhimurium and Listeria monocytogenes in apple juice with gaseous ozone. Food Microbiology, 2012, 32, 191-195.	4.2	45
65	Predominance of blaCTX-M-65 and blaCTX-M-55 in extended-spectrum β-lactamase-producing Escherichia coli from raw retail chicken in South Korea. Journal of Global Antimicrobial Resistance, 2019, 17, 216-220.	2.2	45
66	Effect of the FruR Regulator on Transcription of the pts Operon in Escherichia coli. Journal of Biological Chemistry, 1995, 270, 2489-2496.	3.4	44
67	Mlc regulation of Salmonella pathogenicity island I gene expression via hilE repression. Nucleic Acids Research, 2007, 35, 1822-1832.	14.5	44
68	<i>hfq</i> Plays Important Roles in Virulence and Stress Adaptation in Cronobacter sakazakii ATCC 29544. Infection and Immunity, 2015, 83, 2089-2098.	2.2	44
69	Sensitive detection of viable Escherichia coli O157:H7 from foods using a luciferase-reporter phage phiV10lux. International Journal of Food Microbiology, 2017, 254, 11-17.	4.7	44
70	Prevalence and Toxigenic Profiles of Bacillus cereus Isolated from Dried Red Peppers, Rice, and Sunsik in Korea. Journal of Food Protection, 2009, 72, 578-582.	1.7	43
71	Glucose repression of the Escherichia coli sdhCDAB operon, revisited: regulation by the CRP{middle dot}cAMP complex. Nucleic Acids Research, 2005, 33, 6712-6722.	14.5	42
72	Mucosa-Associated Epithelial Chemokine/CCL28 Expression in the Uterus Attracts CCR10+ IgA Plasma Cells following Mucosal Vaccination via Estrogen Control. Journal of Immunology, 2011, 187, 3044-3052.	0.8	41

#	Article	IF	CITATIONS
73	The Novel Enterococcus Phage vB_EfaS_HEf13 Has Broad Lytic Activity Against Clinical Isolates of Enterococcus faecalis. Frontiers in Microbiology, 2019, 10, 2877.	3.5	41
74	CRP-DNA Complexes: Inducing theA-likeForm in the Binding Sites with an Extended Central Spacer. Journal of Molecular Biology, 1995, 245, 228-240.	4.2	40
75	Inhibitory Effects of Collagen on the PCR for Detection of Clostridium perfringens. Applied and Environmental Microbiology, 2000, 66, 1213-1215.	3.1	40
76	Inactivation of Escherichia coli O157:H7, Salmonella Typhimurium, and Listeria monocytogenes in Orange and Tomato Juice Using Ohmic Heating. Journal of Food Protection, 2011, 74, 899-904.	1.7	40
77	Characterization of an endolysin, LysBPS13, from a Bacillus cereus bacteriophage. FEMS Microbiology Letters, 2012, 332, 76-83.	1.8	39
78	Mutasynthesis of Geldanamycin by the Disruption of a Gene Producing Starter Unit: Generation of Structural Diversity at the Benzoquinone Ring. ChemBioChem, 2007, 8, 1491-1494.	2.6	37
79	Genomic Investigation of Lysogen Formation and Host Lysis Systems of the Salmonella Temperate Bacteriophage SPN9CC. Applied and Environmental Microbiology, 2014, 80, 374-384.	3.1	37
80	Heat Shock RNA Polymerase (EÏ,32) Is Involved in the Transcription of mlc and Crucial for Induction of the Mlc Regulon by Glucose in Escherichia coli. Journal of Biological Chemistry, 2001, 276, 25871-25875.	3.4	36
81	Plasmid-Encoded MCP Is Involved in Virulence, Motility, and Biofilm Formation of Cronobacter sakazakii ATCC 29544. Infection and Immunity, 2015, 83, 197-204.	2.2	35
82	Comparative Analysis of Aerotolerance, Antibiotic Resistance, and Virulence Gene Prevalence in Campylobacter jejuni Isolates from Retail Raw Chicken and Duck Meat in South Korea. Microorganisms, 2019, 7, 433.	3.6	35
83	Complete Genome Sequence of Bacteriophage SSU5 Specific for Salmonella enterica serovar Typhimurium Rough Strains. Journal of Virology, 2012, 86, 10894-10894.	3.4	34
84	Genomic insights into the virulence and salt tolerance of Staphylococcus equorum. Scientific Reports, 2017, 7, 5383.	3.3	34
85	Promoter Analysis of Cytolethal Distending Toxin Genes (<i>cdtA, B</i> , and <i>C</i>) and Effect of a <i>luxS</i> Mutation on CDT Production in <i>Campylobacter jejuni</i> . Microbiology and Immunology, 2005, 49, 599-603.	1.4	33
86	Development of an Improved Selective and Differential Medium for Isolation of Salmonella spp. Journal of Clinical Microbiology, 2012, 50, 3222-3226.	3.9	33
87	Characterization of a novel cell wall binding domain-containing Staphylococcus aureus endolysin LysSA97. Applied Microbiology and Biotechnology, 2017, 101, 147-158.	3.6	33
88	Transcriptomic analysis of Staphylococcus aureus under the stress condition of antibacterial erythorbyl laurate by RNA sequencing. Food Control, 2019, 96, 1-8.	5.5	33
89	Synergistic effect of steam and lactic acid against Escherichia coli O157:H7, Salmonella Typhimurium, and Listeria monocytogenes biofilms on polyvinyl chloride and stainless steel. International Journal of Food Microbiology, 2012, 157, 218-223.	4.7	32
90	Metagenomic Approach to Identifying Foodborne Pathogens on Chinese Cabbage. Journal of Microbiology and Biotechnology, 2018, 28, 227-235.	2.1	32

#	Article	IF	CITATIONS
91	Salmonella enterica serovar Typhimurium uses anaerobic respiration to overcome propionate-mediated colonization resistance. Cell Reports, 2022, 38, 110180.	6.4	32
92	Characterization and complete genome sequence of a virulent bacteriophage B4 infecting food-borne pathogenic Bacillus cereus. Archives of Virology, 2013, 158, 2101-2108.	2.1	31
93	Colanic Acid Is a Novel Phage Receptor of Pectobacterium carotovorum subsp. carotovorum Phage POP72. Frontiers in Microbiology, 2019, 10, 143.	3.5	30
94	Expression of <i>STM4467</i> -Encoded Arginine Deiminase Controlled by the <i>STM4463</i> Regulator Contributes to Salmonella enterica Serovar Typhimurium Virulence. Infection and Immunity, 2012, 80, 4291-4297.	2.2	29
95	Development of a Novel Selective and Differential Medium for the Isolation of Listeria monocytogenes. Applied and Environmental Microbiology, 2014, 80, 1020-1025.	3.1	29
96	A Novel Bacteriophage Targeting Cronobacter sakazakii Is a Potential Biocontrol Agent in Foods. Applied and Environmental Microbiology, 2016, 82, 192-201.	3.1	29
97	Weissella jogaejeotgali sp. nov., isolated from jogae jeotgal, a traditional Korean fermented seafood. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4674-4681.	1.7	29
98	Selective Regulation of ptsG Expression by Fis. Journal of Biological Chemistry, 2003, 278, 14776-14781.	3.4	28
99	Evaluating the Allergic Risk of Genetically Modified Soybean. Yonsei Medical Journal, 2006, 47, 505.	2.2	28
100	Regulation of <i>perR</i> Expression by Iron and PerR in Campylobacter jejuni. Journal of Bacteriology, 2011, 193, 6171-6178.	2.2	28
101	Structural Insights into the FtsQ/FtsB/FtsL Complex, a Key Component of the Divisome. Scientific Reports, 2018, 8, 18061.	3.3	28
102	Characterization and Genome Analysis of Staphylococcus aureus Podovirus CSA13 and Its Anti-Biofilm Capacity. Viruses, 2019, 11, 54.	3.3	28
103	A Comparative Evaluation of Radiation-Induced DNA Damage using Real-Time PCR: Influence of Base Composition. Radiation Research, 2006, 165, 430-437.	1.5	27
104	LysPBC2, a Novel Endolysin Harboring a Bacillus cereus Spore Binding Domain. Applied and Environmental Microbiology, 2019, 85, .	3.1	27
105	Putative type 1 thymidylate synthase and dihydrofolate reductase as signature genes of a novel bastille-like group of phages in the subfamily Spounavirinae. BMC Genomics, 2015, 16, 582.	2.8	26
106	Fine-tuning of amino sugar homeostasis by EllANtr in Salmonella Typhimurium. Scientific Reports, 2016, 6, 33055.	3.3	26
107	Structural basis for HOCl recognition and regulation mechanisms of HypT, a hypochlorite-specific transcriptional regulator. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 3740-3745.	7.1	26
108	Isolation and characterization of bacteriophages specific for <i>Campylobacter jejuni</i> . Microbiology and Immunology, 2009, 53, 559-566.	1.4	25

#	Article	IF	CITATIONS
109	Full-Genomic Analysis of a Human Norovirus Recombinant GII.12/13 Novel Strain Isolated from South Korea. PLoS ONE, 2013, 8, e85063.	2.5	25
110	The Auxiliary Role of the Amidase Domain in Cell Wall Binding and Exolytic Activity of Staphylococcal Phage Endolysins. Viruses, 2018, 10, 284.	3.3	25
111	Role of the DksA-Like Protein in the Pathogenesis and Diverse Metabolic Activity of <i>Campylobacter jejuni</i> . Journal of Bacteriology, 2008, 190, 4512-4520.	2.2	24
112	Complete Genome Sequence of Bacillus cereus Bacteriophage BCP78. Journal of Virology, 2012, 86, 637-638.	3.4	24
113	Non-selective regulation of peroxide and superoxide resistance genes by PerR in Campylobacter jejuni. Frontiers in Microbiology, 2015, 6, 126.	3.5	24
114	Characterization of mcr-1-Harboring Plasmids from Pan Drug-Resistant Escherichia coli Strains Isolated from Retail Raw Chicken in South Korea. Microorganisms, 2019, 7, 344.	3.6	24
115	Development of a Novel Chimeric Endolysin, Lys109 With Enhanced Lytic Activity Against Staphylococcus aureus. Frontiers in Microbiology, 2020, 11, 615887.	3.5	24
116	High-level recombinant protein production by overexpression of Mlc in Escherichia coli. Journal of Biotechnology, 2005, 119, 197-203.	3.8	23
117	Structure of bacteriophage <scp>SPN</scp> 1 <scp>S</scp> endolysin reveals an unusual twoâ€module fold for the peptidoglycan lytic and binding activity. Molecular Microbiology, 2014, 92, 316-325.	2.5	23
118	Putative Inv Is Essential for Basolateral Invasion of Caco-2 Cells and Acts Synergistically with OmpA To Affect <i>In Vitro</i> and <i>In Vivo</i> Virulence of Cronobacter sakazakii ATCC 29544. Infection and Immunity, 2014, 82, 1755-1765.	2.2	23
119	Mutation of a Staphylococcus aureus temperate bacteriophage to a virulent one and evaluation of its application. Food Microbiology, 2019, 82, 523-532.	4.2	23
120	Antirepression System Associated with the Life Cycle Switch in the Temperate Podoviridae Phage SPC32H. Journal of Virology, 2013, 87, 11775-11786.	3.4	22
121	Enzyme IIANtr Regulates Salmonella Invasion Via 1,2-Propanediol And Propionate Catabolism. Scientific Reports, 2017, 7, 44827.	3.3	22
122	Development of an endolysin enzyme and its cell wall–binding domain protein and their applications for biocontrol and rapid detection of Clostridium perfringens in food. Food Chemistry, 2021, 345, 128562.	8.2	22
123	Proteome analysis ofSalmonella entericaserovar Typhimuriumfismutant. FEMS Microbiology Letters, 2003, 226, 391-396.	1.8	21
124	Detection of Bacillus Cereus Using Bioluminescence Assay with Cell Wall-binding Domain Conjugated Magnetic Nanoparticles. Biochip Journal, 2018, 12, 287-293.	4.9	21
125	Development of Advanced Chimeric Endolysin to Control Multidrug-Resistant <i>Staphylococcus aureus</i> through Domain Shuffling. ACS Infectious Diseases, 2021, 7, 2081-2092.	3.8	21
126	Complete Genome Sequence of Bacillus cereus Bacteriophage PBC1. Journal of Virology, 2012, 86, 6379-6380.	3.4	20

#	Article	IF	CITATIONS
127	Metagenomic analysis of isolation methods of a targeted microbe, Campylobacter jejuni, from chicken feces with high microbial contamination. Microbiome, 2019, 7, 67.	11.1	20
128	An Antibacterial Nanorobotic Approach for the Specific Targeting and Removal of Multiple Drugâ€Resistant <i>Staphylococcus aureus</i> . Small, 2021, 17, e2100257.	10.0	20
129	Development of new strategy combining heat treatment and phage cocktail for post-contamination prevention. Food Research International, 2021, 145, 110415.	6.2	20
130	Roles of the superoxide dismutase SodB and the catalase KatA in the antibiotic resistance of Campylobacter jejuni. Journal of Antibiotics, 2013, 66, 351-353.	2.0	19
131	Norovirus Contamination Levels in Ground Water Treatment Systems Used for Food-Catering Facilities in South Korea. Viruses, 2013, 5, 1646-1654.	3.3	19
132	Characterization and comparative genomic analysis of bacteriophages infecting members of the Bacillus cereus group. Archives of Virology, 2014, 159, 871-884.	2.1	19
133	Complete genome sequence of Staphylococcus equorum KS1039 isolated from Saeu-jeotgal, Korean high-salt-fermented seafood. Journal of Biotechnology, 2016, 219, 88-89.	3.8	19
134	Fis is required for proper regulation of ssaG expression in Salmonella enterica serovar Typhimurium. Microbial Pathogenesis, 2006, 41, 33-42.	2.9	18
135	Complete genome sequence analysis of bacterial-flagellum-targeting bacteriophage chi. Archives of Virology, 2013, 158, 2179-2183.	2.1	18
136	Characterization and genome analysis of novel bacteriophages infecting the opportunistic human pathogens Klebsiella oxytoca and K. pneumoniae. Archives of Virology, 2017, 162, 1129-1139.	2.1	18
137	Structure and function of the hypochlorous acid–induced flavoprotein RclA from Escherichia coli. Journal of Biological Chemistry, 2020, 295, 3202-3212.	3.4	18
138	Complete Genome Sequence of Cronobacter sakazakii Temperate Bacteriophage phiES15. Journal of Virology, 2012, 86, 7713-7714.	3.4	17
139	Structural Basis for Cell-Wall Recognition by Bacteriophage PBC5 Endolysin. Structure, 2019, 27, 1355-1365.e4.	3.3	17
140	Characterization and Genomic Analysis of PALS2, a Novel Staphylococcus Jumbo Bacteriophage. Frontiers in Microbiology, 2021, 12, 622755.	3.5	17
141	NK cell function triggered by multiple activating receptors is negatively regulated by glycogen synthase kinase-3l². Cellular Signalling, 2015, 27, 1731-1741.	3.6	16
142	Comparison of bactericidal efficiency of 7.5 MeV X-rays, gamma-rays, and 10 MeV e-beams. Radiation Physics and Chemistry, 2016, 125, 106-108.	2.8	16
143	Capsular Polysaccharide Is a Receptor of a Clostridium perfringens Bacteriophage CPS1. Viruses, 2019, 11, 1002.	3.3	16
144	Yeast Surface Display System for Facilitated Production and Application of Phage Endolysin. ACS Synthetic Biology, 2020, 9, 508-516.	3.8	16

#	Article	IF	CITATIONS
145	Characterization of LysPBC4, a novel <i>Bacillus cereus</i> -specific endolysin of bacteriophage PBC4. FEMS Microbiology Letters, 2016, 363, fnw092.	1.8	15
146	Regulation of Iron Uptake by Fine-Tuning the Iron Responsiveness of the Iron Sensor Fur. Applied and Environmental Microbiology, 2019, 85, .	3.1	15
147	Simultaneous Control of Staphylococcus aureus and Bacillus cereus Using a Hybrid Endolysin LysB4EAD-LysSA11. Antibiotics, 2020, 9, 906.	3.7	15
148	Characterization and complete genome sequence analysis of Staphylococcus aureus bacteriophage SA12. Virus Genes, 2013, 47, 389-393.	1.6	14
149	Characterization and genome analysis of the Bacillus cereus-infecting bacteriophages BPS10C and BPS13. Archives of Virology, 2014, 159, 2171-2175.	2.1	14
150	Noncanonical DNA-binding mode of repressor and its disassembly by antirepressor. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E2480-8.	7.1	14
151	Complete genome sequence of Vibrio vulnificus FORC_017 isolated from a patient with a hemorrhagic rash after consuming raw dotted gizzard shad. Gut Pathogens, 2016, 8, 22.	3.4	14
152	Microbiota Analysis for the Optimization of Campylobacter Isolation From Chicken Carcasses Using Selective Media. Frontiers in Microbiology, 2019, 10, 1381.	3.5	14
153	Peptidoglycan reshaping by a noncanonical peptidase for helical cell shape in Campylobacter jejuni. Nature Communications, 2020, 11, 458.	12.8	14
154	Identification and in vitro Characterization of a Novel Phage Endolysin that Targets Gram-Negative Bacteria. Microorganisms, 2020, 8, 447.	3.6	14
155	Complete Genome Sequence of Cronobacter sakazakii Bacteriophage CR3. Journal of Virology, 2012, 86, 6367-6368.	3.4	13
156	Possible roles of LysR-type transcriptional regulator (LTTR) homolog as a global regulator in Cronobacter sakazakii ATCC 29544. International Journal of Medical Microbiology, 2012, 302, 270-275.	3.6	13
157	Characterization and genomic analysis of two Staphylococcus aureus bacteriophages isolated from poultry/livestock farms. Journal of General Virology, 2013, 94, 2569-2576.	2.9	13
158	Transducer-Like Protein in Campylobacter jejuni With a Role in Mediating Chemotaxis to Iron and Phosphate. Frontiers in Microbiology, 2018, 9, 2674.	3.5	13
159	Bacteriophage and endolysin engineering for biocontrol of food pathogens/pathogens in the food: recent advances and future trends. Critical Reviews in Food Science and Nutrition, 2023, 63, 8919-8938.	10.3	13
160	Identification of red pepper powder irradiated with different types of radiation using luminescence methods: A comparative study. Food Chemistry, 2016, 200, 293-300.	8.2	12
161	The complete genome sequence of Cronobacter sakazakii ATCC 29544T, a food-borne pathogen, isolated from a child's throat. Gut Pathogens, 2017, 9, 2.	3.4	12
162	Hyper-Aerotolerant Campylobacter coli from Duck Sources and Its Potential Threat to Public Health: Virulence, Antimicrobial Resistance, and Genetic Relatedness. Microorganisms, 2019, 7, 579.	3.6	12

#	Article	IF	CITATIONS
163	Inhibition of Antimicrobial-Resistant Escherichia coli Using a Broad Host Range Phage Cocktail Targeting Various Bacterial Phylogenetic Groups. Frontiers in Microbiology, 2021, 12, 699630.	3.5	12
164	Subtyping of Listeria monocytogenes Based on Nucleotide Polymorphism in the clpC, inlA, hlyA, and plcA Genes and Rapid Identification of L. monocytogenes Genetically Similar to Clinical Isolates. Food Science and Technology Research, 2008, 14, 557-564.	0.6	11
165	ppGpp-mediated stationary phase induction of the genes encoded by horizontally acquired pathogenicity islands and cob/pdu locus in Salmonella enterica serovar Typhimurium. Journal of Microbiology, 2010, 48, 89-95.	2.8	11
166	Complete Genome Sequence of Salmonella enterica Serovar Typhimurium Bacteriophage SPN1S. Journal of Virology, 2012, 86, 1284-1285.	3.4	11
167	Comparative Genomic Analysis of Staphylococcus aureus FORC_001 and S. aureus MRSA252 Reveals the Characteristics of Antibiotic Resistance and Virulence Factors for Human Infection. Journal of Microbiology and Biotechnology, 2015, 25, 98-108.	2.1	11
168	Analysis of HilC/D-dependent invF promoter expression under different culture conditions. Microbial Pathogenesis, 2012, 52, 359-366.	2.9	10
169	Developmental Dynamic Analysis of the Excreted Microbiome of Chickens Using Next-Generation Sequencing. Journal of Molecular Microbiology and Biotechnology, 2015, 25, 262-268.	1.0	10
170	Presence of plasmid-mediated quinolone resistance (PMQR) genes in non-typhoidal Salmonella strains with reduced susceptibility to fluoroquinolones isolated from human salmonellosis in Gyeonggi-do, South Korea from 2016 to 2019. Gut Pathogens, 2021, 13, 35.	3.4	10
171	Molecular analysis of the Salmonella typhimurium tdc operon regulation. Journal of Microbiology and Biotechnology, 2008, 18, 1024-32.	2.1	10
172	A tdcA Mutation Reduces the Invasive Ability of Salmonella enterica Serovar Typhimurium. Molecules and Cells, 2009, 28, 389-396.	2.6	9
173	A Mutation in tdcA Attenuates the Virulence of Salmonella enterica Serovar Typhimurium. Molecules and Cells, 2010, 29, 509-518.	2.6	9
174	Complete genome of Vibrio parahaemolyticus FORC014 isolated from the toothfish. Gut Pathogens, 2016, 8, 59.	3.4	8
175	Antimicrobial Resistance of Escherichia coli from Retail Poultry Meats in Korea. Journal of Food Protection, 2020, 83, 1673-1678.	1.7	8
176	Full sequence analysis and characterization of the South Korean Norovirus GII-4 variant CUK-3. Virology Journal, 2011, 8, 167.	3.4	7
177	Complete genome sequence of Bacillus cereus FORC_005, a food-borne pathogen from the soy sauce braised fish-cake with quail-egg. Standards in Genomic Sciences, 2015, 10, 97.	1.5	7
178	Comparative genomic analysis reveals genetic features related to the virulence of Bacillus cereus FORC_013. Gut Pathogens, 2017, 9, 29.	3.4	7
179	Programmed Delay of a Virulence Circuit Promotes <i>Salmonella</i> Pathogenicity. MBio, 2019, 10, .	4.1	7
180	Salmonella enterica serovar Typhimurium ruvB mutant can confer protection against salmonellosis in mice. Vaccine, 2010, 28, 6436-6444.	3.8	6

#	Article	IF	CITATIONS
181	Complete genome sequence of enterobacteria phage 4MG, a new member of the subgroup "PVP-SE1-like phage―of the "rV5-like viruses― Archives of Virology, 2014, 159, 3137-3140.	2.1	6
182	Whole-Genome Sequencing-Based Characteristics in Extended-Spectrum Beta-Lactamase-Producing Escherichia coli Isolated from Retail Meats in Korea. Microorganisms, 2020, 8, 508.	3.6	6
183	Prevalence and Genetic Characterization of mcr-1-Positive Escherichia coli Isolated from Retail Meats in South Korea. Journal of Microbiology and Biotechnology, 2020, 30, 1862-1869.	2.1	6
184	Crystal structures of YeiE from <i>Cronobacter sakazakii</i> and the role of sulfite tolerance in gram-negative bacteria. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2118002119.	7.1	6
185	Draft genome sequence of Xanthomonas axonopodis pv. glycines 8ra possessing transcription activator-like effectors used for genetic engineering. Journal of Biotechnology, 2014, 179, 15-16.	3.8	5
186	Complete genome sequence of <i>Vibrio parahaemolyticus</i> strain FORC_008, a foodborne pathogen from a flounder fish in South Korea. Pathogens and Disease, 2016, 74, ftw044.	2.0	5
187	The role of the FliD C-terminal domain in pentamer formation and interaction with FliT. Scientific Reports, 2017, 7, 4418.	3.3	5
188	New virulence factor CSK29544_02616 as LpxA binding partner in Cronobacter sakazakii. Scientific Reports, 2018, 8, 835.	3.3	5
189	Potential Survival and Pathogenesis of a Novel Strain, Vibrio parahaemolyticus FORC_022, Isolated From a Soy Sauce Marinated Crab by Genome and Transcriptome Analyses. Frontiers in Microbiology, 2018, 9, 1504.	3.5	5
190	Salt content dependent dielectric properties of pistachios relevant to radio-frequency pasteurization. Scientific Reports, 2019, 9, 2400.	3.3	5
191	Divergent Distribution of the Sensor Kinase CosS in Non-Thermotolerant Campylobacter Species and Its Functional Incompatibility with the Response Regulator CosR of Campylobacter jejuni. PLoS ONE, 2014, 9, e89774.	2.5	5
192	Identification of a Bacteria-Specific Binding Protein from the Sequenced Bacterial Genome. Journal of Microbiology and Biotechnology, 2016, 26, 38-43.	2.1	5
193	Genomic Insights and Its Comparative Analysis with Yersinia enterocolitica Reveals the Potential Virulence Determinants and Further Pathogenicity for Foodborne Outbreaks. Journal of Microbiology and Biotechnology, 2017, 27, 262-270.	2.1	5
194	Up-regulation of the cellular level of Escherichia coli PTS components by stabilizing reduced transcripts of the genes in response to the low oxygen level. Biochemical and Biophysical Research Communications, 2008, 370, 609-612.	2.1	4
195	Complete genome sequence and phylogenetic position of the Bacillus cereus group phage JBP901. Archives of Virology, 2015, 160, 2381-2384.	2.1	4
196	Complete genome sequence of <i>Vibrio parahaemolyticus</i> FORC_023 isolated from raw fish storage water. Pathogens and Disease, 2016, 74, ftw032.	2.0	4
197	A Nitrogen Metabolic Enzyme Provides Salmonella Fitness Advantage by Promoting Utilization of Microbiota-Derived Carbon Source. ACS Infectious Diseases, 2021, 7, 1208-1220.	3.8	4
198	CosR Regulation of perR Transcription for the Control of Oxidative Stress Defense in Campylobacter jejuni. Microorganisms, 2021, 9, 1281.	3.6	4

#	Article	IF	CITATIONS
199	Structure and Function of the Autolysin SagA in the Type IV Secretion System of Brucella abortus. Molecules and Cells, 2021, 44, 517-528.	2.6	4
200	Atypical Bacilliredoxin AbxC Plays a Role in Responding to Oxidative Stress in Radiation-Resistant Bacterium Deinococcus radiodurans. Antioxidants, 2021, 10, 1148.	5.1	4
201	Grand Challenges in Phage Biology. Frontiers in Microbiology, 2021, 12, 715039.	3.5	4
202	Crystal Structure of LysB4, an Endolysin from -Targeting Bacteriophage B4. Molecules and Cells, 2019, 42, 79-86.	2.6	4
203	Prevalence, Characteristics, and Clonal Distribution of Escherichia coli Carrying Mobilized Colistin Resistance Gene mcr-1.1 in Swine Farms and Their Differences According to Swine Production Stages. Frontiers in Microbiology, 2022, 13, .	3.5	4
204	Complete genome sequence analysis and identification of putative metallo-beta-lactamase and SpoIIIE homologs in Bacillus cereus group phage BCP8-2, a new member of the proposed Bastille-like group. Archives of Virology, 2015, 160, 2647-2650.	2.1	3
205	Genome Sequence of Bacillus cereus FORC_021, a Food-Borne Pathogen Isolated from a Knife at a Sashimi Restaurant. Journal of Microbiology and Biotechnology, 2016, 26, 2030-2035.	2.1	3
206	ptsl gene in the phosphotransfer system is a potential target for developing a live attenuated Salmonella vaccine. International Journal of Molecular Medicine, 2020, 45, 1327-1340.	4.0	2
207	Analysis of Microbiota in Bellflower Root, Platycodon grandiflorum, Obtained from South Korea. Journal of Microbiology and Biotechnology, 2018, 28, 551-560.	2.1	2
208	Bacteriophage-Mediated Modulation of Bacterial Competition during Selective Enrichment of Campylobacter. Microbiology Spectrum, 2021, 9, e0170321.	3.0	2
209	Complete Genome Sequence of Staphylococcus aureus Phage SA75, Isolated from Goat Feces. Microbiology Resource Announcements, 2020, 9, .	0.6	1
210	Structural Basis for Cell Wall Recognition by Bacteriophage PBC5 Endolysin. SSRN Electronic Journal, 0, , .	0.4	1
211	Hyper-aerotolerant Campylobacter coli, an emerging foodborne pathogen, shows differential expressions of oxidative stress-related genes. Veterinary Microbiology, 2022, 264, 109308.	1.9	1
212	The rate of frequent co-existence of plasmid-mediated quinolone resistance (PMQR) and extended-spectrum β-lactamase (ESBL) genes in Escherichia coli isolates from retail raw chicken in South Korea. Food Science and Biotechnology, 0, , .	2.6	1
213	Structure-based inhibitor design for reshaping bacterial morphology. Communications Biology, 2022, 5, 395.	4.4	1
214	Transcriptomic Analysis of Shiga Toxin-Producing Escherichia coli FORC_035 Reveals the Essential Role of Iron Acquisition for Survival in Canola Sprouts and Water Dropwort. Frontiers in Microbiology, 2018, 9, 2397.	3.5	0