

# Markus Pauly

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3887672/markus-pauly-publications-by-year.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133 papers	10,934 citations	60 h-index	103 g-index
168 ext. papers	13,034 ext. citations	7.9 avg, IF	6.18 L-index

#	Paper	IF	Citations
133	An advanced method for the release, enrichment and purification of high-quality Arabidopsis thaliana rosette leaf trichomes enables profound insights into the trichome proteome.. <i>Plant Methods</i> , <b>2022</b> , 18, 12	5.8	0
132	Microwave Assisted Pretreatment of Biomass to Enhance Enzymatic Saccharification and Direct Glucose Production.. <i>Frontiers in Plant Science</i> , <b>2021</b> , 12, 767254	6.2	0
131	Modular biosynthesis of plant hemicellulose and its impact on yeast cells. <i>Biotechnology for Biofuels</i> , <b>2021</b> , 14, 140	7.8	0
130	The TaCslA12 gene expressed in the wheat grain endosperm synthesizes wheat-like mannan when expressed in yeast and Arabidopsis. <i>Plant Science</i> , <b>2021</b> , 302, 110693	5.3	3
129	A mixed-linkage (1,3;1,4)-D-glucan specific hydrolase mediates dark-triggered degradation of this plant cell wall polysaccharide. <i>Plant Physiology</i> , <b>2021</b> , 185, 1559-1573	6.6	4
128	Regulation of acetylation of plant cell wall components is complex and responds to external stimuli. <i>Plant Signaling and Behavior</i> , <b>2020</b> , 15, 1687185	2.5	2
127	The synthesis of xyloglucan, an abundant plant cell wall polysaccharide, requires CSLC function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 20316-20324	11.5	13
126	Multiscale analysis of lignocellulose recalcitrance towards OrganoCat pretreatment and fractionation. <i>Biotechnology for Biofuels</i> , <b>2020</b> , 13, 155	7.8	6
125	OrganoCat Fractionation of Empty Fruit Bunches from Palm Trees into Lignin, Sugars, and Cellulose-Enriched Pulp. <i>ACS Omega</i> , <b>2019</b> , 4, 14451-14457	3.9	7
124	Deposition of lignin in four species of Saccharum. <i>Scientific Reports</i> , <b>2019</b> , 9, 5877	4.9	13
123	Genetic dissection of cell wall defects and the strigolactone pathway in Arabidopsis. <i>Plant Direct</i> , <b>2019</b> , 3, e00149	3.3	3
122	The Suitability of Orthogonal Hosts to Study Plant Cell Wall Biosynthesis. <i>Plants</i> , <b>2019</b> , 8,	4.5	2
121	Mechanistic insights from plant heteromannan synthesis in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 522-527	11.5	17
120	Monitoring Polysaccharide Dynamics in the Plant Cell Wall. <i>Plant Physiology</i> , <b>2018</b> , 176, 2590-2600	6.6	61
119	Identification of an arabinopyranosyltransferase from involved in the synthesis of the hemicellulose xyloglucan. <i>Plant Direct</i> , <b>2018</b> , 2, e00046	3.3	6
118	Broad spectrum developmental role of Brachypodium AUX1. <i>New Phytologist</i> , <b>2018</b> , 219, 1216-1223	9.8	14
117	Growth- and stress-related defects associated with wall hypoacetylation are strigolactone-dependent. <i>Plant Direct</i> , <b>2018</b> , 2, e00062	3.3	9

116	New Insights Into Wall Polysaccharide -Acetylation. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 1210	6.2	34
115	SHOU4 Proteins Regulate Trafficking of Cellulose Synthase Complexes to the Plasma Membrane. <i>Current Biology</i> , <b>2018</b> , 28, 3174-3182.e6	6.3	25
114	A sorghum NAC gene is associated with variation in biomass properties and yield potential. <i>Plant Direct</i> , <b>2018</b> , 2, e00070	3.3	15
113	Dissection of Plant Cell Walls by High-Throughput Methods <b>2018</b> , 43-64		
112	The Maize MID-COMPLEMENTING ACTIVITY Homolog CELL NUMBER REGULATOR13/NARROW ODD DWARF Coordinates Organ Growth and Tissue Patterning. <i>Plant Cell</i> , <b>2017</b> , 29, 474-490	11.6	29
111	Sequencing and functional validation of the JGI Brachypodium distachyon T-DNA collection. <i>Plant Journal</i> , <b>2017</b> , 91, 361-370	6.9	29
110	Identification and evolution of a plant cell wall specific glycoprotein glycosyl transferase, ExAD. <i>Scientific Reports</i> , <b>2017</b> , 7, 45341	4.9	22
109	Two Trichome Birefringence-Like Proteins Mediate Xylan Acetylation, Which Is Essential for Leaf Blight Resistance in Rice. <i>Plant Physiology</i> , <b>2017</b> , 173, 470-481	6.6	48
108	The Arabidopsis Golgi-localized GDP-L-fucose transporter is required for plant development. <i>Nature Communications</i> , <b>2016</b> , 7, 12119	17.4	38
107	A Xyloglucan Backbone 6-O-Acetyltransferase from Brachypodium distachyon Modulates Xyloglucan Xylosylation. <i>Molecular Plant</i> , <b>2016</b> , 9, 615-7	14.4	15
106	A DUF-246 family glycosyltransferase-like gene affects male fertility and the biosynthesis of pectic arabinogalactans. <i>BMC Plant Biology</i> , <b>2016</b> , 16, 90	5.3	22
105	Pectin Biosynthesis Is Critical for Cell Wall Integrity and Immunity in Arabidopsis thaliana. <i>Plant Cell</i> , <b>2016</b> , 28, 537-56	11.6	79
104	Structural Modifications of Fructans in Aloe barbadensis Miller (Aloe Vera) Grown under Water Stress. <i>PLoS ONE</i> , <b>2016</b> , 11, e0159819	3.7	28
103	Biosynthesis of the Plant Cell Wall Matrix Polysaccharide Xyloglucan. <i>Annual Review of Plant Biology</i> , <b>2016</b> , 67, 235-59	30.7	122
102	Expression of heterologous xyloglucan xylosyltransferases in Arabidopsis to investigate their role in determining xyloglucan xylosylation substitution patterns. <i>Planta</i> , <b>2015</b> , 241, 1145-58	4.7	8
101	Identification and Characterization of a Golgi-Localized UDP-Xylose Transporter Family from Arabidopsis. <i>Plant Cell</i> , <b>2015</b> , 27, 1218-27	11.6	46
100	Nitric-acid hydrolysis of Miscanthus giganteus to sugars fermented to bioethanol. <i>Biotechnology and Bioprocess Engineering</i> , <b>2015</b> , 20, 304-314	3.1	16
99	The role of the plant-specific ALTERED XYLOGLUCAN9 protein in Arabidopsis cell wall polysaccharide O-acetylation. <i>Plant Physiology</i> , <b>2015</b> , 167, 1271-83	6.6	59

98	COBRA-LIKE2, a member of the glycosylphosphatidylinositol-anchored COBRA-LIKE family, plays a role in cellulose deposition in arabidopsis seed coat mucilage secretory cells. <i>Plant Physiology</i> , <b>2015</b> , 167, 711-24	6.6	55
97	Glucuronic Acid Moieties on Xylan Are Functionally Equivalent to O-Acetyl-Substituents. <i>Molecular Plant</i> , <b>2015</b> , 8, 1119-21	14.4	23
96	Comparative genomics of pectinacetylsterases: Insight on function and biology. <i>Plant Signaling and Behavior</i> , <b>2015</b> , 10, e1055434	2.5	9
95	Arabidopsis leucine-rich repeat extensin (LRX) proteins modify cell wall composition and influence plant growth. <i>BMC Plant Biology</i> , <b>2015</b> , 15, 155	5.3	65
94	An Arabidopsis gene regulatory network for secondary cell wall synthesis. <i>Nature</i> , <b>2015</b> , 517, 571-5	50.4	399
93	Engineering of plant cell walls for enhanced biofuel production. <i>Current Opinion in Plant Biology</i> , <b>2015</b> , 25, 151-61	9.9	144
92	A cascade of arabinosyltransferases controls shoot meristem size in tomato. <i>Nature Genetics</i> , <b>2015</b> , 47, 784-92	36.3	229
91	The presence of fucogalactoxyloglucan and its synthesis in rice indicates conserved functional importance in plants. <i>Plant Physiology</i> , <b>2015</b> , 168, 549-60	6.6	25
90	Two-Step Delignification of Miscanthus To Enhance Enzymatic Hydrolysis: Aqueous Ammonia Followed by Sodium Hydroxide and Oxidants. <i>Energy &amp; Fuels</i> , <b>2014</b> , 28, 542-548	4.1	10
89	Structural Diversity and Function of Xyloglucan Sidechain Substituents. <i>Plants</i> , <b>2014</b> , 3, 526-42	4.5	79
88	The Golgi localized bifunctional UDP-rhamnose/UDP-galactose transporter family of Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 11563-8	11.5	81
87	Identification and functional characterization of the distinct plant pectin esterases PAE8 and PAE9 and their deletion mutants. <i>Planta</i> , <b>2014</b> , 240, 1123-38	4.7	40
86	Comparative transcriptomics reveals patterns of selection in domesticated and wild tomato. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, E2655-62	11.5	260
85	Solution-state 2D NMR spectroscopy of plant cell walls enabled by a dimethylsulfoxide-d6/1-ethyl-3-methylimidazolium acetate solvent. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 3213-21	7.8	96
84	Aqueous-ammonia delignification of miscanthus followed by enzymatic hydrolysis to sugars. <i>Bioresource Technology</i> , <b>2013</b> , 135, 23-9	11	42
83	Hemicellulose biosynthesis. <i>Planta</i> , <b>2013</b> , 238, 627-42	4.7	226
82	The identification of two arabinosyltransferases from tomato reveals functional equivalency of xyloglucan side chain substituents. <i>Plant Physiology</i> , <b>2013</b> , 163, 86-94	6.6	30
81	Reduced Wall Acetylation proteins play vital and distinct roles in cell wall O-acetylation in Arabidopsis. <i>Plant Physiology</i> , <b>2013</b> , 163, 1107-17	6.6	60

80	A $\beta$ -glucuronosyltransferase from <i>Arabidopsis thaliana</i> involved in biosynthesis of type III arabinogalactan has a role in cell elongation during seedling growth. <i>Plant Journal</i> , <b>2013</b> , 76, 1016-29	6.9	60
79	Xylan O-acetylation impacts xylem development and enzymatic recalcitrance as indicated by the <i>Arabidopsis</i> mutant <i>tbl29</i> . <i>Molecular Plant</i> , <b>2013</b> , 6, 1373-5	14.4	120
78	Arabinosylation of a Yariv-precipitable cell wall polymer impacts plant growth as exemplified by the <i>Arabidopsis</i> glycosyltransferase mutant <i>ray1</i> . <i>Molecular Plant</i> , <b>2013</b> , 6, 1369-72	14.4	37
77	Testing equality of correlation coefficients in two populations via permutation methods. <i>Journal of Statistical Planning and Inference</i> , <b>2012</b> , 142, 1396-1406	0.8	20
76	XAX1 from glycosyltransferase family 61 mediates xylosyltransfer to rice xylan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 17117-22	11.5	140
75	O-acetylation of plant cell wall polysaccharides. <i>Frontiers in Plant Science</i> , <b>2012</b> , 3, 12	6.2	140
74	Downregulation of Maize Cinnamoyl-Coenzyme A Reductase via RNA Interference Technology Causes Brown Midrib and Improves Ammonia Fiber Expansion-Pretreated Conversion into Fermentable Sugars for Biofuels. <i>Crop Science</i> , <b>2012</b> , 52, 2687-2701	2.4	20
73	Correction for Chuck et al., Overexpression of the maize <i>Corngrass1</i> microRNA prevents flowering, improves digestibility, and increases starch content of switchgrass. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 995-995	11.5	32
72	<i>Arabidopsis thaliana</i> AtUTr7 encodes a golgi-localized UDP-glucose/UDP-galactose transporter that affects lateral root emergence. <i>Molecular Plant</i> , <b>2012</b> , 5, 1263-80	14.4	25
71	RNA-Seq analysis of developing nasturtium seeds ( <i>Tropaeolum majus</i> ): identification and characterization of an additional galactosyltransferase involved in xyloglucan biosynthesis. <i>Molecular Plant</i> , <b>2012</b> , 5, 984-92	14.4	60
70	O-glycosylated cell wall proteins are essential in root hair growth. <i>Science</i> , <b>2011</b> , 332, 1401-3	33.3	220
69	Comparative deep transcriptional profiling of four developing oilseeds. <i>Plant Journal</i> , <b>2011</b> , 68, 1014-27	6.9	201
68	Oligosaccharide mass profiling (OLIMP) of cell wall polysaccharides by MALDI-TOF/MS. <i>Methods in Molecular Biology</i> , <b>2011</b> , 715, 43-54	1.4	21
67	AXY3 encodes a $\beta$ -xylosidase that impacts the structure and accessibility of the hemicellulose xyloglucan in <i>Arabidopsis</i> plant cell walls. <i>Planta</i> , <b>2011</b> , 233, 707-19	4.7	58
66	Deep sequencing of voodoo lily ( <i>Amorphophallus konjac</i> ): an approach to identify relevant genes involved in the synthesis of the hemicellulose glucomannan. <i>Planta</i> , <b>2011</b> , 234, 515-26	4.7	59
65	Overexpression of the maize <i>Corngrass1</i> microRNA prevents flowering, improves digestibility, and increases starch content of switchgrass. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 17550-5	11.5	152
64	Loss-of-function mutation of REDUCED WALL ACETYLATION2 in <i>Arabidopsis</i> leads to reduced cell wall acetylation and increased resistance to <i>Botrytis cinerea</i> . <i>Plant Physiology</i> , <b>2011</b> , 155, 1068-78	6.6	132
63	AXY8 encodes an $\beta$ -fucosidase, underscoring the importance of apoplastic metabolism on the fine structure of <i>Arabidopsis</i> cell wall polysaccharides. <i>Plant Cell</i> , <b>2011</b> , 23, 4025-40	11.6	64

62	O-acetylation of Arabidopsis hemicellulose xyloglucan requires AXY4 or AXY4L, proteins with a TBL and DUF231 domain. <i>Plant Cell</i> , <b>2011</b> , 23, 4041-53	11.6	126
61	An insect herbivore microbiome with high plant biomass-degrading capacity. <i>PLoS Genetics</i> , <b>2010</b> , 6, e1001129	172	
60	Potential role for purple acid phosphatase in the dephosphorylation of wall proteins in tobacco cells. <i>Plant Physiology</i> , <b>2010</b> , 153, 603-10	6.6	61
59	Comprehensive compositional analysis of plant cell walls (Lignocellulosic biomass) part I: lignin. <i>Journal of Visualized Experiments</i> , <b>2010</b> ,	1.6	107
58	Comprehensive compositional analysis of plant cell walls (lignocellulosic biomass) part II: carbohydrates. <i>Journal of Visualized Experiments</i> , <b>2010</b> ,	1.6	121
57	OLIGO mass profiling (OLIMP) of extracellular polysaccharides. <i>Journal of Visualized Experiments</i> , <b>2010</b> ,	1.6	22
56	A High-Throughput Platform for Screening Milligram Quantities of Plant Biomass for Lignocellulose Digestibility. <i>Bioenergy Research</i> , <b>2010</b> , 3, 93-102	3.1	83
55	The EgMUR3 xyloglucan galactosyltransferase from Eucalyptus grandis complements the mur3 cell wall phenotype in Arabidopsis thaliana. <i>Tree Genetics and Genomes</i> , <b>2010</b> , 6, 745-756	2.1	11
54	Plant cell wall polymers as precursors for biofuels. <i>Current Opinion in Plant Biology</i> , <b>2010</b> , 13, 305-12	9.9	227
53	Identification of plant cell wall mutants by means of a forward chemical genetic approach using hydrolases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 14699-704	11.5	104
52	Pectin may hinder the unfolding of xyloglucan chains during cell deformation: implications of the mechanical performance of Arabidopsis hypocotyls with pectin alterations. <i>Molecular Plant</i> , <b>2009</b> , 2, 990-9	14.4	44
51	Microanalysis of plant cell wall polysaccharides. <i>Molecular Plant</i> , <b>2009</b> , 2, 922-32	14.4	86
50	Rice cellulose synthase-like D4 is essential for normal cell-wall biosynthesis and plant growth. <i>Plant Journal</i> , <b>2009</b> , 60, 1055-69	6.9	122
49	Cell-wall carbohydrates and their modification as a resource for biofuels. <i>Plant Journal</i> , <b>2008</b> , 54, 559-686.9	602	
48	Identification of a xylogalacturonan xylosyltransferase involved in pectin biosynthesis in Arabidopsis. <i>Plant Cell</i> , <b>2008</b> , 20, 1289-302	11.6	100
47	Disrupting two Arabidopsis thaliana xylosyltransferase genes results in plants deficient in xyloglucan, a major primary cell wall component. <i>Plant Cell</i> , <b>2008</b> , 20, 1519-37	11.6	312
46	Inducible expression of Pisum sativum xyloglucan fucosyltransferase in the pea root cap meristem, and effects of antisense mRNA expression on root cap cell wall structural integrity. <i>Plant Cell Reports</i> , <b>2008</b> , 27, 1125-35	5.1	10
45	High-throughput functional assessment of polysaccharide-active enzymes using matrix-assisted laser desorption/ionization-time-of-flight mass spectrometry as exemplified on plant cell wall polysaccharides. <i>Analytical Biochemistry</i> , <b>2008</b> , 373, 9-17	3.1	12

44	The TUMOROUS SHOOT DEVELOPMENT2 gene of Arabidopsis encoding a putative methyltransferase is required for cell adhesion and co-ordinated plant development. <i>Plant Journal</i> , <b>2007</b> , 50, 735-50	6.9	89
43	Disruption of ATCSLD5 results in reduced growth, reduced xylan and homogalacturonan synthase activity and altered xylan occurrence in Arabidopsis. <i>Plant Journal</i> , <b>2007</b> , 52, 791-802	6.9	85
42	Molecular characterization of two Arabidopsis thaliana glycosyltransferase mutants, rra1 and rra2, which have a reduced residual arabinose content in a polymer tightly associated with the cellulosic wall residue. <i>Plant Molecular Biology</i> , <b>2007</b> , 64, 439-51	4.6	76
41	UDP-glucose 4-epimerase isoforms UGE2 and UGE4 cooperate in providing UDP-galactose for cell wall biosynthesis and growth of Arabidopsis thaliana. <i>Plant Cell</i> , <b>2007</b> , 19, 1565-79	11.6	98
40	Overexpression of pectin methylesterase inhibitors in Arabidopsis restricts fungal infection by Botrytis cinerea. <i>Plant Physiology</i> , <b>2007</b> , 143, 1871-80	6.6	251
39	The transcription factor WIN1/SHN1 regulates Cutin biosynthesis in Arabidopsis thaliana. <i>Plant Cell</i> , <b>2007</b> , 19, 1278-94	11.6	215
38	Hemicelluloses and Cell Expansion <b>2006</b> , 57-88		6
37	A coumaroyl-ester-3-hydroxylase insertion mutant reveals the existence of nonredundant meta-hydroxylation pathways and essential roles for phenolic precursors in cell expansion and plant growth. <i>Plant Physiology</i> , <b>2006</b> , 140, 30-48	6.6	123
36	Interactions between MUR10/CesA7-dependent secondary cellulose biosynthesis and primary cell wall structure. <i>Plant Physiology</i> , <b>2006</b> , 142, 1353-63	6.6	60
35	ARABINAN DEFICIENT 1 is a putative arabinosyltransferase involved in biosynthesis of pectic arabinan in Arabidopsis. <i>Plant Physiology</i> , <b>2006</b> , 140, 49-58	6.6	210
34	The Arabidopsis root hair cell wall formation mutant lrx1 is suppressed by mutations in the RHM1 gene encoding a UDP-L-rhamnose synthase. <i>Plant Cell</i> , <b>2006</b> , 18, 1630-41	11.6	100
33	Quantitative trait loci analysis of primary cell wall composition in Arabidopsis. <i>Plant Physiology</i> , <b>2006</b> , 141, 1035-44	6.6	35
32	Integrated analysis of metabolite and transcript levels reveals the metabolic shifts that underlie tomato fruit development and highlight regulatory aspects of metabolic network behavior. <i>Plant Physiology</i> , <b>2006</b> , 142, 1380-96	6.6	361
31	The inositol oxygenase gene family of Arabidopsis is involved in the biosynthesis of nucleotide sugar precursors for cell-wall matrix polysaccharides. <i>Planta</i> , <b>2005</b> , 221, 243-54	4.7	103
30	Changes in cell wall polysaccharides in developing barley ( <i>Hordeum vulgare</i> ) coleoptiles. <i>Planta</i> , <b>2005</b> , 221, 729-38	4.7	158
29	XTH acts at the microfibril-matrix interface during cell elongation. <i>Journal of Experimental Botany</i> , <b>2005</b> , 56, 673-83	7	75
28	Analysis of cytosolic heteroglycans from leaves of transgenic potato ( <i>Solanum tuberosum</i> L.) plants that under- or overexpress the Pho 2 phosphorylase isozyme. <i>Plant and Cell Physiology</i> , <b>2005</b> , 46, 1987-2004	4.9	41
27	Transcriptional co-response analysis as a tool to identify new components of the wall biosynthetic machinery. <i>Plant Biosystems</i> , <b>2005</b> , 139, 69-73	1.6	11



26	RHM2 is involved in mucilage pectin synthesis and is required for the development of the seed coat in Arabidopsis. <i>Plant Physiology</i> , <b>2004</b> , 134, 286-95	6.6	113
25	The glycan substrate of the cytosolic (Pho 2) phosphorylase isozyme from <i>Pisum sativum</i> L.: identification, linkage analysis and subcellular localization. <i>Plant Journal</i> , <b>2004</b> , 39, 933-46	6.9	45
24	Glycosyltransferases and cell wall biosynthesis: novel players and insights. <i>Current Opinion in Plant Biology</i> , <b>2004</b> , 7, 285-95	9.9	235
23	Identification and characterization of a UDP-D-glucuronate 4-epimerase in Arabidopsis. <i>FEBS Letters</i> , <b>2004</b> , 569, 327-31	3.8	39
22	Structural characterization of chemically and enzymatically derived standard oligosaccharides isolated from partially purified tamarind xyloglucan. <i>Carbohydrate Polymers</i> , <b>2003</b> , 51, 347-356	10.3	24
21	Polysaccharides from grape berry cell walls. Part II. Structural characterization of the xyloglucan polysaccharides. <i>Carbohydrate Polymers</i> , <b>2003</b> , 53, 253-261	10.3	53
20	The influence of cytosolic phosphoglucomutase on photosynthetic carbohydrate metabolism. <i>Planta</i> , <b>2002</b> , 215, 1013-21	4.7	52
19	Solubilization of galactosyltransferase that synthesizes 1,4-beta-galactan side chains in pectic rhamnogalacturonan I. <i>Physiologia Plantarum</i> , <b>2002</b> , 114, 540-548	4.6	17
18	Rapid structural phenotyping of plant cell wall mutants by enzymatic oligosaccharide fingerprinting. <i>Plant Physiology</i> , <b>2002</b> , 130, 1754-63	6.6	171
17	Direct interference with rhamnogalacturonan I biosynthesis in Golgi vesicles. <i>Plant Physiology</i> , <b>2002</b> , 129, 95-102	6.6	57
16	Changes in the structure of xyloglucan during cell elongation. <i>Planta</i> , <b>2001</b> , 212, 842-50	4.7	88
15	Effects of the mur1 mutation on xyloglucans produced by suspension-cultured Arabidopsis thaliana cells. <i>Planta</i> , <b>2001</b> , 214, 67-74	4.7	51
14	Functional cloning of an endo-arabinanase from <i>Aspergillus aculeatus</i> and its heterologous expression in A. oryzae and tobacco. <i>Molecular Genetics and Genomics</i> , <b>2001</b> , 265, 913-21	3.1	38
13	Preservation of the delayed-type hypersensitivity response to alloantigen by xyloglucans or oligogalacturonide does not correlate with the capacity to reject ultraviolet-induced skin tumors in mice. <i>Journal of Investigative Dermatology</i> , <b>2001</b> , 116, 62-8	4.3	10
12	Enzymatic synthesis and purification of uridine diphospho-beta-l-arabinopyranose, a substrate for the biosynthesis of plant polysaccharides. <i>Analytical Biochemistry</i> , <b>2000</b> , 278, 69-73	3.1	23
11	O-Acetylation of plant cell wall polysaccharides: identification and partial characterization of a rhamnogalacturonan O-acetyl-transferase from potato suspension-cultured cells. <i>Planta</i> , <b>2000</b> , 210, 659-67	4.7	71
10	Pectin engineering: modification of potato pectin by in vivo expression of an endo-1,4-beta-D-galactanase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 7639-44	11.5	144
9	Molecular domains of the cellulose/xyloglucan network in the cell walls of higher plants. <i>Plant Journal</i> , <b>1999</b> , 20, 629-39	6.9	284



8	A xyloglucan-specific endo-beta-1,4-glucanase from <i>Aspergillus aculeatus</i> : expression cloning in yeast, purification and characterization of the recombinant enzyme. <i>Glycobiology</i> , <b>1999</b> , 9, 93-100	5.8	188
7	Inhibition of UV-induced immune suppression and interleukin-10 production by plant oligosaccharides and polysaccharides. <i>Photochemistry and Photobiology</i> , <b>1999</b> , 69, 141-7	3.6	30
6	Structural characterization of novel L-galactose-containing oligosaccharide subunits of jojoba seed xyloglucans. <i>Carbohydrate Research</i> , <b>1997</b> , 304, 11-20	2.9	48
5	Substitution of L-fucose by L-galactose in cell walls of <i>Arabidopsis mur1</i> . <i>Science</i> , <b>1996</b> , 272, 1808-10	33.3	142
4	Improved protocol for the formation of N-(p-nitrobenzyloxy)aminoalditol derivatives of oligosaccharides. <i>Carbohydrate Research</i> , <b>1996</b> , 282, 1-12	2.9	22
3	Metabolism of xyloglucan generates xylose-deficient oligosaccharide subunits of this polysaccharide in etiolated peas. <i>Carbohydrate Research</i> , <b>1995</b> , 277, 291-311	2.9	30
2	Hydrophilic-interaction chromatography of complex carbohydrates. <i>Journal of Chromatography A</i> , <b>1994</b> , 676, 191-22	4.5	214
1	Dissection of Plant Cell Walls by High-Throughput Methods43-64		1