
Dariusz Kotlega

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3888035/publications.pdf Version: 2024-02-01



DADILISZ KOTLECA

#	Article	IF	CITATIONS
1	The role of brain-derived neurotrophic factor and its single nucleotide polymorphisms in stroke patients. Neurologia I Neurochirurgia Polska, 2017, 51, 240-246.	0.6	39
2	The emotional stress and risk of ischemic stroke. Neurologia I Neurochirurgia Polska, 2016, 50, 265-270.	0.6	34
3	Lipoxins, RevD1 and 9, 13 HODE as the most important derivatives after an early incident of ischemic stroke. Scientific Reports, 2020, 10, 12849.	1.6	31
4	The Role of Thromboxane in the Course and Treatment of Ischemic Stroke: Review. International Journal of Molecular Sciences, 2021, 22, 11644.	1.8	26
5	The Role of Resolvins: EPA and DHA Derivatives Can Be Useful in the Prevention and Treatment of Ischemic Stroke. International Journal of Molecular Sciences, 2020, 21, 7628.	1.8	24
6	Elevated Inflammatory Parameter Levels Negatively Impact Populations of Circulating Stem Cells (CD133+), Early Endothelial Progenitor Cells (CD133+/VEGFR2+), and Fibroblast Growth Factor in Stroke Patients. Current Neurovascular Research, 2019, 16, 19-26.	0.4	21
7	Could Lipoxins Represent a New Standard in Ischemic Stroke Treatment?. International Journal of Molecular Sciences, 2021, 22, 4207.	1.8	13
8	Free Fatty Acids Are Associated with the Cognitive Functions in Stroke Survivors. International Journal of Environmental Research and Public Health, 2021, 18, 6500.	1.2	13
9	Risk factors of stroke and â^'717A>C (rs2794521) CRP gene polymorphism among stroke patients in West Pomerania province of Poland. Neurologia I Neurochirurgia Polska, 2014, 48, 30-34.	0.6	12
10	Potential role of statins in the intracerebral hemorrhage and subarachnoid hemorrhage. Neurologia I Neurochirurgia Polska, 2015, 49, 322-328.	0.6	12
11	Association between selected gene polymorphisms and statin metabolism, risk of ischemic stroke and cardiovascular disorders. Postepy Higieny I Medycyny Doswiadczalnej, 2016, 70, 435-447.	0.1	12
12	Differences between Subjective and Objective Assessment of Speech Deficiency in Parkinson Disease. Journal of Voice, 2018, 32, 715-722.	0.6	11
13	Beneficial effects of pre-stroke statins use in cardioembolic stroke patients with atrial fibrillation: a hospital-based retrospective analysis. Archives of Medical Science, 2019, 15, 385-392.	0.4	11
14	Free Fatty Acids and Their Inflammatory Derivatives Affect BDNF in Stroke Patients. Mediators of Inflammation, 2020, 2020, 1-12.	1.4	11
15	Multiple Cryotherapy Attenuates Oxi-Inflammatory Response Following Skeletal Muscle Injury. International Journal of Environmental Research and Public Health, 2020, 17, 7855.	1.2	11
16	Statins Therapy is Associated with Increased Populations of Early Endothelial Progenitor (CD133+/VEGFR2+) and Endothelial (CD34-/CD133- /VEGFR2+) Cells in Patients with Acute Ischemic Stroke. Current Neurovascular Research, 2018, 15, 120-128.	0.4	11
17	Anti-oxLDL antibodies are clinically insignificant for stroke patients. Neurological Research, 2014, 36, 86-91.	0.6	10
18	Prostaglandin E2, 9S-, 13S-HODE and resolvin D1 are strongly associated with the post-stroke cognitive impairment. Prostaglandins and Other Lipid Mediators, 2021, 156, 106576.	1.0	10

DARIUSZ KOTLEGA

#	Article	IF	CITATIONS
19	The Association of Free Fatty Acids and Eicosanoids with the Severity of Depressive Symptoms in Stroke Patients. International Journal of Molecular Sciences, 2020, 21, 5220.	1.8	9
20	Association between CRP gene polymorphism 717A/G, C-reactive protein and neurological deficit in ischemic stroke. Journal of Clinical Neuroscience, 2014, 21, 574-577.	0.8	7
21	Risk Factors of Fatigue in Idiopathic Parkinson's Disease in a Polish Population. Parkinson's Disease, 2016, 2016, 1-8.	0.6	6
22	Effects of Angiotensin-Converting Enzyme Inhibition on Circulating Endothelial Progenitor Cells in Patients with Acute Ischemic Stroke. Stem Cells International, 2018, 2018, 1-10.	1.2	5
23	Atrial fibrillation and stroke – Coexistence and attitude to preventive therapy on the basis of Szczecin and Szczecin region patients. Neurologia I Neurochirurgia Polska, 2014, 48, 410-415.	0.6	3
24	Early Emergency Medical Service Calls for Stroke: Was the Long-Term Education Program Based on the Experience of West Pomerania Successful?. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 254-258.	0.7	3
25	Detection of stroke risk factors over the decade in the polish population of ischemic stroke patients. Postepy Psychiatrii I Neurologii, 2019, 28, 83-87.	0.2	3
26	Association between the Urinary Bladder Volume and the Incidence of "De Novo―Overactive Bladder in Patients with Stress Urinary Incontinence Subjected to Sling Surgeries or Burch Procedure. BioMed Research International, 2019, 2019, 1-6.	0.9	2
27	Prolonged effect of temporary rituximab therapy in neuromyelitis optica – A case study. Postepy Psychiatrii I Neurologii, 2015, 24, 239-243.	0.2	1
28	NEUROPSYCHOLOGICAL SYMPTOMS AND THERAPY IN PATIENT WITH A BILATERAL THALAMIC ISCHEMIC STROKE DUE TO THE ARTERY OF PERCHERON TERRITORY INFARCT. Acta Neuropsychologica, 2017, 15, 0-0.	0.3	1
29	Plastic surgery of nail folds combined with Arkada's method in patient with ingrown nail – case report. Pomeranian Journal of Life Sciences, 2019, 65, 42-44.	0.1	1
30	High Levels of Thromboxane (TX) Are Associated with the Sex-Dependent Non-Dipping Phenomenon in Ischemic Stroke Patients. Journal of Clinical Medicine, 2022, 11, 2652.	1.0	1
31	Simultaneous acute shoulder arthritis and multiple mononeuropathy in a newly diagnosed type 2 diabetes patient – First case report. Neurologia I Neurochirurgia Polska, 2016, 50, 474-480.	0.6	0
32	The early outcome of thrombolytic treatment in ischaemic stroke patients: aÂretrospective analysis. Studia Medyczne, 2019, 35, 16-22.	0.0	0
33	Delayed neurological sequelae in carbon monoxide poisoning – a case report and present state of knowledge. Pomeranian Journal of Life Sciences, 2017, 63, .	0.1	0
34	STROKE MIMICS: A PSYCHOGENIC STROKE PATIENT TREATED WITH ALTEPLASE. Acta Neuropsychologica, 2019, 17, 97-102.	0.3	0
35	The use of botulinum toxin for the treatment of patients with overactive bladder. Pomeranian Journal of Life Sciences, 2019, 64, 9-13.	0.1	0
36	NEUROPSYCHOLOGICAL CHARACTERISTIC OF COGNITIVE DISORDERS IN PATIENT WITH CLIPPERS SYNDROME. Acta Neuropsychologica, 2020, 18, 393-401.	0.3	0

3