

Victoria Vickerstaff

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3889349/victoria-vickerstaff-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

1,802
citations

24
h-index

40
g-index

96
ext. papers

2,433
ext. citations

5
avg, IF

5.06
L-index

#	Paper	IF	Citations
85	Do screening tools assess palliative care needs and 12-month mortality in patients admitted to hepatology in-patient wards?. <i>Frontline Gastroenterology</i> , 2022 , 13, 211-217	2.6	1
84	The accuracy of clinician predictions of survival in the Prognosis in Palliative care Study II (PiPS2): A prospective observational study.. <i>PLoS ONE</i> , 2022 , 17, e0267050	3.7	0
83	A mixed-methods feasibility study of a goal-focused manualised intervention to support people with dementia to stay living independently at home with support from family carers: NIDUS (New Interventions for Independence in Dementia Study) Family. <i>Aging and Mental Health</i> , 2021 , 25, 1463-1474	3.5	5
82	Longitudinal Outcomes of Gender Identity in Children (LOGIC): study protocol for a retrospective analysis of the characteristics and outcomes of children referred to specialist gender services in the UK and the Netherlands. <i>BMJ Open</i> , 2021 , 11, e054895	3	0
81	Comparing the performance of the palliative prognostic (PaP) score with clinical predictions of survival: A systematic review. <i>European Journal of Cancer</i> , 2021 , 158, 27-35	7.5	1
80	Factors influencing prescription and administration of analgesic medication: A longitudinal study of people with dementia living in care homes. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1354-1361	3.9	3
79	Prognostic tools or clinical predictions: Which are better in palliative care?. <i>PLoS ONE</i> , 2021 , 16, e02497637	3.7	11
78	The Prognosis in Palliative care Study II (PiPS2): A prospective observational validation study of a prognostic tool with an embedded qualitative evaluation. <i>PLoS ONE</i> , 2021 , 16, e0249297	3.7	2
77	Prognostic models of survival in patients with advanced incurable cancer: the PiPS2 observational study. <i>Health Technology Assessment</i> , 2021 , 25, 1-118	4.4	3
76	A comparison of methods for analysing multiple outcome measures in randomised controlled trials using a simulation study. <i>Biometrical Journal</i> , 2021 , 63, 599-615	1.5	1
75	Anticholinergic Burden Does Not Influence Delirium Subtype or the Delirium-Mortality Association in Hospitalized Older Adults: Results from a Prospective Cohort Study. <i>Drugs and Aging</i> , 2021 , 38, 233-242	4.7	2
74	Oral function and its association with nutrition and quality of life in nursing home residents with and without dementia: A cross-sectional study. <i>Gerodontology</i> , 2021 , 38, 404-413	2.8	1
73	Enteral tube feeding for people with severe dementia. <i>The Cochrane Library</i> , 2021 , 8, CD013503	5.2	3
72	Longitudinal Outcomes of Gender Identity in Children (LOGIC): protocol for a prospective longitudinal cohort study of children referred to the UK gender identity development service. <i>BMJ Open</i> , 2021 , 11, e045628	3	0
71	An online international comparison of palliative care identification in primary care using the Surprise Question. <i>Palliative Medicine</i> , 2021 , 2692163211048340	5.5	0
70	Specialist palliative medicine physicians and nurses accuracy at predicting imminent death (within 72 hours): a short report. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, 209-212	2.2	7
69	Staff training in positive behaviour support for behaviour that challenges in people with intellectual disability: cost-utility analysis of a cluster randomised controlled trial. <i>BJPsych Open</i> , 2020 , 6, e15	5	2

68	A pragmatic approach to measuring adherence in treatment delivery in psychotherapy. <i>Cognitive Behaviour Therapy</i> , 2020 , 49, 347-360	4.4	7
67	Healthcare utilization and monetary costs associated with agitation in UK care home residents with advanced dementia: a prospective cohort study. <i>International Psychogeriatrics</i> , 2020 , 32, 359-370	3.4	5
66	Is preparation for end of life associated with pre-death grief in caregivers of people with dementia?. <i>International Psychogeriatrics</i> , 2020 , 32, 753-763	3.4	9
65	Cross-sectional questionnaire study to gather the teaching preferences and expectations of UK undergraduate medical students for culinary medicine learning. <i>BMJ Open</i> , 2020 , 10, e036410	3	3
64	The effectiveness of aromatherapy, massage and reflexology in people with palliative care needs: A systematic review. <i>Palliative Medicine</i> , 2020 , 34, 179-194	5.5	15
63	Prevalence and associations of orofacial pain and oral health factors in nursing home residents with and without dementia. <i>Age and Ageing</i> , 2020 , 49, 418-424	3	4
62	Efficacy of Repeat Selective Laser Trabeculoplasty in Medication-Naive Open-Angle Glaucoma and Ocular Hypertension during the LiGHT Trial. <i>Ophthalmology</i> , 2020 , 127, 467-476	7.3	11
61	Exploring the costs, consequences and efficiency of three types of palliative care day services in the UK: a pragmatic before-and-after descriptive cohort study. <i>BMC Palliative Care</i> , 2020 , 19, 119	3	2
60	Laser treatment for glaucoma - Authors' reply. <i>Lancet, The</i> , 2020 , 396, 754-755	4.0	
59	Clinical and cost effectiveness of staff training in the delivery of Positive Behaviour Support (PBS) for adults with intellectual disabilities, autism spectrum disorder and challenging behaviour - randomised trial. <i>BMC Psychiatry</i> , 2020 , 20, 161	4.2	3
58	Primary Selective Laser Trabeculoplasty for Open-Angle Glaucoma and Ocular Hypertension: Clinical Outcomes, Predictors of Success, and Safety from the Laser in Glaucoma and Ocular Hypertension Trial. <i>Ophthalmology</i> , 2019 , 126, 1238-1248	7.3	38
57	Imminent death: clinician certainty and accuracy of prognostic predictions. <i>BMJ Supportive and Palliative Care</i> , 2019 ,	2.2	3
56	Challenging behaviour, epilepsy and intellectual disability: A secondary analysis of findings from a randomised controlled trial. <i>Journal of Intellectual and Developmental Disability</i> , 2019 , 44, 457-463	1.9	3
55	An online international comparison of thresholds for triggering a negative response to the "Surprise Question": a study protocol. <i>BMC Palliative Care</i> , 2019 , 18, 36	3	3
54	Selective laser trabeculoplasty versus eye drops for first-line treatment of ocular hypertension and glaucoma (LiGHT): a multicentre randomised controlled trial. <i>Lancet, The</i> , 2019 , 393, 1505-1516	4.0	172
53	Decision aids to support decision-making in dementia care: a systematic review. <i>International Psychogeriatrics</i> , 2019 , 31, 1403-1419	3.4	27
52	Methods to adjust for multiple comparisons in the analysis and sample size calculation of randomised controlled trials with multiple primary outcomes. <i>BMC Medical Research Methodology</i> , 2019 , 19, 129	4.7	39
51	Selective laser trabeculoplasty versus drops for newly diagnosed ocular hypertension and glaucoma: the LiGHT RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-102	4.4	14

50	Enteral tube feeding for people with severe dementia. <i>The Cochrane Library</i> , 2019 ,	5.2	78
49	Orofacial Pain During Rest and Chewing in Dementia Patients Admitted to Acute Hospital Wards: Validity Testing of the Orofacial Pain Scale for Non-Verbal Individuals. <i>Journal of Oral and Facial Pain and Headache</i> , 2019 , 33, 247-253	2.5	2
48	Acceptance and commitment therapy for adults with advanced cancer (CanACT): A feasibility randomised controlled trial. <i>Psycho-Oncology</i> , 2019 , 28, 488-496	3.9	18
47	Clinical outcomes of staff training in positive behaviour support to reduce challenging behaviour in adults with intellectual disability: cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2018 , 212, 161-168	5.4	35
46	Temporal Trends in Analgesic Use in Long-Term Care Facilities: A Systematic Review of International Prescribing. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 376-382	5.6	18
45	Description of complex interventions: analysis of changes in reporting in randomised trials since 2002. <i>Trials</i> , 2018 , 19, 110	2.8	21
44	Why do we offer palliative care so late to patients with liver disease?. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 225-226	18.8	
43	Psychometric evaluation of the Cohen-Mansfield Agitation Inventory in an acute general hospital setting. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, e158-e165	3.9	8
42	The Laser in Glaucoma and Ocular Hypertension (LiGHT) trial. A multicentre randomised controlled trial: baseline patient characteristics. <i>British Journal of Ophthalmology</i> , 2018 , 102, 599-603	5.5	16
41	Living and dying with advanced dementia: A prospective cohort study of symptoms, service use and care at the end of life. <i>Palliative Medicine</i> , 2018 , 32, 668-681	5.5	118
40	Oral health and orofacial pain in people with dementia admitted to acute hospital wards: observational cohort study. <i>BMC Geriatrics</i> , 2018 , 18, 121	4.1	10
39	Key components of the delirium syndrome and mortality: greater impact of acute change and disorganised thinking in a prospective cohort study. <i>BMC Geriatrics</i> , 2018 , 18, 24	4.1	25
38	Pain and delirium in people with dementia in the acute general hospital setting. <i>Age and Ageing</i> , 2018 , 47, 841-846	3	37
37	Mu-opioid antagonists for opioid-induced bowel dysfunction in people with cancer and people receiving palliative care. <i>The Cochrane Library</i> , 2018 , 6, CD006332	5.2	16
36	44 An evidenced-based heuristics model (or rule of thumb) to improve doctors' intuition about when patients are imminently dying. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 376.2-376	2.2	1
35	Positive behaviour support training for staff for treating challenging behaviour in people with intellectual disabilities: a cluster RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-110	4.4	14
34	How do palliative care doctors recognise imminently dying patients? A judgement analysis. <i>BMJ Open</i> , 2018 , 8, e024996	3	10
33	The Prognosis in Palliative care Study II (PiPS2): study protocol for a multi-centre, prospective, observational, cohort study. <i>BMC Palliative Care</i> , 2018 , 17, 101	3	5

32	Improving the care of people with dementia in general hospitals: evaluation of a whole-system train-the-trainer model. <i>International Psychogeriatrics</i> , 2017 , 29, 605-614	3.4	18
31	An Exploratory Factor Analysis and Construct Validity of the Resident Choice Assessment Scale With Paid Carers of Adults With Intellectual Disabilities and Challenging Behavior in Community Settings. <i>Journal of Mental Health Research in Intellectual Disabilities</i> , 2017 , 10, 198-216	1.7	4
30	A brief intervention for weight control based on habit-formation theory delivered through primary care: results from a randomised controlled trial. <i>International Journal of Obesity</i> , 2017 , 41, 246-254	5.5	90
29	Advanced chronic liver disease in the last year of life: a mixed methods study to understand how care in a specialist liver unit could be improved. <i>BMJ Open</i> , 2017 , 7, e016887	3	29
28	Experiences of end of life amongst family carers of people with advanced dementia: longitudinal cohort study with mixed methods. <i>BMC Geriatrics</i> , 2017 , 17, 135	4.1	36
27	How accurate is the 'Surprise Question' at identifying patients at the end of life? A systematic review and meta-analysis. <i>BMC Medicine</i> , 2017 , 15, 139	11.4	138
26	The role of self-regulatory skills and automaticity on the effectiveness of a brief weight loss habit-based intervention: secondary analysis of the 10 top tips randomised trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 119	8.4	63
25	Implementing the compassion intervention, a model for integrated care for people with advanced dementia towards the end of life in nursing homes: a naturalistic feasibility study. <i>BMJ Open</i> , 2017 , 7, e015515	3	45
24	The under reporting of recruitment strategies in research with children with life-threatening illnesses: A systematic review. <i>Palliative Medicine</i> , 2017 , 31, 419-436	5.5	27
23	[O40505]: ARE CARE HOME RESIDENTS WITH UNDIAGNOSED DEMENTIA MORE AT RISK OF ANTIPSYCHOTIC OVERUSE? 2017 , 13, P1240		1
22	'Worried to death': the assessment and management of anxiety in patients with advanced life-limiting disease, a national survey of palliative medicine physicians. <i>BMC Palliative Care</i> , 2017 , 16, 69	3	24
21	Palliative care for cirrhosis: a UK survey of health professionals' perceptions, current practice and future needs. <i>Frontline Gastroenterology</i> , 2016 , 7, 4-9	2.6	25
20	Development of a model for integrated care at the end of life in advanced dementia: A whole systems UK-wide approach. <i>Palliative Medicine</i> , 2016 , 30, 279-95	5.5	29
19	Acceptance and commitment therapy for adults with advanced cancer (CanACT): study protocol for a feasibility randomised controlled trial. <i>Trials</i> , 2016 , 17, 77	2.8	18
18	Interventions for sexual dysfunction following treatments for cancer in women. <i>The Cochrane Library</i> , 2016 , 2, CD005540	5.2	28
17	Advance Care Planning in Dementia: Do Family Carers Know the Treatment Preferences of People with Early Dementia?. <i>PLoS ONE</i> , 2016 , 11, e0159056	3.7	58
16	A QUALITATIVE ANALYSIS OF BARRIERS TO FUTURE CARE DISCUSSIONS WITH FAMILY MEMBERS OF CARE HOME RESIDENTS WITH ADVANCED DEMENTIA. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 112.2-113	2.2	1
15	Pharmacological interventions for pain in children and adolescents with life-limiting conditions. <i>The Cochrane Library</i> , 2015 , CD010750	5.2	8

14	Pain, agitation, and behavioural problems in people with dementia admitted to general hospital wards: a longitudinal cohort study. <i>Pain</i> , 2015 , 156, 675-683	8	108
13	WHY IS INTEGRATED CARE NOT WORKING IN END OF LIFE CARE FOR THOSE WITH ADVANCED DEMENTIA? FROM THE HEALTH CARE PROFESSIONAL PERSPECTIVE. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 113.1-113	2.2	2
12	Are multiple primary outcomes analysed appropriately in randomised controlled trials? A review. <i>Contemporary Clinical Trials</i> , 2015 , 45, 8-12	2.3	21
11	Statistical analysis plan for the Laser-1st versus Drops-1st for Glaucoma and Ocular Hypertension Trial (LiGHT): a multi-centre randomised controlled trial. <i>Trials</i> , 2015 , 16, 517	2.8	9
10	UK quality statements on end of life care in dementia: a systematic review of research evidence. <i>BMC Palliative Care</i> , 2015 , 14, 51	3	7
9	PTH-133 Understanding the care pathway of patients with cirrhosis in the last year of life. <i>Gut</i> , 2015 , 64, A467.1-A467	19.2	
8	PTH-125 A national survey of palliative care in end stage liver disease in the UK. <i>Gut</i> , 2015 , 64, A463.1-A463.2	19.2	
7	Laxatives for the management of constipation in people receiving palliative care. <i>The Cochrane Library</i> , 2015 , CD003448	5.2	25
6	SP707VALIDATION OF THE DISTRESS THERMOMETER IN A UK RENAL POPULATION. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii612-iii612	4.3	4
5	The potential of the multivariate multilevel model for analysing correlated multiple outcomes: a simulation study. <i>Trials</i> , 2015 , 16,	2.8	78
4	Clinical and cost effectiveness of staff training in Positive Behaviour Support (PBS) for treating challenging behaviour in adults with intellectual disability: a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 219	4.2	28
3	A protocol for an exploratory phase I mixed-methods study of enhanced integrated care for care home residents with advanced dementia: the Compassion Intervention. <i>BMJ Open</i> , 2014 , 4, e005661	3	11
2	Pharmacological interventions for pain for life-limiting conditions in children and adolescents 2013 ,		1
1	CoMPASs: IOn programme (Care Of Memory Problems in Advanced Stages of dementia: Improving Our Knowledge): protocol for a mixed methods study. <i>BMJ Open</i> , 2012 , 2,	3	15