

Diego Santos

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3892587/diego-santos-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

640
citations

14
h-index

24
g-index

69
ext. papers

821
ext. citations

3.7
avg, IF

3.96
L-index

#	Paper	IF	Citations
50	Impact of non-motor symptoms on health-related and perceived quality of life in Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2013 , 332, 136-40	3.2	105
49	Factors contributing to caregivers' stress and burden in Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 2015 , 131, 203-10	3.8	52
48	COPPADIS-2015 (COhort of Patients with PARKinson's Disease in Spain, 2015), a global--clinical evaluations, serum biomarkers, genetic studies and neuroimaging--prospective, multicenter, non-interventional, long-term study on Parkinson's disease progression. <i>BMC Neurology</i> , 2016 , 16, 26	3.1	46
47	Polyneuropathy while on duodenal levodopa infusion in Parkinson's disease patients: we must be alert. <i>Journal of Neurology</i> , 2012 , 259, 1668-72	5.5	44
46	Non-motor symptoms burden, mood, and gait problems are the most significant factors contributing to a poor quality of life in non-demented Parkinson's disease patients: Results from the COPPADIS Study Cohort. <i>Parkinsonism and Related Disorders</i> , 2019 , 66, 151-157	3.6	39
45	Impact of Coronavirus Disease 2019 Pandemic on Parkinson's Disease: A Cross-Sectional Survey of 568 Spanish Patients. <i>Movement Disorders</i> , 2020 , 35, 1712-1716	7	30
44	Brachial arterial flow mediated dilation in acute ischemic stroke. <i>European Journal of Neurology</i> , 2009 , 16, 684-90	6	25
43	Duodenal levodopa/carbidopa infusion therapy in patients with advanced Parkinson's disease leads to improvement in caregivers' stress and burden. <i>European Journal of Neurology</i> , 2012 , 19, 1261-5	6	24
42	Comorbid conditions associated with Parkinson's disease: A longitudinal and comparative study with Alzheimer disease and control subjects. <i>Journal of the Neurological Sciences</i> , 2017 , 373, 210-215	3.2	23
41	Non-motor symptom burden is strongly correlated to motor complications in patients with Parkinson's disease. <i>European Journal of Neurology</i> , 2020 , 27, 1210-1223	6	22
40	COPPADIS-2015 (COhort of Patients with PARKinson's Disease in Spain, 2015): an ongoing global Parkinson's disease project about disease progression with more than 1000 subjects included. Results from the baseline evaluation. <i>European Journal of Neurology</i> , 2019 , 26, 1399-1407	6	21
39	Serum vitamin B(12) and folate levels in Parkinson's disease patients treated with duodenal levodopa infusion. <i>Movement Disorders</i> , 2011 , 26, 558-9	7	20
38	Long-term exposure to duodenal levodopa/carbidopa infusion therapy improves quality of life in relation especially to mobility, activities of daily living, and emotional well-being. <i>Acta Neurologica Scandinavica</i> , 2012 , 125, 187-91	3.8	18
37	Sleep Problems Are Related to a Worse Quality of Life and a Greater Non-Motor Symptoms Burden in Parkinson's Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021 , 34, 642-658	3.8	11
36	Safinamide Improves Non-Motor Symptoms Burden in Parkinson's Disease: An Open-Label Prospective Study. <i>Brain Sciences</i> , 2021 , 11,	3.4	11
35	Suicide following duodenal levodopa infusion for Parkinson's disease. <i>Movement Disorders</i> , 2009 , 24, 2029-30	7	10
34	The impact of freezing of gait on functional dependency in Parkinson's disease with regard to motor phenotype. <i>Neurological Sciences</i> , 2020 , 41, 2883-2892	3.5	9

33	High ultrasensitive serum C-reactive protein may be related to freezing of gait in Parkinson's disease patients. <i>Journal of Neural Transmission</i> , 2019 , 126, 1599-1608	4.3	9
32	Effects of Motor Symptom Laterality on Clinical Manifestations and Quality of Life in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2020 , 10, 1611-1620	5.3	7
31	5-2-1 Criteria: A Simple Screening Tool for Identifying Advanced PD Patients Who Need an Optimization of Parkinson's Treatment. <i>Parkinson's Disease</i> , 2020 , 2020, 7537924	2.6	7
30	Multiple cranial neuropathy associated with herpes simplex virus infection and anti-GM2 immunoglobulin M antibodies. <i>Journal of Clinical Neuromuscular Disease</i> , 2009 , 10, 199-201	1.1	6
29	Staging Parkinson's Disease Combining Motor and Nonmotor Symptoms Correlates with Disability and Quality of Life. <i>Parkinson's Disease</i> , 2021 , 2021, 8871549	2.6	6
28	Causes and factors related to dopamine agonist withdrawal in Parkinson's disease. <i>Brain and Behavior</i> , 2016 , 6, e00453	3.4	6
27	Inter-rater variability in motor function assessment in Parkinson's disease between experts in movement disorders and nurses specialising in PD management. <i>Neurologia</i> , 2019 , 34, 520-526	1.4	5
26	Predictors of Global Non-Motor Symptoms Burden Progression in Parkinson's Disease. Results from the COPPADIS Cohort at 2-Year Follow-Up. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	4
25	Predictors of clinically significant quality of life impairment in Parkinson's disease.. <i>Npj Parkinson's Disease</i> , 2021 , 7, 118	9.7	4
24	Increased homocysteine levels correlate with cortical structural damage in Parkinson's disease.. <i>Journal of the Neurological Sciences</i> , 2022 , 434, 120148	3.2	3
23	Quality of life and non-motor symptoms in Parkinson's disease patients with subthreshold depression. <i>Journal of the Neurological Sciences</i> , 2020 , 418, 117109	3.2	3
22	In vivo cholinergic basal forebrain degeneration and cognition in Parkinson's disease: Imaging results from the COPPADIS study. <i>Parkinsonism and Related Disorders</i> , 2021 , 88, 68-75	3.6	3
21	Effectiveness of Safinamide over Mood in Parkinson's Disease Patients: Secondary Analysis of the Open-label Study SAFINONMOTOR. <i>Advances in Therapy</i> , 2021 , 38, 5398-5411	4.1	3
20	Constipation Predicts Cognitive Decline in Parkinson's Disease: Results from the COPPADIS Cohort at 2-Year Follow-up and Comparison with a Control Group. <i>Journal of Parkinson's Disease</i> , 2021 ,	5.3	2
19	Non-motor symptom burden in patients with Parkinson's disease with impulse control disorders and compulsive behaviours: results from the COPPADIS cohort. <i>Scientific Reports</i> , 2020 , 10, 16893	4.9	2
18	Falls Predict Acute Hospitalization in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2021 ,	5.3	2
17	Mood in Parkinson's disease: From early- to late-stage disease. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 627-646	3.9	2
16	Pain Improvement in Parkinson's Disease Patients Treated with Safinamide: Results from the SAFINONMOTOR Study. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	2

15	Predictors of Loss of Functional Independence in Parkinson's Disease: Results from the COPPADIS Cohort at 2-Year Follow-Up and Comparison with a Control Group. <i>Diagnostics</i> , 2021 , 11,	3.8	2
14	Opicapone Improves Global Non-Motor Symptoms Burden in Parkinson's Disease: An Open-Label Prospective Study.. <i>Brain Sciences</i> , 2022 , 12,	3.4	2
13	Identifying comorbidities and lifestyle factors contributing to the cognitive profile of early Parkinson's disease. <i>BMC Neurology</i> , 2021 , 21, 477	3.1	2
12	Motor Fluctuations Development Is Associated with Non-Motor Symptoms Burden Progression in Parkinson's Disease Patients: A 2-Year Follow-Up Study. <i>Diagnostics</i> , 2022 , 12, 1147	3.8	2
11	Impact of non-motor symptoms on the quality of life of patients with Parkinson's disease: some questions beyond research findings. <i>Journal of the Neurological Sciences</i> , 2013 , 335, 239	3.2	1
10	First Case of Parkinsonian-Pyramidal Syndrome Associated with a TBK1 Mutation. <i>Movement Disorders</i> , 2021 , 36, 523-525	7	1
9	Depression is Associated with Impulse-compulsive Behaviors in Parkinson's disease. <i>Journal of Affective Disorders</i> , 2021 , 280, 77-89	6.6	1
8	Test-Retest Reliability of the Timed Up and Go Test in Subjects with Parkinson's Disease: Implications for Longitudinal Assessments. <i>Journal of Parkinson's Disease</i> , 2021 , 11, 2047-2055	5.3	1
7	Safinamide improves sleep and daytime sleepiness in Parkinson's disease: results from the SAFINONMOTOR study. <i>Neurological Sciences</i> , 2021 , 1	3.5	1
6	Patient and caregiver outcomes with levodopa-carbidopa intestinal gel in advanced Parkinson's disease. <i>Npj Parkinson's Disease</i> , 2021 , 7, 108	9.7	0
5	The role of nurse specialists in the evaluation of non-motor symptoms within the overall care of patients with Parkinson's disease. <i>Revista Científica De La Sociedad De Enfermería Neurológica (English Ed)</i> , 2019 , 50, 2-11	0.3	
4	Experience with continuous levodopa enteral infusion (Duodopa [®]) in patients with advanced Parkinson's disease in a secondary level hospital. <i>Neurología (English Edition)</i> , 2010 , 25, 536-543	0.4	
3	Encefalitis aguda diseminada. Leucoencefalitis aguda hemorrágica. Otras enfermedades desmielinizantes. <i>Medicine</i> , 2007 , 9, 4894-4900	0.1	
2	Isolated speech-induced lingual dystonia successfully treated with botulinum neurotoxin. <i>Neurología</i> , 2021 ,	1.4	
1	Continuous intestinal infusion of levodopa-carbidopa in patients with advanced Parkinson's disease in Spain: Subanalysis by autonomous community. <i>Neurología</i> , 2021 , 36, 101-111	1.4	