

Paul David Taylor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3892853/publications.pdf>

Version: 2024-02-01

220
papers

3,846
citations

126708

33
h-index

223531

46
g-index

225
all docs

225
docs citations

225
times ranked

1975
citing authors

#	ARTICLE	IF	CITATIONS
1	Bryozoans from the Early Ordovician Fenhsiang Formation (Tremadocian) of South China and the early diversification of the phylum. <i>Die Naturwissenschaften</i> , 2022, 109, 21.	0.6	3
2	Composite branch construction by dual autozooidal budding modes in hornerids (Bryozoa): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 T	0.6	2
3	The oldest mineralized bryozoan? A possible palaeostomate in the lower Cambrian of Nevada, USA. <i>Science Advances</i> , 2022, 8, eabm8465.	4.7	7
4	Taxonomy, ecology and zoogeography of the Recent species of <i>Rhamphostomella</i> Lorenz, 1886 and <i>Mixtoscutella</i> n. gen. (Bryozoa, Cheilostomata). <i>Zootaxa</i> , 2022, 5131, 1-115.	0.2	1
5	Angiosperm tree leaf as a bryozoan substrate: a case study from the Cretaceous and its taphonomic consequences. <i>Lethaia</i> , 2022, 55, 1-7.	0.6	1
6	Sclerobionts associated with <i>Orbiramis</i> from the Early Ordovician of Hubei, China, the oldest known trepostome bryozoan. <i>Lethaia</i> , 2021, 54, 443-456.	0.6	9
7	Shallow-marine serpentinization-derived fluid seepage in the Upper Cretaceous Qahlah Formation, United Arab Emirates. <i>Geological Magazine</i> , 2021, 158, 1561-1571.	0.9	4
8	A new cheilostome bryozoan from a dinosaur site in the Upper Cretaceous (Campanian) Judith River Formation of Montana. <i>Journal of Paleontology</i> , 2021, 95, 965-973.	0.5	4
9	Pleistocene Bryozoans from the Clyde Clay Formation of Scotland, and the Holocene Retreat of Cold-Water Species. <i>Taxonomy</i> , 2021, 1, 69-82.	0.4	0
10	Upper Maastrichtian and Danian bryozoans from Northern Patagonia, Argentina. <i>Cretaceous Research</i> , 2021, 125, 104845.	0.6	2
11	Fossil evidence unveils an early Cambrian origin for Bryozoa. <i>Nature</i> , 2021, 599, 251-255.	13.7	38
12	Skeletal resorption in bryozoans: occurrence, function and recognition. <i>Biological Reviews</i> , 2020, 95, 1341-1371.	4.7	4
13	Chemical Composition of Carbonate Hardground Cements as Reconstructive Tools for Phanerozoic Pore Fluids. <i>Geochemistry, Geophysics, Geosystems</i> , 2020, 21, e2019GC008448.	1.0	5
14	Sneaking up on "enemies": alleviating inherent disadvantages in competitive outcomes in a nearly 3-million-year-old palaeocommunity from Florida, USA. <i>Lethaia</i> , 2020, 53, 553-562.	0.6	4
15	The bryozoan genus <i>Conopeum</i> (Electridae) in New Zealand, with description of a new species and discussion of the morphological and genetic characters of <i>Conopeum seurati</i> (Canu, 1928). <i>Journal of Natural History</i> , 2020, 54, 947-970.	0.2	3
16	Erect bifoliate species of <i>Microporella</i> (Bryozoa, Cheilostomata), fossil and modern. <i>European Journal of Taxonomy</i> , 2020, , .	0.6	1
17	Colony growth strategies, dormancy and repair in some Late Cretaceous encrusting bryozoans: insights into the ecology of the Chalk seabed. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2019, 99, 425-446.	0.6	5
18	Cope's Rule in a modular organism: Directional evolution without an overarching macroevolutionary trend. <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 1863-1872.	1.1	15

#	ARTICLE	IF	CITATIONS
19	First bryozoan fauna from the middle Miocene of Central Java, Indonesia. <i>Alcheringa</i> , 2019, 43, 461-478.	0.5	2
20	Early Cretaceous cyclostome bryozoans from the early to middle Albian of the Glen Rose and Walnut formations of Texas, USA. <i>Journal of Paleontology</i> , 2019, 93, 244-259.	0.5	4
21	Early Cretaceous gymnolaemate bryozoans from the early to middle Albian of the Glen Rose and Walnut formations of Texas, USA. <i>Journal of Paleontology</i> , 2019, 93, 260-277.	0.5	6
22	Unusual compound zoecia in the trepostome bryozoan <i>Eostenopora</i> from the Devonian of Guizhou, China. <i>Palaeoworld</i> , 2019, 28, 289-294.	0.5	2
23	Bryozoans as taphonomic engineers, with examples from the Upper Ordovician (Katian) of Midwestern North America. <i>Lethaia</i> , 2019, 52, 403-409.	0.6	9
24	Differences in extinction rates drove modern biogeographic patterns of tropical marine biodiversity. <i>Science Advances</i> , 2018, 4, eaaq1508.	4.7	21
25	Upper Ordovician bryozoans from the Xiazhen Formation of Yushan, northeastern Jiangxi, East China. <i>Palaeoworld</i> , 2018, 27, 343-359.	0.5	7
26	A new Cenozoic cyclostome bryozoan genus from Argentina and New Zealand: strengthening the biogeographical links between South America and Australasia. <i>Alcheringa</i> , 2018, 42, 441-446.	0.5	1
27	First bryozoan fauna from the Eocene–Oligocene transition in Tanzania. <i>Journal of Systematic Palaeontology</i> , 2018, 16, 225-243.	0.6	4
28	Evolution of larval size in cyclostome bryozoans. <i>Historical Biology</i> , 2018, 30, 535-545.	0.7	3
29	The oldest erect cheilostome bryozoan: <i>Jablonskipora</i> gen. nov. from the upper Albian of south-west England. <i>Papers in Palaeontology</i> , 2018, 4, 55-66.	0.7	4
30	The Madagascan Maastrichtian bryozoans of Ferdinand Canu – Systematic revision and scanning electron microscopic study. <i>Annales De Paleontologie</i> , 2018, 104, 101-128.	0.1	7
31	Synopsis of <i>onychocellid</i> cheilostome bryozoan genera. <i>Journal of Natural History</i> , 2018, 52, 1657-1721.	0.2	15
32	Early Pleistocene and Holocene bryozoans from Indonesia. <i>Zootaxa</i> , 2018, 4419, 1.	0.2	11
33	<i>Sonarina tamilensis</i> n. gen., n. sp., an unusual cheilostome bryozoan from the Late Cretaceous of southern India. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2018, 288, 79-85.	0.2	3
34	Low pH conditions impair module capacity to regenerate in a calcified colonial invertebrate, the bryozoan <i>Cryptosula pallasiana</i> . <i>Marine Environmental Research</i> , 2017, 125, 110-117.	1.1	5
35	Resolving the status of <i>Pyriporoides</i> and <i>Daisyella</i> (Bryozoa: Cheilostomata), with the systematics of some additional taxa of Calloporoidea having an ooecial heterozooid. <i>Zootaxa</i> , 2017, 4242, 201-232.	0.2	2
36	Evaluating potential factors influencing branch diameter and skeletal Mg-calcite using an Antarctic cyclostome bryozoan species. <i>Hydrobiologia</i> , 2017, 799, 101-110.	1.0	3

#	ARTICLE	IF	CITATIONS
37	Relative size predicts competitive outcome through 2 million years. <i>Ecology Letters</i> , 2017, 20, 981-988.	3.0	20
38	New insights on the systematics, palaeoecology and palaeobiology of a plesiosaurian with soft tissue preservation from the Toarcian of Holzmaden, Germany. <i>Die Naturwissenschaften</i> , 2017, 104, 51.	0.6	7
39	A new species of <i>Calyptotheca</i> (Bryozoa: Cheilostomata) from Alexandria, Egypt, southeastern Mediterranean. <i>Zootaxa</i> , 2017, 4276, .	0.2	5
40	Cenomanian cheilostome bryozoans from Devon, England. <i>Annales De Paleontologie</i> , 2017, 103, 19-31.	0.1	4
41	Ancestrular morphology in cyclostome bryozoans and the quest for phylogenetically informative skeletal characters. <i>Journal of Natural History</i> , 2017, 51, 2849-2861.	0.2	4
42	Interactions between <i>Cryptosula</i> and <i>Watersipora</i> (Bryozoa: Cheilostomata) on a ship's hull in Qingdao Harbour (South Yellow Sea) after five and a half years of immersion. <i>Chinese Journal of Oceanology and Limnology</i> , 2017, 35, 1179-1188.	0.7	1
43	Bryozoa of the southern Caspian Sea, Iranian coast. <i>Check List</i> , 2017, 13, 305-313.	0.1	1
44	New bryozoan species from the Pleistocene of the Wanganui Basin, North Island, New Zealand. <i>European Journal of Taxonomy</i> , 2017, , .	0.6	1
45	A new western European cretaceous bryozoan genus from the early cretaceous radiation of neocheilostomes. <i>Papers in Palaeontology</i> , 2016, 2, 311-321.	0.7	5
46	A new runner-like cyclostome bryozoan from the Bromide Formation (Sandbian, Upper Ordovician) of Oklahoma and its phylogenetic affinities. <i>Journal of Paleontology</i> , 2016, 90, 413-417.	0.5	3
47	Competition between encrusters on marine hard substrates and its fossil record. <i>Palaeontology</i> , 2016, 59, 481-497.	1.0	42
48	Interspecific interactions through 2 million years: are competitive outcomes predictable?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20160981.	1.2	20
49	Carbonate mineralogy of a tropical bryozoan biota and its vulnerability to ocean acidification. <i>Marine Biology Research</i> , 2016, 12, 776-780.	0.3	13
50	Hexactinellid sponges reported from shallow waters in the Oligo-Miocene Pirabas Formation (N Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	0.6	5
51	Calcitization of aragonitic bryozoans in Cenozoic tropical carbonates from East Kalimantan, Indonesia. <i>Facies</i> , 2016, 62, 1.	0.7	3
52	Bryozoan fauna of the Boggy Formation (Deese Group, Pennsylvanian) of the Buckhorn Asphalt Quarry, Oklahoma, USA. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2016, 96, 517-540.	0.6	5
53	Bryozoa from the Mediterranean coast of Israel. <i>Mediterranean Marine Science</i> , 2016, 17, 440.	0.6	11
54	Morphological plasticity in a calcifying modular organism: evidence from an in situ transplant experiment in a natural CO ₂ vent system. <i>Royal Society Open Science</i> , 2015, 2, 140413.	1.1	9

#	ARTICLE	IF	CITATIONS
55	Biom mineralization in bryozoans: present, past and future. <i>Biological Reviews</i> , 2015, 90, 1118-1150.	4.7	57
56	The oldest known bryozoan: <i>Prophyllodictya</i> (<i>Cryptostomata</i>) from the lower Tremadocian (Lower Ordovician) of Lujiachang, southwestern Hubei, central China. <i>Palaeontology</i> , 2015, 58, 925-934.	1.0	37
57	Two new species of heavily calcified cyclostome bryozoans from the intertidal of Akkeshi Bay, Hokkaido, Japan. <i>Journal of Natural History</i> , 2015, 49, 1763-1775.	0.2	3
58	Phylogeny and diversification of bryozoans. <i>Palaeontology</i> , 2015, 58, 585-599.	1.0	76
59	Bryozoa of the Early Eocene Tumaio Limestone, Chatham Island, New Zealand. <i>Journal of Systematic Palaeontology</i> , 2015, 13, 983-1070.	0.6	18
60	BRYOZOAN DIVERSITY IN THE MIOCENE OF THE KUTAI BASIN, EAST KALIMANTAN, INDONESIA. <i>Palaios</i> , 2015, 30, 109-115.	0.6	11
61	In search of phylogenetic congruence between molecular and morphological data in bryozoans with extreme adult skeletal heteromorphy. <i>Systematics and Biodiversity</i> , 2015, 13, 525-544.	0.5	15
62	Differentiating Parasitism and Other Interactions in Fossilized Colonial Organisms. <i>Advances in Parasitology</i> , 2015, 90, 329-347.	1.4	20
63	On rediscovered types of Santonian cheilostome bryozoans described by Ehrhard Voigt (1924, 1930) from the Subhercynian Cretaceous Basin and its surroundings. <i>Palaeontologische Zeitschrift</i> , 2015, 89, 689-706.	0.8	1
64	Bryozoans on the move: adaptations to hard substrate-limiting tropical heterozoan carbonates (Banc) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.8	3
65	Depth patterns in Antarctic bryozoan skeletal Mg-calcite: Can they provide an analogue for future environmental changes?. <i>Marine Ecology - Progress Series</i> , 2015, 540, 109-120.	0.9	20
66	The identity of the invasive fouling bryozoan <i>Watersipora subtorquata</i> (dâ€™Orbigny) and some other congeneric species. <i>Zootaxa</i> , 2014, 3857, 151-82.	0.2	44
67	Bryozoan Constructions in a Changing Mediterranean Sea. , 2014, , 373-384.		14
68	Bimineralic bryozoan skeletons: a comparison of three modern genera. <i>Facies</i> , 2014, 60, 389-403.	0.7	10
69	Serpulids living deep: calcareous tubeworms beyond the abyss. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2014, 90, 91-104.	0.6	18
70	Revising and refining the bryozoan zs-MART seasonality proxy. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 410, 412-420.	1.0	6
71	Giant middle Eocene bryozoan reef mounds in the Great Australian Bight. <i>Geology</i> , 2014, 42, 683-686.	2.0	13
72	A new species of the cheilostome bryozoan <i>Chiastosella</i> in the Southern Ocean, past and present. <i>Polar Biology</i> , 2014, 37, 773-779.	0.5	2

#	ARTICLE	IF	CITATIONS
73	Mineralogy of cheilostome bryozoans across the Eocene–Oligocene boundary in Mississippi, USA. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2014, 94, 425-438.	0.6	7
74	New observations on the skeletons of the earliest bryozoans from the Fenhsiang Formation (Tremadocian, Lower Ordovician), Yichang, China. <i>Palaeoworld</i> , 2014, 23, 25-30.	0.5	14
75	The Lilliput Effect in Colonial Organisms: Cheilostome Bryozoans at the Cretaceous–Paleogene Mass Extinction. <i>PLoS ONE</i> , 2014, 9, e87048.	1.1	11
76	Bryoliths constructed by bryozoans in symbiotic associations with hermit crabs in a tropical heterozoan carbonate system, Golfe d'Arguin, Mauritania. <i>Marine Biodiversity</i> , 2013, 43, 429-444.	0.3	17
77	Patterns of magnesium content in Arctic bryozoan skeletons along a depth gradient. <i>Polar Biology</i> , 2013, 36, 193-200.	0.5	17
78	Endolithic biota of belemnites from the Early Cretaceous Speeton Clay Formation of North Yorkshire, UK. <i>Proceedings of the Yorkshire Geological Society</i> , 2013, 59, 227-245.	0.2	9
79	Reinterpretation of the Cambrian "bryozoan" <i>Pywackia</i> as an octocoral. <i>Journal of Paleontology</i> , 2013, 87, 984-990.	0.5	38
80	Early Triassic (Spathian) post-extinction microconchids from western Pangea. <i>Journal of Paleontology</i> , 2013, 87, 159-165.	0.5	36
81	First bryozoan fauna from a tropical Cretaceous carbonate: Simsima Formation, United Arab Emirates–Oman border region. <i>Cretaceous Research</i> , 2013, 43, 80-96.	0.6	10
82	Environmental reconstruction of a late Burdigalian (Miocene) patch reef in deltaic deposits (East Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	1.0	45
83	A Diverse Bryozoan Fauna from Pleistocene Marine Gravels at Kuromatsunai, Hokkaido, Japan. <i>Lecture Notes in Earth System Sciences</i> , 2013, , 367-383.	0.5	4
84	Evidence of El Niño/La Niña–Southern Oscillation Variability in the Neogene-Pleistocene of Panama Revealed by a New Bryozoan Assemblage-Based Proxy. <i>Bulletin of Marine Science</i> , 2013, 89, 857-876.	0.4	8
85	Biogeographical and ecological patterns in bryozoans across the Cretaceous-Paleogene boundary: Implications for the phytoplankton collapse hypothesis. <i>Geology</i> , 2013, 41, 631-634.	2.0	16
86	Secular changes in colony forms and bryozoan carbonate sediments through geological history. <i>Sedimentology</i> , 2013, 60, 1184-1212.	1.6	36
87	<i>Finichnus</i> , a new name for the ichnogenus <i>Leptichnus</i> Taylor, Wilson and Bromley, 1999, preoccupied by <i>Leptichnus</i> Simroth, 1896 (Mollusca, Gastropoda). <i>Palaeontology</i> , 2013, 56, 456-456.	1.0	16
88	Palaeoecology, Preservation and Taxonomy of Encrusting Ctenostome Bryozoans Inhabiting Ammonite Body Chambers in the Late Cretaceous Pierre Shale of Wyoming and South Dakota, USA. <i>Lecture Notes in Earth System Sciences</i> , 2013, , 419-433.	0.5	8
89	Atlantic Origin of the Arctic Biota? Evidence from Phylogenetic and Biogeographical Analysis of the Cheilostome Bryozoan Genus <i>Pseudoflustra</i> . <i>PLoS ONE</i> , 2013, 8, e59152.	1.1	11
90	<i>Hornera striata</i> (Milne Edwards, 1838), a British Pliocene Cyclostome Bryozoan Incorrectly Recorded from New Zealand, with Notes on Some Non-fenestrate <i>Hornera</i> from the Coralline Crag. <i>Lecture Notes in Earth System Sciences</i> , 2013, , 339-356.	0.5	0

#	ARTICLE	IF	CITATIONS
91	Morphology and palaeobiogeography of <i>Retelepralia</i> , a distinctive cheilostome bryozoan new to the fossil record. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2012, 263, 67-74.	0.2	2
92	<i>Metaconularia?pyramidata</i> (Bronn, 1837): a scyphozoan from the Ordovician of Normandy, France, recorded for the first time as a reworked fossil in the Triassic of Devon, England. <i>Geodiversitas</i> , 2012, 34, 283-296.	0.2	2
93	Asymmetry in an Ordovician conulariid cnidarian. <i>Lethaia</i> , 2012, 45, 423-431.	0.6	6
94	The Cenozoic age of the supposed Jurassic crab <i>Hebertides jurassica</i> Guinot, De Angeli & Garassino, 2007 (Crustacea, Decapoda, Brachyura). <i>Natural History Sciences</i> , 2012, 153, 71.	0.5	4
95	<i>Pyrisinellidae</i> , a new family of anascan cheilostome bryozoans. <i>Zootaxa</i> , 2012, 3534, 1.	0.2	10
96	A new bryozoan genus from the Jurassic of Switzerland, with a review of the cribrate colony-form in bryozoans. <i>Swiss Journal of Palaeontology</i> , 2012, 131, 201-210.	0.7	6
97	Homeomorphy in <i>Lunostoma</i> , a new Middle Devonian cryptostome bryozoan. <i>Palaontologische Zeitschrift</i> , 2012, 86, 135-145.	0.8	6
98	Taxonomic revision of some lepraliomorph cheilostome bryozoans (Bryozoa: Lepraliomorpha) from Rio de Janeiro State, Brazil. <i>Journal of Natural History</i> , 2011, 45, 767-798.	0.2	24
99	Environmental change prior to the Käuml;T boundary inferred from temporal variation in the morphology of cheilostome bryozoans. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 308, 502-512.	1.0	19
100	Structural and geochemical alterations in the Mg calcite bryozoan <i>Myriapora truncata</i> under elevated seawater pCO ₂ simulating ocean acidification. <i>Marine Ecology</i> , 2011, 32, 211-221.	0.4	42
101	A new hypothesis for the origin of the supposed giant snail <i>Dinocochlea</i> from the Wealden of Sussex, England. <i>Proceedings of the Geologists Association</i> , 2011, 122, 492-500.	0.6	4
102	Skeletal alterations and polymorphism in a Mediterranean bryozoan at natural CO ₂ vents. <i>Zoomorphology</i> , 2011, 130, 135-145.	0.4	41
103	Origin and paleoecology of Middle Jurassic hiatus concretions from Poland. <i>Facies</i> , 2011, 57, 275-300.	0.7	39
104	Operculate cyclostome bryozoans (Eleidae) from the Bohemian Cretaceous. <i>Palaontologische Zeitschrift</i> , 2011, 85, 407-432.	0.8	9
105	Seawater chemistry and biomineralization: did trepostome bryozoans become hypercalcified in the ßcalcite seaà of the Ordovician?. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2011, 91, 185-195.	0.6	8
106	Microhabitat complexityÉan example from Middle Devonian bryozoan-rich sediments in the Blankenheim Syncline (northern Eifel, Rheinisches Schiefergebirge). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2011, 91, 257-284.	0.6	11
107	Phylogenetic position and systematics of the bryozoan <i>Tennysonia</i> : further evidence for convergence and plasticity in skeletal morphology among cyclostome bryozoans. <i>Zootaxa</i> , 2011, 3010, 58.	0.2	7
108	Two new species of <i>Electra</i> (Bryozoa, Cheilostomata) from the Miocene of the Aquitaine Basin, France. <i>Geobios</i> , 2010, 43, 219-224.	0.7	3

#	ARTICLE	IF	CITATIONS
109	Systematics of the Miocene-Recent bryozoan genus <i>Pentapora</i> (Cheilostomata). Zoological Journal of the Linnean Society, 2010, 160, 17-39.	1.0	9
110	New seamount- and ridge-associated cyclostome Bryozoa from New Zealand. Zootaxa, 2010, 2533, .	0.2	14
111	Raman spectroscopic study of the mineral composition of cirratulid tubes (Annelida, Polychaeta). Journal of Structural Biology, 2010, 171, 402-405.	1.3	21
112	Mineralogy of Arctic bryozoan skeletons in a global context. Facies, 2009, 55, 489-500.	0.7	48
113	First molecular estimate of cyclostome bryozoan phylogeny confirms extensive homoplasy among skeletal characters used in traditional taxonomy. Molecular Phylogenetics and Evolution, 2009, 52, 241-251.	1.2	45
114	Lower Cretaceous bryozoans from Argentina: a "by-catch" fauna from the Agrio Formation (Neuqu�n) Tj ET Og 0 0 0 reg BT /Overlo	0.8	17
115	Pliocene seasonality across the North Atlantic inferred from cheilostome bryozoans. Palaeogeography, Palaeoclimatology, Palaeoecology, 2009, 277, 226-235.	1.0	28
116	Cyclostome bryozoans from the Kimmeridgian (Upper Jurassic) of Poland. Geodiversitas, 2009, 31, 555-575.	0.2	4
117	Taxonomy of the fouling cheilostome bryozoans <i>Schizoporella unicornis</i> (Johnston) and <i>Schizoporella errata</i> (Waters). Journal of Natural History, 2009, 43, 2227-2243.	0.2	26
118	Pliocene climate and seasonality in North Atlantic shelf seas. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2009, 367, 85-108.	1.6	54
119	Middle Jurassic Cyclostome Bryozoans from the Polish Jura. Acta Palaeontologica Polonica, 2009, 54, 267-288.	0.4	23
120	A rare form of frontal shield development in the new cheilostome bryozoan genus <i>Uharella</i> from the Eocene of Antarctica. Palaontologische Zeitschrift, 2008, 82, 262-268.	0.8	5
121	Calcite and aragonite distributions in the skeletons of bimineralic bryozoans as revealed by Raman spectroscopy. Invertebrate Biology, 2008, 127, 87-97.	0.3	47
122	Systematics of the bryozoan genus <i>Macropora</i> (Cheilostomata). Zoological Journal of the Linnean Society, 2008, 153, 115-146.	1.0	10
123	MODES OF REPRODUCTION IN RECENT AND FOSSIL CUPULADRIID BRYOZOANS. Palaeontology, 2008, 51, 847-864.	1.0	29
124	Bryozoans in transition: The depauperate and patchy Jurassic biota. Palaeogeography, Palaeoclimatology, Palaeoecology, 2008, 263, 9-23.	1.0	28
125	Taxonomy of the bryozoan genera <i>Oncousoecia</i> , <i>Microeciella</i> and <i>Eurystrotos</i> (Cyclostomata: Oncousoeciidae). Journal of Natural History, 2008, 42, 2557-2574.	0.2	19
126	Late Cretaceous Cheilostome Bryozoans from California and Baja California. Journal of Paleontology, 2008, 82, 823-834.	0.5	8

#	ARTICLE	IF	CITATIONS
127	Arctic species of the cheilostome bryozoan <i>Microporella</i> , with a redescription of the type species. <i>Journal of Natural History</i> , 2008, 42, 1893-1906.	0.2	21
128	A new Early Miocene bryozoan, <i>Favosipora ichnusae</i> sp. nov. (Cyclostomata), from the Isili Limestone of Sardinia, Italy. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2008, 248, 301-308.	0.2	2
129	BRANCH DIAMETER AND DEPOSITIONAL DEPTH IN CYCLOSTOME BRYOZOANS: TESTING A POTENTIAL PALEOBATHYMETRIC TOOL. <i>Palaios</i> , 2007, 22, 220-224.	0.6	11
130	Arctic cheilostome bryozoan species of the genus <i>Escharoides</i> . <i>Journal of Natural History</i> , 2007, 41, 219-228.	0.2	4
131	ORDOVICIAN BRYOZOANS FROM THE KANOSH FORMATION (WHITEROCKIAN) OF UTAH, USA. <i>Journal of Paleontology</i> , 2007, 81, 998-1008.	0.5	8
132	Bryozoans from the late Cretaceous Kahuitara Tuff of the Chatham Islands, New Zealand. <i>Alcheringa</i> , 2007, 31, 339-363.	0.5	17
133	Convergent morphology in small spiral worm tubes (<i>Spirorbis</i>) and its palaeoenvironmental implications. <i>Journal of the Geological Society</i> , 2006, 163, 225-228.	0.9	117
134	A new genus and some cryptic species of Arctic and boreal calloporid cheilostome bryozoans. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006, 86, 1035-1046.	0.4	19
135	Unique life history strategy in a successful Arctic bryozoan, <i>Harmeria scutulata</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006, 86, 1305-1314.	0.4	12
136	Comparative anatomical study of internal brooding in three anascan bryozoans (Cheilostomata) and its taxonomic and evolutionary implications. <i>Journal of Morphology</i> , 2006, 267, 739-749.	0.6	28
137	Predatory drill holes and partial mortality in Devonian colonial metazoans. <i>Geology</i> , 2006, 34, 565.	2.0	20
138	MORPHOLOGICAL DIFFERENTIATION OF AVICULARIA AND THE PROLIFERATION OF SPECIES IN MID-CRETACEOUS <i>WILBERTOPORA</i> CHEETHAM, 1954 (BRYOZOA: CHEILOSTOMATA). <i>Journal of Paleontology</i> , 2006, 80, 49-71.	0.5	54
139	The type material of the Miocene to Recent species <i>Globigerinoides sacculifer</i> (Brady) revisited. <i>Journal of Micropalaeontology</i> , 2006, 25, 153-156.	1.3	5
140	Brood chambers constructed from spines in fossil and Recent cheilostome bryozoans. <i>Zoological Journal of the Linnean Society</i> , 2005, 144, 317-361.	1.0	43
141			

#	ARTICLE	IF	CITATIONS
145	Extinction and the fossil record. , 2004, , 1-34.		7
146	Doryporella smirnovi sp. nov. (Bryozoa: Cheilostomata) and Its Impact on Phylogeny and Classification. Zoological Science, 2004, 21, 327-332.	0.3	8
147	Systematics of Upper Cretaceous calloporid bryozoans with primitive spinose ovicells. Palaeontology, 2004, 47, 775-793.	1.0	28
148	Bathymetric distributions of modern populations of some common Cenozoic Bryozoa from New Zealand, and paleodepth estimation. New Zealand Journal of Geology, and Geophysics, 2004, 47, 57-69.	1.0	28
149	A NEW EOCENE SPECIES OF THE HERMIT-CRAB SYMBIONT HIPPOPORIDRA (BRYOZOA) FROM THE OCALA LIMESTONE OF FLORIDA. Journal of Paleontology, 2004, 78, 790-794.	0.5	15
150	Predation on Bryozoans and its Reflection in the Fossil Record. , 2003, , 239-261.		17
151	A new skeletal structure in a cyclostome bryozoan from Taiwan. Journal of Natural History, 2003, 37, 2959-2965.	0.2	6
152	Endemic new cyclostome bryozoans from Spirits Bay, a New Zealand marine "biodiversity hotspot". New Zealand Journal of Marine and Freshwater Research, 2003, 37, 653-669.	0.8	20
153	GALVANIC EFFECTS OF VARIOUS METALLIC COUPLES ON MARINE BIOFOULING IN A CORAL REEF ENVIRONMENT. Corrosion Reviews, 2002, 20, 453-468.	1.0	6
154	A new anaskan cheilostome bryozoan from Icelandic deep waters and its uniserial colony growth pattern. Sarsia, 2002, 87, 35-46.	0.5	13
155	A Late Cenomanian bryozoan biostrome from north-eastern Nigeria. Cretaceous Research, 2002, 23, 241-253.	0.6	8
156	BRYOZOANS RECRUITED ONTO ALUMINUM-BASED GALVANIC COUPLES IN THE RED SEA OFF ELAT, ISRAEL. Israel Journal of Zoology, 2002, 48, 221-233.	0.2	1
157	A New Cheilostome Bryozoan with Gigantic Zooids from the North-West Pacific. Zoological Science, 2002, 19, 1279-1289.	0.3	76
158	Alcide d'Orbigny's work on Recent and fossil bryozoans. Comptes Rendus - Palevol, 2002, 1, 533-547.	0.1	10
159	Electron diffraction studies of the calcareous skeletons of bryozoans. Journal of Inorganic Biochemistry, 2002, 88, 410-419.	1.5	21
160	New Zealand Recent Densiporidae and Lichenoporidae (Bryozoa : Cyclostomata). Species Diversity, 2001, 6, 243-290.	0.1	24
161	Preliminary systematics and diversity patterns of cyclostome bryozoans from the Neogene of the Central American Isthmus. Journal of Paleontology, 2001, 75, 578-589.	0.5	5
162	First Carboniferous and ?Permian marine macrofaunas from Antarctica and their tectonic implications. Journal of the Geological Society, 2001, 158, 219-232.	0.9	24

#	ARTICLE	IF	CITATIONS
163	Palaeocology of Hard Substrate Faunas from the Cretaceous Qahlah Formation of the Oman Mountains. <i>Palaeontology</i> , 2001, 44, 21-41.	1.0	51
164	Behind the scenes in the Department of Palaeontology, The Natural History Museum: report of two visits by the Geologists' Association, 15 and 22 January, 2000. <i>Proceedings of the Geologists Association</i> , 2001, 112, 79-85.	0.6	0
165	PRELIMINARY SYSTEMATICS AND DIVERSITY PATTERNS OF CYCLOSTOME BRYOZOANS FROM THE NEOGENE OF THE CENTRAL AMERICAN ISTHMUS. <i>Journal of Paleontology</i> , 2001, 75, 578-589.	0.5	8
166	Taxonomy of the Cyclostome Bryozoan <i>Liripora</i> MacGillivray and Some Related Australasian Taxa. <i>Species Diversity</i> , 2001, 6, 87-110.	0.1	6
167	Skeletal ultrastructure and phylogeny of cyclostome bryozoans. <i>Zoological Journal of the Linnean Society</i> , 2000, 128, 337-399.	1.0	60
168	Reinterpretation of <i>Stictostega</i> Shaw, 1967, an Upper Cretaceous cheilostome bryozoan from Arkansas. <i>Journal of Paleontology</i> , 2000, 74, 1-6.	0.5	1
169	Origin of the modern bryozoan fauna. , 2000, , 195-206.		7
170	Stable isotope composition of modern bryozoan skeletal carbonate from the Otago Shelf, New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2000, 34, 331-351.	0.8	18
171	REINTERPRETATION OF <i>STICTOSTEGASHAW</i> , 1967, AN UPPER CRETACEOUS CHEILOSTOME BRYOZOAN FROM ARKANSAS. <i>Journal of Paleontology</i> , 2000, 74, 1-6.	0.5	4
172	a new ichnogenus for etchings made by cheilostome bryozoans into calcareous substrates. <i>Palaeontology</i> , 1999, 42, 595-604.	1.0	41
173	<i>Dianulites</i> Eichwald, 1829: An unusual Ordovician bryozoan with a high-magnesium calcite skeleton. <i>Journal of Paleontology</i> , 1999, 73, 38-48.	0.5	32
174	Middle Jurassic bryozoans from the Carmel Formation of southwestern Utah. <i>Journal of Paleontology</i> , 1999, 73, 816-830.	0.5	14
175	The "Balladoole Coral"™ from the Lower Carboniferous of the British Isles, reinterpreted as the unusual cystoporate bryozoan <i>Meekoporella</i> Moore & Dudley, 1944. <i>Proceedings of the Yorkshire Geological Society</i> , 1999, 52, 257-268.	0.2	5
176	<i>Rodinopora</i> gen. nov. and the Taxonomy of Fungiform Cyclostome Bryozoans. <i>Species Diversity</i> , 1999, 4, 9-33.	0.1	10
177	Skeletal Ultrastructure in Some Articulate Cyclostome Bryozoans. <i>Acta Zoologica</i> , 1998, 79, 133-148.	0.6	8
178	Fossils in folklore. <i>Geology Today</i> , 1998, 14, 142-145.	0.3	1
179	Natural and anthropogenic dispersal mechanisms in the marine environment: a study using cheilostome Bryozoa. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1998, 353, 453-464.	1.8	56
180	Decoupled Temporal Patterns of Evolution and Ecology in Two Post-Paleozoic Clades. , 1998, 281, 807-809.		77

#	ARTICLE	IF	CITATIONS
181	Bryozoan carbonates through time and space. <i>Geology</i> , 1998, 26, 459.	2.0	86
182	A New Cheilostome Bryozoan Genus Pseudoplanktonic on Molluscs and Algae. <i>Invertebrate Biology</i> , 1997, 116, 39.	0.3	41
183	Comparative Ecology of Bryozoan Radiations: Origin of Novelties in Cyclostomes and Cheilostomes. <i>Palaios</i> , 1997, 12, 505.	0.6	72
184	Skeletal Ultrastructure in some Tubuliporine Cyclostome Bryozoans. <i>Acta Zoologica</i> , 1997, 78, 107-121.	0.6	8
185	Systematics of some Antarctic Idmidronea and Exidmonea (Bryozoa: Cyclostomata). <i>Journal of Natural History</i> , 1996, 30, 1549-1575.	0.2	15
186	An <i>Archimedes</i> -like cyclostome bryozoan from the Eocene of North Carolina. <i>Journal of Paleontology</i> , 1996, 70, 218-229.	0.5	14
187	A new early cyclostome bryozoan from the Lower Ordovician (Volkhov Stage) of Russia. <i>Palaontologische Zeitschrift</i> , 1996, 70, 171-180.	0.8	14
188	Skeletal Ultrastructures in some Cerioporine Cyclostome Bryozoans. <i>Acta Zoologica</i> , 1996, 77, 249-265.	0.6	14
189	Cretaceous bryozoans from the Chatham Islands, New Zealand. <i>Alcheringa</i> , 1996, 20, 315-327.	0.5	9
190	Skeletal Ultrastructure in some Cyclostome Bryozoans of the Family Lichenoporidae. <i>Acta Zoologica</i> , 1995, 76, 205-216.	0.6	15
191	<i>Corynotrypa</i> from the Ordovician of North America: colony growth in a primitive stenolaemate bryozoan. <i>Journal of Paleontology</i> , 1994, 68, 241-257.	0.5	21
192	Earliest preservation of soft-bodied fossils by epibiont bioimmuration: Upper Ordovician of Kentucky. <i>Lethaia</i> , 1994, 27, 269-270.	0.6	11
193	Evolutionary palaeoecology of symbioses between bryozoans and hermit crabs. <i>Historical Biology</i> , 1994, 9, 157-205.	0.7	53
194	Epibiont shadowing: a hitherto unrecognized way of preserving soft-bodied fossils. <i>Terra Nova</i> , 1993, 5, 568-572.	0.9	19
195	Skeletal Ultrastructure in the Cyclostome Bryozoan <i>Hornera</i> . <i>Acta Zoologica</i> , 1993, 74, 135-143.	0.6	18
196	Lyre-shaped hornerid bryozoan colonies: homeomorphy in colony form between Paleozoic Fenestrata and Cenozoic Cyclostomata. <i>Journal of Paleontology</i> , 1993, 67, 343-354.	0.5	14
197	Competition, clade replacement, and a history of cyclostome and cheilostome bryozoan diversity. <i>Paleobiology</i> , 1993, 19, 352-371.	1.3	80
198	The first fossil entoproct. <i>Die Naturwissenschaften</i> , 1992, 79, 311-314.	0.6	19

#	ARTICLE	IF	CITATIONS
199	Hoeverella krauseae gen. et sp. nov., an unusual uniserial cheilostome bryozoan from the campanian of hannover. Palaontologische Zeitschrift, 1992, 66, 115-122.	0.8	2
200	Morphology, Anatomy, and Systematics of the Cinctiporidae, New Family (Bryozoa: Stenolaemata). Smithsonian Contributions To Paleobiology, 1992, , 1-81.	1.0	43
201	Sandwiched fossils. Geology Today, 1990, 6, 151-154.	0.3	5
202	A probable thecate hydroid from the upper cretaceous of southern England preserved by bioimmuration. Palaontologische Zeitschrift, 1988, 62, 167-174.	0.8	11
203	Major radiation of cheilostome bryozoans: Triggered by the evolution of a new larval type?. Historical Biology, 1988, 1, 45-64.	0.7	101
204	A trepostome bryozoan from the Lower Arenig of south Wales: implications of the oldest described bryozoan. Geological Magazine, 1987, 124, 367-371.	0.9	18
205	Epizoan ecology and interactions in the Devonian of Spain. Palaeogeography, Palaeoclimatology, Palaeoecology, 1987, 61, 17-31.	1.0	78
206	Fossils explained 6: Bryozoans. Geology Today, 1986, 2, 152-153.	0.3	0
207	The ancestrula and early growth pattern in two primitive cheilostome bryozoans:Pyripora catenularia(Fleming) andPyriporopsis portlandensisPohowsky. Journal of Natural History, 1986, 20, 101-110.	0.2	20
208	<i>Marcusodictyon</i>Bassler from the Lower Ordovician of Estonia: not the earliest bryozoan but a phosphatic problematicum. Alcheringa, 1984, 8, 177-186.	0.5	15
209	Probable predatory borings in late Cretaceous bryozoans. Lethaia, 1982, 15, 67-74.	0.6	3
210	Probable predatory borings in late Cretaceous bryozoans. Lethaia, 1982, 15, 67-74.	0.6	11
211	STOMATOPORA VOIGTIANA (KING 1950): A CYCLOSTOME BRYOZOAN FROM THE PERMIAN OF COUNTY DURHAM. Proceedings of the Yorkshire Geological Society, 1980, 42, 621-626.	0.2	3
212	The inference of extrazoooidal feeding currents in fossil bryozoan colonies. Lethaia, 1979, 12, 47-56.	0.6	28
213	Palaeoecology of the encrusting epifauna of some British jurassic bivalves. Palaeogeography, Palaeoclimatology, Palaeoecology, 1979, 28, 241-262.	1.0	50
214	Functional significance of contrasting colony form in two mesozoic encrusting bryozoans. Palaeogeography, Palaeoclimatology, Palaeoecology, 1979, 26, 151-158.	1.0	19
215	An unusual preservation of fossil plants from cumbria: Diagenetic and environmental significance. Geological Journal, 1978, 13, 101-112.	0.6	4
216	A JURASSIC CTENOSTOME BRYOZOAN FROM YORKSHIRE. Proceedings of the Yorkshire Geological Society, 1978, 42, 211-216.	0.2	5

#	ARTICLE	IF	CITATIONS
217	Disporella guada sp. nov., an erect-ramose rectangulate cyclostome (Bryozoa, Stenolaemata) from the Caribbean Sea: convergent evolution in bryozoan colony morphology. European Journal of Taxonomy, 0, 773, .	0.6	0
218	Diversification dynamics of cheilostome bryozoans based on a Bayesian analysis of the fossil record. Palaeontology, 0, , .	1.0	7
219	Depauperate survival bryozoans following the first episode of the end-Ordovician mass extinction in the Kuanyinchiao Bed (Hirnantian, Upper Ordovician) of northern Guizhou, South China. Palaeobiodiversity and Palaeoenvironments, 0, , 1.	0.6	0
220	New early Miocene species of the cheilostome bryozoan <i>Microporella</i> from the South Island of New Zealand. Alcheringa, 0, , 1-10.	0.5	1