

# Jin-Sheng He

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/38932/publications.pdf>

Version: 2024-02-01

177  
papers

13,675  
citations

24978

57  
h-index

26548

107  
g-index

192  
all docs

192  
docs citations

192  
times ranked

13182  
citing authors

#	ARTICLE	IF	CITATIONS
1	Calibration of Near-Infrared Spectra for Phosphorus Fractions in Grassland Soils on the Tibetan Plateau. <i>Agronomy</i> , 2022, 12, 783.	1.3	5
2	The influence of aboveground and belowground species composition on spatial turnover in nutrient pools in alpine grasslands. <i>Global Ecology and Biogeography</i> , 2022, 31, 486-500.	2.7	11
3	Leaf N:P stoichiometry overrides the effect of individual nutrient content on insect herbivore population dynamics in a Tibetan alpine grassland. <i>Agriculture, Ecosystems and Environment</i> , 2022, 336, 108032.	2.5	1
4	Precipitation determines the magnitude and direction of interannual responses of soil respiration to experimental warming. <i>Plant and Soil</i> , 2021, 458, 75-91.	1.8	16
5	Above-belowground interactions in alpine ecosystems on the roof of the world. <i>Plant and Soil</i> , 2021, 458, 1-6.	1.8	16
6	Dew formation reduction in global warming experiments and the potential consequences. <i>Journal of Hydrology</i> , 2021, 593, 125819.	2.3	16
7	Conserving the Chinese caterpillar fungus under climate change. <i>Biodiversity and Conservation</i> , 2021, 30, 547-550.	1.2	8
8	Inactive and inefficient: Warming and drought effect on microbial carbon processing in alpine grassland at depth. <i>Global Change Biology</i> , 2021, 27, 2241-2253.	4.2	48
9	Microbial Functional Responses Explain Alpine Soil Carbon Fluxes under Future Climate Scenarios. <i>MBio</i> , 2021, 12, .	1.8	10
10	Above- and belowground biodiversity jointly drive ecosystem stability in natural alpine grasslands on the Tibetan Plateau. <i>Global Ecology and Biogeography</i> , 2021, 30, 1418-1429.	2.7	40
11	Effects of biotic and abiotic factors on forest biomass fractions. <i>National Science Review</i> , 2021, 8, nwab025.	4.6	28
12	Aridity and NPP constrain contribution of microbial necromass to soil organic carbon in the Qinghai-Tibet alpine grasslands. <i>Soil Biology and Biochemistry</i> , 2021, 156, 108213.	4.2	53
13	Short-term warming increases root-associated fungal community dissimilarities among host plant species on the Qinghai-Tibetan Plateau. <i>Plant and Soil</i> , 2021, 466, 597-611.	1.8	12
14	Spatial turnover of multiple ecosystem functions is more associated with plant than soil microbial $\beta$ -diversity. <i>Ecosphere</i> , 2021, 12, e03644.	1.0	12
15	Aridity-driven shift in biodiversity-soil multifunctionality relationships. <i>Nature Communications</i> , 2021, 12, 5350.	5.8	164
16	Satellite-derived NDVI underestimates the advancement of alpine vegetation growth over the past three decades. <i>Ecology</i> , 2021, 102, e03518.	1.5	17
17	Warming and drought increase but wetness reduces the net sink of CH <sub>4</sub> in alpine meadow on the Tibetan Plateau. <i>Applied Soil Ecology</i> , 2021, 167, 104061.	2.1	14
18	Lowered water table causes species substitution while nitrogen amendment causes species loss in alpine wetland microbial communities. <i>Pedosphere</i> , 2021, 31, 912-922.	2.1	6

#	ARTICLE	IF	CITATIONS
19	Simulating warmer and drier climate increases root production but decreases root decomposition in an alpine grassland on the Tibetan plateau. <i>Plant and Soil</i> , 2021, 458, 59-73.	1.8	24
20	Net neutral carbon responses to warming and grazing in alpine grassland ecosystems. <i>Agricultural and Forest Meteorology</i> , 2020, 280, 107792.	1.9	19
21	Temporal variation in soil respiration and its sensitivity to temperature along a hydrological gradient in an alpine wetland of the Tibetan Plateau. <i>Agricultural and Forest Meteorology</i> , 2020, 282-283, 107854.	1.9	17
22	Vertical variations in plant- and microbial-derived carbon components in grassland soils. <i>Plant and Soil</i> , 2020, 446, 441-455.	1.8	15
23	COSORE: A community database for continuous soil respiration and other soil-atmosphere greenhouse gas flux data. <i>Global Change Biology</i> , 2020, 26, 7268-7283.	4.2	50
24	Variation in the methods leads to variation in the interpretation of biodiversity-ecosystem multifunctionality relationships. <i>Journal of Plant Ecology</i> , 2020, 13, 431-441.	1.2	17
25	Plant Trait Networks: Improved Resolution of the Dimensionality of Adaptation. <i>Trends in Ecology and Evolution</i> , 2020, 35, 908-918.	4.2	107
26	Phosphorus alleviation of nitrogen-suppressed methane sink in global grasslands. <i>Ecology Letters</i> , 2020, 23, 821-830.	3.0	18
27	Nutrient addition reduces carbon sequestration in a Tibetan grassland soil: Disentangling microbial and physical controls. <i>Soil Biology and Biochemistry</i> , 2020, 144, 107764.	4.2	95
28	Early season precipitation accounts for the variability of fine-root traits in a Tibetan alpine grassland. <i>Environmental and Experimental Botany</i> , 2020, 172, 103991.	2.0	3
29	Interannual climate variability and altered precipitation influence the soil microbial community structure in a Tibetan Plateau grassland. <i>Science of the Total Environment</i> , 2020, 714, 136794.	3.9	69
30	Responses of soil microbial communities and functions associated with organic carbon mineralization to nitrogen addition in a Tibetan grassland. <i>Pedosphere</i> , 2020, 30, 214-225.	2.1	31
31	Variations in the nitrogen saturation threshold of soil respiration in grassland ecosystems. <i>Biogeochemistry</i> , 2020, 148, 311-324.	1.7	19
32	Alpine grassland plants grow earlier and faster but biomass remains unchanged over 35 years of climate change. <i>Ecology Letters</i> , 2020, 23, 701-710.	3.0	124
33	Close-to-nature restoration of degraded alpine grasslands: Theoretical basis and technical approach. <i>Chinese Science Bulletin</i> , 2020, 65, 3898-3908.	0.4	15
34	Minor responses of soil microbial biomass, community structure and enzyme activities to nitrogen and phosphorus addition in three grassland ecosystems. <i>Plant and Soil</i> , 2019, 444, 21-37.	1.8	38
35	Archaea Enhance the Robustness of Microbial Co-occurrence Networks in Tibetan Plateau Soils. <i>Soil Science Society of America Journal</i> , 2019, 83, 1093-1099.	1.2	37
36	A global database of paired leaf nitrogen and phosphorus concentrations of terrestrial plants. <i>Ecology</i> , 2019, 100, e02812.	1.5	24

#	ARTICLE	IF	CITATIONS
37	Climate warming alters subsoil but not topsoil carbon dynamics in alpine grassland. <i>Global Change Biology</i> , 2019, 25, 4383-4393.	4.2	94
38	The paleoclimatic footprint in the soil carbon stock of the Tibetan permafrost region. <i>Nature Communications</i> , 2019, 10, 4195.	5.8	39
39	Environmental filtering of bacterial functional diversity along an aridity gradient. <i>Scientific Reports</i> , 2019, 9, 866.	1.6	33
40	The response of methanotrophs to additions of either ammonium, nitrate or urea in alpine swamp meadow soil as revealed by stable isotope probing. <i>FEMS Microbiology Ecology</i> , 2019, 95, .	1.3	26
41	Distribution of lignin phenols in comparison with plant-derived lipids in the alpine versus temperate grassland soils. <i>Plant and Soil</i> , 2019, 439, 325-338.	1.8	18
42	Solar radiation regulates the leaf nitrogen and phosphorus stoichiometry across alpine meadows of the Tibetan Plateau. <i>Agricultural and Forest Meteorology</i> , 2019, 271, 92-101.	1.9	34
43	Distribution and Preservation of Root- and Shoot-Derived Carbon Components in Soils Across the Chinese-Mongolian Grasslands. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019, 124, 420-431.	1.3	14
44	Distinct methanotrophic communities exist in habitats with different soil water contents. <i>Soil Biology and Biochemistry</i> , 2019, 132, 143-152.	4.2	65
45	Nitrogen and phosphorus enrichment accelerates soil organic carbon loss in alpine grassland on the Qinghai-Tibetan Plateau. <i>Science of the Total Environment</i> , 2019, 650, 303-312.	3.9	94
46	Plant phenological sensitivity to climate change on the Tibetan Plateau and relative to other areas of the world. <i>Ecosphere</i> , 2019, 10, e02543.	1.0	38
47	Soil pH dominates elevational diversity pattern for bacteria in high elevation alkaline soils on the Tibetan Plateau. <i>FEMS Microbiology Ecology</i> , 2019, 95, .	1.3	83
48	Warming affects foliar fungal diseases more than precipitation in a Tibetan alpine meadow. <i>New Phytologist</i> , 2019, 221, 1574-1584.	3.5	42
49	Ecosystem Traits Linking Functional Traits to Macroecology. <i>Trends in Ecology and Evolution</i> , 2019, 34, 200-210.	4.2	140
50	Plant diversity enhances productivity and soil carbon storage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4027-4032.	3.3	368
51	Shifting plant species composition in response to climate change stabilizes grassland primary production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4051-4056.	3.3	431
52	Convergence in temperature sensitivity of soil respiration: Evidence from the Tibetan alpine grasslands. <i>Soil Biology and Biochemistry</i> , 2018, 122, 50-59.	4.2	17
53	Early-spring soil warming partially offsets the enhancement of alpine grassland aboveground productivity induced by warmer growing seasons on the Qinghai-Tibetan Plateau. <i>Plant and Soil</i> , 2018, 425, 177-188.	1.8	29
54	No upward shift of alpine grassland distribution on the Qinghai-Tibetan Plateau despite rapid climate warming from 2000 to 2014. <i>Science of the Total Environment</i> , 2018, 625, 1361-1368.	3.9	17

#	ARTICLE	IF	CITATIONS
55	Large-scale Distribution of Molecular Components in Chinese Grassland Soils: The Influence of Input and Decomposition Processes. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 239-255.	1.3	29
56	Experimentally simulating warmer and wetter climate additively improves rangeland quality on the Tibetan Plateau. <i>Journal of Applied Ecology</i> , 2018, 55, 1486-1497.	1.9	38
57	Impacts of species richness on productivity in a large-scale subtropical forest experiment. <i>Science</i> , 2018, 362, 80-83.	6.0	433
58	Soil enzymatic responses to multiple environmental drivers in the Tibetan grasslands: Insights from two manipulative field experiments and a meta-analysis. <i>Pedobiologia</i> , 2018, 71, 50-58.	0.5	14
59	Existing Climate Change Will Lead to Pronounced Shifts in the Diversity of Soil Prokaryotes. <i>MSystems</i> , 2018, 3, .	1.7	41
60	Depth dependence of soil carbon temperature sensitivity across Tibetan permafrost regions. <i>Soil Biology and Biochemistry</i> , 2018, 126, 82-90.	4.2	45
61	Estimating Plant Traits of Alpine Grasslands on the Qinghai-Tibetan Plateau Using Remote Sensing. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2018, 11, 2263-2275.	2.3	16
62	Biodiversity across trophic levels drives multifunctionality in highly diverse forests. <i>Nature Communications</i> , 2018, 9, 2989.	5.8	169
63	Tree species richness increases ecosystem carbon storage in subtropical forests. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20181240.	1.2	169
64	Range shifts in response to climate change of <i>Ophiocordyceps sinensis</i> , a fungus endemic to the Tibetan Plateau. <i>Biological Conservation</i> , 2017, 206, 143-150.	1.9	52
65	Ammonia-oxidizing bacteria rather than archaea respond to short-term urea amendment in an alpine grassland. <i>Soil Biology and Biochemistry</i> , 2017, 107, 218-225.	4.2	77
66	Can niche plasticity promote biodiversity-productivity relationships through increased complementarity?. <i>Ecology</i> , 2017, 98, 1104-1116.	1.5	73
67	Increasing temperature reduces the coupling between available nitrogen and phosphorus in soils of Chinese grasslands. <i>Scientific Reports</i> , 2017, 7, 43524.	1.6	53
68	Linking above- and belowground traits to soil and climate variables: an integrated database on China's grassland species. <i>Ecology</i> , 2017, 98, 1471-1471.	1.5	19
69	Distinct Soil Microbial Communities in habitats of differing soil water balance on the Tibetan Plateau. <i>Scientific Reports</i> , 2017, 7, 46407.	1.6	38
70	Climate warming reduces the temporal stability of plant community biomass production. <i>Nature Communications</i> , 2017, 8, 15378.	5.8	348
71	On the combined effect of soil fertility and topography on tree growth in subtropical forest ecosystems—a study from SE China. <i>Journal of Plant Ecology</i> , 2017, 10, 111-127.	1.2	102
72	Soil fungal diversity in natural grasslands of the Tibetan Plateau: associations with plant diversity and productivity. <i>New Phytologist</i> , 2017, 215, 756-765.	3.5	248

#	ARTICLE	IF	CITATIONS
73	Asymmetric winter warming advanced plant phenology to a greater extent than symmetric warming in an alpine meadow. <i>Functional Ecology</i> , 2017, 31, 2147-2156.	1.7	61
74	Soil respiration is driven by fine root biomass along a forest chronosequence in subtropical China. <i>Journal of Plant Ecology</i> , 2017, 10, 36-46.	1.2	30
75	In-depth analysis of core methanogenic communities from high elevation permafrost-affected wetlands. <i>Soil Biology and Biochemistry</i> , 2017, 111, 66-77.	4.2	36
76	On the controls of abundance for soil-dwelling organisms on the Tibetan Plateau. <i>Ecosphere</i> , 2017, 8, e01901.	1.0	11
77	Warm- and cold- season grazing affect soil respiration differently in alpine grasslands. <i>Agriculture, Ecosystems and Environment</i> , 2017, 248, 136-143.	2.5	19
78	Toward a methodical framework for comprehensively assessing forest multifunctionality. <i>Ecology and Evolution</i> , 2017, 7, 10652-10674.	0.8	41
79	Nitrous oxide emissions from different land uses affected by managements on the Qinghai-Tibetan Plateau. <i>Agricultural and Forest Meteorology</i> , 2017, 246, 133-141.	1.9	7
80	Iron-mediated soil carbon response to water-table decline in an alpine wetland. <i>Nature Communications</i> , 2017, 8, 15972.	5.8	147
81	Comparing microbial carbon sequestration and priming in the subsoil versus topsoil of a Qinghai-Tibetan alpine grassland. <i>Soil Biology and Biochemistry</i> , 2017, 104, 141-151.	4.2	72
82	Potential CO <sub>2</sub> emissions from defrosting permafrost soils of the Qinghai-Tibet Plateau under different scenarios of climate change in 2050 and 2070. <i>Catena</i> , 2017, 149, 221-231.	2.2	30
83	Changes of carbon stocks in alpine grassland soils from 2002 to 2011 on the Tibetan Plateau and their climatic causes. <i>Geoderma</i> , 2017, 288, 166-174.	2.3	44
84	Molecular mechanisms of water table lowering and nitrogen deposition in affecting greenhouse gas emissions from a Tibetan alpine wetland. <i>Global Change Biology</i> , 2017, 23, 815-829.	4.2	75
85	Critical climate periods for grassland productivity on China's Loess Plateau. <i>Agricultural and Forest Meteorology</i> , 2017, 233, 101-109.	1.9	61
86	Positive effects of tree species diversity on litterfall quantity and quality along a secondary successional chronosequence in a subtropical forest. <i>Journal of Plant Ecology</i> , 2017, 10, 28-35.	1.2	70
87	Trade-off relation in response to nutrient addition in a Tibetan alpine meadow: The importance of species trade-off in resource conservation and acquisition. <i>Ecology and Evolution</i> , 2017, 7, 10575-10581.	0.8	13
88	Biodiversity ecosystem functioning research in Chinese subtropical forests. <i>Journal of Plant Ecology</i> , 2017, 10, 1-3.	1.2	4
89	Effects of Short-Term Warming and Altered Precipitation on Soil Microbial Communities in Alpine Grassland of the Tibetan Plateau. <i>Frontiers in Microbiology</i> , 2016, 7, 1032.	1.5	81
90	Grazing-induced shifts in community functional composition and soil nutrient availability in Tibetan alpine meadows. <i>Journal of Applied Ecology</i> , 2016, 53, 1554-1564.	1.9	65

#	ARTICLE	IF	CITATIONS
91	Climate-driven increase of natural wetland methane emissions offset by human-induced wetland reduction in China over the past three decades. <i>Scientific Reports</i> , 2016, 6, 38020.	1.6	13
92	The biogeography of soil archaeal communities on the eastern Tibetan Plateau. <i>Scientific Reports</i> , 2016, 6, 38893.	1.6	66
93	Distribution of fatty acids in the alpine grassland soils of the Qinghai-Tibetan Plateau. <i>Science China Earth Sciences</i> , 2016, 59, 1329-1338.	2.3	2
94	Tradeoffs between forage quality and soil fertility: Lessons from Himalayan rangelands. <i>Agriculture, Ecosystems and Environment</i> , 2016, 234, 31-39.	2.5	31
95	Temporal variability in the thermal requirements for vegetation phenology on the Tibetan plateau and its implications for carbon dynamics. <i>Climatic Change</i> , 2016, 138, 617-632.	1.7	10
96	Foliar phosphorus content predicts species relative abundance in P-limited Tibetan alpine meadows. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2016, 22, 47-54.	1.1	21
97	Composition of the soil fungal community is more sensitive to phosphorus than nitrogen addition in the alpine meadow on the Qinghai-Tibetan Plateau. <i>Biology and Fertility of Soils</i> , 2016, 52, 1059-1072.	2.3	121
98	Changes in litter quality induced by nutrient addition alter litter decomposition in an alpine meadow on the Qinghai-Tibet Plateau. <i>Scientific Reports</i> , 2016, 6, 34290.	1.6	19
99	Contrasting effects of nitrogen and phosphorus addition on soil respiration in an alpine grassland on the Qinghai-Tibetan Plateau. <i>Scientific Reports</i> , 2016, 6, 34786.	1.6	37
100	Precipitation overrides warming in mediating soil nitrogen pools in an alpine grassland ecosystem on the Tibetan Plateau. <i>Scientific Reports</i> , 2016, 6, 31438.	1.6	31
101	Neutral effect of nitrogen addition and negative effect of phosphorus addition on topsoil extracellular enzymatic activities in an alpine grassland ecosystem. <i>Applied Soil Ecology</i> , 2016, 107, 205-213.	2.1	82
102	Impact of species diversity, stand age and environmental factors on leaf litter decomposition in subtropical forests in China. <i>Plant and Soil</i> , 2016, 400, 337-350.	1.8	45
103	Predicting soil respiration for the Qinghai-Tibet Plateau: An empirical comparison of regression models. <i>Pedobiologia</i> , 2016, 59, 41-49.	0.5	10
104	Spatio-temporal water uptake patterns of tree saplings are not altered by interspecific interaction in the early stage of a subtropical forest. <i>Forest Ecology and Management</i> , 2016, 367, 52-61.	1.4	14
105	Grazing increases functional richness but not functional divergence in Tibetan alpine meadow plant communities. <i>Biodiversity and Conservation</i> , 2016, 25, 2441-2452.	1.2	45
106	Biodiversity and ecosystem multifunctionality: advances and perspectives. <i>Biodiversity Science</i> , 2016, 24, 55-71.	0.2	15
107	Rapid response of arbuscular mycorrhizal fungal communities to short-term fertilization in an alpine grassland on the Qinghai-Tibet Plateau. <i>PeerJ</i> , 2016, 4, e2226.	0.9	29
108	A review on the measurement of ecosystem multifunctionality. <i>Biodiversity Science</i> , 2016, 24, 72-84.	0.2	6

#	ARTICLE	IF	CITATIONS
109	The effects of grazing on foliar trait diversity and niche differentiation in Tibetan alpine meadows. <i>Ecosphere</i> , 2015, 6, 1-15.	1.0	35
110	Net exchanges of methane and carbon dioxide on the Qinghai-Tibetan Plateau from 1979 to 2100. <i>Environmental Research Letters</i> , 2015, 10, 085007.	2.2	44
111	Distribution and conservation of threatened plants in China. <i>Biological Conservation</i> , 2015, 192, 454-460.	1.9	80
112	Methane emissions from an alpine wetland on the Tibetan Plateau: Neglected but vital contribution of the nongrowing season. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015, 120, 1475-1490.	1.3	77
113	Distribution of branched glycerol dialkyl glycerol tetraethers in surface soils of the Qinghai-Tibetan Plateau: implications of GDGTs-based proxies in cold and dry regions. <i>Biogeosciences</i> , 2015, 12, 3141-3151.	1.3	74
114	A Comparison of Two Methods for Quantifying Soil Organic Carbon of Alpine Grasslands on the Tibetan Plateau. <i>PLoS ONE</i> , 2015, 10, e0126372.	1.1	16
115	Leaf P increase outpaces leaf N in an Inner Mongolia grassland over 27 years. <i>Biology Letters</i> , 2015, 11, 20140981.	1.0	13
116	The links between ecosystem multifunctionality and above- and belowground biodiversity are mediated by climate. <i>Nature Communications</i> , 2015, 6, 8159.	5.8	471
117	Distribution and conservation of orchid species richness in China. <i>Biological Conservation</i> , 2015, 181, 64-72.	1.9	105
118	Shifts in community leaf functional traits are related to litter decomposition along a secondary forest succession series in subtropical China. <i>Journal of Plant Ecology</i> , 2015, 8, 401-410.	1.2	26
119	Field-based observations of regional-scale, temporal variation in net primary production in Tibetan alpine grasslands. <i>Biogeosciences</i> , 2014, 11, 2003-2016.	1.3	54
120	Designing forest biodiversity experiments: general considerations illustrated by a new large experiment in subtropical China. <i>Methods in Ecology and Evolution</i> , 2014, 5, 74-89.	2.2	232
121	Pedogenesis, permafrost, substrate and topography: Plot and landscape scale interrelations of weathering processes on the central-eastern Tibetan Plateau. <i>Geoderma</i> , 2014, 226-227, 300-316.	2.3	34
122	No temperature acclimation of soil extracellular enzymes to experimental warming in an alpine grassland ecosystem on the Tibetan Plateau. <i>Biogeochemistry</i> , 2014, 117, 39-54.	1.7	73
123	Alpine climate alters the relationships between leaf and root morphological traits but not chemical traits. <i>Oecologia</i> , 2014, 175, 445-455.	0.9	72
124	Large-scale patterns of stomatal traits in Tibetan and Mongolian grassland species. <i>Basic and Applied Ecology</i> , 2014, 15, 122-132.	1.2	21
125	Non-growing season soil respiration is controlled by freezing and thawing processes in the summer monsoon-dominated Tibetan alpine grassland. <i>Global Biogeochemical Cycles</i> , 2014, 28, 1081-1095.	1.9	88
126	Large scale patterns of forage yield and quality across Chinese grasslands. <i>Science Bulletin</i> , 2013, 58, 1187-1199.	1.7	32



#	ARTICLE	IF	CITATIONS
127	A comparison of methane emission measurements using eddy covariance and manual and automated chamber-based techniques in Tibetan Plateau alpine wetland. <i>Environmental Pollution</i> , 2013, 181, 81-90.	3.7	59
128	Polycyclic aromatic hydrocarbons in soils from the Tibetan Plateau, China: distribution and influence of environmental factors. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 661.	1.7	24
129	Legumes in Chinese Natural Grasslands: Species, Biomass, and Distribution. <i>Rangeland Ecology and Management</i> , 2013, 66, 648-656.	1.1	17
130	Phenology shift from 1989 to 2008 on the Tibetan Plateau: an analysis with a process-based soil physical model and remote sensing data. <i>Climatic Change</i> , 2013, 119, 435-449.	1.7	59
131	Estimating the spatial pattern of soil respiration in Tibetan alpine grasslands using Landsat TM images and MODIS data. <i>Ecological Indicators</i> , 2013, 26, 117-125.	2.6	48
132	Relative effects of phylogeny, biological characters and environments on leaf traits in shrub biomes across central Inner Mongolia, China. <i>Journal of Plant Ecology</i> , 2013, 6, 220-231.	1.2	26
133	UV radiation is the primary factor driving the variation in leaf phenolics across Chinese grasslands. <i>Ecology and Evolution</i> , 2013, 3, 4696-4710.	0.8	19
134	NEECF: a project of nutrient enrichment experiments in China's forests. <i>Journal of Plant Ecology</i> , 2013, 6, 428-435.	1.2	61
135	Carbon patterns and processes in East Asian ecosystems: multi-scale approaches. <i>Journal of Plant Ecology</i> , 2013, 6, 323-324.	1.2	2
136	Effect of clear-cutting silviculture on soil respiration in a subtropical forest of China. <i>Journal of Plant Ecology</i> , 2013, 6, 335-348.	1.2	13
137	Soil Organic Carbon Pools and Stocks in Permafrost-Affected Soils on the Tibetan Plateau. <i>PLoS ONE</i> , 2013, 8, e57024.	1.1	58
138	Organic and inorganic carbon in the topsoil of the Mongolian and Tibetan grasslands: pattern, control and implications. <i>Biogeosciences</i> , 2012, 9, 2287-2299.	1.3	105
139	Carbon cycling of Chinese forests: From carbon storage, dynamics to models. <i>Science China Life Sciences</i> , 2012, 55, 188-190.	2.3	11
140	Soil Respiration in Tibetan Alpine Grasslands: Belowground Biomass and Soil Moisture, but Not Soil Temperature, Best Explain the Large-Scale Patterns. <i>PLoS ONE</i> , 2012, 7, e34968.	1.1	108
141	Effect of geographical range size on plant functional traits and the relationships between plant, soil and climate in Chinese grasslands. <i>Global Ecology and Biogeography</i> , 2012, 21, 416-427.	2.7	32
142	Comparative analyses of leaf anatomy of dicotyledonous species in Tibetan and Inner Mongolian grasslands. <i>Science China Life Sciences</i> , 2012, 55, 68-79.	2.3	25
143	Polycyclic aromatic hydrocarbons and organochlorine pesticides in surface soils from the Qinghai-Tibetan plateau. <i>Journal of Environmental Monitoring</i> , 2011, 13, 175-181.	2.1	77
144	Community assembly during secondary forest succession in a Chinese subtropical forest. <i>Ecological Monographs</i> , 2011, 81, 25-41.	2.4	222

#	ARTICLE	IF	CITATIONS
145	Leaf respiration/photosynthesis relationship and variation: an investigation of 39 woody and herbaceous species in east subtropical China. <i>Trees - Structure and Function</i> , 2011, 25, 301-310.	0.9	15
146	Relationship between leaf phosphorus concentration and soil phosphorus availability across Inner Mongolia grassland. <i>Chinese Journal of Plant Ecology</i> , 2011, 35, 1-8.	0.3	16
147	Taxonomic identity, phylogeny, climate and soil fertility as drivers of leaf traits across Chinese grassland biomes. <i>Journal of Plant Research</i> , 2010, 123, 551-561.	1.2	57
148	Climate change alters interannual variation of grassland aboveground productivity: evidence from a 22-year measurement series in the Inner Mongolian grassland. <i>Journal of Plant Research</i> , 2010, 123, 509-517.	1.2	87
149	Environmental factors covary with plant diversityâ€“productivity relationships among Chinese grassland sites. <i>Global Ecology and Biogeography</i> , 2010, 19, 233-243.	2.7	150
150	Foreword to the special issue: looking into the impacts of global warming from the roof of the world. <i>Journal of Plant Ecology</i> , 2009, 2, 169-171.	1.2	30
151	Population structure and genetic diversity distribution in wild and cultivated populations of the traditional Chinese medicinal plant <i>Magnolia officinalis</i> subsp. <i>biloba</i> (Magnoliaceae). <i>Genetica</i> , 2009, 135, 233-243.	0.5	48
152	Changes in topsoil carbon stock in the Tibetan grasslands between the 1980s and 2004. <i>Global Change Biology</i> , 2009, 15, 2723-2729.	4.2	135
153	Pedogenesis, permafrost, and soil moisture as controlling factors for soil nitrogen and carbon contents across the Tibetan Plateau. <i>Global Change Biology</i> , 2009, 15, 3001-3017.	4.2	159
154	Taxonomic, phylogenetic, and environmental trade-offs between leaf productivity and persistence. <i>Ecology</i> , 2009, 90, 2779-2791.	1.5	69
155	Above- and belowground biomass in relation to environmental factors in temperate grasslands, Inner Mongolia. <i>Science in China Series C: Life Sciences</i> , 2008, 51, 263-270.	1.3	99
156	Leaf nitrogen:phosphorus stoichiometry across Chinese grassland biomes. <i>Oecologia</i> , 2008, 155, 301-310.	0.9	280
157	Storage, patterns and controls of soil organic carbon in the Tibetan grasslands. <i>Global Change Biology</i> , 2008, 14, 1592-1599.	4.2	462
158	Hierarchical reliability in experimental plant assemblages. <i>Journal of Plant Ecology</i> , 2008, 1, 59-65.	1.2	39
159	Interactive effects of elevated CO <sub>2</sub> and temperature on the anatomical characteristics of leaves in eleven species. <i>Frontiers of Biology in China: Selected Publications From Chinese Universities</i> , 2007, 2, 333-339.	0.2	9
160	Phytogeographical Analysis of Seed Plant Genera in China. <i>Annals of Botany</i> , 2006, 98, 1073-1084.	1.4	23
161	Leaf-level Physiology, Biomass, and Reproduction of <i>Phytolacca americana</i> under Conditions of Elevated Carbon Dioxide and Increased Nocturnal Temperature. <i>International Journal of Plant Sciences</i> , 2006, 167, 1011-1020.	0.6	12
162	Quantifying the evidence for biodiversity effects on ecosystem functioning and services. <i>Ecology Letters</i> , 2006, 9, 1146-1156.	3.0	1,995

#	ARTICLE	IF	CITATIONS
163	A test of the generality of leaf trait relationships on the Tibetan Plateau. <i>New Phytologist</i> , 2006, 170, 835-848.	3.5	159
164	Microstructure and grain refining performance of Al-Ti master alloy prepared under high-intensity ultrasound. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 430, 326-331.	2.6	50
165	Variations in Vegetation Net Primary Production in the Qinghai-Xizang Plateau, China, from 1982 to 1999. <i>Climatic Change</i> , 2006, 74, 253-267.	1.7	271
166	Stoichiometry and large-scale patterns of leaf carbon and nitrogen in the grassland biomes of China. <i>Oecologia</i> , 2006, 149, 115-122.	0.9	210
167	CO <sub>2</sub> and nitrogen, but not population density, alter the size and C/N ratio of <i>Phytolacca americana</i> seeds. <i>Functional Ecology</i> , 2005, 19, 437-444.	1.7	26
168	Density may alter diversity-productivity relationships in experimental plant communities. <i>Basic and Applied Ecology</i> , 2005, 6, 505-517.	1.2	61
169	Differential drought responses between saplings and adult trees in four co-occurring species of New England. <i>Trees - Structure and Function</i> , 2005, 19, 442-450.	0.9	55
170	Leaf-Level Physiology, Biomass, and Reproduction of <i>Phytolacca americana</i> under Conditions of Elevated CO <sub>2</sub> and Altered Temperature Regimes. <i>International Journal of Plant Sciences</i> , 2005, 166, 615-622.	0.6	35
171	Precipitation patterns alter growth of temperate vegetation. <i>Geophysical Research Letters</i> , 2005, 32, .	1.5	179
172	Issues and prospects of belowground ecology with special reference to global climate change. <i>Science Bulletin</i> , 2004, 49, 1891.	1.7	2
173	Issues and prospects of belowground ecology with special reference to global climate change. <i>Science Bulletin</i> , 2004, 49, 1891-1899.	1.7	33
174	Increasing terrestrial vegetation activity in China, 1982-1999. <i>Science in China Series C: Life Sciences</i> , 2004, 47, 229.	1.3	25
175	Density-dependent responses of reproductive allocation to elevated atmospheric CO <sub>2</sub> in <i>Phytolacca americana</i> . <i>New Phytologist</i> , 2003, 157, 229-239.	3.5	28
176	Interactive effects of diversity, nutrients and elevated CO <sub>2</sub> on experimental plant communities. <i>Oikos</i> , 2002, 97, 337-348.	1.2	84
177	Phosphorus does not alleviate the negative effect of nitrogen enrichment on legume performance in an alpine grassland. <i>Journal of Plant Ecology</i> , 0, , rtw089.	1.2	15